

# History of Changes

## Table of contents

1 Version 2006-07 ().....	7
1.1 1.4.....	7
1.2 Docs.....	9
1.3 Revolution.....	9
1.4 Site.....	9
1.5 Zone.....	10
2 Version 2006-06 ().....	10
2.1 .....	10
2.2 1.2.....	10
2.3 1.4.....	10
2.4 Docs.....	16
2.5 Revolution.....	16
2.6 Sandbox.....	17
2.7 Zone.....	17
3 Version 2006-05 ().....	17
3.1 1.2.....	17
3.2 1.4.....	17
3.3 Docs.....	20
3.4 Revolution.....	20
3.5 Site.....	21
4 Version 2006-04 ().....	21
4.1 1.2.....	21
4.2 1.4.....	21
4.3 Sandbox.....	23
5 Version 2006-03 ().....	23
5.1 1.2.....	23
5.2 1.4.....	23
5.3 Docs.....	29
5.4 Sandbox.....	30
5.5 Site.....	30
6 Version 2006-02 ().....	30
6.1 1.2.....	30

6.2 1.4.....	31
6.3 Docs.....	38
6.4 Site.....	38
6.5 Zone.....	39
7 Version 2006-01 ().....	39
7.1 1.2.....	39
7.2 1.4.....	40
7.3 Docs.....	44
7.4 Sandbox.....	45
7.5 Site.....	45
7.6 Zone.....	45
8 Version 2005-12 ().....	46
8.1 1.2.....	46
8.2 1.4.....	47
8.3 Docs.....	48
8.4 Sandbox.....	48
9 Version 2005-11 ().....	48
9.1 1.2.....	48
9.2 1.4.....	49
9.3 Docs.....	51
9.4 Site.....	51
10 Version 2005-10 ().....	52
10.1 1.2.....	52
10.2 1.4.....	52
10.3 Docs.....	54
10.4 Sandbox.....	54
11 Version 2005-09 ().....	54
11.1 1.4.....	54
11.2 Docs.....	57
12 Version 2005-08 ().....	57
12.1 1.2.....	57
12.2 1.4.....	58
12.3 Docs.....	61
12.4 Sandbox.....	61
13 Version 2005-07 ().....	61
13.1 1.2.....	61
13.2 1.4.....	62

13.3 Docs.....	65
13.4 Site.....	65
14 Version 2005-06 ().....	65
14.1 .....	65
14.2 1.2.....	65
14.3 1.4.....	67
14.4 Docs.....	71
14.5 Sandbox.....	72
14.6 Site.....	72
15 Version 2005-05 ().....	72
15.1 .....	72
15.2 1.2.....	72
15.3 1.4.....	74
15.4 Docs.....	79
15.5 Sandbox.....	80
15.6 Site.....	80
16 Version 2005-04 ().....	81
16.1 1.2.....	81
16.2 1.4.....	83
16.3 Docs.....	87
16.4 Sandbox.....	87
16.5 Site.....	87
17 Version 2005-03 ().....	88
17.1 1.2.....	88
17.2 1.4.....	89
17.3 Docs.....	96
17.4 Sandbox.....	97
17.5 Site.....	98
18 Version 2005-02 ().....	99
18.1 .....	99
18.2 1.2.....	99
18.3 1.4.....	101
18.4 Docs.....	105
18.5 Site.....	106
19 Version 2005-01 ().....	106
19.1 1.2.....	106
19.2 1.4.....	108

19.3 Docs.....	113
19.4 Site.....	113
20 Version 2004-12 ().....	114
20.1 .....	114
20.2 1.2.....	114
20.3 1.4.....	116
20.4 Docs.....	121
20.5 Sandbox.....	122
20.6 Site.....	122
21 Version 2004-11 ().....	123
21.1 .....	123
21.2 1.2.....	123
21.3 1.4.....	125
21.4 Docs.....	127
21.5 Sandbox.....	128
21.6 Site.....	128
22 Version 2004-10 ().....	129
22.1 1.2.....	129
22.2 1.4.....	132
22.3 Docs.....	134
22.4 Site.....	134
23 Version 2004-09 ().....	134
23.1 .....	135
23.2 1.2.....	135
23.3 1.4.....	136
24 Version 2004-08 ().....	140
24.1 1.4.....	140
25 Version 2004-07 ().....	144
25.1 1.4.....	144
26 Version 2004-06 ().....	145
26.1 .....	145
26.2 1.4.....	146
27 Version 2004-05 ().....	147
27.1 .....	147
27.2 1.4.....	147
28 Version 2004-04 ().....	150
28.1 .....	150

28.2 1.4.....	150
29 Version 2004-03 ().....	155
29.1 1.4.....	155
30 Version 2004-02 ().....	161
30.1 1.4.....	161
31 Version 2004-01 ().....	170
31.1 .....	170
31.2 1.4.....	170
32 Version 2003-12 ().....	176
32.1 1.0.....	176
33 Version 2003-11 ().....	180
33.1 1.0.....	180
34 Version 2003-10 ().....	185
34.1 1.0.....	185
35 Version 2003-09 ().....	193
35.1 1.0.....	193
36 Version 2003-08 ().....	202
36.1 1.0.....	202
37 Version 2003-07 ().....	216
37.1 1.0.....	216
38 Version 2003-06 ().....	228
38.1 1.0.....	228
39 Version 2003-05 ().....	238
39.1 1.0.....	239
40 Version 2003-04 ().....	249
40.1 1.0.....	249
41 Version 2003-03 ().....	258
41.1 1.0.....	258
42 Version 2003-02 ().....	262
42.1 1.0.....	262
43 Version 2003-01 ().....	266
43.1 1.0.....	266
44 Version 2002-12 ().....	270
44.1 0.8.....	270
45 Version 2002-11 ().....	272
45.1 0.8.....	272
46 Version 2002-10 ().....	275

46.1 0.8.....	275
47 Version 2002-09 ().....	277
47.1 0.8.....	277
48 Version 2002-08 ().....	279
48.1 0.8.....	280
49 Version 2002-07 ().....	282
49.1 0.8.....	282
50 Version 2002-06 ().....	283
50.1 0.8.....	283
51 Version 2002-05 ().....	284
51.1 0.8.....	285
52 Version 2002-04 ().....	286
52.1 0.8.....	286
53 Version 2002-03 ().....	288
53.1 0.8.....	288
54 Version 2002-02 ().....	288
54.1 0.8.....	288
55 Version 2002-01 ().....	289
55.1 0.8.....	289

(changes.rss)

## 1. Version 2006-07 ()

### 1.1. 1.4

- [1.4] Donation of the resource module from the Wyona AG. This module is an alternative way of keeping resources in lenya. This code is based on <https://svn.wyona.com/repos/public/lenya/modules/resource> revision 15504. I did some adjustments to workaround the missing icons which cannot be included in this module due to license issues. Please submit us icons. [Diff](http://svn.apache.org/viewcvs.cgi?rev=424292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424292&view=rev>) (thorsten)
- [1.4] Re-added accidentally removed AccessControlTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=424289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424289&view=rev>) (andreas)
- [1.4] Moved AC tests to modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=424274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424274&view=rev>) (andreas)
- [1.4] Added more meta data declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=423944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423944&view=rev>) (andreas)
- [1.4] [minor change] Split meta data config [Diff](http://svn.apache.org/viewcvs.cgi?rev=423911&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423911&view=rev>) (andreas)
- [1.4] Moved meta data declaration to prepare directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=423904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423904&view=rev>) (andreas)
- [1.4] Starting implementation of configurable meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=423814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423814&view=rev>) (andreas)
- [1.4] Build process: Patch xtest file for each module separately [Diff](http://svn.apache.org/viewcvs.cgi?rev=423491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423491&view=rev>) (andreas)
- [1.4] ASF Bugzilla Bug 39906 - Move Xopus integration code to a module From Jonathan Addison. Thank you. This patch moves all of the xopus files and pipelines from the core to a new xopus module. It also fixes some issues left over from migrating xopus from 1.2 to 1.4: - deleted old stylesheets - added xopus.path parameter next to xopus.context parameter in xopus.xconf (previously the pipeline had to be updated with the relative path of the xopus location) - added a basic xhtml schema (thanks to Josias) - added strip\_namespaces.xsl to the xopus transformation pipeline There is a README.txt that covers what needs to be set up. [Diff](http://svn.apache.org/viewcvs.cgi?rev=422748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422748&view=rev>) (thorsten)
- [1.4] renamed RepositoryTest to AbstractRepositoryTest because it's an abstract class [Diff](http://svn.apache.org/viewcvs.cgi?rev=421550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421550&view=rev>) (josias)
- [1.4] thanks to Jonathan Addison Neutron implementation has been finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=420643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=420643&view=rev>) (michi)
- [1.4] fixes for rollback usecase (define it and allow it) [Diff](http://svn.apache.org/viewcvs.cgi?rev=419964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=419964&view=rev>) (chestnut)
- [1.4] Added cleanup XSLT for homepage resource type [Diff](http://svn.apache.org/viewcvs.cgi?rev=419602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=419602&view=rev>) (andreas)
- [1.4] Use ExistingAncestorSourceResolver for template-fallback://. This should fix bug #39959. [Diff](http://svn.apache.org/viewcvs.cgi?rev=418990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418990&view=rev>) (andreas)
- [1.4] Renamed LDAPUserTest to Abstract... so that it isn't executed [Diff](http://svn.apache.org/viewcvs.cgi?rev=424303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424303&view=rev>) (andreas)
- [1.4] Merged CustomMetaDataModule and DublinCoreModule to MetaDataModule [Diff](http://svn.apache.org/viewcvs.cgi?rev=424241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424241&view=rev>) (andreas)
- [1.4] Advancing towards component-based meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=424224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424224&view=rev>) (andreas)
- [1.4] Updated resource page layout to match default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=424367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424367&view=rev>) (andreas)
- [1.4] Doh! Forgot to change the package name in the module.xml to apache instead of wyona. Thanks for the headsup Andreas. [Diff](http://svn.apache.org/viewcvs.cgi?rev=424347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424347&view=rev>) (thorsten)
- [1.4] Forgot to change the id to apache instead of wyona. Thanks for the headsup Andreas. [Diff](http://svn.apache.org/viewcvs.cgi?rev=424342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424342&view=rev>) (thorsten)
- [1.4] module cleaned and xhtml mime-type enabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=424330&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424330&view=rev>) (michi)

- [1.4] Refactored module build process [Diff](http://svn.apache.org/viewcvs.cgi?rev=424302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424302&view=rev>) (andreas)
- [1.4] Activating the resource module for the default pub [Diff](http://svn.apache.org/viewcvs.cgi?rev=424299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424299&view=rev>) (thorsten)
- [1.4] Refactored module + test build process [Diff](http://svn.apache.org/viewcvs.cgi?rev=424275&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424275&view=rev>) (andreas)
- [1.4] Generic editing of meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=423958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423958&view=rev>) (andreas)
- [1.4] Generic editing of meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=423957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423957&view=rev>) (andreas)
- [1.4] Enable editing of dublin core meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=423956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423956&view=rev>) (andreas)
- [1.4] Moving toward configurable meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=423945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423945&view=rev>) (andreas)
- [1.4] [minor change] added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=423865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423865&view=rev>) (andreas)
- [1.4] Fixed some issues in new meta data handling, use owner.getMetaData(DublinCore.DC\_NAMESPACE) instead of metaDataManager.getDublinCoreMetaData() [Diff](http://svn.apache.org/viewcvs.cgi?rev=423862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423862&view=rev>) (andreas)
- [1.4] Added DC terms + elements to meta data config [Diff](http://svn.apache.org/viewcvs.cgi?rev=423816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423816&view=rev>) (andreas)
- [1.4] fix typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=423769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423769&view=rev>) (chestnut)
- [1.4] added context to paths [Diff](http://svn.apache.org/viewcvs.cgi?rev=423756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423756&view=rev>) (chestnut)
- [1.4] Build process: Patch xtest file for each module separately [Diff](http://svn.apache.org/viewcvs.cgi?rev=423490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423490&view=rev>) (andreas)
- [1.4] Fixed authorizer configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=423487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423487&view=rev>) (andreas)
- [1.4] Like discussed in the dev ml, we are setting headless default to true. [Diff](http://svn.apache.org/viewcvs.cgi?rev=423431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423431&view=rev>) (thorsten)
- [1.4] fix references to kupu module resources (for kupu editor files) [Diff](http://svn.apache.org/viewcvs.cgi?rev=423198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423198&view=rev>) (chestnut)
- [1.4] Document and ResourceType should return Date object instead of a formatted String [Diff](http://svn.apache.org/viewcvs.cgi?rev=423122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423122&view=rev>) (chestnut)
- [1.4] Allow to execute tests of single modules, added endorsed libraries dir to test execution [Diff](http://svn.apache.org/viewcvs.cgi?rev=423120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423120&view=rev>) (andreas)
- [1.4] refine expires functionality [Diff](http://svn.apache.org/viewcvs.cgi?rev=423080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=423080&view=rev>) (chestnut)
- [1.4] Added ability to set an expires value by resource type and/or by document. Can be fetched by using the DocumentInfoModule or ResourceTypeModule in RFC 1123 date format [Diff](http://svn.apache.org/viewcvs.cgi?rev=422950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422950&view=rev>) (chestnut)
- [1.4] don't utilize webdav uri for content since it doesn't use existing session [Diff](http://svn.apache.org/viewcvs.cgi?rev=422807&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422807&view=rev>) (chestnut)
- [1.4] note about bug which is causing the save problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=422741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422741&view=rev>) (michi)
- [1.4] use webdav module for kupu PUT [Diff](http://svn.apache.org/viewcvs.cgi?rev=422214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422214&view=rev>) (chestnut)
- [1.4] note about mime-type and WYSIWYG added and save commented, because Neutron protocol doesn't allow save after checkout [Diff](http://svn.apache.org/viewcvs.cgi?rev=421714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421714&view=rev>) (michi)
- [1.4] Ajax is still not working correctly in usecases. Meaning we need to set the @ajax to false. [Diff](http://svn.apache.org/viewcvs.cgi?rev=421571&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421571&view=rev>) (thorsten)
- [1.4] exclude abstract test classes from being executed, because junit fails if no tests are defined in a class. [Diff](http://svn.apache.org/viewcvs.cgi?rev=421551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421551&view=rev>) (josias)
- [1.4] more meaningful samples for xhtml thanks to Renaud Richardet for the patch fixes bug 40033 [Diff](http://svn.apache.org/viewcvs.cgi?rev=421469&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421469&view=rev>) (chestnut)
- [1.4] use tidy to clean up entities and xml from fck editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=421425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421425&view=rev>) (chestnut)
- [1.4] replacing &ldquo; and &rdquo; during doc save [Diff](http://svn.apache.org/viewcvs.cgi?rev=421329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421329&view=rev>) (chestnut)
- [1.4] Allow WorkflowTest to be applied to different initial states [Diff](http://svn.apache.org/viewcvs.cgi?rev=421227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=421227&view=rev>) (andreas)
- [1.4] Fixed some test build issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=420766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=420766&view=rev>) (andreas)
- [1.4] Made RepositoryTest abstract so it isn't executed by JUnit [Diff](http://svn.apache.org/viewcvs.cgi?rev=420766&view=rev)

- (http://svn.apache.org/viewcvs.cgi?rev=419918&view=rev) (andreas)
  - [1.4] Updated test build process to work with modules correctly [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419917&view=rev) (andreas)
  - [1.4] Improved XPath to check upload enabling in web.xml. This fixes bug #39976. Thanks to Oliver Schalch for the patch. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419873&view=rev) (andreas)
  - [1.4] Fixed URL reference to Kupu XSLT [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419596&view=rev) (andreas)
  - [1.4] WebDAV sitemap: fixed fallback:// URI (don't use input module and protocol together) [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419590&view=rev) (andreas)
  - [1.4] WebDAV Put: enabled validation [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419589&view=rev) (andreas)
  - [1.4] Replaced context:// with fallback:// so that it works with modules.copy=false [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419582&view=rev) (andreas)
  - [1.4] PublicationTemplateFallbackModule uses fallback:// source. Now it works with modules.copy=false. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419572&view=rev) (andreas)
  - [1.4] added toString method to get more meaningful error messages (e.g. if a workflow event cannot be invoked). [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419540&view=rev) (josias)
  - [1.4] added policy for logout usecase to enable the logout menu item. this is a temporary fix until we find a better solution. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419534&view=rev) (josias)
  - [1.4] removed redundant css code: use the same css for all areas in the lenya menu. special css for certain areas is still possible using the id attribute. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419530&view=rev) (josias)
  - [1.4] applied patch by Oliver Schalch to fix the server status tab in the admin area. fixes bug #39978 [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419523&view=rev) (josias)
  - [1.4] minor layout adjustments: fixed vertical alignment of areas in the menubar in firefox, fixed font size of tabs in the site area in IE [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419508&view=rev) (josias)
  - [1.4] BXE: load bxe relatively to publication to allow fallback [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419042&view=rev) (andreas)
  - [1.4] pass the usecase object to the view pipeline also for non-template uris to allow handling of usecases in a different sitemap, e.g. a module sitemap. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=418787&view=rev) (josias)

## 1.2. Docs

- [Docs] Updated meta data documentation [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=424234&view=rev) (andreas)
- [Docs] Adding the revolution branch to the sort criteria. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=423042&view=rev) (thorsten)
- [Docs] Removing draft note for the project guidelines since they are official now. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=422887&view=rev) (thorsten)
- [Docs] fixed typo [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419832&view=rev) (josias)
- [Docs] Removing the fixme note since we incorporated them into the latest draft. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419654&view=rev) (thorsten)

## 1.3. Revolution

- [Revolution] Added Edit, Link, and File Modules for editing Flat content. Still need editor for XML Resources, and the ability to create a new Resource. To use (after migrating a Publication to Flat content), browse http://server/pub/edit [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=420311&view=rev) (solprovider)
- [Revolution] Minor additions to the HELP. Changed some Indexes. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=419721&view=rev) (solprovider)
- [Revolution] Fixing typo [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=419643&view=rev) (thorsten)

## 1.4. Site

- [Site] Automatic publish from forrestbot [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=424416&view=rev) (thorsten)
- [Site] Automatic publish from forrestbot [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=422897&view=rev) (thorsten)

## 1.5. Zone

- [Zone] Removing cocoon from the nightly script since we are now using the cocoon that we deliver with lenya. [Diff](http://svn.apache.org/viewcvs.cgi?rev=424393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=424393&view=rev>) (thorsten)
- [Zone] Using clean-all instead of shell commands. [Diff](http://svn.apache.org/viewcvs.cgi?rev=422875&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422875&view=rev>) (thorsten)
- [Zone] Fixing spaces for the JAVA\_OPTIONS [Diff](http://svn.apache.org/viewcvs.cgi?rev=422865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422865&view=rev>) (thorsten)
- [Zone] Setting the server to -Djava.awt.headless=true via the JAVA\_OPTIONS env [Diff](http://svn.apache.org/viewcvs.cgi?rev=422860&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=422860&view=rev>) (thorsten)

## 2. Version 2006-06 ()

### 2.1.

- [] move doco to branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416020&view=rev>) (gregor)
- [] remove old branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416018&view=rev>) (gregor)
- [] remove old branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416017&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416017&view=rev>) (gregor)
- [] remove old branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416016&view=rev>) (gregor)
- [] remove old branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416015&view=rev>) (gregor)
- [] remove old branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416014&view=rev>) (gregor)
- [] remove old branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416013&view=rev>) (gregor)

### 2.2. 1.2

- [1.2] small improvment to the form editor i.e. to prevent th editor to jump to the top of the page if a new element is added [Diff](http://svn.apache.org/viewcvs.cgi?rev=416711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416711&view=rev>) (jann)
- [1.2] do nothing if an empty href occurs [Diff](http://svn.apache.org/viewcvs.cgi?rev=412758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412758&view=rev>) (jann)

### 2.3. 1.4

- [1.4] checkin exception added [Diff](http://svn.apache.org/viewcvs.cgi?rev=417757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417757&view=rev>) (michi)
- [1.4] checkout exception started [Diff](http://svn.apache.org/viewcvs.cgi?rev=417713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417713&view=rev>) (michi)
- [1.4] save and checkout implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=417688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417688&view=rev>) (michi)
- [1.4] Fixed usecasedocument module references, moved contact form to separate module [Diff](http://svn.apache.org/viewcvs.cgi?rev=417686&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417686&view=rev>) (andreas)
- [1.4] neutron module added [Diff](http://svn.apache.org/viewcvs.cgi?rev=417520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417520&view=rev>) (michi)
- [1.4] Moved GUI manager declaration to usecsae module [Diff](http://svn.apache.org/viewcvs.cgi?rev=417220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417220&view=rev>) (andreas)
- [1.4] Added svn:externals for Kupu in kupu module [Diff](http://svn.apache.org/viewcvs.cgi?rev=417218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417218&view=rev>) (andreas)
- [1.4] Moved default pub usecase declarations to module [Diff](http://svn.apache.org/viewcvs.cgi?rev=417217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417217&view=rev>) (andreas)
- [1.4] classes and sources separated [Diff](http://svn.apache.org/viewcvs.cgi?rev=417215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417215&view=rev>) (michi)
- [1.4] src dir added to separate source from classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=417211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417211&view=rev>) (michi)
- [1.4] Moved access control input module to ac-impl module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416965&view=rev>) (andreas)
- [1.4] Made UsecaseAuthorizerImpl permissive. Added usecase policies for admins. Added XSLT to initialize usecase policies. [Diff](http://svn.apache.org/viewcvs.cgi?rev=416718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416718&view=rev>) (andreas)
- [1.4] Moved UsecaseAuthorizerImpl from ac-impl to usecase-impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=416708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416708&view=rev>) (andreas)
- [1.4] Moved usecase framework to modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=416692&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416692&view=rev>) (andreas)

- [1.4] Moved templating implementation code to templating-impl module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416659&view=rev>) (andreas)
- [1.4] Renamed module usecase to usecasedocument [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416657&view=rev>) (andreas)
- [1.4] Moved workflow implementation code to workflow-impl module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416653&view=rev>) (andreas)
- [1.4] Moved editor usecases from core to editors module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416646&view=rev>) (andreas)
- [1.4] Moved Kupu class to Kupu module. The rest of the Kupu-related files will be moved later. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416630&view=rev>) (andreas)
- [1.4] Moved create JX templates from default pub to sitemanagement module. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416589&view=rev>) (andreas)
- [1.4] Moved site management usecases to sitemanagement module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416410&view=rev>) (andreas)
- [1.4] Moved TaskAction declaration from core to task module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416392&view=rev>) (andreas)
- [1.4] Moved access control actions to ac-impl module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416370&view=rev>) (andreas)
- [1.4] Added AC classes from core-API to ac-impl module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416325&view=rev>) (andreas)
- [1.4] Added missing administration module descriptor [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416322&view=rev>) (andreas)
- [1.4] Moved CredentialWrapper to administration module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416321&view=rev>) (andreas)
- [1.4] Adding missing files to core modules [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416315&view=rev>) (andreas)
- [1.4] Added some missing module descriptors [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416155&view=rev>) (andreas)
- [1.4] Build process: Building modules separately, dependencies are resolved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416136&view=rev>) (andreas)
- [1.4] Added some missing module descriptors [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416125&view=rev>) (andreas)
- [1.4] Updated + added module descriptor files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416122&view=rev>) (andreas)
- [1.4] Updated + added module descriptor files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416120&view=rev>) (andreas)
- [1.4] Moved ant tasks to directory which resembles the package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416058&view=rev>) (andreas)
- [1.4] Moved SourceNode + factory to separate module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=416011&view=rev>) (andreas)
- [1.4] neutron usecase started [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=415710&view=rev>) (michi)
- [1.4] Default pub: added page.css dummy to make page.xml work [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=415188&view=rev>) (andreas)
- [1.4] Default pub: converted CSS to XML to allow images with context prefix [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=415187&view=rev>) (andreas)
- [1.4] SVG module: Added support for corner and tab rendering [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=415137&view=rev>) (andreas)
- [1.4] put compile target in here such that it can be used standalone [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=414585&view=rev>) (michi)
- [1.4] libs updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=414581&view=rev>) (michi)
- [1.4] Added usecase resource type module - this allows to execute usecaces as documents. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=413894&view=rev>) (andreas)
- [1.4] obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=417772&view=rev>) (michi)
- [1.4] neutron removed from core [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=417525&view=rev>) (michi)
- [1.4] neutron removed from core [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=417524&view=rev>) (michi)
- [1.4] Moved defaultpub usecase declarations to correct directory [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=417232&view=rev>) (andreas)
- [1.4] [minor change] removed empty directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=417221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417221&view=rev>) (andreas)
- [1.4] Moved kupu usecase declaration to module [Diff](http://svn.apache.org/viewcvs.cgi?rev=417219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417219&view=rev>) (andreas)
- [1.4] src and classes separated [Diff](http://svn.apache.org/viewcvs.cgi?rev=417214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417214&view=rev>) (michi)
- [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=417172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417172&view=rev>) (andreas)
- [1.4] [minor change] removed empty directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=417171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417171&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=417168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417168&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=417167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417167&view=rev>) (andreas)
- [1.4] Moved SourceCache from ac-impl to cache module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=417011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417011&view=rev>) (andreas)
- [1.4] Removed obsolete module declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=416997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416997&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=416944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416944&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=416655&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416655&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=416654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416654&view=rev>) (andreas)
- [1.4] [minor change] removed empty directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=416626&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416626&view=rev>) (andreas)
- [1.4] Moved PublishingEnvironment from core API to task module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416625&view=rev>) (andreas)
- [1.4] [minor change] removed empty directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=416379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416379&view=rev>) (andreas)
- [1.4] [minor change] removed empty directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=416378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416378&view=rev>) (andreas)
- [1.4] Moved LenyaProject class to task module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416377&view=rev>) (andreas)
- [1.4] [minor change] removed empty directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=416375&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416375&view=rev>) (andreas)
- [1.4] Moved legacy code (task) from core to task module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416367&view=rev>) (andreas)
- [1.4] Moved login/logout usecases from core to ac-impl module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416329&view=rev>) (andreas)
- [1.4] Renamed ac-file module to ac-impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=416327&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416327&view=rev>) (andreas)
- [1.4] Moved access control configuration to ac-impl module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416316&view=rev>) (andreas)
- [1.4] Moved AC impl and admin usecases to modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=416313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416313&view=rev>) (andreas)
- [1.4] [minor change] removed empty bxe directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=415985&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415985&view=rev>) (andreas)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=414583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414583&view=rev>) (michi)
- [1.4] [minor] added xml prolog [Diff](http://svn.apache.org/viewcvs.cgi?rev=418220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418220&view=rev>) (josias)
- [1.4] reverted commit 416749 on this file which was probably accidental (related to bug #39801). now search should work as before. [Diff](http://svn.apache.org/viewcvs.cgi?rev=418211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418211&view=rev>) (josias)
- [1.4] Disable caching for webdav/authoring area [Diff](http://svn.apache.org/viewcvs.cgi?rev=418173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418173&view=rev>) (chestnut)
- [1.4] utilize PUT method from the webDAV protocol for bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=418024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418024&view=rev>) (chestnut)
- [1.4] ability to preprocess PUT content with xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=417938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417938&view=rev>) (chestnut)
- [1.4] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=417778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417778&view=rev>) (michi)
- [1.4] missing slash added [Diff](http://svn.apache.org/viewcvs.cgi?rev=417762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417762&view=rev>) (michi)
- [1.4] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=417711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417711&view=rev>) (michi)
- [1.4] checkout fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=417527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417527&view=rev>) (michi)
- [1.4] neutron added [Diff](http://svn.apache.org/viewcvs.cgi?rev=417523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417523&view=rev>) (michi)
- [1.4] use the neutron module instead files within core [Diff](http://svn.apache.org/viewcvs.cgi?rev=417522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417522&view=rev>) (michi)
- [1.4] BXE: added workaround for http://issues.apache.org/jira/browse/COCOON-1873 [Diff](http://svn.apache.org/viewcvs.cgi?rev=417522&view=rev)

- (http://svn.apache.org/viewcvs.cgi?rev=417495&view=rev) (andreas)
- [1.4] remove junk I didn't mean to commit [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417363&view=rev) (chestnut)
- [1.4] read usecase-policies.xml uri from ac.xconf [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417349&view=rev) (chestnut)
- [1.4] Deleted externals declaration for kupu [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417230&view=rev) (andreas)
- [1.4] Updated Kupu sitemap references to use resources from module, fixed API call n edit-document.js [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417228&view=rev) (andreas)
- [1.4] classpath fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417216&view=rev) (michi)
- [1.4] applied patch by Jörn Nettingsmeier (with some modifications): reworked usecases to change passwords and made usecases available in the gui. fixes bug #39765. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417180&view=rev) (josias)
- [1.4] Build process: updated webapp build excludes [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417170&view=rev) (andreas)
- [1.4] Build process: updated webapp build excludes [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417169&view=rev) (andreas)
- [1.4] Udpated usecase policies [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417147&view=rev) (andreas)
- [1.4] Updated trash+archive policies, removed obsolete info policies [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417144&view=rev) (andreas)
- [1.4] Check for Windows path backslashes. See bug #39880. Thanks to Jonathan Addison for the patch. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417142&view=rev) (andreas)
- [1.4] Don't reference ac-impl code. This requires some code duplication, but reading the config file directly is a hack anyway. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417009&view=rev) (andreas)
- [1.4] [minor change] code formatting, removed dead code [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417007&view=rev) (andreas)
- [1.4] Added warning messages for dependencies to unpublished modules [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417002&view=rev) (andreas)
- [1.4] Added warning messages for dependencies to unpublished modules [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=417000&view=rev) (andreas)
- [1.4] Default pub: reference imported tab XSL using template-fallback:// instead of a relative URL [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416996&view=rev) (andreas)
- [1.4] Updated version of build.properties [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416751&view=rev) (andreas)
- [1.4] Added option if modules should be copied by the build process [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416750&view=rev) (andreas)
- [1.4] Added ModuleManager, added option not to copy modules during the build [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416749&view=rev) (andreas)
- [1.4] Build process: Don't copy module java sources [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416748&view=rev) (andreas)
- [1.4] Added some usecase policy roles [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416747&view=rev) (andreas)
- [1.4] Fixed URLs in global-sitemap.xmap (added fallback) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416745&view=rev) (andreas)
- [1.4] Removed invalid usecases [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416723&view=rev) (andreas)
- [1.4] Set admin role in authoring area [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416721&view=rev) (andreas)
- [1.4] Added note how to initialize the usecase policies. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416719&view=rev) (andreas)
- [1.4] Updated module descriptors: added usecase module dependency [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416693&view=rev) (andreas)
- [1.4] [minor change] added license header [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416682&view=rev) (andreas)
- [1.4] Reduced visibility of DocumentWorkflowable class to reduce dependencies on implementation code [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416648&view=rev) (andreas)
- [1.4] [minor change] added some javadocs [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416624&view=rev) (andreas)
- [1.4] Build process: Added module descriptor validation. This fixes bug #39872. Thanks to Renaud Richardet for the patch. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=416599&view=rev) (andreas)

- [1.4] Updated module descriptors [Diff](http://svn.apache.org/viewcvs.cgi?rev=416597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416597&view=rev>) (andreas)
- [1.4] Updated module descriptors [Diff](http://svn.apache.org/viewcvs.cgi?rev=416593&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416593&view=rev>) (andreas)
- [1.4] changed name and description [Diff](http://svn.apache.org/viewcvs.cgi?rev=416460&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416460&view=rev>) (chestnut)
- [1.4] webdav module depends on the sitemanagement module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416457&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416457&view=rev>) (chestnut)
- [1.4] Added dependencies to sitemanagement module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416411&view=rev>) (andreas)
- [1.4] Parameterize module patches to support test configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=416406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416406&view=rev>) (andreas)
- [1.4] Test build: don't require lenya-roles patch directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=416405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416405&view=rev>) (andreas)
- [1.4] Commented out legacy code in usecase.xmap (requires legacy modules) [Diff](http://svn.apache.org/viewcvs.cgi?rev=416399&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416399&view=rev>) (andreas)
- [1.4] Use separate classpath property for each module [Diff](http://svn.apache.org/viewcvs.cgi?rev=416394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416394&view=rev>) (andreas)
- [1.4] Removed reference to obsolete ExecutionException [Diff](http://svn.apache.org/viewcvs.cgi?rev=416389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416389&view=rev>) (andreas)
- [1.4] Updated version of build.properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=416350&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416350&view=rev>) (andreas)
- [1.4] Added core modules to build.properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=416349&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416349&view=rev>) (andreas)
- [1.4] Added module-core directory to IDE build [Diff](http://svn.apache.org/viewcvs.cgi?rev=416317&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416317&view=rev>) (andreas)
- [1.4] [minor change] added xml prolog [Diff](http://svn.apache.org/viewcvs.cgi?rev=416309&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416309&view=rev>) (josias)
- [1.4] Build process: Use ant target dependencies to resolve module dependencies [Diff](http://svn.apache.org/viewcvs.cgi?rev=416301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416301&view=rev>) (andreas)
- [1.4] Build process: Use ant target dependencies to resolve module dependencies [Diff](http://svn.apache.org/viewcvs.cgi?rev=416300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416300&view=rev>) (andreas)
- [1.4] Build process: copy&patch modules separately [Diff](http://svn.apache.org/viewcvs.cgi?rev=416159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416159&view=rev>) (andreas)
- [1.4] Build process: copy&patch modules separately [Diff](http://svn.apache.org/viewcvs.cgi?rev=416158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416158&view=rev>) (andreas)
- [1.4] Removed NodeFactory role from lenya.roles (now provided by sourcerespository module in cocoon.xconf) [Diff](http://svn.apache.org/viewcvs.cgi?rev=416134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416134&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=416059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416059&view=rev>) (andreas)
- [1.4] checkin started [Diff](http://svn.apache.org/viewcvs.cgi?rev=415978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415978&view=rev>) (michi)
- [1.4] neutron does differentiate between save and checkin [Diff](http://svn.apache.org/viewcvs.cgi?rev=415977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415977&view=rev>) (michi)
- [1.4] slightly improved error message and removed unused imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=415970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415970&view=rev>) (josias)
- [1.4] use info message instead of error message, s.t. the asset tab is still displayed in the site area if uploads are disabled. [Diff](http://svn.apache.org/viewcvs.cgi?rev=415968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415968&view=rev>) (josias)
- [1.4] delete build and old libs during compile process [Diff](http://svn.apache.org/viewcvs.cgi?rev=415952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415952&view=rev>) (michi)
- [1.4] changed file extension for consistency reasons [Diff](http://svn.apache.org/viewcvs.cgi?rev=415938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415938&view=rev>) (josias)
- [1.4] links fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=415709&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415709&view=rev>) (michi)
- [1.4] fixed import: use XPathAPI from apache, not from sun [Diff](http://svn.apache.org/viewcvs.cgi?rev=415567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415567&view=rev>) (josias)
- [1.4] Added a static Method to the ServletHelper which checks the enable-upload parameter in web.xml. This fixes bug #39836. Thanks to Oliver Schalch for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=415560&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415560&view=rev>) (andreas)
- [1.4] Switched <a> and <span> for tabs to allow hover effects [Diff](http://svn.apache.org/viewcvs.cgi?rev=415319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415319&view=rev>) (andreas)
- [1.4] fixed directory name [Diff](http://svn.apache.org/viewcvs.cgi?rev=415258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415258&view=rev>) (josias)

- [1.4] [minor change] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=415256&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415256&view=rev>) (andreas)
- [1.4] Fixed tab links in sitetree module [Diff](http://svn.apache.org/viewcvs.cgi?rev=415255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415255&view=rev>) (andreas)
- [1.4] Default pub: round corners for tabs using SVG module [Diff](http://svn.apache.org/viewcvs.cgi?rev=415189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415189&view=rev>) (andreas)
- [1.4] Tabs: add <a> also for non-link tabs to support CSS backgrounds [Diff](http://svn.apache.org/viewcvs.cgi?rev=415136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415136&view=rev>) (andreas)
- [1.4] syntax of link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=414947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414947&view=rev>) (michi)
- [1.4] syntax fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=414945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414945&view=rev>) (michi)
- [1.4] introspection fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=414625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414625&view=rev>) (michi)
- [1.4] introspection fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=414621&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414621&view=rev>) (michi)
- [1.4] license added [Diff](http://svn.apache.org/viewcvs.cgi?rev=414588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414588&view=rev>) (michi)
- [1.4] lib updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=414582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414582&view=rev>) (michi)
- [1.4] subsequent parameters fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=414579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414579&view=rev>) (michi)
- [1.4] Added lastUser and lastDate attributes to WorkflowModule, added footer to default publication which uses these attributes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=413992&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413992&view=rev>) (andreas)
- [1.4] Default publication CSS: added footer support, set small font for <td> [Diff](http://svn.apache.org/viewcvs.cgi?rev=413991&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413991&view=rev>) (andreas)
- [1.4] BXE asset upload: user ID as creator default, creator+title+rights are optional. This fixes bug #39510. Thanks to Joern Nettingsmeier for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=413927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413927&view=rev>) (andreas)
- [1.4] UserPasswordWithCheck: Don't try to authenticate if the user is null. [Diff](http://svn.apache.org/viewcvs.cgi?rev=413915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413915&view=rev>) (andreas)
- [1.4] Add meta data to lucene-index.xml for xhtml resource type [Diff](http://svn.apache.org/viewcvs.cgi?rev=413665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413665&view=rev>) (andreas)
- [1.4] Moved declaration of LenyaMetaGenerator from default publication to core [Diff](http://svn.apache.org/viewcvs.cgi?rev=413664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413664&view=rev>) (andreas)
- [1.4] Build process: don't patch sitemap.xmap twice [Diff](http://svn.apache.org/viewcvs.cgi?rev=413660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413660&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=413645&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413645&view=rev>) (andreas)
- [1.4] Asset upload: creator, rights, and title are optional. The creator defaults to the user ID instead of the name. This fixes bug #39510. Thanks to Joern Nettingsmeier for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=413610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413610&view=rev>) (andreas)
- [1.4] Added method to get the currently requested document to DocumentUtil [Diff](http://svn.apache.org/viewcvs.cgi?rev=413608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413608&view=rev>) (andreas)
- [1.4] Modified sitemap patch files so that they are not applied during each build [Diff](http://svn.apache.org/viewcvs.cgi?rev=413068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413068&view=rev>) (andreas)
- [1.4] [minor change] removed debug statements. sorry for the noise [Diff](http://svn.apache.org/viewcvs.cgi?rev=413059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413059&view=rev>) (andreas)
- [1.4] Issue a global redirect after a usecase is completed, otherwise the continuation will be added to the redirect. [Diff](http://svn.apache.org/viewcvs.cgi?rev=413047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413047&view=rev>) (andreas)
- [1.4] Use separate usecase for changing password with check of old password. This avoids the security issue that the checkPassword parameter can be set by the client. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412987&view=rev>) (andreas)
- [1.4] Updated usecase names in usecase-policies.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=412986&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412986&view=rev>) (andreas)
- [1.4] Pass usecase name as parameter to usecases.js. This allows to invoke the flowscript in different ways than just using a request parameter. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412982&view=rev>) (andreas)
- [1.4] Menus: check if the current document object as returned from the page envelope is really a document, because the input module logicsheet returns an empty string instead of null values. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412741&view=rev>) (andreas)
- [1.4] Added check for document existence to module menus to avoid exception for non-existing documents in the site area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412718&view=rev>) (andreas)

- [1.4] Added sitetree entry for /concepts (en). The document exists but has to be translated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412715&view=rev>) (andreas)
- [1.4] InsertAsset usecase: clear upload field values when upload was successful, clear file parameter value before next screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=412707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412707&view=rev>) (andreas)
- [1.4] Asset upload: When errors occur, remove the value of the 'file' parameter. The value can't be passed to the next screen for security reasons, so the user has to be prompted to choose the asset again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412705&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412705&view=rev>) (andreas)
- [1.4] Asset upload: Completed validation, use name/id of logged-in user as default creator value, don't rely on file parameter when delegating the asset upload from the editor upload screen. This fixes bug 39510. [Diff](http://svn.apache.org/viewcvs.cgi?rev=412423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412423&view=rev>) (andreas)
- [1.4] [minor change] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=412412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412412&view=rev>) (andreas)
- [1.4] IDE build: don't include non-existing API test directory, include modules-optional src directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=412160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412160&view=rev>) (andreas)
- [1.4] Updated code after refactoring: DocumentIdentityMap renamed to DocumentFactory (thanks to Edith Chevrier for spotting) [Diff](http://svn.apache.org/viewcvs.cgi?rev=412159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=412159&view=rev>) (andreas)

## 2.4. Docs

- [Docs] add sandbox and branch policies [Diff](http://svn.apache.org/viewcvs.cgi?rev=418289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418289&view=rev>) (gregor)
- [Docs] add discussion results to guidelines, add proposal for branch creation [Diff](http://svn.apache.org/viewcvs.cgi?rev=415420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=415420&view=rev>) (gregor)

## 2.5. Revolution

- [Revolution] This is (hopefully) all the changes and new files to convert 1.2.x to 1.3. There are 4 new documentation files at the root. [Diff](http://svn.apache.org/viewcvs.cgi?rev=413547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413547&view=rev>) (solprovider)
- [Revolution] [Diff](http://svn.apache.org/viewcvs.cgi?rev=413312&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413312&view=rev>) (solprovider)
- [Revolution] [Diff](http://svn.apache.org/viewcvs.cgi?rev=413018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413018&view=rev>) (solprovider)
- [Revolution] [Diff](http://svn.apache.org/viewcvs.cgi?rev=413529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413529&view=rev>) (solprovider)
- [Revolution] Making place for the 1.2.x on which 1.3 is based on [Diff](http://svn.apache.org/viewcvs.cgi?rev=413283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413283&view=rev>) (thorsten)
- [Revolution] [Diff](http://svn.apache.org/viewcvs.cgi?rev=413200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413200&view=rev>) (solprovider)
- [Revolution] Working on the Link ResourceType Module, I kept finding bugs in Cocoon2.1.6, so I reinstalled/reorganized my development system with Cocoon2.1.9 and a fresh copy of Lenya1.3. Fixed some bugs with Hierarchical content while testing the new installation. Updated INSTALL-SRC.txt with instructions based on new installation (especially how Cocoon's BAT files are formatted wrong.) Bug fixes for Hierarchical Content. Migrate: Use live revision for edit revision if no authoring revision (unlikely in Lenya1.2). Added Edit Module for entry into Flat Resource maintenance. Fixed Form Module's post.xsp to handle checkboxes (multiple fields with the same name). Added ResourceTransformer for changing structural information of Resources. Still being tested. Added StringSource and VirtualSourceFactory. The Cocoon project might benefit from them. VirtualSourceFactory needs to be thread-safe. [Diff](http://svn.apache.org/viewcvs.cgi?rev=417568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=417568&view=rev>) (solprovider)
- [Revolution] General cleanup and preparation for the "edit" Module (which will be delayed by the weekend.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=414714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414714&view=rev>) (solprovider)
- [Revolution] Changed index live.xconf to use "livemenu" structure. If you have previously migrated content, rename {pub}/content/index/livemenu\* -> live\* (overwrite the old files) Navigation Module: Fixed bug and passes to "nav" Module if flat content. Nav Module: Navigation elements for flat content. Added backwards-compatible instructions to 13UPGRADE.txt for fixing links when using the Nav Module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=414402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414402&view=rev>) (solprovider)
- [Revolution] FlatRevision: Fixed bug with getTitle() not using current revision. Migrate: Restored edit and live revisions default to "1". Migrate: Removed extension from id and fullid. This changes the content datastore, so please migrate again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=414149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=414149&view=rev>) (solprovider)
- [Revolution] Adding the 1.2.x branch as base for 1.3.x [Diff](http://svn.apache.org/viewcvs.cgi?rev=413285&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413285&view=rev>)

- (thorsten)  
[Revolution] [Diff](http://svn.apache.org/viewcvs.cgi?rev=413019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=413019&view=rev>) (solprovider)

## 2.6. Sandbox

- [Sandbox] move repository to branches [Diff](http://svn.apache.org/viewcvs.cgi?rev=416021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=416021&view=rev>) (gregor)

## 2.7. Zone

- [Zone] Updating shell scripts, removing a whitespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=418039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=418039&view=rev>)  
(thorsten)

## 3. Version 2006-05 ()

### 3.1. 1.2

- [1.2] configure core lib added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407545&view=rev>) (michi)
- [1.2] backporting the configuration tool from lenya 1.4 to 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=406646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=406646&view=rev>) (michi)
- [1.2] Use LRUMap instead of deprecated CacheMap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407949&view=rev>) (antonio)
- [1.2] Use LRUMap instead of deprecated CacheMap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407853&view=rev>) (antonio)
- [1.2] Fix bug 37881. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407848&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407848&view=rev>) (antonio)
- [1.2] Handle GZIP Content-Encoding properly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407742&view=rev>) (antonio)
- [1.2] ignore build [Diff](http://svn.apache.org/viewcvs.cgi?rev=406648&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=406648&view=rev>) (michi)
- [1.2] Don't check 2 time expression 'cie != null'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=399261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399261&view=rev>) (antonio)
- [1.2] Don't create unnecesary Long Objects. [Diff](http://svn.apache.org/viewcvs.cgi?rev=399258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399258&view=rev>) (antonio)
- [1.2] Formatting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=399255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399255&view=rev>) (antonio)
- [1.2] Code formatting. Remove unused imports and Use imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=399254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399254&view=rev>) (antonio)
- [1.2] Don't create unnecesary Long Objects. [Diff](http://svn.apache.org/viewcvs.cgi?rev=399253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399253&view=rev>) (antonio)
- [1.2] Use StringBuffer inside cycles. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398539&view=rev>) (antonio)

### 3.2. 1.4

- [1.4] instructions on how to use fckeditor in lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=409193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409193&view=rev>) (chestnut)
- [1.4] Moved PublicationTemplateManagerImpl from API to impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=408633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408633&view=rev>) (andreas)
- [1.4] [temporary] removed feed meta file to make room for the new content file, added meta file in new location [Diff](http://svn.apache.org/viewcvs.cgi?rev=407777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407777&view=rev>) (andreas)
- [1.4] introspection added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407647&view=rev>) (michi)
- [1.4] Moved some usecase implementation classes from API to impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407584&view=rev>) (andreas)
- [1.4] Moved usecase scheduler implementation from API to impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407582&view=rev>) (andreas)
- [1.4] Removed notification + default pub classes from API, moved defaultpub usecases to module to make them available to other modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=407579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407579&view=rev>) (andreas)
- [1.4] defaultpub and notification added such that Lenya compiles again [Diff](http://svn.apache.org/viewcvs.cgi?rev=407536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407536&view=rev>) (michi)
- [1.4] Re-added AddUser usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=407307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407307&view=rev>) (andreas)

- [1.4] Added missing UsecaseAuthorizer after separating API from implementation (sorry) [Diff](http://svn.apache.org/viewcvs.cgi?rev=407253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407253&view=rev>) (andreas)
- [1.4] actual libs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407047&view=rev>) (michi)
- [1.4] for jar location [Diff](http://svn.apache.org/viewcvs.cgi?rev=406605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=406605&view=rev>) (michi)
- [1.4] copy paste functionality added [Diff](http://svn.apache.org/viewcvs.cgi?rev=406602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=406602&view=rev>) (michi)
- [1.4] moved into core [Diff](http://svn.apache.org/viewcvs.cgi?rev=400295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400295&view=rev>) (michi)
- [1.4] moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=400290&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400290&view=rev>) (michi)
- [1.4] Configure abstractized [Diff](http://svn.apache.org/viewcvs.cgi?rev=400288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400288&view=rev>) (michi)
- [1.4] new dir structure added. TODO should be replaced by jar ... [Diff](http://svn.apache.org/viewcvs.cgi?rev=400090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400090&view=rev>) (michi)
- [1.4] Removed obsolete Operation interface + implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=408639&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408639&view=rev>) (andreas)
- [1.4] Moved some publication classes from API to impl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=408630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408630&view=rev>) (andreas)
- [1.4] Moved some publication classes from API to impl. The collection interface doesn't extend Document anymore, now the CollectionImpl uses delegation instead of inheritance. [Diff](http://svn.apache.org/viewcvs.cgi?rev=408627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408627&view=rev>) (andreas)
- [1.4] Blog: moved index.xml content file to index (removed extension) [Diff](http://svn.apache.org/viewcvs.cgi?rev=407778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407778&view=rev>) (andreas)
- [1.4] [minor change] removed empty ac/impl directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=407585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407585&view=rev>) (andreas)
- [1.4] moved some workflow classes from API to impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407528&view=rev>) (andreas)
- [1.4] Moved AC cache classes from API to impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407279&view=rev>) (andreas)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=407191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407191&view=rev>) (michi)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=400296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400296&view=rev>) (michi)
- [1.4] abstract configure command line class moved to core [Diff](http://svn.apache.org/viewcvs.cgi?rev=400294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400294&view=rev>) (michi)
- [1.4] moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=400293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400293&view=rev>) (michi)
- [1.4] removed for making space of new dir structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=400089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400089&view=rev>) (michi)
- [1.4] Applying patch from Cayetano. Fixing orthographic errors. Thanks Cayetano. [Diff](http://svn.apache.org/viewcvs.cgi?rev=410620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410620&view=rev>) (thorsten)
- [1.4] Update Descriptions FIX bug: 39676 [Diff](http://svn.apache.org/viewcvs.cgi?rev=410513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410513&view=rev>) (cheche)
- [1.4] Cleaning up the odt create usecase like recommended by Andreas. I tested as well with an external content dir. Thanks Andreas for this heads up and the effort to make this possible. [Diff](http://svn.apache.org/viewcvs.cgi?rev=410503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410503&view=rev>) (thorsten)
- [1.4] extension not needed for PUT, uses default extenstion \* as resource type [Diff](http://svn.apache.org/viewcvs.cgi?rev=409678&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409678&view=rev>) (chestnut)
- [1.4] Don't use source extensions when creating ODT documents. This fixes bug #18348. Thanks to Renaud Richardet for the patch! [Diff](http://svn.apache.org/viewcvs.cgi?rev=409613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409613&view=rev>) (andreas)
- [1.4] Added message to migration target that it doesn't work with external content [Diff](http://svn.apache.org/viewcvs.cgi?rev=409610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409610&view=rev>) (andreas)
- [1.4] contextPath fixes for webdav module (should fix webDAV via Tomcat) [Diff](http://svn.apache.org/viewcvs.cgi?rev=409213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409213&view=rev>) (chestnut)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=409190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409190&view=rev>) (andreas)
- [1.4] more ContextPath fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=409160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409160&view=rev>) (chestnut)
- [1.4] added contextpath to javascript includes [Diff](http://svn.apache.org/viewcvs.cgi?rev=409150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409150&view=rev>) (chestnut)
- [1.4] styles and meta clarified [Diff](http://svn.apache.org/viewcvs.cgi?rev=409016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=409016&view=rev>) (michi)
- [1.4] Session extends UnitOfWork. This removes the dependency from SourceNode to SessionImpl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=408704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408704&view=rev>) (andreas)

- [1.4] [refactoring] renamed DocumentIdentityMap to DocumentFactory for consistency reasons, removed most of the dependencies from the API to o.a.lenya.transaction [Diff](http://svn.apache.org/viewcvs.cgi?rev=408702&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408702&view=rev>) (andreas)
- [1.4] [refactoring] renamed DefaultDocument to DocumentImpl [Diff](http://svn.apache.org/viewcvs.cgi?rev=408631&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408631&view=rev>) (andreas)
- [1.4] Removed dependency from DefaultDocumentBuilder to DefaultDocument [Diff](http://svn.apache.org/viewcvs.cgi?rev=408614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408614&view=rev>) (andreas)
- [1.4] Updated publish usecase to new API (session.getUnitOfWork().getIdentity() -> session.getIdentity()) [Diff](http://svn.apache.org/viewcvs.cgi?rev=408600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=408600&view=rev>) (andreas)
- [1.4] Removed references to DocumentIdentityMapImpl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407831&view=rev>) (andreas)
- [1.4] [minor change] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=407829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407829&view=rev>) (andreas)
- [1.4] Don't use DocumentIdentityMapImpl directly [Diff](http://svn.apache.org/viewcvs.cgi?rev=407827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407827&view=rev>) (andreas)
- [1.4] [Refactoring] splitted Session and DocumentIdentityMap into interface and implementation. This will hopefully allow to move the transaction handling code from API to impl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407817&view=rev>) (andreas)
- [1.4] [minor change] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=407788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407788&view=rev>) (andreas)
- [1.4] Obtain ODT content using the lenyadoc:/ protocol. This works now because the extension isn't part of the source path anymore. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407786&view=rev>) (andreas)
- [1.4] Obtain ODT content using the lenyadoc:/ protocol. This works now because the extension isn't part of the source path anymore. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407785&view=rev>) (andreas)
- [1.4] Removed deprecated + obsolete Creator interface. The functionality of the NewBlogEntryCreator has been moved to the CreateBlogEntry usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407783&view=rev>) (andreas)
- [1.4] Removed source extensions from content. This way, source files can be read without knowing the source extension, i.e., without accessing the meta data. This solves several problems and simplifies the code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407776&view=rev>) (andreas)
- [1.4] parameters added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407654&view=rev>) (michi)
- [1.4] context prefix added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407652&view=rev>) (michi)
- [1.4] introspection pipeline added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407650&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407650&view=rev>) (michi)
- [1.4] introspection link added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407649&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407649&view=rev>) (michi)
- [1.4] Moved workflow implementation from API to impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407503&view=rev>) (andreas)
- [1.4] Build process: create build/lenya/lib directory before using it [Diff](http://svn.apache.org/viewcvs.cgi?rev=407498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407498&view=rev>) (andreas)
- [1.4] Build process: Make pub + module libs available for compiling pubs + modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=407491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407491&view=rev>) (andreas)
- [1.4] enable ajax in cforms example [Diff](http://svn.apache.org/viewcvs.cgi?rev=407452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407452&view=rev>) (chestnut)
- [1.4] Moved AC usecases back from impl to API, improved AC API for a better separation between API and impl [Diff](http://svn.apache.org/viewcvs.cgi?rev=407305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407305&view=rev>) (andreas)
- [1.4] Build Process: fixed src.test.impl.dir value [Diff](http://svn.apache.org/viewcvs.cgi?rev=407276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407276&view=rev>) (andreas)
- [1.4] Build process: Fixed classpath parameter (refid attribute changed to value) [Diff](http://svn.apache.org/viewcvs.cgi?rev=407274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407274&view=rev>) (andreas)
- [1.4] Moved tests to impl/test, fixed test classpath [Diff](http://svn.apache.org/viewcvs.cgi?rev=407269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407269&view=rev>) (andreas)
- [1.4] Improved build process: use specific classpath when compiling modules, pubs, and core implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=407257&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407257&view=rev>) (andreas)
- [1.4] Starting to separate API from implementation. The API Java files are left where they were to keep the impact minimal for the moment. Implementation files will be moved to the src/impl directory. [Diff](http://svn.apache.org/viewcvs.cgi?rev=407248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407248&view=rev>) (andreas)
- [1.4] ignore build directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=407211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407211&view=rev>) (michi)

- [1.4] classpath set to libraries instead classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=407190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407190&view=rev>) (michi)
- [1.4] create jars [Diff](http://svn.apache.org/viewcvs.cgi?rev=407049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407049&view=rev>) (michi)
- [1.4] use jars instead of classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=407048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407048&view=rev>) (michi)
- [1.4] configuration updated and note about environment variables for Windows added [Diff](http://svn.apache.org/viewcvs.cgi?rev=406973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=406973&view=rev>) (michi)
- [1.4] combo bug workaround [Diff](http://svn.apache.org/viewcvs.cgi?rev=406604&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=406604&view=rev>) (michi)
- [1.4] kupu drawers must have moved as some point, this should fix the ability to add links in kupu [Diff](http://svn.apache.org/viewcvs.cgi?rev=405493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405493&view=rev>) (chestnut)
- [1.4] GUI and api updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=405431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405431&view=rev>) (michi)
- [1.4] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=405416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405416&view=rev>) (michi)
- [1.4] differentiate between comboBox and textField [Diff](http://svn.apache.org/viewcvs.cgi?rev=405412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405412&view=rev>) (michi)
- [1.4] TODOs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=405410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405410&view=rev>) (michi)
- [1.4] available parameters made accessible [Diff](http://svn.apache.org/viewcvs.cgi?rev=405371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405371&view=rev>) (michi)
- [1.4] combox set dynamically [Diff](http://svn.apache.org/viewcvs.cgi?rev=405369&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405369&view=rev>) (michi)
- [1.4] set radio button correctly [Diff](http://svn.apache.org/viewcvs.cgi?rev=405366&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405366&view=rev>) (michi)
- [1.4] back bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=405361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405361&view=rev>) (michi)
- [1.4] bugs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=405357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405357&view=rev>) (michi)
- [1.4] removed strange chars. thanks to Oliver Schalch for spotting this [Diff](http://svn.apache.org/viewcvs.cgi?rev=405343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405343&view=rev>) (josias)
- [1.4] Don't copy from lenya/lib/endorsed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=404927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=404927&view=rev>) (antonio)
- [1.4] Activating java 1.5 compile and run for Linux. [Diff](http://svn.apache.org/viewcvs.cgi?rev=400414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400414&view=rev>) (antonio)
- [1.4] classes for GUI added [Diff](http://svn.apache.org/viewcvs.cgi?rev=400310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400310&view=rev>) (michi)
- [1.4] thanks to Ilhan Parmaksiz and Oliver Schalch we now have a nice GUI to configure [Diff](http://svn.apache.org/viewcvs.cgi?rev=400309&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400309&view=rev>) (michi)
- [1.4] the actual link added [Diff](http://svn.apache.org/viewcvs.cgi?rev=400308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400308&view=rev>) (michi)
- [1.4] links to source added [Diff](http://svn.apache.org/viewcvs.cgi?rev=400300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400300&view=rev>) (michi)
- [1.4] classes moved into implementation dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=400292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400292&view=rev>) (michi)
- [1.4] classes moved into implementation dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=400291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400291&view=rev>) (michi)
- [1.4] Configure Command line abstractized [Diff](http://svn.apache.org/viewcvs.cgi?rev=400289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400289&view=rev>) (michi)
- [1.4] source splitted into API and implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=400088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=400088&view=rev>) (michi)
- [1.4] slightly refactored to make it easier to extend. included a patch by Renaud Richardet. thanks Renaud. [Diff](http://svn.apache.org/viewcvs.cgi?rev=399580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399580&view=rev>) (josias)
- [1.4] allow client editors to save (should allow kupu to save) [Diff](http://svn.apache.org/viewcvs.cgi?rev=398763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398763&view=rev>) (chestnut)

### 3.3. Docs

- [Docs] helper XSLTs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=407249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407249&view=rev>) (michi)
- [Docs] Adding guidelines proposal based on the one from forrest. Replaced forrest with lenya and updated links to reflect the important ones from lenya. [Diff](http://svn.apache.org/viewcvs.cgi?rev=405490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405490&view=rev>) (thorsten)
- [Docs] Adding apachecon button and removing all news section or outdated release dates [Diff](http://svn.apache.org/viewcvs.cgi?rev=410677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410677&view=rev>) (thorsten)
- [Docs] Adding new lenya site. reported by Vik Tara. [Diff](http://svn.apache.org/viewcvs.cgi?rev=410675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410675&view=rev>) (thorsten)
- [Docs] paths fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=407250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=407250&view=rev>) (michi)
- [Docs] fixed typos [Diff](http://svn.apache.org/viewcvs.cgi?rev=405731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=405731&view=rev>) (josias)
- [Docs] updated live-sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=399463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399463&view=rev>) (chestnut)

### 3.4. Revolution

- [Revolution] Opening a revolution branch and added an initial 1.3 directory for solproviders code revolution 1.3 which is backwards compatible to 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=410630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410630&view=rev>) (thorsten)

### 3.5. Site

- [Site] Automatic publish from forrestbot [Diff](http://svn.apache.org/viewcvs.cgi?rev=410687&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=410687&view=rev>) (thorsten)
- [Site] updated live-sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=399472&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=399472&view=rev>) (chestnut)

## 4. Version 2006-04 ()

### 4.1. 1.2

- [1.2] allow to edit the href attribute of a sitetree label in the GUI (Site area, Edit Navigation Link). fixes bug #39237 [Diff](http://svn.apache.org/viewcvs.cgi?rev=393210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393210&view=rev>) (josias)
- [1.2] Ant Task has a variable called description. Rename 'description' to 'dcDescription'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398451&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398451&view=rev>) (antonio)
- [1.2] Remove dead store variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398450&view=rev>) (antonio)
- [1.2] Clean code and dead store variables. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398446&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398446&view=rev>) (antonio)
- [1.2] Cleanup. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398393&view=rev>) (antonio)
- [1.2] Class is already final. Protected variable does make sense. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398389&view=rev>) (antonio)
- [1.2] Remove redundant checks. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398387&view=rev>) (antonio)
- [1.2] Use commons-io instead of creating nested anonymous classes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398376&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398376&view=rev>) (antonio)
- [1.2] Set static inner class. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398269&view=rev>) (antonio)
- [1.2] Remove interface already implemented by superclass. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398268&view=rev>) (antonio)
- [1.2] Use Map.Entry. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398266&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398266&view=rev>) (antonio)
- [1.2] Some code improvements. Use Map.Entry instead of looking up the value. Add if (log.isDebugEnabled()) {} clause to cycles generating log.debug() info. Use StringBuffer() instead of String() in cycles. Don't use new String() instead use an empty string. Add final keyword to some static variables. And other small improvements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398260&view=rev>) (antonio)
- [1.2] Remove unused imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398241&view=rev>) (antonio)
- [1.2] Use o.a.log4j.Logger instead of deprecated o.a.log4j.Category. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398238&view=rev>) (antonio)
- [1.2] Sync with cocoon 2.1.9. This works with older cocoon versions too. [Diff](http://svn.apache.org/viewcvs.cgi?rev=398208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=398208&view=rev>) (antonio)
- [1.2] don't throw an NPE on the authoring, trash, or archive nodes, which don't have any labels [Diff](http://svn.apache.org/viewcvs.cgi?rev=393488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393488&view=rev>) (josias)
- [1.2] It is now possible to set the name of the user in 'from' and 'Reply-to'. The name is taken from the parameters 'from', which should be in the form 'Name <name@foo.org>' [Diff](http://svn.apache.org/viewcvs.cgi?rev=393480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393480&view=rev>) (edith)
- [1.2] allow a href attribute in the sitetree for each language version of a document. the attribute is used to create the link in the menu and the tabs. its value is displayed in the overview tab of the site area. fixes bug #39165 [Diff](http://svn.apache.org/viewcvs.cgi?rev=393208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393208&view=rev>) (josias)
- [1.2] show true added [Diff](http://svn.apache.org/viewcvs.cgi?rev=392956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392956&view=rev>) (michi)
- [1.2] show true added [Diff](http://svn.apache.org/viewcvs.cgi?rev=392954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392954&view=rev>) (michi)
- [1.2] return null if local robots has not been specified within crawler config [Diff](http://svn.apache.org/viewcvs.cgi?rev=391308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=391308&view=rev>) (michi)

### 4.2. 1.4

- [1.4] README on this module started [Diff](http://svn.apache.org/viewcvs.cgi?rev=394303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394303&view=rev>) (michi)
- [1.4] usecase config renamed according to usecase name [Diff](http://svn.apache.org/viewcvs.cgi?rev=394302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394302&view=rev>) (michi)
- [1.4] description added [Diff](http://svn.apache.org/viewcvs.cgi?rev=394296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394296&view=rev>) (michi)
- [1.4] moving the common files (the ones coming from David Eisenberg) into a directory on it one to easier reuse it in forrest via svn:ext. [Diff](http://svn.apache.org/viewcvs.cgi?rev=394229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394229&view=rev>) (thorsten)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=394278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394278&view=rev>) (michi)
- [1.4] link to ODT added [Diff](http://svn.apache.org/viewcvs.cgi?rev=397876&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=397876&view=rev>) (michi)
- [1.4] note about WebDAV added [Diff](http://svn.apache.org/viewcvs.cgi?rev=397804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=397804&view=rev>) (michi)
- [1.4] FOR-872 - RollBack of the patch in order to take into account Thorsten remarks. Waiting for a new patch Clay... [Diff](http://svn.apache.org/viewcvs.cgi?rev=397225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=397225&view=rev>) (cdupoirieux)
- [1.4] FOR-872 - Patch odt\_plugin.diff, Thanks to Clay Leeds. [Diff](http://svn.apache.org/viewcvs.cgi?rev=397134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=397134&view=rev>) (cdupoirieux)
- [1.4] TODO added [Diff](http://svn.apache.org/viewcvs.cgi?rev=394381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394381&view=rev>) (michi)
- [1.4] message improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=394332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394332&view=rev>) (michi)
- [1.4] log a warning if a resource type is not indexable because generally a resource type should be indexable [Diff](http://svn.apache.org/viewcvs.cgi?rev=394326&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394326&view=rev>) (michi)
- [1.4] how to make a resource type indexable added [Diff](http://svn.apache.org/viewcvs.cgi?rev=394325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394325&view=rev>) (michi)
- [1.4] logger name changed such that one actually knows where to look for [Diff](http://svn.apache.org/viewcvs.cgi?rev=394298&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394298&view=rev>) (michi)
- [1.4] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=394268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394268&view=rev>) (michi)
- [1.4] lucene config filename from IndexManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=394217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394217&view=rev>) (michi)
- [1.4] error message improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=394206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394206&view=rev>) (michi)
- [1.4] Bugfix Bug 39134 Apache License added to ODT->XHTML .xsl file Last modified: 2006-04-05 10:36 Reporter: J David Eisenberg Using now the stylesheet from [http://books.evc-cit.info/odf\\_utils/odt\\_to\\_xhtml.html](http://books.evc-cit.info/odf_utils/odt_to_xhtml.html) for odt. Thanks David for your most valuable contribution. [Diff](http://svn.apache.org/viewcvs.cgi?rev=394204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394204&view=rev>) (thorsten)
- [1.4] adding parameter to the opendocument transformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=394203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=394203&view=rev>) (thorsten)
- [1.4] warning re Java version implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=393780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393780&view=rev>) (michi)
- [1.4] note about target.vm 1.5 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=393762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393762&view=rev>) (michi)
- [1.4] TODO added re usecase policies config [Diff](http://svn.apache.org/viewcvs.cgi?rev=393761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=393761&view=rev>) (michi)
- [1.4] show as true added [Diff](http://svn.apache.org/viewcvs.cgi?rev=392959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392959&view=rev>) (michi)
- [1.4] if statement added [Diff](http://svn.apache.org/viewcvs.cgi?rev=392907&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392907&view=rev>) (michi)
- [1.4] clean made dependable on properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=392906&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392906&view=rev>) (michi)
- [1.4] usecase-policies read from config [Diff](http://svn.apache.org/viewcvs.cgi?rev=392449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392449&view=rev>) (michi)
- [1.4] requestURI introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=392448&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392448&view=rev>) (michi)
- [1.4] getConfiguration separated [Diff](http://svn.apache.org/viewcvs.cgi?rev=392447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392447&view=rev>) (michi)
- [1.4] note seems to be obsolete, but another TODO added [Diff](http://svn.apache.org/viewcvs.cgi?rev=392446&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392446&view=rev>) (michi)
- [1.4] Fixme replaced by TODO [Diff](http://svn.apache.org/viewcvs.cgi?rev=392383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392383&view=rev>) (michi)
- [1.4] PATH is obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=392382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392382&view=rev>) (michi)
- [1.4] note clarified re ac config [Diff](http://svn.apache.org/viewcvs.cgi?rev=392381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392381&view=rev>) (michi)
- [1.4] do not copy local.ac.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=392379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392379&view=rev>) (michi)
- [1.4] allow patching of ac.xconf with local version [Diff](http://svn.apache.org/viewcvs.cgi?rev=392378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=392378&view=rev>) (michi)
- [1.4] Fixing bug related to custom meta data which have not been copied when publishing a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=391273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=391273&view=rev>) (thorsten)
- [1.4] removing obsolete imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=391006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=391006&view=rev>) (thorsten)
- [1.4] removing obsolete import [Diff](http://svn.apache.org/viewcvs.cgi?rev=391005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=391005&view=rev>) (thorsten)

## 4.3. Sandbox

- [Sandbox] Fixing lucene indexing bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=393268&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=393268&view=rev) (thorsten)
- [Sandbox] content dir commented [Diff](http://svn.apache.org/viewcvs.cgi?rev=395807&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=395807&view=rev) (michi)
- [Sandbox] ignore local publication config [Diff](http://svn.apache.org/viewcvs.cgi?rev=395804&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=395804&view=rev) (michi)
- [Sandbox] Updating todo list for doco [Diff](http://svn.apache.org/viewcvs.cgi?rev=393639&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=393639&view=rev) (thorsten)
- [Sandbox] ignoring .settings [Diff](http://svn.apache.org/viewcvs.cgi?rev=393272&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=393272&view=rev) (thorsten)

## 5. Version 2006-03 ()

### 5.1. 1.2

- [1.2] Use the url defined in publication.xconf for the live area. If it is not set the respective input module construct the url from request parameters. [Diff](http://svn.apache.org/viewcvs.cgi?rev=389799&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=389799&view=rev) (jann)
- [1.2] reworked the DocumentReferencesHelper: now uses the link attributes defined in publication.xconf and does not duplicate knowledge about URLs, so it should work with custom document builders [Diff](http://svn.apache.org/viewcvs.cgi?rev=387884&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=387884&view=rev) (josias)
- [1.2] make default properties non-static allowing different ldap properties for different publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=387855&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=387855&view=rev) (jann)
- [1.2] more code simplification [Diff](http://svn.apache.org/viewcvs.cgi?rev=387549&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=387549&view=rev) (josias)
- [1.2] code simplification [Diff](http://svn.apache.org/viewcvs.cgi?rev=387544&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=387544&view=rev) (josias)
- [1.2] enable browser-caching for static lenya images. this increases the performance e.g. of the sitetree widget and also reduces 'flickering' of the menu tabs which occurred in IE. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386644&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=386644&view=rev) (josias)
- [1.2] Adding Image dimensions to the asset tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=385508&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=385508&view=rev) (jann)
- [1.2] Reading image height and width from the metadata in order to show them in the asset tab of the site area [Diff](http://svn.apache.org/viewcvs.cgi?rev=385507&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=385507&view=rev) (jann)
- [1.2] Add image height and width to the metadata of the respective asset [Diff](http://svn.apache.org/viewcvs.cgi?rev=385505&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=385505&view=rev) (jann)

### 5.2. 1.4

- [1.4] descriptor for asset added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388534&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=388534&view=rev) (michi)
- [1.4] arbitrary resource types added to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=388525&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=388525&view=rev) (michi)
- [1.4] upload max size patcher added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388511&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=388511&view=rev) (michi)
- [1.4] Added LinkRewriterTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=387516&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=387516&view=rev) (andreas)
- [1.4] ASF Bugzilla Bug 38969 [WebDAV] cannot PUT a binary document, like .odt or .jpg Patch (id=17896) provided by Renaud - RequestReader.java Thx Renaud. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386048&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=386048&view=rev) (thorsten)
- [1.4] Implementing the first version of mkcol usecase for webdav. It is quite rudimental and is assuming a xhtml to be created but you can now create new folders in e.g. cadaver with 'mkcol test2'. Have not tested with any other client yet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385798&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=385798&view=rev) (thorsten)
- [1.4] Bug 38925 WebDAV module: index\_en.xml and links\_en.xml cannot be opened Reporter: Jonathan Addison Thx Jonathan. Patch applied. however with cadaver you cannot upload the edit files. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385522&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=385522&view=rev) (thorsten)
- [1.4] meta fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=385128&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=385128&view=rev) (michi)
- [1.4] Added new usecase for the opendocument module. You can now upload opendocuments to already existing odt docs in lenya. This will replace the existing document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=384267&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=384267&view=rev) (thorsten)
- [1.4] Added new create usecase for openDocument. This usecase is bypassing the 'normal' routine and creating a new document on basis of the odt sample. Activated the usecase in the menu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=383910&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=383910&view=rev) (thorsten)

- [1.4] Thanks to Ilhan and Oliver we now have a configure.bat for Windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=383552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383552&view=rev>) (michi)
- [1.4] menu started by not ready yet [Diff](http://svn.apache.org/viewcvs.cgi?rev=383215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383215&view=rev>) (michi)
- [1.4] module descriptor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=383209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383209&view=rev>) (michi)
- [1.4] samples renamed to templates [Diff](http://svn.apache.org/viewcvs.cgi?rev=383208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383208&view=rev>) (michi)
- [1.4] externals added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382961&view=rev>) (michi)
- [1.4] testing introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=382796&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382796&view=rev>) (michi)
- [1.4] classes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382723&view=rev>) (michi)
- [1.4] java added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382721&view=rev>) (michi)
- [1.4] classes updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=382408&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382408&view=rev>) (michi)
- [1.4] utility classes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382405&view=rev>) (michi)
- [1.4] README added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382349&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382349&view=rev>) (michi)
- [1.4] configure started cmd and gui [Diff](http://svn.apache.org/viewcvs.cgi?rev=382346&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382346&view=rev>) (michi)
- [1.4] webDAV usecases have been moved into the webDAV module [Diff](http://svn.apache.org/viewcvs.cgi?rev=390160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390160&view=rev>) (chestnut)
- [1.4] logo removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=389088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389088&view=rev>) (michi)
- [1.4] removing empty file [Diff](http://svn.apache.org/viewcvs.cgi?rev=385526&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385526&view=rev>) (thorsten)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=385130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385130&view=rev>) (michi)
- [1.4] patching of publication.xconf added [Diff](http://svn.apache.org/viewcvs.cgi?rev=384963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384963&view=rev>) (michi)
- [1.4] Renaming template dir to samples since all other modules name it like this and we have to handle this consistent! [Diff](http://svn.apache.org/viewcvs.cgi?rev=383839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383839&view=rev>) (thorsten)
- [1.4] moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=382722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382722&view=rev>) (michi)
- [1.4] RepositoryManagerImpl: copy meta data before copying document source so that the destination document uses the same source extension. [Diff](http://svn.apache.org/viewcvs.cgi?rev=390383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390383&view=rev>) (andreas)
- [1.4] [minor change] removed unused variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=390371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390371&view=rev>) (andreas)
- [1.4] Adding workflow to the odt doc [Diff](http://svn.apache.org/viewcvs.cgi?rev=390150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390150&view=rev>) (thorsten)
- [1.4] Removing obsolete code in comments for odt xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=390148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390148&view=rev>) (thorsten)
- [1.4] Adding parent id to the pageEnvelope input module. This parameter enables to request the id of the parent node like {page-envelope:document-parent} in your sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=390110&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390110&view=rev>) (thorsten)
- [1.4] Adding another fallback for the gif pix since they can be a document for themself. [Diff](http://svn.apache.org/viewcvs.cgi?rev=390107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390107&view=rev>) (thorsten)
- [1.4] Splitting the object template to a helper class to better reuse this code [Diff](http://svn.apache.org/viewcvs.cgi?rev=390091&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390091&view=rev>) (thorsten)
- [1.4] mount for blog module started [Diff](http://svn.apache.org/viewcvs.cgi?rev=390063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=390063&view=rev>) (michi)
- [1.4] Adding eclipse specific files to exclude expression [Diff](http://svn.apache.org/viewcvs.cgi?rev=389800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389800&view=rev>) (thorsten)
- [1.4] Refactored PUT usecase to store the files with the right extension. [Diff](http://svn.apache.org/viewcvs.cgi?rev=389764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389764&view=rev>) (thorsten)
- [1.4] use fallback for menu.xsp request so that ancestor template pubs menu can be used [Diff](http://svn.apache.org/viewcvs.cgi?rev=389590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389590&view=rev>) (chestnut)
- [1.4] lenya.revision added [Diff](http://svn.apache.org/viewcvs.cgi?rev=389454&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389454&view=rev>) (michi)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=389103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389103&view=rev>) (josias)
- [1.4] logo removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=389087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389087&view=rev>) (michi)
- [1.4] ASF Bugzilla Bug 39100 create ant target to clean Cocoon, and clean-all (Lenya+Cocoon+Tomcat) Reporter/Patch provider: renaud richardet Thanks Renaud [Diff](http://svn.apache.org/viewcvs.cgi?rev=389064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389064&view=rev>) (thorsten)
- [1.4] ASF Bugzilla Bug 39019 [WebDAV] Files open as read-only in Word 2003 Reporter/Patch provider: Jonathan Addison Thanks Jonathan. :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=389063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389063&view=rev>) (thorsten)
- [1.4] ASF Bugzilla Bug 39087 [WebDAV] Cannot open .odt files with OpenOffice Reporter/Patch provider: Jonathan Addison Thanks Jonathan. :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=389061&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389061&view=rev>) (thorsten)

- [1.4] improved exception handling: inform about the document where link rewriting failed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=389040&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=389040&view=rev>) (josias)
- [1.4] Use actual source for non-html documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=388589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388589&view=rev>) (andreas)
- [1.4] LinkRewritingTransformer keeps URL extensions [Diff](http://svn.apache.org/viewcvs.cgi?rev=388588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388588&view=rev>) (andreas)
- [1.4] Allow different extensions for actual source and meta data source [Diff](http://svn.apache.org/viewcvs.cgi?rev=388579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388579&view=rev>) (andreas)
- [1.4] improved releasing of sources and components [Diff](http://svn.apache.org/viewcvs.cgi?rev=388566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388566&view=rev>) (josias)
- [1.4] [minor change] removed log4j logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=388564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388564&view=rev>) (andreas)
- [1.4] Implemented Create.getSourceExtension() in Mkcol class [Diff](http://svn.apache.org/viewcvs.cgi?rev=388563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388563&view=rev>) (andreas)
- [1.4] [minor] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=388557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388557&view=rev>) (josias)
- [1.4] re-enabled search index configuration upon publication instantiation. now a new index is created at runtime and search should be working directly after instantiation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=388556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388556&view=rev>) (josias)
- [1.4] modified lucene index configuration: now the indexes are configured in the file pubid/config/lucene\_index.xconf. this is not an xpatch file, i.e. the configuration will not go to cocoon.xconf. this allows to create new indexes at runtime. [Diff](http://svn.apache.org/viewcvs.cgi?rev=388552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388552&view=rev>) (josias)
- [1.4] Added template method getSourceExtension() to Create usecase to allow custom source extensions [Diff](http://svn.apache.org/viewcvs.cgi?rev=388550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388550&view=rev>) (andreas)
- [1.4] Removed obsolete admin area declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=388547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388547&view=rev>) (andreas)
- [1.4] note added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388544&view=rev>) (michi)
- [1.4] cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=388535&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388535&view=rev>) (michi)
- [1.4] arbitrary resource types added to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=388524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388524&view=rev>) (michi)
- [1.4] handle resources as 'documents' [Diff](http://svn.apache.org/viewcvs.cgi?rev=388519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388519&view=rev>) (michi)
- [1.4] lenya revision number added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388514&view=rev>) (michi)
- [1.4] lenya revision number added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388512&view=rev>) (michi)
- [1.4] lenya revision added and typos fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=388509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388509&view=rev>) (michi)
- [1.4] lenya revision added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388507&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388507&view=rev>) (michi)
- [1.4] lenya revision number added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388506&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388506&view=rev>) (michi)
- [1.4] lenya revision number added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388504&view=rev>) (michi)
- [1.4] lenya revision number added [Diff](http://svn.apache.org/viewcvs.cgi?rev=388503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388503&view=rev>) (michi)
- [1.4] removed context path, because internal links don't contain the context path anymore. this makes link-rewriting work with deployment outside of the root context. [Diff](http://svn.apache.org/viewcvs.cgi?rev=388186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388186&view=rev>) (josias)
- [1.4] if a document is deleted, don't delete it's parent. fixes bug #38820 [Diff](http://svn.apache.org/viewcvs.cgi?rev=388164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=388164&view=rev>) (josias)
- [1.4] make default properties non-static allowing different ldap properties for different publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=387857&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387857&view=rev>) (jann)
- [1.4] modules added to dependencies [Diff](http://svn.apache.org/viewcvs.cgi?rev=387653&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387653&view=rev>) (michi)
- [1.4] modules added to dependencies [Diff](http://svn.apache.org/viewcvs.cgi?rev=387652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387652&view=rev>) (michi)
- [1.4] Fixing typo in src location of the opendocument module [Diff](http://svn.apache.org/viewcvs.cgi?rev=387649&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387649&view=rev>) (thorsten)
- [1.4] note improved and TODO added for customizing tomcatctl [Diff](http://svn.apache.org/viewcvs.cgi?rev=387625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387625&view=rev>) (michi)
- [1.4] Using fallback:// to determine the menu location [Diff](http://svn.apache.org/viewcvs.cgi?rev=387600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387600&view=rev>) (thorsten)
- [1.4] Bug 39042 [WebDAV] Identify WebDAV html documents as xhtml Patch submitted by Jonathan Addison Thanks Jonathan :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=387564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387564&view=rev>) (thorsten)
- [1.4] Move the sitreefragment generator's declaration, to the lenya sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=387523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387523&view=rev>) (edith)

- [1.4] [minor change] Added some debug statements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387515&view=rev>) (andreas)
- [1.4] Passing logger to DefaultSiteTree in constructor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387513&view=rev>) (andreas)
- [1.4] Passing logger to DefaultSiteTree in constructor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387493&view=rev>) (andreas)
- [1.4] reset renamed to clean-tomcat in order to clarify [Diff](http://svn.apache.org/viewcvs.cgi?rev=387489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387489&view=rev>) (michi)
- [1.4] [minor change] removed log4j references, removed invalid warning logs [Diff](http://svn.apache.org/viewcvs.cgi?rev=387464&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387464&view=rev>) (andreas)
- [1.4] [minor change] removed log4j references, removed invalid warning logs [Diff](http://svn.apache.org/viewcvs.cgi?rev=387463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387463&view=rev>) (andreas)
- [1.4] Bug 39018 [WebDAV] All files use the source file extension Patch submitted by Jonathan Addison Thanks Jonathan Addison. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387248&view=rev>) (thorsten)
- [1.4] Bug 39017 [WebDAV] Empty property values in propfind response Patch submitted by Jonathan Addison Thanks Jonathan Addison. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387246&view=rev>) (thorsten)
- [1.4] Bug 39016 [WebDAV] 500 Internal Server Error when checking in files with Dreamweaver Patch submitted by Jonathan Addison Thanks Jonathan Addison. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387245&view=rev>) (thorsten)
- [1.4] [minor change] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=387227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387227&view=rev>) (andreas)
- [1.4] Don't rewrite links if resource type doesn't provide any link rewriting XPaths. Don't swallow exceptions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387225&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=387223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387223&view=rev>) (andreas)
- [1.4] Fix typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=387222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387222&view=rev>) (antonio)
- [1.4] clarified [Diff](http://svn.apache.org/viewcvs.cgi?rev=387220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387220&view=rev>) (michi)
- [1.4] HUGO removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=387219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=387219&view=rev>) (michi)
- [1.4] note about content repo configuration added [Diff](http://svn.apache.org/viewcvs.cgi?rev=386901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386901&view=rev>) (michi)
- [1.4] You can now configure which resource type and extension are connected with each other via the usecase config file. That makes the PUT usecase more generic and flexible. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386656&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386656&view=rev>) (thorsten)
- [1.4] enable browser-caching for static lenya images. this increases the performance e.g. of the sitetree widget and also reduces 'flickering' of the menu tabs which occurred in IE. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386640&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386640&view=rev>) (josias)
- [1.4] ignore non-XML files [Diff](http://svn.apache.org/viewcvs.cgi?rev=386634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386634&view=rev>) (michi)
- [1.4] white noise - formating changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=386615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386615&view=rev>) (thorsten)
- [1.4] Making the mkcol usecase more abstract, allowing to define a default extension and resource type via the usecase config file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386613&view=rev>) (thorsten)
- [1.4] Adding the extension again to the odt meta data like requested by michi. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386594&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386594&view=rev>) (thorsten)
- [1.4] treating xml and binaries the same [Diff](http://svn.apache.org/viewcvs.cgi?rev=386362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386362&view=rev>) (thorsten)
- [1.4] Changing access to SOURCE\_URL to protected [Diff](http://svn.apache.org/viewcvs.cgi?rev=386334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386334&view=rev>) (thorsten)
- [1.4] Extending the put.java of the webdav usecase. You can now add any file via PUT. Still there is a problem how lenya stores the final file. It uses the xml extension for all files. I tried with PUT a png and it will be saved like {name}/index\_{lang}.xml. I can open it with Gimp but Lenya will fail to open the document complaining about 'Invalid byte 1 of 1-byte UTF-8 sequence.' [Diff](http://svn.apache.org/viewcvs.cgi?rev=386328&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386328&view=rev>) (thorsten)
- [1.4] obsolete debug statement removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=386300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386300&view=rev>) (michi)
- [1.4] check also Cocoon build properties re version [Diff](http://svn.apache.org/viewcvs.cgi?rev=386213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386213&view=rev>) (michi)
- [1.4] note added about the BUG within Cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=386211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386211&view=rev>) (michi)
- [1.4] property fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=386210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386210&view=rev>) (michi)
- [1.4] warning replaced by debug and note added [Diff](http://svn.apache.org/viewcvs.cgi?rev=386194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386194&view=rev>) (michi)

- [1.4] UUID implementation started [Diff](http://svn.apache.org/viewcvs.cgi?rev=386191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386191&view=rev>) (michi)
- [1.4] UUID implementation started [Diff](http://svn.apache.org/viewcvs.cgi?rev=386189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386189&view=rev>) (michi)
- [1.4] Commenting extension since it causes the LinkRewriterImpl.java to fail. You cannot create a DOM from a binary file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386115&view=rev>) (thorsten)
- [1.4] note about languages added [Diff](http://svn.apache.org/viewcvs.cgi?rev=386084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386084&view=rev>) (michi)
- [1.4] unused patching removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=386083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386083&view=rev>) (michi)
- [1.4] missing parameters added [Diff](http://svn.apache.org/viewcvs.cgi?rev=386082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386082&view=rev>) (michi)
- [1.4] Fix typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=386075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386075&view=rev>) (antonio)
- [1.4] ASF Bugzilla Bug 38969 [WebDAV] cannot PUT a binary document, like .odt or .jpg Patch (id=17897) provided by Renaud - Registers the RequestReader in the sitemap - adds a matcher for /PUT/odt - started refactoring Put.java, validation not working ATM [Diff](http://svn.apache.org/viewcvs.cgi?rev=386053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386053&view=rev>) (thorsten)
- [1.4] duplicated line removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=386033&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=386033&view=rev>) (michi)
- [1.4] fixed classpath for the compile-xsp target (now includes endorsed libs) and added an option to fail on error, so this target could be used by a continuous integration tool. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385790&view=rev>) (josias)
- [1.4] ASF Bugzilla Bug 38926 [WebDAV] in the file listing, all files have the .html file extension Patch submitted by renaud richardet. Applied, thx Renaud. :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=385788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385788&view=rev>) (thorsten)
- [1.4] Switching java comments to xml comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=385787&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385787&view=rev>) (thorsten)
- [1.4] Adding comments to webDAV code. Submitted by Jonathan Addison. Thx Jonathan. :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=385786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385786&view=rev>) (thorsten)
- [1.4] [minor change] improved logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=385604&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385604&view=rev>) (andreas)
- [1.4] [minor change] fixed some logging issues, removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=385601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385601&view=rev>) (andreas)
- [1.4] Formating changes thx to Jonathan Addison who pointed out that line breaks will cause different clients to fail. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385590&view=rev>) (thorsten)
- [1.4] removing old comment closing brackets [Diff](http://svn.apache.org/viewcvs.cgi?rev=385588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385588&view=rev>) (thorsten)
- [1.4] white noise - formating changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=385579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385579&view=rev>) (thorsten)
- [1.4] Bug 38913 WebDav module displays empty directories (collections) Reporter: renaud richardet Patch: Jonathan Addison Patch applied, thx Jonathan. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385576&view=rev>) (thorsten)
- [1.4] existsInAnyLanguage simplified because it is duplicating code [Diff](http://svn.apache.org/viewcvs.cgi?rev=385571&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385571&view=rev>) (michi)
- [1.4] java doc fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=385555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385555&view=rev>) (michi)
- [1.4] opendocument links fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=385554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385554&view=rev>) (michi)
- [1.4] german translation started [Diff](http://svn.apache.org/viewcvs.cgi?rev=385553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385553&view=rev>) (michi)
- [1.4] reference to xpatch file added [Diff](http://svn.apache.org/viewcvs.cgi?rev=385552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385552&view=rev>) (michi)
- [1.4] cmd as default and gui as parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=385283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385283&view=rev>) (michi)
- [1.4] confpatch path added [Diff](http://svn.apache.org/viewcvs.cgi?rev=385207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385207&view=rev>) (michi)
- [1.4] warning implemented for the case that a node or the sitetree itself does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=385195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385195&view=rev>) (michi)
- [1.4] warning implemented for the case that a resource/document does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=385194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385194&view=rev>) (michi)
- [1.4] link to debug Lenya menu added [Diff](http://svn.apache.org/viewcvs.cgi?rev=385149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385149&view=rev>) (michi)
- [1.4] notes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=385148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385148&view=rev>) (michi)
- [1.4] LENYA\_META\_SUFFIX introduced to make sure that the suffix is defined only once [Diff](http://svn.apache.org/viewcvs.cgi?rev=385137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385137&view=rev>) (michi)
- [1.4] log4j added as TODO [Diff](http://svn.apache.org/viewcvs.cgi?rev=385086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385086&view=rev>) (michi)
- [1.4] pipeline added to debug lenya menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=385082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385082&view=rev>) (michi)
- [1.4] comments added [Diff](http://svn.apache.org/viewcvs.cgi?rev=385079&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385079&view=rev>) (michi)
- [1.4] parameter for usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=385044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385044&view=rev>) (michi)
- [1.4] note added resource type input module added [Diff](http://svn.apache.org/viewcvs.cgi?rev=384967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384967&view=rev>)

- (michi)
  - [1.4] note about endorsed libs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=384966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384966&view=rev>) (michi)
  - [1.4] copy task class renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=384964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384964&view=rev>) (michi)
  - [1.4] fixed missing language screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=384757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384757&view=rev>) (josias)
  - [1.4] Allow to create non-XML documents with the DefaultCreator. It checks for the extension .xml at the moment, this could be improved. [Diff](http://svn.apache.org/viewcvs.cgi?rev=384562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384562&view=rev>) (andreas)
  - [1.4] Update BXE class to new DocIdToPathMapper signature [Diff](http://svn.apache.org/viewcvs.cgi?rev=384561&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384561&view=rev>) (andreas)
  - [1.4] Add extension attribute to LenyaMetaData. This way, the extension can be accessed by the DocumentIdToPathMapper - this allows custom source extensions (like .odt, ...) and is a first step towards handling assets and documents in the same way. [Diff](http://svn.apache.org/viewcvs.cgi?rev=384556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384556&view=rev>) (andreas)
  - [1.4] Replaced <xsl:attribute> with string function in menu2xslt.xsl. This solves a Xalan problem. [Diff](http://svn.apache.org/viewcvs.cgi?rev=384554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384554&view=rev>) (andreas)
  - [1.4] [minor change] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=384553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384553&view=rev>) (andreas)
  - [1.4] Reverting check-in (will check-in the whitespace changes in a separate commit) [Diff](http://svn.apache.org/viewcvs.cgi?rev=384552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384552&view=rev>) (andreas)
  - [1.4] Finishing up the odt module download feature. Now we "just" have to make the whole module more generic [Diff](http://svn.apache.org/viewcvs.cgi?rev=384548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384548&view=rev>) (thorsten)
  - [1.4] adding mime-type definition to for the odt module [Diff](http://svn.apache.org/viewcvs.cgi?rev=384545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384545&view=rev>) (thorsten)
  - [1.4] Replaced <xsl:attribute> with string function in menu2xslt.xsl. This solves a Xalan problem. [Diff](http://svn.apache.org/viewcvs.cgi?rev=384530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384530&view=rev>) (andreas)
  - [1.4] Applying first part of the patch provided by renaud richardet attached to Bug 38900. Thanks renaud. [Diff](http://svn.apache.org/viewcvs.cgi?rev=384498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384498&view=rev>) (thorsten)
  - [1.4] search module removed and notes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=384474&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384474&view=rev>) (michi)
  - [1.4] blog module commented [Diff](http://svn.apache.org/viewcvs.cgi?rev=384470&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384470&view=rev>) (michi)
  - [1.4] note clarified [Diff](http://svn.apache.org/viewcvs.cgi?rev=384355&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384355&view=rev>) (michi)
  - [1.4] Note added about not modifying this file directly [Diff](http://svn.apache.org/viewcvs.cgi?rev=384354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384354&view=rev>) (michi)
  - [1.4] check on JAVA\_HOME and some notes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=384178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=384178&view=rev>) (michi)
  - [1.4] Enabling to download the opendocument for local editing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=383931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383931&view=rev>) (thorsten)
  - [1.4] command line as default [Diff](http://svn.apache.org/viewcvs.cgi?rev=383558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383558&view=rev>) (michi)
  - [1.4] thanks to Oliver one step further re GUI class [Diff](http://svn.apache.org/viewcvs.cgi?rev=383557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383557&view=rev>) (michi)
  - [1.4] thanks to Oli one step further [Diff](http://svn.apache.org/viewcvs.cgi?rev=383554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383554&view=rev>) (michi)
  - [1.4] Cleaning the variable after using in the loop otherwise this can cause a bug by more then one pub. [Diff](http://svn.apache.org/viewcvs.cgi?rev=383511&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383511&view=rev>) (thorsten)
  - [1.4] Adding the content dir to the fallback URIs like described in <http://marc.theaimsgroup.com/?l=lenya-dev&m=114142602919893&w=2>. This fixes the second part of the 'external' resources/asset preview. [Diff](http://svn.apache.org/viewcvs.cgi?rev=383510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383510&view=rev>) (thorsten)
  - [1.4] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=383219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383219&view=rev>) (michi)
  - [1.4] note about NodeFactory and XUL added [Diff](http://svn.apache.org/viewcvs.cgi?rev=383218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383218&view=rev>) (michi)
  - [1.4] TODO note added [Diff](http://svn.apache.org/viewcvs.cgi?rev=383217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383217&view=rev>) (michi)
  - [1.4] private modules removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=383216&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383216&view=rev>) (michi)
  - [1.4] zip protocol fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=383207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383207&view=rev>) (michi)
  - [1.4] some more space for better readability added [Diff](http://svn.apache.org/viewcvs.cgi?rev=383203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=383203&view=rev>) (michi)
  - [1.4] externals as default added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382972&view=rev>) (michi)
  - [1.4] cocoon as external added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382971&view=rev>) (michi)
  - [1.4] Part one to fix the bug related to asset management and outsourced content. Still missing to rewrite either the fallback

- source or the sitemap to force lenya to look in the outsourced content dir for display. [Diff](http://svn.apache.org/viewcvs.cgi?rev=382898&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382898&view=rev>) (thorsten)
- [1.4] backslash bug fixed re properties writing [Diff](http://svn.apache.org/viewcvs.cgi?rev=382883&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382883&view=rev>) (michi)
- [1.4] trim values [Diff](http://svn.apache.org/viewcvs.cgi?rev=382856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382856&view=rev>) (michi)
- [1.4] pointer to antinstaller added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382852&view=rev>) (michi)
- [1.4] Tomcat as subsequent implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=382843&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382843&view=rev>) (michi)
- [1.4] subsequent parameters implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=382839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382839&view=rev>) (michi)
- [1.4] another config added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382834&view=rev>) (michi)
- [1.4] subsequent parameters started [Diff](http://svn.apache.org/viewcvs.cgi?rev=382833&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382833&view=rev>) (michi)
- [1.4] path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=382798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382798&view=rev>) (michi)
- [1.4] testing introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=382794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382794&view=rev>) (michi)
- [1.4] Updated comment to refer to the top level instead of topLevel/content [Diff](http://svn.apache.org/viewcvs.cgi?rev=382777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382777&view=rev>) (thorsten)
- [1.4] Fixing Bug related to the contentDir. Further refactored code to be better understandable. Updated publications to refer to the top level instead of topLevel/content [Diff](http://svn.apache.org/viewcvs.cgi?rev=382776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382776&view=rev>) (thorsten)
- [1.4] dos2unix [Diff](http://svn.apache.org/viewcvs.cgi?rev=382758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382758&view=rev>) (jann)
- [1.4] fixing typo. The session tab will again be available in the admin area [Diff](http://svn.apache.org/viewcvs.cgi?rev=382757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382757&view=rev>) (jann)
- [1.4] Using getSourceURI() instead of getFile().getAbsolutePath() for DublinCoreHelper.java [Diff](http://svn.apache.org/viewcvs.cgi?rev=382756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382756&view=rev>) (thorsten)
- [1.4] gui enhanced [Diff](http://svn.apache.org/viewcvs.cgi?rev=382731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382731&view=rev>) (michi)
- [1.4] path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=382726&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382726&view=rev>) (michi)
- [1.4] moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=382724&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382724&view=rev>) (michi)
- [1.4] swing based GUI started [Diff](http://svn.apache.org/viewcvs.cgi?rev=382720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382720&view=rev>) (michi)
- [1.4] bug fixed re selecting default values [Diff](http://svn.apache.org/viewcvs.cgi?rev=382559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382559&view=rev>) (michi)
- [1.4] more fool proveness added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382548&view=rev>) (michi)
- [1.4] writing fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=382538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382538&view=rev>) (michi)
- [1.4] read values from command line [Diff](http://svn.apache.org/viewcvs.cgi?rev=382530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382530&view=rev>) (michi)
- [1.4] differentiate between local and default [Diff](http://svn.apache.org/viewcvs.cgi?rev=382474&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382474&view=rev>) (michi)
- [1.4] root dir passed [Diff](http://svn.apache.org/viewcvs.cgi?rev=382440&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382440&view=rev>) (michi)
- [1.4] cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=382407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382407&view=rev>) (michi)
- [1.4] build.properties config added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382406&view=rev>) (michi)
- [1.4] Fixed location of sitemap.xmap patch files [Diff](http://svn.apache.org/viewcvs.cgi?rev=382357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382357&view=rev>) (andreas)
- [1.4] instructions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382351&view=rev>) (michi)
- [1.4] compile target for building configure added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382347&view=rev>) (michi)
- [1.4] ignore local.publication.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=382334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382334&view=rev>) (michi)
- [1.4] ignore local.publication.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=382333&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382333&view=rev>) (michi)
- [1.4] ignore local.publication.xconf files during copying [Diff](http://svn.apache.org/viewcvs.cgi?rev=382331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382331&view=rev>) (michi)
- [1.4] note about max upload size added [Diff](http://svn.apache.org/viewcvs.cgi?rev=382322&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=382322&view=rev>) (michi)
- [1.4] outdated history deleted because it is covered by SVN anyway [Diff](http://svn.apache.org/viewcvs.cgi?rev=381946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381946&view=rev>) (michi)

### 5.3. Docs

- [Docs] Splitting monitoring from server webdav file to a file on its own. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385546&view=rev>) (thorsten)
- [Docs] Added quickstart document taken from the wiki, further linked to the current webdav wiki page. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385542&view=rev>) (thorsten)
- [Docs] Started the module documentation section. Added first description about webdav from the old 1.2 docu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=385541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=385541&view=rev>) (thorsten)

- (<http://svn.apache.org/viewcvs.cgi?rev=385496&view=rev>) (thorsten)
  - [Docs] Updated the monitoring section to reflect current development. [Diff](#)
- (<http://svn.apache.org/viewcvs.cgi?rev=385551&view=rev>) (thorsten)
  - [Docs] white noise - Formating changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=385543&view=rev>) (thorsten)
  - [Docs] white noise - Formating changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=385535&view=rev>) (thorsten)
  - [Docs] Removing note for alpha since it is way too much outdated. [Diff](#)
- (<http://svn.apache.org/viewcvs.cgi?rev=385534&view=rev>) (thorsten)
  - [Docs] Fixing xdoc grammar. Note tags are NOT allowed in P tags. Further fixed the cocoon location. [Diff](#)
- (<http://svn.apache.org/viewcvs.cgi?rev=385516&view=rev>) (thorsten)
  - [Docs] Bug 38949 Update the 1.4 source version documentation. Reporter: Oliver Schalch Patch applied, thx Oli. [Diff](#)

## 5.4. Sandbox

- [Sandbox] Adding xdocs module. The bxe editing is not working, need to fix this. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=386919&view=rev>) (thorsten)
- [Sandbox] Adding default transformation stylesheet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=386695&view=rev>) (thorsten)
- [Sandbox] Initial version of doco as lenya pub and forrest docu [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=385752&view=rev>) (thorsten)
- [Sandbox] setting ignore properties for eclipse file [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=388906&view=rev>) (thorsten)
- [Sandbox] Adding one-form editor to xdocs. Fixing rng to make it compatible with BXE. This makes it possible to edit xdocs with BXE. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=388904&view=rev>) (thorsten)
- [Sandbox] Do 'forrest run' in \$FORREST\_HOME/whiteboard/doco Use Forrest's Ant. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=387483&view=rev>) (crossley)
- [Sandbox] Added local deploy of involved forrest plugins [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=385780&view=rev>) (thorsten)
- [Sandbox] fix line endings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=385754&view=rev>) (thorsten)

## 5.5. Site

- [Site] 'fix [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=388345&view=rev>) (gregor)
- [Site] Automatic publish from forrestbot [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=385621&view=rev>) (thorsten)

## 6. Version 2006-02 ()

### 6.1. 1.2

- [1.2] make sure new labels are inserted before the child-nodes, so the sitetree.xml will be valid and readable more easily. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381365&view=rev>) (josias)
- [1.2] note about endorsed libs added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=379899&view=rev>) (michi)
- [1.2] add support for ldap referral [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=379127&view=rev>) (jann)
- [1.2] Two same name attr for the asset library form; remove one [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=377345&view=rev>) (edith)
- [1.2] fixed and simplified copying of script elements: now works with multiple script elements. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=376600&view=rev>) (josias)
- [1.2] fixed bug: if a node's id starts with the id of one of its siblings, it was not highlighted in the tree of the site area. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=376237&view=rev>) (josias)
- [1.2] Showing the original path of a deleted document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374060&view=rev>) (jann)
- [1.2] Adding an identifier string which can be used within the trash area in order to show the original path of a deleted

- document [Diff](http://svn.apache.org/viewcvs.cgi?rev=374059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374059&view=rev>) (jann)
  - [1.2] Add name attributes to form elements. This fixes bug #38471. Thanks to Simon Litwan for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374032&view=rev>) (andreas)
  - [1.2] Don't swallow exception in crawler configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=374028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374028&view=rev>) (andreas)
  - [1.2] Improved error logging (message, stack trace) [Diff](http://svn.apache.org/viewcvs.cgi?rev=374027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374027&view=rev>) (andreas)

## 6.2. 1.4

- [1.4] README added [Diff](http://svn.apache.org/viewcvs.cgi?rev=381835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381835&view=rev>) (michi)
- [1.4] Moved declaration of AccessControlSitetreeTransformer to sitetree module [Diff](http://svn.apache.org/viewcvs.cgi?rev=381658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381658&view=rev>) (andreas)
- [1.4] Moved sitemap patch files from confpatch to webapp/config/sitemap. Allow modules to patch the sitemap. This is a next step towards equal structures for core and modules. [Diff](http://svn.apache.org/viewcvs.cgi?rev=381654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381654&view=rev>) (andreas)
- [1.4] Added XLinkCollectionTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=381354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381354&view=rev>) (andreas)
- [1.4] added ability to use dojo editor in cforms fields with dojoarea styling like so: <ft:widget id="description"> <fi:styling type="dojoarea" rows="8" style="width:100%"> </fi:styling> </ft:widget> [Diff](http://svn.apache.org/viewcvs.cgi?rev=380630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380630&view=rev>) (chestnut)
- [1.4] Moved migration class to repository module (removes dependency from core to repository module) [Diff](http://svn.apache.org/viewcvs.cgi?rev=380155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380155&view=rev>) (andreas)
- [1.4] jcrsource moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=380116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380116&view=rev>) (michi)
- [1.4] optional modules added [Diff](http://svn.apache.org/viewcvs.cgi?rev=380115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380115&view=rev>) (michi)
- [1.4] module descriptors added [Diff](http://svn.apache.org/viewcvs.cgi?rev=380110&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380110&view=rev>) (michi)
- [1.4] terminology fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=380108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380108&view=rev>) (michi)
- [1.4] Fixed sitetree tests and moved them to the sitetree module. Refactored test build system. [Diff](http://svn.apache.org/viewcvs.cgi?rev=378554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378554&view=rev>) (andreas)
- [1.4] Simon Litwan's FCKeditor implementation including add imagelookup and link look Thanks Simon! [Diff](http://svn.apache.org/viewcvs.cgi?rev=377596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377596&view=rev>) (chestnut)
- [1.4] Simon Litwan's FCKeditor implementation including add imagelookup and link look Thanks Simon! [Diff](http://svn.apache.org/viewcvs.cgi?rev=377595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377595&view=rev>) (chestnut)
- [1.4] Removing custom meta data specific code from the core to the default pub, since it is just an example so far. ;-) [Diff](http://svn.apache.org/viewcvs.cgi?rev=376612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376612&view=rev>) (thorsten)
- [1.4] Added adapter classes from the existing repo implementation to the new repo draft API [Diff](http://svn.apache.org/viewcvs.cgi?rev=376480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376480&view=rev>) (andreas)
- [1.4] Moved repository test from jcr to repo package, since it doesn't rely on JCR. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376475&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376475&view=rev>) (andreas)
- [1.4] removal of fallback:// from external relaxng schemas, while still utilizing fallback functionality by specifying the publication the schema is being used in [Diff](http://svn.apache.org/viewcvs.cgi?rev=376447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376447&view=rev>) (chestnut)
- [1.4] Added JackrabbitRepository. This is neccessary to remove jackrabbit references from the jcr module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376031&view=rev>) (andreas)
- [1.4] Store meta data registry data in JCR repository [Diff](http://svn.apache.org/viewcvs.cgi?rev=375762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375762&view=rev>) (andreas)
- [1.4] added input module to get the path of the lucene search index, instead of hardcoding it in the sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=375611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375611&view=rev>) (josias)
- [1.4] Added URL handling capabilities for new repo implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=375569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375569&view=rev>) (andreas)
- [1.4] Renamed repo API classes, provide mime-type when adding translations [Diff](http://svn.apache.org/viewcvs.cgi?rev=375284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375284&view=rev>) (andreas)
- [1.4] refactored sitetree script: now it always uses asynchronous requests and it should be easier to extend. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375284&view=rev)

- (<http://svn.apache.org/viewcvs.cgi?rev=374836&view=rev>) (josias)
- [1.4] One Form Editor Module -Simply uses the One Form Editor usecase -You need to add the FCKeditor directory to the resources directory due to license -I have only tested the ability to open, slight edit, and save of the tutorial page of the default pub (it worked :) ) -<http://localhost:8888/default/authoring/tutorial.html?lenya.usecase=edit.fckeditor> [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374765&view=rev>) (chestnut)
- [1.4] Added JCRMetaData java file. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374698&view=rev>) (andreas)
- [1.4] added BaseURLModule which may be used to get the base url to prepend to urls in order to construct internal links. If the publication uses proxying, it returns the proxy url. Otherwise, it returns /context-path/pubid/area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374414&view=rev>) (josias)
- [1.4] Moved sitemap patch files from confpatch to webapp/config/sitemap. Allow modules to patch the sitemap. This is a next step towards equal structures for core and modules. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381656&view=rev>) (andreas)
- [1.4] Moved DocumentIndexTransformer to sitetree module to remove the dependency from the core to the sitetree module. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=380237&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=380189&view=rev>) (andreas)
- [1.4] jcrsource moved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=380117&view=rev>) (michi)
- [1.4] terminology fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=380109&view=rev>) (michi)
- [1.4] [minor change] removed empty directories [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=378558&view=rev>) (andreas)
- [1.4] [minor change] removed empty directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=378557&view=rev>) (andreas)
- [1.4] Refactoring of test base classes. Adding Request object to context. Fixed access control tests. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=378298&view=rev>) (andreas)
- [1.4] Refactoring of test base classes. Use correct classpath for tests. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=378282&view=rev>) (andreas)
- [1.4] always use the java usecase for indexing for consistency reasons. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=377337&view=rev>) (josias)
- [1.4] adapted homepage and links doctype to new lucene index generation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=376757&view=rev>) (josias)
- [1.4] this file is not necessary because the lucene module already adds the index\_manager to cocoon.xconf (see src/modules/lucene/config/cocoon-xconf/index\_manager.xconf) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=375616&view=rev>) (josias)
- [1.4] updated module urls [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=375447&view=rev>) (chestnut)
- [1.4] Moved JCRSourceNode related code to jcrsource module, restored JCRSourceNode related classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374695&view=rev>) (andreas)
- [1.4] [minor change] removed empty menus directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374087&view=rev>) (andreas)
- [1.4] more info added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381836&view=rev>) (michi)
- [1.4] description added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381833&view=rev>) (michi)
- [1.4] compile tasks target (re)added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381832&view=rev>) (michi)
- [1.4] Copy tasks fixed that also modules are being copied properly [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381831&view=rev>) (michi)
- [1.4] Microsoft linefeeds removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381825&view=rev>) (michi)
- [1.4] [minor change] Moved XLinkCollectionTest down [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381652&view=rev>) (andreas)
- [1.4] make sure new labels are inserted before the child-nodes, so the sitetree.xml will be valid and readable more easily. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381369&view=rev>) (josias)
- [1.4] Use Document.getSourceURI() for XLink href in XLinkCollection [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381357&view=rev>) (andreas)
- [1.4] Use source URI to check if collection contents can be loaded (instead of SiteManager) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381356&view=rev>) (andreas)
- [1.4] Using identifiers to compare DefaultDocument objects [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=381353&view=rev>) (andreas)

- [1.4] Set patch.webapp property to 'false' before starting tests. This way, the property is handled correctly even if the webapp and test targets are executed subsequently in the same process. [Diff](http://svn.apache.org/viewcvs.cgi?rev=381340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381340&view=rev>) (andreas)
- [1.4] CollectionImpl is now using SourceUtil instead File [Diff](http://svn.apache.org/viewcvs.cgi?rev=381339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381339&view=rev>) (michi)
- [1.4] lenya protocol added such that also entries work [Diff](http://svn.apache.org/viewcvs.cgi?rev=381329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381329&view=rev>) (michi)
- [1.4] lenya protocol added [Diff](http://svn.apache.org/viewcvs.cgi?rev=381316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381316&view=rev>) (michi)
- [1.4] [minor change] indentation, replaced tabs with spaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=381306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381306&view=rev>) (andreas)
- [1.4] Use Document.getSourceURI() instead of Document.getFile() [Diff](http://svn.apache.org/viewcvs.cgi?rev=381305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381305&view=rev>) (andreas)
- [1.4] Added deprecation tag to Document.getFile() [Diff](http://svn.apache.org/viewcvs.cgi?rev=381304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381304&view=rev>) (andreas)
- [1.4] Removed unnecessary DocumentStore.getRepositoryNode() method - is now inherited from DefaultDocument [Diff](http://svn.apache.org/viewcvs.cgi?rev=381303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381303&view=rev>) (andreas)
- [1.4] Removed unnecessary DocumentStore.getRepositoryNode() method - is now inherited from DefaultDocument [Diff](http://svn.apache.org/viewcvs.cgi?rev=381301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381301&view=rev>) (andreas)
- [1.4] content dir configurable tested on Windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=381171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381171&view=rev>) (michi)
- [1.4] unintended stuff removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=381041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381041&view=rev>) (michi)
- [1.4] content dir configuration for blog updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=381037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381037&view=rev>) (michi)
- [1.4] instructions re build improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=381036&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381036&view=rev>) (michi)
- [1.4] content dir is now configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=381035&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381035&view=rev>) (michi)
- [1.4] configurable content dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=381034&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381034&view=rev>) (michi)
- [1.4] configuration of content dir started [Diff](http://svn.apache.org/viewcvs.cgi?rev=380919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380919&view=rev>) (michi)
- [1.4] Extending the ResourceManager interface (like announced on dev list) and implementing the new method in the default implementation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=380694&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380694&view=rev>) (thorsten)
- [1.4] restructured the overview screen of publications in order to make better readable [Diff](http://svn.apache.org/viewcvs.cgi?rev=380624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380624&view=rev>) (michi)
- [1.4] containing documents of moved documents should not have their resources/assets copied as well. Fixes the bug of not being able to delete a document contained by a document that has resources/assets. [Diff](http://svn.apache.org/viewcvs.cgi?rev=380319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380319&view=rev>) (chestnut)
- [1.4] White noise - formating changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=380153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380153&view=rev>) (thorsten)
- [1.4] Adding method to receive the new document to the create usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=380152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380152&view=rev>) (thorsten)
- [1.4] optional modules introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=380118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380118&view=rev>) (michi)
- [1.4] note about configuration of node factory added [Diff](http://svn.apache.org/viewcvs.cgi?rev=380111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=380111&view=rev>) (michi)
- [1.4] improved lucene search results [Diff](http://svn.apache.org/viewcvs.cgi?rev=379907&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379907&view=rev>) (chestnut)
- [1.4] search result fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=379832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379832&view=rev>) (chestnut)
- [1.4] Add delimiter between text nodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=379793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379793&view=rev>) (chestnut)
- [1.4] use an empty link attribute as default, it will be replaced in the feed by the actual url of the entry. [Diff](http://svn.apache.org/viewcvs.cgi?rev=379777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379777&view=rev>) (josias)
- [1.4] fixed path of css.xsl (it's a core file) [Diff](http://svn.apache.org/viewcvs.cgi?rev=379774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379774&view=rev>) (josias)
- [1.4] replaced hard-coded jetty ports [Diff](http://svn.apache.org/viewcvs.cgi?rev=379771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379771&view=rev>) (michi)
- [1.4] Jetty ports are configurable for shell script [Diff](http://svn.apache.org/viewcvs.cgi?rev=379770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379770&view=rev>) (michi)
- [1.4] Jetty ports moved to build.properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=379769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379769&view=rev>) (michi)
- [1.4] xslt target added to test [Diff](http://svn.apache.org/viewcvs.cgi?rev=379751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379751&view=rev>) (michi)
- [1.4] Cocoon version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=379748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379748&view=rev>) (michi)
- [1.4] allow fallback uris which refer to a different module, and made preparations to support more general fallback uris. [Diff](http://svn.apache.org/viewcvs.cgi?rev=379736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379736&view=rev>) (josias)

- [1.4] trigger workflow for cforms edit [Diff](http://svn.apache.org/viewcvs.cgi?rev=379701&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379701&view=rev>) (chestnut)
- [1.4] no-cache in response header for documents in the authoring area [Diff](http://svn.apache.org/viewcvs.cgi?rev=379396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379396&view=rev>) (chestnut)
- [1.4] remove XHTML ns and add XHTML ns so that one can use <fi:styling type="htmlarea"><conf>...</conf></fi:styling> in cform usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=379387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379387&view=rev>) (chestnut)
- [1.4] Ajax block is being rewritten using dojo [Diff](http://svn.apache.org/viewcvs.cgi?rev=379278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379278&view=rev>) (chestnut)
- [1.4] removed obsolete test templates, fixed test build [Diff](http://svn.apache.org/viewcvs.cgi?rev=379185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379185&view=rev>) (andreas)
- [1.4] Refactored test build system: generate xtest file dynamically, added LoginTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=379172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379172&view=rev>) (andreas)
- [1.4] Replaced assertion with Exception in URLInformation [Diff](http://svn.apache.org/viewcvs.cgi?rev=379158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379158&view=rev>) (andreas)
- [1.4] allows for multi value fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=379133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379133&view=rev>) (chestnut)
- [1.4] Renamed test-user from alice to aliceTest to avoid conflict with alice user [Diff](http://svn.apache.org/viewcvs.cgi?rev=379114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379114&view=rev>) (andreas)
- [1.4] Fixed some tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=379112&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379112&view=rev>) (andreas)
- [1.4] [minor change] reverted accidental check-in of System.out call [Diff](http://svn.apache.org/viewcvs.cgi?rev=379107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379107&view=rev>) (andreas)
- [1.4] Removed MetaData.save() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=379104&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379104&view=rev>) (andreas)
- [1.4] Fixed some tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=379103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379103&view=rev>) (andreas)
- [1.4] Removed MetaData.save() - changes are saved automatically [Diff](http://svn.apache.org/viewcvs.cgi?rev=379101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379101&view=rev>) (andreas)
- [1.4] Removed MetaData.save() - changes are saved automatically [Diff](http://svn.apache.org/viewcvs.cgi?rev=379098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379098&view=rev>) (andreas)
- [1.4] Save meta data after modifications [Diff](http://svn.apache.org/viewcvs.cgi?rev=379097&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379097&view=rev>) (andreas)
- [1.4] Use last modification date to validate if versions are up to date in DocumentWorkflowable [Diff](http://svn.apache.org/viewcvs.cgi?rev=379096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379096&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=379094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379094&view=rev>) (andreas)
- [1.4] Update last modification date when source node content is changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=379093&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379093&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=379083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379083&view=rev>) (andreas)
- [1.4] Removed obsolete HISTORY\_PATH attribute from WorkflowModule [Diff](http://svn.apache.org/viewcvs.cgi?rev=379055&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=379055&view=rev>) (andreas)
- [1.4] Allow to provide custom request URLs for tests. Starting to fix WorkflowTest. [Diff](http://svn.apache.org/viewcvs.cgi?rev=378570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378570&view=rev>) (andreas)
- [1.4] WorkflowManagerImpl throws exception when schema could not be read [Diff](http://svn.apache.org/viewcvs.cgi?rev=378569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378569&view=rev>) (andreas)
- [1.4] applied patch by Jörn Nettingsmeier (don't cache the welcome page so new publications are shown immediately, bug #37836). [Diff](http://svn.apache.org/viewcvs.cgi?rev=378549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378549&view=rev>) (josias)
- [1.4] Use XML formatter and dedicated output dir for tests. This fixes bug #38692. Thanks to Simon Litwan for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=378478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378478&view=rev>) (andreas)
- [1.4] Synced local.blocks.properties with Cocoon (no rebuild necessary) [Diff](http://svn.apache.org/viewcvs.cgi?rev=378476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378476&view=rev>) (andreas)
- [1.4] Implemented DocumentIdentifier.toString() [Diff](http://svn.apache.org/viewcvs.cgi?rev=378475&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378475&view=rev>) (andreas)
- [1.4] Fixed some more tests. [Diff](http://svn.apache.org/viewcvs.cgi?rev=378474&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378474&view=rev>) (andreas)
- [1.4] Execute module tests in test target [Diff](http://svn.apache.org/viewcvs.cgi?rev=378307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378307&view=rev>) (andreas)
- [1.4] Fixed compile error in WorkflowTest, use log level for repository module test [Diff](http://svn.apache.org/viewcvs.cgi?rev=378305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378305&view=rev>) (andreas)
- [1.4] Make tests run again. Setting reasonable context attributes in PublicationTestCase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=378277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378277&view=rev>) (andreas)

- [1.4] added fallback reference to xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=378065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378065&view=rev>) (chestnut)
- [1.4] allow publications to override module sitemaps [Diff](http://svn.apache.org/viewcvs.cgi?rev=378029&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378029&view=rev>) (chestnut)
- [1.4] typo fix, and ProcessHTML Entities set to true in conf [Diff](http://svn.apache.org/viewcvs.cgi?rev=378012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=378012&view=rev>) (chestnut)
- [1.4] Added option to configure test log level, added mock for ContextSourceFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=377767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377767&view=rev>) (andreas)
- [1.4] fckeditor seems to put allot of &nbsp; in the source which doesn't validate. It didn't appear that this was something configurable in the fckeditor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=377760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377760&view=rev>) (chestnut)
- [1.4] Removed obsolete mock and test classes, made tests compile again (had to comment out some parts of the code) [Diff](http://svn.apache.org/viewcvs.cgi?rev=377757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377757&view=rev>) (andreas)
- [1.4] allow publications to define their own module sitemaps, and module-resources.xmap by using fallback:// [Diff](http://svn.apache.org/viewcvs.cgi?rev=377754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377754&view=rev>) (chestnut)
- [1.4] more descriptive name (using name of a similar stylesheet that was retired) [Diff](http://svn.apache.org/viewcvs.cgi?rev=377743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377743&view=rev>) (chestnut)
- [1.4] external access to resources is supported via lenya.xmap, module-resources.xmap, resources.xmap, and resources-shared.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=377742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377742&view=rev>) (chestnut)
- [1.4] XSLT transformation added for testing stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=377718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377718&view=rev>) (michi)
- [1.4] Use correct cocoon project name for eclipse classpath [Diff](http://svn.apache.org/viewcvs.cgi?rev=377700&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377700&view=rev>) (andreas)
- [1.4] Adding version to eclipse project name [Diff](http://svn.apache.org/viewcvs.cgi?rev=377696&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377696&view=rev>) (andreas)
- [1.4] Read Cocoon eclipse project name from /.project [Diff](http://svn.apache.org/viewcvs.cgi?rev=377694&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377694&view=rev>) (andreas)
- [1.4] Add test sources to eclipse project [Diff](http://svn.apache.org/viewcvs.cgi?rev=377688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377688&view=rev>) (andreas)
- [1.4] fixes for rng includes, added context prefix and core resources [Diff](http://svn.apache.org/viewcvs.cgi?rev=377510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377510&view=rev>) (chestnut)
- [1.4] Enhanced the meta data example in the default pub by making it more generic since user had problems to extend it. Reported by J. Nettingsmeier. [Diff](http://svn.apache.org/viewcvs.cgi?rev=377340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377340&view=rev>) (thorsten)
- [1.4] Added versioning test code, fixed some bugs which popped up [Diff](http://svn.apache.org/viewcvs.cgi?rev=377339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377339&view=rev>) (andreas)
- [1.4] Object-JCR-mapping: set onParentVersion=COPY for mapping property [Diff](http://svn.apache.org/viewcvs.cgi?rev=377338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377338&view=rev>) (andreas)
- [1.4] Fixed bug -> throw exception when publication already exists, added corresponding test [Diff](http://svn.apache.org/viewcvs.cgi?rev=377327&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377327&view=rev>) (andreas)
- [1.4] Stop repo test on error/failure [Diff](http://svn.apache.org/viewcvs.cgi?rev=377325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=377325&view=rev>) (andreas)
- [1.4] Saving JCR session after creating translation node (has to be continued for other operations). Without this, versioning is not possible. For transactions, the transaction capabilities of JCR have to be used. Splitting the test up into single tests. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376761&view=rev>) (andreas)
- [1.4] refactored lucene index generation: now each resource type which supports indexing must declare the format 'luceneIndex' in its configuration. This format contains a number of lucene:field elements which should contain the relevant information about the document which will be indexed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376738&view=rev>) (josias)
- [1.4] Migrate14 imports Lenya and DublinCore meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=376665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376665&view=rev>) (andreas)
- [1.4] Login to repository with user name. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376637&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376637&view=rev>) (andreas)
- [1.4] Enabled to save custom meta data in the site.create usecase and added an example to the default pub. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376630&view=rev>) (thorsten)
- [1.4] Enhanced metadata usecase performance by adding check whether we really need to save the meta data. Further using better naming for 'public static final String's to enhance re-usability. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376627&view=rev>) (thorsten)

- [1.4] Renamed JCRRepositoryTest to RepositoryTest, since it's not related to JCR [Diff](http://svn.apache.org/viewcvs.cgi?rev=376477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376477&view=rev>) (andreas)
- [1.4] Fixed some bugs in JCR-based repo implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=376471&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376471&view=rev>) (andreas)
- [1.4] removal of fallback:// from external relaxng schemas, while still utilizing fallback functionality by specifying the publication the schema is being used in [Diff](http://svn.apache.org/viewcvs.cgi?rev=376448&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376448&view=rev>) (chestnut)
- [1.4] fixed typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=376335&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376335&view=rev>) (thorsten)
- [1.4] Added ability to edit custom metadata and added a small example of it to the index page. Fixed bug in the save() method that was causing an exception for nonFixedElementNames. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376329&view=rev>) (thorsten)
- [1.4] formating changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=376321&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376321&view=rev>) (thorsten)
- [1.4] use an empty link attribute as default, and rewrite it using the actual link. also added missing /entries as part of the url. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376301&view=rev>) (josias)
- [1.4] removed rss namespace according to specification, see <http://blogs.law.harvard.edu/tech/rss> [Diff](http://svn.apache.org/viewcvs.cgi?rev=376292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376292&view=rev>) (josias)
- [1.4] Using prefixed names for the metadata to prevent clashes in naming from dc and custom metadata [Diff](http://svn.apache.org/viewcvs.cgi?rev=376269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376269&view=rev>) (thorsten)
- [1.4] formating changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=376262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376262&view=rev>) (thorsten)
- [1.4] fixed bug: if a node's id starts with the id of one of its siblings, it was not highlighted in the tree of the site area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376240&view=rev>) (josias)
- [1.4] changed outdated cocoon://core/modules reference to cocoon://modules and added a sitemap to handle the message.xml request. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376037&view=rev>) (chestnut)
- [1.4] added abilty to call module resources while specifying the publication id Now module resources and sitemap can be referenced via: <http://localhost:8888/modules/{module-id}/...> or <http://localhost:8888/{publication-id}/modules/{module-id}/...> Both will return the same thing if accessed as an internal request. For external requests the first will always return core resources, while the second will be able to utilize the fallback capability of module-resources.xmap or {module-id}/sitemap.xmap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376020&view=rev>) (chestnut)
- [1.4] Remove references to jackrabbit from jcr module. Shut down repository properly after test is completed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=376002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=376002&view=rev>) (andreas)
- [1.4] Replace AssetTypeRegistry with AssetTypeResolver [Diff](http://svn.apache.org/viewcvs.cgi?rev=375990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375990&view=rev>) (andreas)
- [1.4] Use JCRRepository.INTERNAL\_WORKSPACE for internal publication data [Diff](http://svn.apache.org/viewcvs.cgi?rev=375764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375764&view=rev>) (andreas)
- [1.4] allow relativ paths for the search index to make it possible to move a publication around. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375610&view=rev>) (josias)
- [1.4] Moved repository draft and related classes to repository module [Diff](http://svn.apache.org/viewcvs.cgi?rev=375603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375603&view=rev>) (andreas)
- [1.4] Added method URLUtil.getWebappURL(), various bugfixes in JCR-based repo implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=375599&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375599&view=rev>) (andreas)
- [1.4] ElementSet.getElement(): throw exception if name is not defined [Diff](http://svn.apache.org/viewcvs.cgi?rev=375568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375568&view=rev>) (andreas)
- [1.4] SiteProxy.getNode(): Throw exception if site node path is not absolute [Diff](http://svn.apache.org/viewcvs.cgi?rev=375567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375567&view=rev>) (andreas)
- [1.4] [minor change] added docs that site node path must be absolute [Diff](http://svn.apache.org/viewcvs.cgi?rev=375566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375566&view=rev>) (andreas)
- [1.4] Set jcrSession field in RepositoryFacade constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=375564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375564&view=rev>) (andreas)
- [1.4] Return correct area ID (JCR workspace name) [Diff](http://svn.apache.org/viewcvs.cgi?rev=375563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375563&view=rev>) (andreas)
- [1.4] Added methods to obtain repository session from publication and repository from session [Diff](http://svn.apache.org/viewcvs.cgi?rev=375562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375562&view=rev>) (andreas)

- (http://svn.apache.org/viewcvs.cgi?rev=375554&view=rev) (andreas)
- [1.4] [minor change] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=375545&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375545&view=rev) (andreas)
- [1.4] Moved method isValidDocumentName() from DocumentManager to DocumentBuilder. Allow dashes in document name in DefaultDocumentBuilder. This fixes bug #38127. Thanks for the patch by Renaud Richardet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375544&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375544&view=rev) (andreas)
- [1.4] gets AC Auth and AC Live tabs working [Diff](http://svn.apache.org/viewcvs.cgi?rev=375488&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375488&view=rev) (chestnut)
- [1.4] need to ensure that height and width attributes are present to use this module, otherwise org.apache.batik.bridge.BridgeExceptions Errors are produced [Diff](http://svn.apache.org/viewcvs.cgi?rev=375405&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375405&view=rev) (chestnut)
- [1.4] Renamed JCR node types and names, allow Publication and Asset to have meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=375313&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375313&view=rev) (andreas)
- [1.4] Extended repository API (added some methods) [Diff](http://svn.apache.org/viewcvs.cgi?rev=375306&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375306&view=rev) (andreas)
- [1.4] fixed typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=375244&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375244&view=rev) (josias)
- [1.4] added contextprefix to schema include. makes bxe work on tomcat [Diff](http://svn.apache.org/viewcvs.cgi?rev=375243&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375243&view=rev) (josias)
- [1.4] Updated cocoon://core/modules/... URLs to cocoon://modules/... URLs. This is meant to fix bug #38506, no idea if it is finished yet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375241&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375241&view=rev) (andreas)
- [1.4] [minor change] changed exclude-prefix to exclude-result-prefixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=375240&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375240&view=rev) (andreas)
- [1.4] fit editor to screen, use page.css [Diff](http://svn.apache.org/viewcvs.cgi?rev=375173&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=375173&view=rev) (chestnut)
- [1.4] Enabled JCR block again to make the JCRSourceNode work. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374707&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374707&view=rev) (andreas)
- [1.4] Removed handling of core/modules URLs, since it is now possible to call modules using an URL prefix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374699&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374699&view=rev) (andreas)
- [1.4] more docu about current JCR integration added [Diff](http://svn.apache.org/viewcvs.cgi?rev=374687&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374687&view=rev) (michi)
- [1.4] use base-url module to get the root parameter in order to get the correct urls if proxying is used. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374675&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374675&view=rev) (josias)
- [1.4] [minor] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=374640&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374640&view=rev) (josias)
- [1.4] [minor change] OneFormEditor: refactoring, javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=374613&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374613&view=rev) (andreas)
- [1.4] SVG module: use fallback input module instead of protocol for Batik image references (Batik can't access the source resolver) [Diff](http://svn.apache.org/viewcvs.cgi?rev=374612&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374612&view=rev) (andreas)
- [1.4] Fixed javadoc. Thanks to Bob Harner for spotting this. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374601&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374601&view=rev) (josias)
- [1.4] Added context prefix for cforms resources. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374437&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374437&view=rev) (frothenbacher)
- [1.4] don't assume that internal links start with the context prefix. internal links should look like /pubid/area/doc-url (see also bug #31157) [Diff](http://svn.apache.org/viewcvs.cgi?rev=374412&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374412&view=rev) (josias)
- [1.4] Mount module-resources.xmap with pass-through. This allows the module to serve resources if module-resources.xmap doesn't contain an appropriate pipeline. Added HTML and XHTML pipelines to module-resources.xmap. This fixes bug #38455, thanks to Simon Litwan for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374394&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374394&view=rev) (andreas)
- [1.4] Adds id attribut to form elements and name attributes to buttons. This fixes bug #38471. Thanks to Simon Litwan for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374391&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374391&view=rev) (andreas)
- [1.4] match only on img src attributes so that it doesn't interfere other elements such as script. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374374&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374374&view=rev) (chestnut)
- [1.4] For SVG image xlink, use fallback input module instead of fallback protocol because Batik can't access the source resolver. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374332&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=374332&view=rev) (andreas)
- [1.4] [minor change] removed unnecessary namespace declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=374331&view=rev)

- (<http://svn.apache.org/viewcvs.cgi?rev=374331&view=rev>) (andreas)
- [1.4] [minor] removed tabs and fixed indenting [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374057&view=rev>) (josias)

## 6.3. Docs

- [Docs] First version of the meta data documentation in 1.4.x. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=376362&view=rev>) (thorsten)
- [Docs] Added forrestbot configuration for our documentation. This easiest the deployment of our website [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=375133&view=rev>) (thorsten)
- [Docs] Added documentation about link management in 1.4 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374619&view=rev>) (andreas)
- [Docs] Finished first version of the meta data documentation. Feel free to give feedback and send docu patches. ;-) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=376625&view=rev>) (thorsten)
- [Docs] Added note that geronimo libraries interfere with notification mails [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=376236&view=rev>) (andreas)
- [Docs] Website update by forrestbot [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=375085&view=rev>) (thorsten)
- [Docs] Added option to use arbitrary usecase views to documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374709&view=rev>) (andreas)
- [Docs] Updated resource type docs (see bug 38466). Thanks to Joern Nettingsmeier for the comments. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374705&view=rev>) (andreas)
- [Docs] Updated resource type docs (see bug 38466). Thanks to Joern Nettingsmeier for the comments. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374704&view=rev>) (andreas)
- [Docs] Updated resource type docs (see bug 38466). Thanks to Joern Nettingsmeier for the comments. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374703&view=rev>) (andreas)
- [Docs] Updated resource type docs (see bug 38466). Thanks to Joern Nettingsmeier for the comments. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374702&view=rev>) (andreas)
- [Docs] Updated module docs: /core/modules/... is replaced by cocoon://modules/... [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374700&view=rev>) (andreas)
- [Docs] [minor change] improved wording [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374618&view=rev>) (andreas)
- [Docs] Added note about DocumentReferencesHelper bug [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374617&view=rev>) (andreas)
- [Docs] Added myself :-) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374417&view=rev>) (froethenbacher)
- [Docs] Minor formatting and lower-/uppercase changes. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374385&view=rev>) (andreas)
- [Docs] Renamed bxe element to bitfluxeditor. This avoids the clash with the external URL <http://bxe.oscom.org>. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374384&view=rev>) (andreas)
- [Docs] Fixed faulty r374107 and added information to generate a dynamic exit URL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374378&view=rev>) (thorsten)
- [Docs] Updated resource type docs. This fixes bug #38466, thanks to Joern Nettingsmeier for the report. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374116&view=rev>) (andreas)
- [Docs] Renamed search module to lucene in docs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374109&view=rev>) (andreas)
- [Docs] Added some paragraphs to the repo doc draft [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374107&view=rev>) (andreas)
- [Docs] Updated patch file paths to config/cocoon-xconf/\* [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374106&view=rev>) (andreas)
- [Docs] Adding docs about module menus [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374104&view=rev>) (andreas)
- [Docs] Replaced config/\*.xconf with config/cocoon-xconf/\*.xconf in module docs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=374084&view=rev>) (andreas)

## 6.4. Site

- [Site] Added Lenya DOAP file (see projects.apache.org) [Diff](http://svn.apache.org/viewcvs.cgi?rev=381666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381666&view=rev>) (andreas)
- [Site] Updated and deployed apidocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=375123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375123&view=rev>) (thorsten)
- [Site] Automatic publish from forrestbot [Diff](http://svn.apache.org/viewcvs.cgi?rev=375109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375109&view=rev>) (thorsten)
- [Site] testing whether .htaccess is enabled on our server [Diff](http://svn.apache.org/viewcvs.cgi?rev=373951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373951&view=rev>) (thorsten)
- [Site] Added XML category to DOAP file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=381667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381667&view=rev>) (andreas)
- [Site] Website update by forrestbot [Diff](http://svn.apache.org/viewcvs.cgi?rev=375099&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375099&view=rev>) (thorsten)
- [Site] Adding notification on failure for the staging docu build. [Diff](http://svn.apache.org/viewcvs.cgi?rev=374381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374381&view=rev>) (thorsten)

## 6.5. Zone

- [Zone] Added tests to nightly trunk script [Diff](http://svn.apache.org/viewcvs.cgi?rev=381672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=381672&view=rev>) (andreas)
- [Zone] Removing the cocoon build dir before building lenya this let lenya build cocoon again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375080&view=rev>) (thorsten)
- [Zone] fixing condition matching for notification and added to remove local.b\* properties for trunk. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375071&view=rev>) (thorsten)
- [Zone] fixing check conditions [Diff](http://svn.apache.org/viewcvs.cgi?rev=375048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375048&view=rev>) (thorsten)
- [Zone] Activating notification when build fails for the branch as well. [Diff](http://svn.apache.org/viewcvs.cgi?rev=375044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375044&view=rev>) (thorsten)
- [Zone] Fixing web logfile location [Diff](http://svn.apache.org/viewcvs.cgi?rev=375039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375039&view=rev>) (thorsten)
- [Zone] Activating notification when build fails [Diff](http://svn.apache.org/viewcvs.cgi?rev=375034&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375034&view=rev>) (thorsten)
- [Zone] Adding status to the log [Diff](http://svn.apache.org/viewcvs.cgi?rev=375016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375016&view=rev>) (thorsten)
- [Zone] Adding enhanced error handling through notification [Diff](http://svn.apache.org/viewcvs.cgi?rev=375008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=375008&view=rev>) (thorsten)
- [Zone] Activating notification to the forrestbot that deploys our zone site and the staging docu [Diff](http://svn.apache.org/viewcvs.cgi?rev=374460&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374460&view=rev>) (thorsten)
- [Zone] Adding notification to the forrestbot that deploys our zone site [Diff](http://svn.apache.org/viewcvs.cgi?rev=374458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=374458&view=rev>) (thorsten)

## 7. Version 2006-01 ()

### 7.1. 1.2

- [1.2] release management step by step added [Diff](http://svn.apache.org/viewcvs.cgi?rev=373607&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373607&view=rev>) (michi)
- [1.2] this library is needed because of backwards compatibility [Diff](http://svn.apache.org/viewcvs.cgi?rev=368340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368340&view=rev>) (michi)
- [1.2] xsl for the force-checkin usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=366453&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366453&view=rev>) (jann)
- [1.2] Action for the force-checkin usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=366452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366452&view=rev>) (jann)
- [1.2] excalibur-io has been removed from Cocoon-2.1.8 upwards [Diff](http://svn.apache.org/viewcvs.cgi?rev=366020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366020&view=rev>) (michi)
- [1.2] more details added [Diff](http://svn.apache.org/viewcvs.cgi?rev=373617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373617&view=rev>) (michi)
- [1.2] more notes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=373610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373610&view=rev>) (michi)
- [1.2] name added in order to allow testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=372483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372483&view=rev>) (michi)
- [1.2] form name added in order to allow testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=372482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372482&view=rev>) (michi)
- [1.2] thanks to Bob Harner GET by POST replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=372480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372480&view=rev>) (michi)
- [1.2] fixed select such that the correct http status code is set. [Diff](http://svn.apache.org/viewcvs.cgi?rev=369396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369396&view=rev>) (josias)
- [1.2] added default target for the tabs in the lenya menu to prevent an xhtml validation warning (attribute 'target' cannot be

- empty) [Diff](http://svn.apache.org/viewcvs.cgi?rev=367299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=367299&view=rev>) (josias)
- [1.2] replaced deprecated library excalibur-io 1.1 by commons-io 1.1 and updated all occurrences in the java code. commons-io-1.1.jar is added to lenya because this jar is not included in cocoon 2.1.8 and older. fixes bug [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=38126](http://issues.apache.org/bugzilla/show_bug.cgi?id=38126) [Diff](http://svn.apache.org/viewcvs.cgi?rev=366498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366498&view=rev>) (josias)
- [1.2] Adding the force-checkin usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=366455&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366455&view=rev>) (jann)
- [1.2] Cocoon 2.1.8 set as default [Diff](http://svn.apache.org/viewcvs.cgi?rev=366023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366023&view=rev>) (michi)
- [1.2] Cocoon versions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=366022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366022&view=rev>) (michi)

## 7.2. 1.4

- [1.4] moved external linkcheck functionality to a module [Diff](http://svn.apache.org/viewcvs.cgi?rev=373570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373570&view=rev>) (chestnut)
- [1.4] Continued splitting up cocoon-xconf.xsl into dedicated xpatch files [Diff](http://svn.apache.org/viewcvs.cgi?rev=372818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372818&view=rev>) (andreas)
- [1.4] Continued splitting up cocoon-xconf.xsl into dedicated xpatch files [Diff](http://svn.apache.org/viewcvs.cgi?rev=372814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372814&view=rev>) (andreas)
- [1.4] Use Xpatch for source factories and input modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=372574&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372574&view=rev>) (andreas)
- [1.4] Moved xconf files to cocoon-xconf for homepage module [Diff](http://svn.apache.org/viewcvs.cgi?rev=372573&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372573&view=rev>) (andreas)
- [1.4] Refactored patch system for cocoon.xconf. Patch files are now gathered in build/temp/patch and not copied to the build directory. Usecase patches were removed from cocoon-xconf.xsl. I have replaced remove=... with unless=... to reduce build time, feel free to complain. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372569&view=rev>) (andreas)
- [1.4] removed jars due to licensing issues, added licenses for jetty-plus jar files [Diff](http://svn.apache.org/viewcvs.cgi?rev=372456&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372456&view=rev>) (chestnut)
- [1.4] Moved java class to BXE module, added missing resources [Diff](http://svn.apache.org/viewcvs.cgi?rev=371594&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371594&view=rev>) (andreas)
- [1.4] Moving BXE to a dedicated module [Diff](http://svn.apache.org/viewcvs.cgi?rev=371584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371584&view=rev>) (andreas)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370539&view=rev>) (michi)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370537&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370537&view=rev>) (michi)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370536&view=rev>) (michi)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370533&view=rev>) (michi)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370532&view=rev>) (michi)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370531&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370531&view=rev>) (michi)
- [1.4] Added svg module [Diff](http://svn.apache.org/viewcvs.cgi?rev=370102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370102&view=rev>) (edith)
- [1.4] Added DocumentInfoModule (see bug #38300), thanks to Felix Roethenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=369838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369838&view=rev>) (andreas)
- [1.4] cleaned up webDAV, moving it to a module [Diff](http://svn.apache.org/viewcvs.cgi?rev=368246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368246&view=rev>) (chestnut)
- [1.4] added the lenya meta data generator. It is an abstract generator that can produce the metadata to any given docid. Added an example how one can use it within the tutorial.html (only in english). [Diff](http://svn.apache.org/viewcvs.cgi?rev=365905&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=365905&view=rev>) (thorsten)
- [1.4] Removed obsolete WorkflowAuthorizer [Diff](http://svn.apache.org/viewcvs.cgi?rev=372892&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372892&view=rev>) (andreas)
- [1.4] [minor change] removed empty search directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=372857&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372857&view=rev>)

- (andreas)
  - [1.4] [minor change] removed empty bxe directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=372856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372856&view=rev>) (andreas)
  - [1.4] Moving publications from /src/webapp/lenya/pubs to /src/pubs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372797&view=rev>) (andreas)
  - [1.4] removed search module and related files [Diff](http://svn.apache.org/viewcvs.cgi?rev=372558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372558&view=rev>) (chestnut)
  - [1.4] removed search module and related files [Diff](http://svn.apache.org/viewcvs.cgi?rev=372557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372557&view=rev>) (chestnut)
  - [1.4] [minor change] removed obsolete notification configuration file [Diff](http://svn.apache.org/viewcvs.cgi?rev=372551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372551&view=rev>) (andreas)
  - [1.4] accidental commit [Diff](http://svn.apache.org/viewcvs.cgi?rev=372549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372549&view=rev>) (chestnut)
  - [1.4] Moved admin.search usecase to search module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372254&view=rev>) (andreas)
  - [1.4] [minor change] removed empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=372215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372215&view=rev>) (andreas)
  - [1.4] Moved insertAsset and insertImage usecases to BXE module [Diff](http://svn.apache.org/viewcvs.cgi?rev=371958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371958&view=rev>) (andreas)
  - [1.4] [BXE] Use Lenya CSS (dummy) instead of obsolete resource-type specific CSS for BXE. That never worked anyway, because the resource-type specific CSS was just not there. [Diff](http://svn.apache.org/viewcvs.cgi?rev=371939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371939&view=rev>) (andreas)
  - [1.4] Removed empty BXE directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=371597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371597&view=rev>) (andreas)
  - [1.4] Remove empty dir. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370680&view=rev>) (antonio)
  - [1.4] Cocoon contains a newer version [Diff](http://svn.apache.org/viewcvs.cgi?rev=368337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368337&view=rev>) (michi)
  - [1.4] webdav moved to a module [Diff](http://svn.apache.org/viewcvs.cgi?rev=368248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368248&view=rev>) (chestnut)
  - [1.4] [minor change] removed junk characters that were used for indentation testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=373877&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373877&view=rev>) (andreas)
  - [1.4] Use images to show menu item state (checked/unchecked) [Diff](http://svn.apache.org/viewcvs.cgi?rev=373875&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373875&view=rev>) (andreas)
  - [1.4] the svg module needs to handle shared images if they are processed (image2svg.xsl) [Diff](http://svn.apache.org/viewcvs.cgi?rev=372987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372987&view=rev>) (chestnut)
  - [1.4] [minor change] fixed some java warnings [Diff](http://svn.apache.org/viewcvs.cgi?rev=372908&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372908&view=rev>) (andreas)
  - [1.4] Add deprecation note to task javadocs, added some javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372906&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372906&view=rev>) (andreas)
  - [1.4] [minor change] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=372901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372901&view=rev>) (andreas)
  - [1.4] [minor change] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=372900&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372900&view=rev>) (andreas)
  - [1.4] [minor change] code formatting, javadoc TODO comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=372897&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372897&view=rev>) (andreas)
  - [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=372891&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372891&view=rev>) (andreas)
  - [1.4] fixed a bug with create new language version if the resource type has multiple samples (only need a sample if there is no initial document). [Diff](http://svn.apache.org/viewcvs.cgi?rev=372873&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372873&view=rev>) (josias)
  - [1.4] Instantiator deletes all previous templates before setting the template of the new publication. This fixes bug #38417. The change includes some refactoring. Updating the search index configuration is disabled, because it violates SoC by working with cocoon.xconf patch files - this doesn't work anymore since the patch files aren't copied to the build directory. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372870&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372870&view=rev>) (andreas)
  - [1.4] Updated path to publication java files for eclipse-project build target [Diff](http://svn.apache.org/viewcvs.cgi?rev=372858&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372858&view=rev>) (andreas)
  - [1.4] Use temp/patch directory for lenya.roles patches [Diff](http://svn.apache.org/viewcvs.cgi?rev=372853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372853&view=rev>) (andreas)
  - [1.4] Removed cocoon-xconf.xsl. This raises the issue that the Xopus context path defined in local.build.properties is not set. This will be taken care of when Xopus is moved to a module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372847&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372847&view=rev>) (andreas)
  - [1.4] Added option to prepare cocoon.xconf with initial patches, e.g., to add selector configurations [Diff](http://svn.apache.org/viewcvs.cgi?rev=372845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372845&view=rev>) (andreas)

- [1.4] [minor change] removed obsolete reference to scheduler logicsheet (doesn't exist anymore) [Diff](http://svn.apache.org/viewcvs.cgi?rev=372803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372803&view=rev>) (andreas)
- [1.4] Updated paths to publications and modules in build.properties after moving publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=372798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372798&view=rev>) (andreas)
- [1.4] fixed the style of the exception page: show hand cursor on stacktrace toggle link. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372792&view=rev>) (josias)
- [1.4] Throw appropriate exception if workflow variable does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=372568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372568&view=rev>) (andreas)
- [1.4] Fixed handling of is\_live workflow variable in Overview usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=372566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372566&view=rev>) (andreas)
- [1.4] removed search module and related files [Diff](http://svn.apache.org/viewcvs.cgi?rev=372559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372559&view=rev>) (chestnut)
- [1.4] [minor] added xml declaration, converted line endings to unix, and set svn eol property [Diff](http://svn.apache.org/viewcvs.cgi?rev=372547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372547&view=rev>) (josias)
- [1.4] display the last modified date in iso-8601 format [Diff](http://svn.apache.org/viewcvs.cgi?rev=372538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372538&view=rev>) (josias)
- [1.4] added date-converter input module. it is used to set the correct last-modified http header. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372534&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372534&view=rev>) (josias)
- [1.4] Show navigation visibility on overview tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=372524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372524&view=rev>) (andreas)
- [1.4] GET replaced by POST [Diff](http://svn.apache.org/viewcvs.cgi?rev=372484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372484&view=rev>) (michi)
- [1.4] use fallback:// and lenya:// sources instead of ../. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372297&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372297&view=rev>) (chestnut)
- [1.4] example external opensearch moved into lucene module [Diff](http://svn.apache.org/viewcvs.cgi?rev=372296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372296&view=rev>) (chestnut)
- [1.4] relative include is broken when xhtml.rng is included in other .rng schemas (try to edit and save the homepage) [Diff](http://svn.apache.org/viewcvs.cgi?rev=372258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372258&view=rev>) (chestnut)
- [1.4] Removed System.out.println [Diff](http://svn.apache.org/viewcvs.cgi?rev=372253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372253&view=rev>) (andreas)
- [1.4] Modified site + admin area layout. Removed HTML tables, tabs are arranged vertically now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372252&view=rev>) (andreas)
- [1.4] added ability to have more than one script element in the head [Diff](http://svn.apache.org/viewcvs.cgi?rev=372245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372245&view=rev>) (chestnut)
- [1.4] Removed index page from live area. This fixes bug #38380. [Diff](http://svn.apache.org/viewcvs.cgi?rev=372212&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372212&view=rev>) (andreas)
- [1.4] Added menu item to switch navigation visibility [Diff](http://svn.apache.org/viewcvs.cgi?rev=372193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372193&view=rev>) (andreas)
- [1.4] [default pub] use meta data to display page title [Diff](http://svn.apache.org/viewcvs.cgi?rev=372165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372165&view=rev>) (andreas)
- [1.4] [minor change] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=371948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371948&view=rev>) (andreas)
- [1.4] [BXE] Changed lenya.usecase=bxe to lenya.module=bxe for insert-link screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=371946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371946&view=rev>) (andreas)
- [1.4] Reverted accidental commit (BXE menu item in blog publication) [Diff](http://svn.apache.org/viewcvs.cgi?rev=371930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371930&view=rev>) (andreas)
- [1.4] Added module-resources.xmap to serve module resources directly. RNG schemas are now served in a generic way, see pipeline in global-sitemap.xmap (there is still room for improvement). [Diff](http://svn.apache.org/viewcvs.cgi?rev=371923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371923&view=rev>) (andreas)
- [1.4] use the correct document id in the existence-check in the case of a sibling-after relation: use the method getNewDocumentId() because it takes the relation (child, sibling-after) into account. [Diff](http://svn.apache.org/viewcvs.cgi?rev=371896&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371896&view=rev>) (josias)
- [1.4] Fixed BXE resource paths in blog publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=371602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371602&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=371582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371582&view=rev>) (andreas)
- [1.4] [minor] removed invalid character [Diff](http://svn.apache.org/viewcvs.cgi?rev=371548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371548&view=rev>) (josias)

- [1.4] README refined [Diff](http://svn.apache.org/viewcvs.cgi?rev=370920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370920&view=rev>) (michi)
- [1.4] Show appropriate error message if max upload size is exceeded [Diff](http://svn.apache.org/viewcvs.cgi?rev=370863&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370863&view=rev>) (andreas)
- [1.4] Added status check capabilities to UsecaseInvoker [Diff](http://svn.apache.org/viewcvs.cgi?rev=370862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370862&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=370861&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370861&view=rev>) (andreas)
- [1.4] added check for the publication id: allow no special characters [Diff](http://svn.apache.org/viewcvs.cgi?rev=370799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370799&view=rev>) (josias)
- [1.4] Removed DocumentType.getMimeType(), added Document.getMimeType(). This allows different MIME types for documents of the same DocumentType (e.g., image/gif and image/jpeg for image documents). [Diff](http://svn.apache.org/viewcvs.cgi?rev=370547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370547&view=rev>) (andreas)
- [1.4] thanks to Greggor Imboden the blog publication now has an archive and a lot of bugs have been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370528&view=rev>) (michi)
- [1.4] use 24 hours date format instead of 12 hours, according to ISO-8601 [Diff](http://svn.apache.org/viewcvs.cgi?rev=370509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370509&view=rev>) (josias)
- [1.4] id tag removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=370492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370492&view=rev>) (michi)
- [1.4] use standard ISO-8601 date format with two digits for the month. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370482&view=rev>) (josias)
- [1.4] Use IOUtils instead of deprecated CopyUtils. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370480&view=rev>) (josias)
- [1.4] Fixed some character encoding problems: don't use OutputStreamWriter because it changes the encoding of the stream. Use getParameter() instead of get() for cocoon's HttpServletRequest class because it fixes the encoding. Changed the default uri encoding of jetty to ISO-8859-1 so it is equal to tomcats default encoding. fixes bug #36341 [Diff](http://svn.apache.org/viewcvs.cgi?rev=370449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370449&view=rev>) (josias)
- [1.4] Added isVisibleInNav() method to SiteManager. This allows to fix an NPE in the CreateLanguage usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370125&view=rev>) (andreas)
- [1.4] Call the svg module to scale the images [Diff](http://svn.apache.org/viewcvs.cgi?rev=370108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370108&view=rev>) (edith)
- [1.4] Added svg2tiff serializer [Diff](http://svn.apache.org/viewcvs.cgi?rev=370107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370107&view=rev>) (edith)
- [1.4] Scaling of images when they are inserted in a doc. With the call of svg module, the scaling will be made with svg. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370106&view=rev>) (edith)
- [1.4] Set the width and the height of the uploaded image in the lenya meta data [Diff](http://svn.apache.org/viewcvs.cgi?rev=370097&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370097&view=rev>) (edith)
- [1.4] CreateDocument usecase: don't complain about non-valid document ID if the parameter documentId has been provided to the usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=369492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369492&view=rev>) (andreas)
- [1.4] Don't copy content when the default publication is instanciated [Diff](http://svn.apache.org/viewcvs.cgi?rev=369491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369491&view=rev>) (andreas)
- [1.4] Allowed @class in the object element since it is in the xhtml2 common module [Diff](http://svn.apache.org/viewcvs.cgi?rev=368420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368420&view=rev>) (thorsten)
- [1.4] HEAD request shouldn't contain message-body in response [Diff](http://svn.apache.org/viewcvs.cgi?rev=368400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368400&view=rev>) (chestnut)
- [1.4] added webDAV GET format to opendocument see <http://localhost:8888/default/webdav/doctypes/opendocument.odt> [Diff](http://svn.apache.org/viewcvs.cgi?rev=368279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368279&view=rev>) (chestnut)
- [1.4] Bugfix 38229. Reported and patch submitted by renaud richardet. Thx renaud. :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=368160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368160&view=rev>) (thorsten)
- [1.4] Paste usecase locks assets. This fixes bug #17378. Thanks to Gregor Imboden. [Diff](http://svn.apache.org/viewcvs.cgi?rev=368022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368022&view=rev>) (andreas)
- [1.4] InvokeWorkflow.configure() calls super.configure(). This ensures that the view configuration is loaded. [Diff](http://svn.apache.org/viewcvs.cgi?rev=368021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368021&view=rev>) (andreas)
- [1.4] webDAV fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=367514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=367514&view=rev>) (chestnut)
- [1.4] fixes Bug 38201: Deactivate usecase does not lock document resources thanks to a patch by Gregor Imboden [Diff](http://svn.apache.org/viewcvs.cgi?rev=367356&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=367356&view=rev>) (chestnut)

- [1.4] fixes ability to delete trash, was getting an error that the sitetree wasn't locked [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=367350&view=rev>) (chestnut)
- [1.4] some more links added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=367105&view=rev>) (michi)
- [1.4] lenya version and local build properties version added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=367098&view=rev>) (michi)
- [1.4] lenya version number added such that no conflict may arise with other lenya versions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=367097&view=rev>) (michi)
- [1.4] Added 'checked out by' column to SiteOverview usecase (admin area) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=366143&view=rev>) (andreas)

## 7.3. Docs

- [Docs] Added the 'Release Management Howto' into the official docs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=373657&view=rev>) (thorsten)
- [Docs] moving logs to the docroot to see them online. Added overview page to the zone documentation. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371421&view=rev>) (thorsten)
- [Docs] Added initial version about zone notes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=369997&view=rev>) (thorsten)
- [Docs] Added favicon. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=369463&view=rev>) (thorsten)
- [Docs] Added more documentation for zones server [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=369281&view=rev>) (thorsten)
- [Docs] Started our zone site. I am using forrest for it. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=369085&view=rev>) (thorsten)
- [Docs] Updated forrest to 0.7 and had to move raw data [http://forrest.apache.org/docs\\_0\\_70/upgrading\\_07.html#raw](http://forrest.apache.org/docs_0_70/upgrading_07.html#raw) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=368192&view=rev>) (thorsten)
- [Docs] Added faq document to 1.4.. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=368117&view=rev>) (thorsten)
- [Docs] Added documentation about the url mapping in lenya. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=366525&view=rev>) (thorsten)
- [Docs] removed not needed resources [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=369466&view=rev>) (thorsten)
- [Docs] Updated forrest to 0.7 and had to move raw data [http://forrest.apache.org/docs\\_0\\_70/upgrading\\_07.html#raw](http://forrest.apache.org/docs_0_70/upgrading_07.html#raw) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=368194&view=rev>) (thorsten)
- [Docs] formating change [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371558&view=rev>) (thorsten)
- [Docs] formating change [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371557&view=rev>) (thorsten)
- [Docs] Added sandbox to the sorting criteria [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371521&view=rev>) (thorsten)
- [Docs] Added .htaccess file, new theme and the logs for the forrest update [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371499&view=rev>) (thorsten)
- [Docs] moving logs to the docroot to see them online [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371412&view=rev>) (thorsten)
- [Docs] Fixed the nightlies script - warning obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=371402&view=rev>) (thorsten)
- [Docs] Removing unused contract and adding the theme switcher contract. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370971&view=rev>) (thorsten)
- [Docs] enhanced our theme definition file (=structurer). Adding demo links to left navigation and updated the css. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370947&view=rev>) (thorsten)
- [Docs] minor changes in documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370942&view=rev>) (thorsten)
- [Docs] Updated the svn2changes.xsl to add 2006 as another trunk year and zone to the sorting criteria. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370939&view=rev>) (thorsten)
- [Docs] minor docu change [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370895&view=rev>) (thorsten)
- [Docs] Link from mycrons.cron describtion to tips [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370128&view=rev>) (thorsten)
- [Docs] Added some description about how to work with cron on our zone [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=370127&view=rev>) (thorsten)

- [Docs] Added link to the staging docu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370006&view=rev>) (thorsten)
- [Docs] changed the properties to use headless server [Diff](http://svn.apache.org/viewcvs.cgi?rev=369617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369617&view=rev>) (thorsten)
- [Docs] Added more information about installed services on zones and updated resource due to current changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=369467&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369467&view=rev>) (thorsten)
- [Docs] site:faq is not unique anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=368211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368211&view=rev>) (thorsten)
- [Docs] Fixed the image bug and added space before committer name in the svn2changes.xsl. Updated status file afterwards. [Diff](http://svn.apache.org/viewcvs.cgi?rev=368209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368209&view=rev>) (thorsten)
- [Docs] Added note about forrest version [Diff](http://svn.apache.org/viewcvs.cgi?rev=368198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368198&view=rev>) (thorsten)
- [Docs] Added missing copyright notice to files [Diff](http://svn.apache.org/viewcvs.cgi?rev=368195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368195&view=rev>) (thorsten)
- [Docs] Updated status.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=368158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368158&view=rev>) (thorsten)
- [Docs] Extracted max mem note [Diff](http://svn.apache.org/viewcvs.cgi?rev=368116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368116&view=rev>) (thorsten)
- [Docs] added note that patches are welcome [Diff](http://svn.apache.org/viewcvs.cgi?rev=368113&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368113&view=rev>) (thorsten)
- [Docs] updated properties to build with forrest 0.7 and 0.8-dev. [Diff](http://svn.apache.org/viewcvs.cgi?rev=365488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=365488&view=rev>) (thorsten)
- [Docs] updated status.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=365486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=365486&view=rev>) (thorsten)
- [Docs] removed contact notice. [Diff](http://svn.apache.org/viewcvs.cgi?rev=365485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=365485&view=rev>) (thorsten)

## 7.4. Sandbox

- [Sandbox] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=360570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=360570&view=rev>) (michi)
- [Sandbox] Starting to update the code according to the new repository API [Diff](http://svn.apache.org/viewcvs.cgi?rev=366518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=366518&view=rev>) (andreas)

## 7.5. Site

- [Site] Updating changes pages to reflect current development [Diff](http://svn.apache.org/viewcvs.cgi?rev=372605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372605&view=rev>) (thorsten)
- [Site] Website update with recent changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=371675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371675&view=rev>) (thorsten)
- [Site] Update for recent changes like adding faq to 1.4, updating website-update, adding license,... [Diff](http://svn.apache.org/viewcvs.cgi?rev=368213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368213&view=rev>) (thorsten)
- [Site] Update webpage. I am using 0.8-dev, that is the reason that all files have changed. I recommend to use the forrest trunk for building the site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=365490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=365490&view=rev>) (thorsten)

## 7.6. Zone

- [Zone] Added initial release script from the 'Release Management' notes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=373658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=373658&view=rev>) (thorsten)
- [Zone] initial version of the mail script [Diff](http://svn.apache.org/viewcvs.cgi?rev=371667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371667&view=rev>) (thorsten)
- [Zone] Adding update script to update forrest to trunk version, build clean and build of forrest and the dispatcher [Diff](http://svn.apache.org/viewcvs.cgi?rev=371498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371498&view=rev>) (thorsten)
- [Zone] splitted nightlies script apart for trunk and branch. nightlies now just calls both scripts. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370931&view=rev>) (thorsten)
- [Zone] Added two new script related to the forrestbot which deploys the staging docu and the zones site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=370005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370005&view=rev>) (thorsten)
- [Zone] added a create status script which will be used for the changes.html of our documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=369998&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369998&view=rev>) (thorsten)
- [Zone] Copied environment script from forrest zones [Diff](http://svn.apache.org/viewcvs.cgi?rev=369618&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369618&view=rev>) (thorsten)
- [Zone] Added configuration files for the forrest bot. [Diff](http://svn.apache.org/viewcvs.cgi?rev=369465&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369465&view=rev>) (thorsten)
- [Zone] added all files from the zones bin to the rep [Diff](http://svn.apache.org/viewcvs.cgi?rev=368437&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368437&view=rev>)

- (thorsten)
  - [Zone] Initial bin directory for our zone [Diff](http://svn.apache.org/viewcvs.cgi?rev=368430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368430&view=rev>) (thorsten)
  - [Zone] added basic readme file [Diff](http://svn.apache.org/viewcvs.cgi?rev=368424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368424&view=rev>) (thorsten)
  - [Zone] Initial directory for resources such as configurations, bash scripts, etc [Diff](http://svn.apache.org/viewcvs.cgi?rev=368419&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368419&view=rev>) (thorsten)
  - [Zone] removed unused script [Diff](http://svn.apache.org/viewcvs.cgi?rev=369978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369978&view=rev>) (thorsten)
  - [Zone] Fixing bug line 14: \$logfile: ambiguous redirect [Diff](http://svn.apache.org/viewcvs.cgi?rev=372174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=372174&view=rev>) (thorsten)
  - [Zone] Added myself as recipient till testing is over. fixed script that waiting for interrupt signal which caused hanging. [Diff](http://svn.apache.org/viewcvs.cgi?rev=371717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371717&view=rev>) (thorsten)
  - [Zone] moving logs to the docroot to see them online [Diff](http://svn.apache.org/viewcvs.cgi?rev=371410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371410&view=rev>) (thorsten)
  - [Zone] Using all env variables from the env script to overcome the problem decribed in [http://www.experts-exchange.com/Programming/Programming\\_Platforms/Unix\\_Programming/Q\\_21698553.html](http://www.experts-exchange.com/Programming/Programming_Platforms/Unix_Programming/Q_21698553.html) [Diff](http://svn.apache.org/viewcvs.cgi?rev=371401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371401&view=rev>) (thorsten)
  - [Zone] Extracting all env variables to the script to overcome the problem decribed in [http://www.experts-exchange.com/Programming/Programming\\_Platforms/Unix\\_Programming/Q\\_21698553.html](http://www.experts-exchange.com/Programming/Programming_Platforms/Unix_Programming/Q_21698553.html) [Diff](http://svn.apache.org/viewcvs.cgi?rev=371397&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=371397&view=rev>) (thorsten)
  - [Zone] minor changes for the log [Diff](http://svn.apache.org/viewcvs.cgi?rev=370941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370941&view=rev>) (thorsten)
  - [Zone] Further enhancement of logging for all script that build instances of lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=370936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370936&view=rev>) (thorsten)
  - [Zone] Enhanced logging for the zone update script [Diff](http://svn.apache.org/viewcvs.cgi?rev=370925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370925&view=rev>) (thorsten)
  - [Zone] refactored the zone update script to be runnable in cron and added basic logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=370871&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370871&view=rev>) (thorsten)
  - [Zone] refactored the staging script to be runnable in cron and added basic logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=370870&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370870&view=rev>) (thorsten)
  - [Zone] minor comment change [Diff](http://svn.apache.org/viewcvs.cgi?rev=370869&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370869&view=rev>) (thorsten)
  - [Zone] added the forrestbots to the cron [Diff](http://svn.apache.org/viewcvs.cgi?rev=370118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=370118&view=rev>) (thorsten)
  - [Zone] Made forrestbot build files more generic [Diff](http://svn.apache.org/viewcvs.cgi?rev=369901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369901&view=rev>) (thorsten)
  - [Zone] Enhanced logging for the nightly script. [Diff](http://svn.apache.org/viewcvs.cgi?rev=369292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369292&view=rev>) (thorsten)
  - [Zone] fixed Exception in thread "main" java.lang.InternalError: Can't connect to X11 window server using ':0.0' as the value of the DISPLAY variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=369086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=369086&view=rev>) (thorsten)
  - [Zone] formating change [Diff](http://svn.apache.org/viewcvs.cgi?rev=368975&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368975&view=rev>) (thorsten)
  - [Zone] Enhanced the forrest nightly script by allowing parameter -u (true|false). Added script echos for telling what we are doing and how. [Diff](http://svn.apache.org/viewcvs.cgi?rev=368973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368973&view=rev>) (thorsten)
  - [Zone] Enhanced the nightly script by allowing parameter like -u (true|false) and -c (true|false) and added script echos for telling what we are doing and how. [Diff](http://svn.apache.org/viewcvs.cgi?rev=368970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368970&view=rev>) (thorsten)
  - [Zone] Fixed pid bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=368960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=368960&view=rev>) (thorsten)

## 8. Version 2005-12 ()

### 8.1. 1.2

- [1.2] readded libraries because they are needed to build lenya, but remove them from the build directory because they cause conflicts with the endorsed libraries from cocoon. [Diff](http://svn.apache.org/viewcvs.cgi?rev=355050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=355050&view=rev>) (josias)
- [1.2] These libraries are now taken from cocoon's lib/endorsed directory, so they can be removed from Lenya. [Diff](http://svn.apache.org/viewcvs.cgi?rev=354396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=354396&view=rev>) (josias)
- [1.2] default action servlet added [Diff](http://svn.apache.org/viewcvs.cgi?rev=357999&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=357999&view=rev>) (michi)
- [1.2] default action servlet introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=357997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=357997&view=rev>) (michi)

- [1.2] ignore dist directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=357671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=357671&view=rev>) (michi)
- [1.2] another note about WLS added [Diff](http://svn.apache.org/viewcvs.cgi?rev=357530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=357530&view=rev>) (michi)
- [1.2] [minor] removed comment, because Lenya should now work with Cocoon 2.1.8 [Diff](http://svn.apache.org/viewcvs.cgi?rev=354402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=354402&view=rev>) (josias)
- [1.2] Applied a patch by Felix Roethenbacher, s.t. Lenya also works with Cocoon 2.1.8 (see bug #36382). Thanks Felix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=354395&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=354395&view=rev>) (josias)

## 8.2. 1.4

- [1.4] Repo layer: Added ContentSource to access repository content [Diff](http://svn.apache.org/viewcvs.cgi?rev=351656&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=351656&view=rev>) (andreas)
- [1.4] Repo layer: added Avalon-based RepositoryFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=351654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=351654&view=rev>) (andreas)
- [1.4] repo layer: added meta data handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=350268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=350268&view=rev>) (andreas)
- [1.4] removed due to licensing [Diff](http://svn.apache.org/viewcvs.cgi?rev=360020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=360020&view=rev>) (chestnut)
- [1.4] [Diff](http://svn.apache.org/viewcvs.cgi?rev=358615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=358615&view=rev>) (chestnut)
- [1.4] handle Depth header in request (specificly Depth: 0) [Diff](http://svn.apache.org/viewcvs.cgi?rev=358611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=358611&view=rev>) (chestnut)
- [1.4] use page-envelope to get lang version instead of trying to match it [Diff](http://svn.apache.org/viewcvs.cgi?rev=358610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=358610&view=rev>) (chestnut)
- [1.4] making webdav work via /pubid/webdav/ instead of /pubid/authoring/ path. This way we no longer have to rely on the useragent header to determine dav clients [Diff](http://svn.apache.org/viewcvs.cgi?rev=358595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=358595&view=rev>) (chestnut)
- [1.4] list items added [Diff](http://svn.apache.org/viewcvs.cgi?rev=358413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=358413&view=rev>) (michi)
- [1.4] another link added [Diff](http://svn.apache.org/viewcvs.cgi?rev=358412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=358412&view=rev>) (michi)
- [1.4] add linkcheck function to window.onload so we don't override previously assigned functions [Diff](http://svn.apache.org/viewcvs.cgi?rev=357926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=357926&view=rev>) (chestnut)
- [1.4] Kupu isn't integrated according to the usecase framekork [Diff](http://svn.apache.org/viewcvs.cgi?rev=356812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=356812&view=rev>) (edith)
- [1.4] Fix the availability of the edit menu according to the workflow: bug#37602 [Diff](http://svn.apache.org/viewcvs.cgi?rev=356755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=356755&view=rev>) (edith)
- [1.4] Remove the workflowMenuTransformation: the menu's disability according to the workflow is checked by the usecase transformation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=356538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=356538&view=rev>) (edith)
- [1.4] fixes broken compilation: IndexConfiguration (Bug 37873) Thanks to Felix Röthenbacher for the patch [Diff](http://svn.apache.org/viewcvs.cgi?rev=356483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=356483&view=rev>) (chestnut)
- [1.4] Disable the workflow authorizer. Fix bug #37602 and 37534. Thanks to Felix Röthenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=356264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=356264&view=rev>) (edith)
- [1.4] version number fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=355013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=355013&view=rev>) (michi)
- [1.4] build message changed according to default action servlet [Diff](http://svn.apache.org/viewcvs.cgi?rev=355011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=355011&view=rev>) (michi)
- [1.4] default action servlet added [Diff](http://svn.apache.org/viewcvs.cgi?rev=355010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=355010&view=rev>) (michi)
- [1.4] After the call of sendPageAndWait, a new request is created. Get the context from it. fix bug 37534 [Diff](http://svn.apache.org/viewcvs.cgi?rev=354773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=354773&view=rev>) (edith)
- [1.4] Repo layer: using JCR UUIDs for content node IDs [Diff](http://svn.apache.org/viewcvs.cgi?rev=351685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=351685&view=rev>) (andreas)
- [1.4] Repo layer: implemented document content validation [Diff](http://svn.apache.org/viewcvs.cgi?rev=351677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=351677&view=rev>) (andreas)
- [1.4] JCR integration: simplified node removal [Diff](http://svn.apache.org/viewcvs.cgi?rev=350281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=350281&view=rev>) (andreas)
- [1.4] Repo layer: added method Site.move() [Diff](http://svn.apache.org/viewcvs.cgi?rev=350280&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=350280&view=rev>) (andreas)
- [1.4] [minor change] reverted accidental check-in [Diff](http://svn.apache.org/viewcvs.cgi?rev=350270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=350270&view=rev>) (andreas)
- [1.4] Added method Area.getAreaID(), implemented NodeProxy.toString() to improve debugging [Diff](http://svn.apache.org/viewcvs.cgi?rev=350269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=350269&view=rev>) (andreas)

- (<http://svn.apache.org/viewcvs.cgi?rev=350257&view=rev>) (andreas)
- [1.4] JCR integration: using `Property.getLength()` instead of custom property for `Document.getLength()` [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=350230&view=rev>) (andreas)
- [1.4] JCR integration: fixed `Path.append(Path)` - avoid changing `UnmodifiableList` [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=350228&view=rev>) (andreas)

## 8.3. Docs

- [Docs] another live site added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=357994&view=rev>) (michi)
- [Docs] Furphys added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=357937&view=rev>) (michi)

## 8.4. Sandbox

- [Sandbox] Created repository integration working copy in the sandbox [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=357006&view=rev>) (andreas)
- [Sandbox] RewriteRules added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=357724&view=rev>) (michi)
- [Sandbox] TODOs added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=357508&view=rev>) (michi)

## 9. Version 2005-11 ()

### 9.1. 1.2

- [1.2] ProxyGenerator with https resp. `getScheme` enhanced [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=332837&view=rev>) (michi)
- [1.2] input module to make content dir configurable started [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=332057&view=rev>) (michi)
- [1.2] updated Forrest with fixed `SourceTypeAction` thanks to Josias [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=332042&view=rev>) (michi)
- [1.2] deprecated source type action added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332041&view=rev>) (michi)
- [1.2] obsolete libraries [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332043&view=rev>) (michi)
- [1.2] call fallback for the root transformation and the sitetree2nav.xsl, so that they can be overwritten in the pubs (ex: no language suffix \_ in url) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=349988&view=rev>) (edith)
- [1.2] patch update from Josias [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=349410&view=rev>) (michi)
- [1.2] thanks to Josias Thoeny the sitetree bug re access controlling has been fixed [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=349402&view=rev>) (michi)
- [1.2] security patch [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=348771&view=rev>) (michi)
- [1.2] advanced methods such that document root dirs will be configurable commented [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=345783&view=rev>) (michi)
- [1.2] `getDocument` added to make content dir configurable [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=345212&view=rev>) (michi)
- [1.2] Revision controller prepared such that it works with configurable content directories [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=344363&view=rev>) (michi)
- [1.2] note about xopushandler action added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344359&view=rev>) (michi)
- [1.2] needs to work also without configuration in order to stay backwards compatible [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=344357&view=rev>) (michi)
- [1.2] needs also to work without configuration in order to stay backwards compatible [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=344356&view=rev>) (michi)
- [1.2] paths neutralized [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332248&view=rev>) (michi)
- [1.2] paths neutralized [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332247&view=rev>) (michi)
- [1.2] Get the content path with help of the new `PublicationContentDirModule` in all default's sitemaps [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=332086&view=rev>) (edith)
- [1.2] Get the content path with help of the new `PublicationContentDirModule` in all default's sitemaps [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=332085&view=rev>) (edith)
- [1.2] content-dir input module added as TODO [Diff](http://svn.apache.org/viewcvs.cgi?rev=332058&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=332058&view=rev>) (michi)
  - [1.2] SourceTypeAction package name changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=332044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=332044&view=rev>) (michi)
  - [1.2] content authoring element fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=331768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=331768&view=rev>) (michi)
  - [1.2] preparations for making root content dir configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=331233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=331233&view=rev>) (michi)
  - [1.2] there seems to be a bug re concat filesystem path. TODO added [Diff](http://svn.apache.org/viewcvs.cgi?rev=331231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=331231&view=rev>) (michi)
  - [1.2] getChildFileName fixed such that one is forced to upgrade the creators because of the DocumentIdToPathMapper bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=330248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=330248&view=rev>) (michi)
  - [1.2] getChildFileName fixed such that one is forced to upgrade the creators because of the DocumentIdToPathMapper bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=330247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=330247&view=rev>) (michi)
  - [1.2] bug re hardcoded filename generation fixed. DocumentIdToPathMapper is now being used [Diff](http://svn.apache.org/viewcvs.cgi?rev=330231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=330231&view=rev>) (michi)
  - [1.2] Open live page in a new window [Diff](http://svn.apache.org/viewcvs.cgi?rev=330213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=330213&view=rev>) (jann)

## 9.2. 1.4

- [1.4] Extended repo API, updated JCR repo implementation to a more generic approach (using a repository facade and path structures) [Diff](http://svn.apache.org/viewcvs.cgi?rev=350074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=350074&view=rev>) (andreas)
- [1.4] moved lucene stylesheets into resource specific modules xslt directory Thanks to Felix Fixes Bug 37626 [Diff](http://svn.apache.org/viewcvs.cgi?rev=348759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=348759&view=rev>) (chestnut)
- [1.4] applied Patch for removing log4j:WARN removing upon Jetty start-up, Bug 37240, Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=348422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=348422&view=rev>) (chestnut)
- [1.4] moved lucene specific files into lucene module directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=348074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=348074&view=rev>) (chestnut)
- [1.4] clean up, moved lucene specific files into the lucene module directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=348067&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=348067&view=rev>) (chestnut)
- [1.4] Update Jetty to version 5.1.4 Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=345640&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345640&view=rev>) (chestnut)
- [1.4] Update Jetty to version 5.1.4 Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=345639&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345639&view=rev>) (chestnut)
- [1.4] replaces the SourceWritingTransformer with a flow approach that uses the processPipelineTo() method of the cocoon flow object. When exiting the flow a plain status code is sent back to the browser. Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=345495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345495&view=rev>) (chestnut)
- [1.4] replaces the SourceWritingTransformer with a flow approach that uses the processPipelineTo() method of the cocoon flow object. When exiting the flow a plain status code is sent back to the browser. Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=345494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345494&view=rev>) (chestnut)
- [1.4] simple opendocument XSLT added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345271&view=rev>) (michi)
- [1.4] lucene config added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345041&view=rev>) (michi)
- [1.4] more lucene stuff of Robert Goene added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345035&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345035&view=rev>) (michi)
- [1.4] lucene module of Robert Goene added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345033&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345033&view=rev>) (michi)
- [1.4] lucene specific classes re Robert Goenes code [Diff](http://svn.apache.org/viewcvs.cgi?rev=345031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345031&view=rev>) (michi)
- [1.4] lucene XSLTs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345027&view=rev>) (michi)
- [1.4] Robert Goene's lucene usecase added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345026&view=rev>) (michi)
- [1.4] Added 1st version of new Lenya repo interfaces + JCR-based implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=330846&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=330846&view=rev>) (andreas)
- [1.4] First steps re. JCR-only approach: removed dependencies on JCR block, added own JCR libs, started JCR facade objects and content migration build target. [Diff](http://svn.apache.org/viewcvs.cgi?rev=330793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=330793&view=rev>) (andreas)
- [1.4] LGPL code removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=345270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=345270&view=rev>) (michi)

- [1.4] don't allow to reload cocoon for security reasons. see bug #37631 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=350020&view=rev>) (josias)
- [1.4] added ability to request shared resources [js or css] inherited [or ancestor] from templated pubs ex: page.css @import url(page.inherited.css); /\* pub specific css \*/ [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=349588&view=rev>) (chestnut)
- [1.4] JCR module: added Assertion utility class, fixed some NPE issues [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=349406&view=rev>) (andreas)
- [1.4] xhtml2index xsl path changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=348760&view=rev>) (chestnut)
- [1.4] made lucene indexes area (live and authoring) specific, lucene usecase which can be called as an exit usecase of other usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=348547&view=rev>) (chestnut)
- [1.4] allows publish usecase to reindex doc in live index when run from scheduled job [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345637&view=rev>) (chestnut)
- [1.4] Takes care of class cast exception when scheduled job tries to publish [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345636&view=rev>) (chestnut)
- [1.4] added JOB\_DATA column to qrtz\_triggers table fixes error "Column count does not match in statement" when trying to schedule a job [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345632&view=rev>) (chestnut)
- [1.4] Initialize all mandatory JCR properties. The migrate-14 target works now. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345525&view=rev>) (andreas)
- [1.4] Improved repo interfaces and JCR-based implementation, added JCRRRepositoryTest, updated migration class accordingly [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345523&view=rev>) (andreas)
- [1.4] Updated custom\_nodetypes.xml to new Jackrabbit syntax [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345522&view=rev>) (andreas)
- [1.4] Added infrastructure for module test builds [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345521&view=rev>) (andreas)
- [1.4] opendocumenttext fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345280&view=rev>) (michi)
- [1.4] indexing added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345039&view=rev>) (michi)
- [1.4] indexing added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345038&view=rev>) (michi)
- [1.4] added kupusave.xsl as import to clean up kupu generated source before validation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345036&view=rev>) (chestnut)
- [1.4] search field added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345034&view=rev>) (michi)
- [1.4] lucene code of Robert Goene added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345032&view=rev>) (michi)
- [1.4] lcr changed because of additional lucene block [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345029&view=rev>) (michi)
- [1.4] Lucene block added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345022&view=rev>) (michi)
- [1.4] config for Jeceira Repository Factory added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345019&view=rev>) (michi)
- [1.4] Calling DocumentManager.isValidDocumentName() from CreateDocument usecase to validate document names. DocumentManagerImpl allows only characters and numbers in document IDs. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345016&view=rev>) (andreas)
- [1.4] Fixed missing i18n namespace in cforms module and example. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344352&view=rev>) (thorsten)
- [1.4] return proper status code on success PUT request [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344237&view=rev>) (chestnut)
- [1.4] Apply module menu fallback to menus.xmap, not to single XSPs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344095&view=rev>) (andreas)
- [1.4] Added XHTML format to search resource type [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344089&view=rev>) (andreas)
- [1.4] Throw comprehensible exception when a resource type does not support a particular format. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344088&view=rev>) (andreas)
- [1.4] Added ContextUtility to allow the DocumentPolicyManagerWrapper to access the context on demand. This fixes bug #36494. Credits to Felix Rothenbacher. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344087&view=rev>) (andreas)
- [1.4] removed reference to non-existing entry module from blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=344086&view=rev>) (andreas)

- [1.4] JCR integration: implemented writing and reading document content [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332599&view=rev>) (andreas)
- [1.4] comment this sample out until there is a way to make additional samples publication specific [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332439&view=rev>) (chestnut)
- [1.4] Example of a optional xhtml sample in the default pub. Perhaps someone can provide a patch for a better example of a 2 column page [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332385&view=rev>) (chestnut)
- [1.4] fixes ability to save in kupu using webdav interface instead of kupu usecase. Will clean up usecase if this seems to work out. Post processing (before validation) of document can be done with modules/xhtml/xslt/clean-xhtml.xsl if needed. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332356&view=rev>) (chestnut)
- [1.4] added userId, groupId, and ipRangeId to exit usecases where needed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332235&view=rev>) (chestnut)
- [1.4] languages choice is hidden if just one language available in publication Thanks to a patch by Simon Litwan, fixes Bug 37434 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332227&view=rev>) (chestnut)
- [1.4] Configuration of log4j.xconf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332068&view=rev>) (chestnut)
- [1.4] Fixes non working cancel buttons [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=331826&view=rev>) (thorsten)
- [1.4] Usecase exit parameters can now be supplied without a value in the xconf, the value will be picked up from the parameters passed to the usecase. This fixes Bug 37362 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=331627&view=rev>) (chestnut)
- [1.4] Added a fallback for module specific menu generation. Now you can override the menus provided by the modules. e.g. If you want to override the menu provided by the xhtml module, just create a file in pub-id/conf/menus/xhtml.xsp and provide your own menu implementation for the module. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=331273&view=rev>) (thorsten)
- [1.4] prompt for clean build of cocoon with new local.blocks.properties [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330833&view=rev>) (chestnut)
- [1.4] Fixed typo in usecase.js. Spotted by Felix. Thx Felix. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330789&view=rev>) (thorsten)
- [1.4] Changed cform code that it is possible to use a cancel button. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330572&view=rev>) (thorsten)
- [1.4] fixed img references for up/down arrows [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330541&view=rev>) (chestnut)
- [1.4] Accidental commit (messing around with cform type), sorry about that [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330294&view=rev>) (chestnut)
- [1.4] [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330293&view=rev>) (chestnut)
- [1.4] [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330292&view=rev>) (chestnut)
- [1.4] allow to patch lenya.roles by publications and modules [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330229&view=rev>) (andreas)
- [1.4] the attribute for the style's properties change from style:properties into style:local-name()-properties [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330083&view=rev>) (edith)
- [1.4] Don't call opendocument2xhtml.xsl: the transformation is replaced by the xslt of art rhyno [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330006&view=rev>) (edith)

### 9.3. Docs

- [Docs] started documentation about repository layout [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=330093&view=rev>) (andreas)
- [Docs] Add the University of Zuerich to the live site [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=345470&view=rev>) (jann)
- [Docs] added documentation about usecase parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=332040&view=rev>) (andreas)

### 9.4. Site

- [Site] Adding Uni Zuerich to the live websites [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=348526&view=rev>) (jann)

- [Site] Adding Uni Zuerich to the live websites [Diff](http://svn.apache.org/viewcvs.cgi?rev=348525&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=348525&view=rev>) (jann)

## 10. Version 2005-10 ()

### 10.1. 1.2

- [1.2] Cocoon has moved the sample [Diff](http://svn.apache.org/viewcvs.cgi?rev=307136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307136&view=rev>) (michi)
- [1.2] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=307137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307137&view=rev>) (michi)
- [1.2] Forgot the closing tag. Sorry for any trouble and thx to josias to spot it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=328012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=328012&view=rev>) (thorsten)
- [1.2] reverted unrelated changes of my last commit [Diff](http://svn.apache.org/viewcvs.cgi?rev=327197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=327197&view=rev>) (thorsten)
- [1.2] Bugfix Bug 37193. Submitted by Josias Thoeny. Fixes that Xopus caches document and thus shows an old version. Thx Josias [Diff](http://svn.apache.org/viewcvs.cgi?rev=327193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=327193&view=rev>) (thorsten)
- [1.2] output set to ISO because there are still some mailclients which don't seem to understand UTF [Diff](http://svn.apache.org/viewcvs.cgi?rev=314919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=314919&view=rev>) (edith)
- [1.2] note about Cocoon-2.1.8-dev added [Diff](http://svn.apache.org/viewcvs.cgi?rev=307386&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307386&view=rev>) (michi)
- [1.2] byte rages set to false [Diff](http://svn.apache.org/viewcvs.cgi?rev=307385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307385&view=rev>) (michi)
- [1.2] byte-ranges set to false [Diff](http://svn.apache.org/viewcvs.cgi?rev=307384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307384&view=rev>) (michi)

### 10.2. 1.4

- [1.4] External Link Check usecase To turn on uncomment the map:transform in the default pubs sitemap.xmap file under the comment <!-- uncomment to turn on external broken link reporting --> (will implement a better switch in the near future) [Diff](http://svn.apache.org/viewcvs.cgi?rev=328685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=328685&view=rev>) (chestnut)
- [1.4] External Link Check usecase To turn on uncomment the map:transform in the default pubs sitemap.xmap file under the comment <!-- uncomment to turn on external broken link reporting --> (will implement a better switch in the near future) [Diff](http://svn.apache.org/viewcvs.cgi?rev=328682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=328682&view=rev>) (chestnut)
- [1.4] Stylesheet to transform the Oasis Opendcoument format into XHTML. Thanks to Art Rhyno [Diff](http://svn.apache.org/viewcvs.cgi?rev=328589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=328589&view=rev>) (edith)
- [1.4] Fixed the CFormsUsecase which is just an example how to work with cforms and not the specific implementation that cform usecases have to use. [Diff](http://svn.apache.org/viewcvs.cgi?rev=320781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=320781&view=rev>) (thorsten)
- [1.4] Apache Lenya logo for XUL menus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=320766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=320766&view=rev>) (michi)
- [1.4] Adds a cforms doctype to the default publication to show the possibilites of CForms/Ajax together with Lenya. See <http://wiki.apache.org/lenya/HowToCFormsInLenya1.4> for some basic notes. There is still an issue with saving the document when Ajax is used. Cooperation work with Felix Röthenbacher who provided a patch for that. Solves Bug 37069. Thx Felix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=320713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=320713&view=rev>) (thorsten)
- [1.4] Added ability to "clean" documents uploaded via webDAV PUT method. [Diff](http://svn.apache.org/viewcvs.cgi?rev=314996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=314996&view=rev>) (chestnut)
- [1.4] german added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293124&view=rev>) (michi)
- [1.4] sitemap and XSLT to generate XHTML added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293114&view=rev>) (michi)
- [1.4] module config for opendocument added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293106&view=rev>) (michi)
- [1.4] meta and doctype definition added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293096&view=rev>) (michi)
- [1.4] opendocument global layout added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293095&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293095&view=rev>) (michi)
- [1.4] links and opendocument as doctype samples added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293088&view=rev>) (michi)
- [1.4] english version added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293125&view=rev>) (michi)
- [1.4] makes ...-bxe.css fallback enabled fixes Bug 37308 Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=329826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=329826&view=rev>) (chestnut)
- [1.4] fixes Bug 37222 Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=329827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=329827&view=rev>) (chestnut)

- (http://svn.apache.org/viewcvs.cgi?rev=328918&view=rev) (chestnut)
- [1.4] Fixes the following error when editing homepage doc with oneform editor: BaseURI is not valid, it must contain a protocol: xhtml/xhtml-basic.rng Should also help with pub templating. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=328897&view=rev) (chestnut)
- [1.4] Odt doc needs a own page2xhtml xslt [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=328676&view=rev) (edith)
- [1.4] Call the xslt of art rhyno for the transformation from odt to html [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=328675&view=rev) (edith)
- [1.4] adds a convertor for integers Thanks to Felix Röthenbacher for the patch fixes Bug 37221 [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=328424&view=rev) (chestnut)
- [1.4] Thanks to a patch from Felix Röthenbacher fixes bug Bug 37216 [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=328402&view=rev) (chestnut)
- [1.4] lenyadoc:/ builds document to retrieve source URL instead of hard-coding the DocumentIdToPathMapper behaviour. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=328050&view=rev) (andreas)
- [1.4] removed broken and unused xsl:include reported by Josias Thoeny [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=327210&view=rev) (chestnut)
- [1.4] Bugfix Bug 37193. Submitted by Josias Thoeny. Fixes that Xopus caches document and thus shows an old version. Thx Josias [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=327186&view=rev) (thorsten)
- [1.4] Bugfix Bug 37139. Submitted by renaud richardet. Thx renaud. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=326112&view=rev) (thorsten)
- [1.4] Improved error message and fixed a typo [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=321284&view=rev) (gregor)
- [1.4] Workaround bugfix for the cform example. The problem is that ajax='true' will cause on submit of the form the lost of the usecase.js flow. I wrote to the cocoon-user list regarding this issue. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=321097&view=rev) (thorsten)
- [1.4] fixed tyop :) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=321060&view=rev) (chestnut)
- [1.4] assigned workflow events to the workflow menu items assigned roles to open usecases [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=320970&view=rev) (chestnut)
- [1.4] added warning|alert for broken internal links in the authoring area so that content managers know there is something to fix [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=320885&view=rev) (chestnut)
- [1.4] site tab fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=320779&view=rev) (michi)
- [1.4] debug statement removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=320771&view=rev) (michi)
- [1.4] thanks to Ilhan Parmaksiz and Gregor Imboden the Lenya XUL menus have been greatly improved [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=320768&view=rev) (michi)
- [1.4] Please do svn propset svn:eol-style native on all files [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=320729&view=rev) (thorsten)
- [1.4] Add support for Ajax with CForms. Bugfix: Bug 37068. Submitted by Felix Röthenbacher. Thx Felix. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=320714&view=rev) (thorsten)
- [1.4] Checks if the xml contains cforms elements, and fixes inclusion of ajax libs Thanks to a patch by Felix Röthenbacher, fixes Bug 37050 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=314943&view=rev) (chestnut)
- [1.4] blank removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=314916&view=rev) (edith)
- [1.4] Torsten added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=314915&view=rev) (michi)
- [1.4] Wolfgang added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=314913&view=rev) (michi)
- [1.4] fixed bug with PUT of a new xhtml document [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=314772&view=rev) (chestnut)
- [1.4] ODT updated with some link in it [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=312893&view=rev) (michi)
- [1.4] Bugfix 37021. Fixed the inclusion of the cforms-lbs. Patch submitted by Felix Röthenbacher. Thanks Felix [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=312891&view=rev) (thorsten)
- [1.4] checkout/checkin handled by pub usecase should resolve Bug 36992 [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=312812&view=rev) (chestnut)
- [1.4] Applied patch submitted by Felix Röthenbacher. Fixes Bug 36996. Thanks Felix [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=312684&view=rev) (thorsten)
- [1.4] byte range false added for PDFs [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=307401&view=rev) (michi)

- [1.4] OpenDocument added to overview description [Diff](http://svn.apache.org/viewcvs.cgi?rev=307400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307400&view=rev>) (michi)
- [1.4] resource exists needs to check for assets in an area [Diff](http://svn.apache.org/viewcvs.cgi?rev=307288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307288&view=rev>) (chestnut)
- [1.4] Shouldn't be able to lock [LOCK webDAV method] a document that doesn't exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=307287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307287&view=rev>) (chestnut)
- [1.4] added Contribute as a webdav useragent [Diff](http://svn.apache.org/viewcvs.cgi?rev=307194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307194&view=rev>) (chestnut)
- [1.4] cleaned up logging which was mistakenly copied from the usecase flowscript started working on MKCOL method [Diff](http://svn.apache.org/viewcvs.cgi?rev=307130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307130&view=rev>) (chestnut)
- [1.4] cadaver added [Diff](http://svn.apache.org/viewcvs.cgi?rev=307109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307109&view=rev>) (michi)
- [1.4] format for opendocument added [Diff](http://svn.apache.org/viewcvs.cgi?rev=307108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=307108&view=rev>) (michi)
- [1.4] Added link to create document to 404 page. It is now possible to create documents by providing the document ID to the usecase. Thus, it is not necessary to copy the content when the default publication is instanciated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=306549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=306549&view=rev>) (andreas)
- [1.4] Allow URIs as workflow schema locations. It is not necessary to copy workflow files when a publication is instanciated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=306548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=306548&view=rev>) (andreas)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=295023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=295023&view=rev>) (andreas)
- [1.4] Jackrabbit config updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=293281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293281&view=rev>) (michi)
- [1.4] german text added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293132&view=rev>) (michi)
- [1.4] document id added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293127&view=rev>) (michi)
- [1.4] OpenDocument added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293126&view=rev>) (michi)
- [1.4] show content of ODT [Diff](http://svn.apache.org/viewcvs.cgi?rev=293119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293119&view=rev>) (michi)
- [1.4] opendocument module added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293115&view=rev>) (michi)
- [1.4] link to tutorial added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293099&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293099&view=rev>) (michi)
- [1.4] opendocument added to navigation but commented because the opendocument module has not been finished yet [Diff](http://svn.apache.org/viewcvs.cgi?rev=293098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293098&view=rev>) (michi)
- [1.4] links doctype to doctypes overview added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293090&view=rev>) (michi)
- [1.4] links doctype sample to navigation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=293089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293089&view=rev>) (michi)

## 10.3. Docs

- [Docs] conference website added [Diff](http://svn.apache.org/viewcvs.cgi?rev=329912&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=329912&view=rev>) (michi)
- [Docs] double entry of Reunion removed and HCI Lab of University of Udine added [Diff](http://svn.apache.org/viewcvs.cgi?rev=329909&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=329909&view=rev>) (michi)
- [Docs] Added docs about resource type formats. [Diff](http://svn.apache.org/viewcvs.cgi?rev=293277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=293277&view=rev>) (andreas)

## 10.4. Sandbox

- [Sandbox] suffix txt added [Diff](http://svn.apache.org/viewcvs.cgi?rev=328067&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=328067&view=rev>) (michi)
- [Sandbox] installation clarified [Diff](http://svn.apache.org/viewcvs.cgi?rev=329894&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=329894&view=rev>) (michi)
- [Sandbox] made some updates to get search working, separated index into live and authoring indexes [Diff](http://svn.apache.org/viewcvs.cgi?rev=294903&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=294903&view=rev>) (chestnut)

## 11. Version 2005-09 ()

### 11.1. 1.4

- [1.4] opendocument module started [Diff](http://svn.apache.org/viewcvs.cgi?rev=292730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=292730&view=rev>) (michi)
- [1.4] Zip source added. Maybe move them into Cocoon at some later time [Diff](http://svn.apache.org/viewcvs.cgi?rev=292727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=292727&view=rev>) (michi)
- [1.4] Added notification module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=290476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290476&view=rev>) (andreas)
- [1.4] Added CustomMetaDataModule to retrieve custom meta data. This fixes bug #36668. Thanks to Felix Roethenbacher

- (and sorry that I forgot to mention you in my last commit ...) [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=289423&view=rev>) (andreas)
- [1.4] Formating changes of usecase.js. Added basic flow util js which contains io functions that can be used in the custom flow extensions. Activated the util class in the usecase.js. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=267188&view=rev>) (thorsten)
- [1.4] Renamed publet.xconf to module.xconf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=265723&view=rev>) (andreas)
- [1.4] RollbackAction replaced with Rollback usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=280060&view=rev>) (chestnut)
- [1.4] Moved XSLT and homepage schemas to corresponding modules. This required to translate fallback:// rng includes to absolute urls (translate-rng-includes.xsl) so that they can be requested by BXE. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=278946&view=rev>) (andreas)
- [1.4] new set-header ("Last-Modified") action broke site view, this fixes 36875 thanks to a patch by Josias Thoeny [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=292803&view=rev>) (chestnut)
- [1.4] zip factory added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=292729&view=rev>) (michi)
- [1.4] Indentation fixed fixes bug 36874 thanks to a patch by Felix Röthenbacher [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=292716&view=rev>) (chestnut)
- [1.4] cleaned up style-cms-page resources in sitemaps, removed serializer from style-cms-page resource, statusCode wasn't being passed to the serializer [cocoon bug?], added match for sucessful HEAD request for document [lightweight request], added "Last-Modified" header for response to sucessful request [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=292597&view=rev>) (chestnut)
- [1.4] added template-fallback source factory (used template-fallback:// instead of template:// in the example): <quote src="http://lenya.apache.org/1\_4/reference/publication-template/index.html"> To simplify overriding of XSLT stylesheets, it would be useful to import the template stylesheet. For this purpose, an additional template source factory could be used, which skips the current publication when resolving the file: <xsl:import href="template://template/xslt/common/header.xsl"/> </quote> [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=292341&view=rev>) (chestnut)
- [1.4] Fixes Bug 36725, Thanks to a patch by Felix Röthenbacher [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=292191&view=rev>) (chestnut)
- [1.4] moved match for modules above usecase match so that modules could be used in usecase views (live usecase might want to use site navigation from sitetree module) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=291968&view=rev>) (chestnut)
- [1.4] fallback:// proto used outside of a publication should be treated like context:// protocol (shouldn't look in non existent publications) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=291813&view=rev>) (chestnut)
- [1.4] fallback protocol causes problems when used outside of publication, this fix allows CreatePublicationFromTemplate usecase to work [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=291697&view=rev>) (chestnut)
- [1.4] Use fallback proto for jx:imports so they can be overridden in templated pubs [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=291544&view=rev>) (chestnut)
- [1.4] fix to make sample selection selected again on a subsequent screen, thanks to Andreas for pointing this out [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=291258&view=rev>) (chestnut)
- [1.4] typo, lenya:// should be fallback:// [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=291183&view=rev>) (chestnut)
- [1.4] added fallback:// protocol where needed in order to override registered usecase handleing in pubs using templating [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=291182&view=rev>) (chestnut)
- [1.4] cleanup on rollback usecase, set exit usecase in xconf instead of jx [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=291052&view=rev>) (chestnut)
- [1.4] CForms dissallow id='submit' they are using now id='ok'. I extended the usecase-fw to trigger ok as well. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=290982&view=rev>) (thorsten)
- [1.4] Added ability to have multiple samples for a module (doc type). Extra sample choices can be added by adding the sample uri to the modules module.xconf file like so (notice the extra name attribute):  
<sample-name>fallback://lenya/modules/xhtml/samples/xhtml.xml</sample-name> <sample-name name="Two Column Layout">fallback://lenya/modules/xhtml/samples/xhtml-2col.xml</sample-name> [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=290956&view=rev>) (chestnut)

- [1.4] [minor change] removed log transformer (debug), thanks to Josias Thoeny for pointing this out [Diff](http://svn.apache.org/viewcvs.cgi?rev=290915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290915&view=rev>) (andreas)
- [1.4] Enhanced notification service: Added i18n for message subject. [Diff](http://svn.apache.org/viewcvs.cgi?rev=290693&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290693&view=rev>) (andreas)
- [1.4] [minor change] reverted accidental check-in [Diff](http://svn.apache.org/viewcvs.cgi?rev=290692&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290692&view=rev>) (andreas)
- [1.4] Cocoon version updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=290690&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290690&view=rev>) (michi)
- [1.4] LCR updated such that new Cocoon build is being forced [Diff](http://svn.apache.org/viewcvs.cgi?rev=290688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290688&view=rev>) (michi)
- [1.4] [minor change] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=290647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=290647&view=rev>) (andreas)
- [1.4] Added DocumentComparator for sortAscending so that nested docs can be deleted [Diff](http://svn.apache.org/viewcvs.cgi?rev=289698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=289698&view=rev>) (chestnut)
- [1.4] [minor change] setting eol-style to native for cocoon-xconf.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=289422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=289422&view=rev>) (andreas)
- [1.4] Applied patch for bug #36657. This fixes handling of non-fixed meta data attribute sets. [Diff](http://svn.apache.org/viewcvs.cgi?rev=289249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=289249&view=rev>) (andreas)
- [1.4] [Diff](http://svn.apache.org/viewcvs.cgi?rev=289239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=289239&view=rev>) (chestnut)
- [1.4] bxe needs to add workflow version on edit [Diff](http://svn.apache.org/viewcvs.cgi?rev=280866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=280866&view=rev>) (chestnut)
- [1.4] added date, user, and ip to versions for workflow tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=280859&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=280859&view=rev>) (chestnut)
- [1.4] replace ... with fallback protocol [Diff](http://svn.apache.org/viewcvs.cgi?rev=280614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=280614&view=rev>) (chestnut)
- [1.4] thanks to Gregor Imboden the build.sh returns a status for further usage, e.g. automatic build testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=280514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=280514&view=rev>) (michi)
- [1.4] bitflux fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=280490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=280490&view=rev>) (chestnut)
- [1.4] [Diff](http://svn.apache.org/viewcvs.cgi?rev=280402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=280402&view=rev>) (chestnut)
- [1.4] fixes to show versions from revision tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=279955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279955&view=rev>) (chestnut)
- [1.4] isCheckedOutByUser method shouldn't assume that the latest entry is a checkout [Diff](http://svn.apache.org/viewcvs.cgi?rev=279880&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279880&view=rev>) (chestnut)
- [1.4] new rollback usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=279858&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279858&view=rev>) (chestnut)
- [1.4] can only rollback to versions with backup, only send backup entries to usecase view [Diff](http://svn.apache.org/viewcvs.cgi?rev=279853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279853&view=rev>) (chestnut)
- [1.4] changed checkin at the end of a rollback to make a new version if making a backup [Diff](http://svn.apache.org/viewcvs.cgi?rev=279848&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279848&view=rev>) (chestnut)
- [1.4] added method to get backup entries from RCML-file [Diff](http://svn.apache.org/viewcvs.cgi?rev=279844&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279844&view=rev>) (chestnut)
- [1.4] lock doc before rollback, unlock after [Diff](http://svn.apache.org/viewcvs.cgi?rev=279585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279585&view=rev>) (chestnut)
- [1.4] Getting rid of the hardcoded path. That enables the usage of the composer in any pub that has the compilation source type. Commented out the save action, there is a bug that I am tracking since days in lenya and actually I do not know why it occurs. As workaround for the presentation I recommend to save it to the file system directly and after the presentation keep on debugging. [Diff](http://svn.apache.org/viewcvs.cgi?rev=279561&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279561&view=rev>) (thorsten)
- [1.4] Applied patch for bug #36553 (API change in validation block). Thanks to Felix Rothenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=279529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279529&view=rev>) (andreas)
- [1.4] Added the proxy to the generic var [Diff](http://svn.apache.org/viewcvs.cgi?rev=279390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279390&view=rev>) (thorsten)
- [1.4] Removed custom Lenya validation code, using Cocoon validation components instead. [Diff](http://svn.apache.org/viewcvs.cgi?rev=279311&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279311&view=rev>) (andreas)
- [1.4] thanks to a patch by Felix Röthenbacher fixes bug 36539 [Diff](http://svn.apache.org/viewcvs.cgi?rev=279307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=279307&view=rev>) (chestnut)
- [1.4] Add correct URL prefix for relative schema locations. [Diff](http://svn.apache.org/viewcvs.cgi?rev=278990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=278990&view=rev>) (andreas)
- [1.4] thanks to Gregor Imboden also meta data is being deleted [Diff](http://svn.apache.org/viewcvs.cgi?rev=278989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=278989&view=rev>) (andreas)

- (http://svn.apache.org/viewcvs.cgi?rev=278938&view=rev) (michi)
- [1.4] thanks to Gregor Imboden also the SimpleSiteManager allows deleting documents [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=278937&view=rev) (michi)
- [1.4] [minor change] removed jing transformer declaration [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=278750&view=rev) (andreas)
- [1.4] Introduced Validator service. The JingValidator is based on Cocoon's JingTransformer (validation block) and allows to use protocols in Relax NG includes. This way, we can use fallback:// to resolve core schemas. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=278745&view=rev) (andreas)
- [1.4] Default Pub: Allow resource types without custom XSLT [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=278744&view=rev) (andreas)
- [1.4] AbstractUsecase: wrap error messages in new list to avoid seeing concurrent modifications [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=278743&view=rev) (andreas)
- [1.4] Simplified the cform definitions for the usecase-fw [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=278742&view=rev) (thorsten)
- [1.4] Enhanced \*code\* documentation of the generic flow object that you can use in custom flow script extensions in usecases. Alternatively one can use the invoking java class by providing bean properties methods (getter/setter methods) in this class and use them in the extensions. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=265810&view=rev) (thorsten)
- [1.4] The usecase util classes are not usable ATM because of the Rhino bug [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=265775&view=rev) (thorsten)
- [1.4] added an outro flowscript matcher. This way it possible to e.g. save files to the file system or do any other action when the form returns to the script. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=265761&view=rev) (thorsten)
- [1.4] [minor change] added ASF header [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=265683&view=rev) (andreas)

## 11.2. Docs

- [Docs] Added docs about notification [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=290661&view=rev) (andreas)
- [Docs] Added docs about protocols. Thanks to Felix Rothenbacher. This fixes bug #36360 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=290120&view=rev) (andreas)
- [Docs] Added more documentation about modules [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=290092&view=rev) (andreas)
- [Docs] Added FAQ entry about custom logicsheets [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=290091&view=rev) (andreas)

## 12. Version 2005-08 ()

### 12.1. 1.2

- [1.2] Exception in case no child document exist (for the access of first-child-id with the sitetree input module) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=264742&view=rev) (edith)
- [1.2] sample JCR repo config added such that Lenya 1.2.x can be run with Cocoon 2.1.x [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=264143&view=rev) (michi)
- [1.2] Fix encoding problem of the mail subject [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=265526&view=rev) (edith)
- [1.2] Exception in case no child document exist (for the access of first-child-id with the sitetree input module) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=264743&view=rev) (edith)
- [1.2] restored mistakenly removed method (it is used from js) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=230650&view=rev) (jwkaltz)
- [1.2] url fix [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=230502&view=rev) (chestnut)
- [1.2] encrypt cifs passwords [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=230494&view=rev) (chestnut)
- [1.2] initialize() should not throw exception; removed unused method; added logging statements [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=227235&view=rev) (jwkaltz)

## 12.2. 1.4

- [1.4] Moved search-related files to search module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240188&view=rev>) (andreas)
- [1.4] Renamed publets to modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=240182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240182&view=rev>) (andreas)
- [1.4] Added lenyadoc:// protocol publet. This fixes bug #36360. Thanks to Felix Roethenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240170&view=rev>) (andreas)
- [1.4] Add JCR workspace file to source. This fixes bug #36334. Credits to Felix Roethenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240011&view=rev>) (andreas)
- [1.4] Added usecase GUI manager to allow dynamic assembly of tabs in admin and site environments. This will allow to register new tabs by modules using XPatch files. Furthermore, tabs are now displayed / hidden based on access rights and executability, similar to the menubar. [Diff](http://svn.apache.org/viewcvs.cgi?rev=234485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=234485&view=rev>) (andreas)
- [1.4] Added usecase for JCR import+export (see bug #36273). Credits to Felix Roethenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=233504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233504&view=rev>) (andreas)
- [1.4] Update usecase configurations and handler classes (Transactionable -> Node) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233167&view=rev>) (andreas)
- [1.4] added JCR classes to publet [Diff](http://svn.apache.org/viewcvs.cgi?rev=230477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230477&view=rev>) (andreas)
- [1.4] Moved JCR repo to separate publet [Diff](http://svn.apache.org/viewcvs.cgi?rev=230468&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230468&view=rev>) (andreas)
- [1.4] [minor change] removed obsolete workflow classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=264959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264959&view=rev>) (andreas)
- [1.4] Moved search-related files to search module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240189&view=rev>) (andreas)
- [1.4] Refactored usecases config. Background information  
<http://marc.theaimsgroup.com/?t=112380230800004&r=1&w=2> [Diff](http://svn.apache.org/viewcvs.cgi?rev=232566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232566&view=rev>) (thorsten)
- [1.4] Use path from context://lenya in usecase view template URIs. This allows to provide usecase views by publets. The JCR import usecase view was moved to the JCR publet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=231204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231204&view=rev>) (andreas)
- [1.4] Changed JCR repository location [Diff](http://svn.apache.org/viewcvs.cgi?rev=230771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230771&view=rev>) (andreas)
- [1.4] Removed JCR classes (moved to publet) [Diff](http://svn.apache.org/viewcvs.cgi?rev=230470&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230470&view=rev>) (andreas)
- [1.4] Fixed the cform integration. I needed to switch the position of the binding to make it possible to load values into the form [Diff](http://svn.apache.org/viewcvs.cgi?rev=265544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=265544&view=rev>) (thorsten)
- [1.4] Avoid NPE when DocumentHelper passes DTD information to the transformer. This fixes bug #36419. Thanks to Felix Roethenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=264963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264963&view=rev>) (andreas)
- [1.4] Removed workflow situation. The situation information is now implicitly provided by the workflowable object. This allows to get rid of WorkflowManager.getSituation(), which required it to be Contextualizable (which fails with pooling). [Diff](http://svn.apache.org/viewcvs.cgi?rev=264805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264805&view=rev>) (andreas)
- [1.4] thanks to Gregor Imboden the one form editor is able to save again [Diff](http://svn.apache.org/viewcvs.cgi?rev=264775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264775&view=rev>) (michi)
- [1.4] Store parametersInitialized as parameter to avoid re-initialization when UsecaseProxy accesses getTParameterNames() [Diff](http://svn.apache.org/viewcvs.cgi?rev=264765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264765&view=rev>) (andreas)
- [1.4] DocumentStore: Fixed order of arguments of DocumentIdentifier ctor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=264763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264763&view=rev>) (andreas)
- [1.4] Performance: added workflow schema cache [Diff](http://svn.apache.org/viewcvs.cgi?rev=264647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264647&view=rev>) (andreas)
- [1.4] Performance: Attach page envelope to request, lazy loading for usecase parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=264644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264644&view=rev>) (andreas)
- [1.4] [minor change] cleaned up document builder code to use URLInformation, simplified WorkflowMenuTransformer code [Diff](http://svn.apache.org/viewcvs.cgi?rev=264643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264643&view=rev>) (andreas)
- [1.4] Removed non-url methods from usecase resolver. This way, it doesn't have to be Contextualizable and can be ThreadSafe (performance issue) [Diff](http://svn.apache.org/viewcvs.cgi?rev=264641&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264641&view=rev>) (andreas)

- [1.4] [minor change] code cleanup, javadoc fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=264160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264160&view=rev>) (andreas)
- [1.4] [minor change] simplified code, removed accidentally committed error log [Diff](http://svn.apache.org/viewcvs.cgi?rev=264158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264158&view=rev>) (andreas)
- [1.4] Refactored repository session handling. Switched from PublicationFactory to PublicationManager Avalon service. Add DocumentIdentifier to reduce document handling costs. This generates a performance improvement. [Diff](http://svn.apache.org/viewcvs.cgi?rev=264153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=264153&view=rev>) (andreas)
- [1.4] fixed revision 240220 which did not updated the properties-build.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=240302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240302&view=rev>) (thorsten)
- [1.4] Applied patch for bug #36382 (copy endorsed libraries from Cocoon). Thanks to Felix Roethenbacher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240255&view=rev>) (andreas)
- [1.4] [minor change] Updated revision number in build.properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=240220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240220&view=rev>) (andreas)
- [1.4] Renamed publets to modules. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240179&view=rev>) (andreas)
- [1.4] added a generic variable that can be used within cforms [Diff](http://svn.apache.org/viewcvs.cgi?rev=240102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240102&view=rev>) (thorsten)
- [1.4] Added full cform support inclusive custom flow snippet. Thanks to Jason Johnston, who told me the 'new Function' trick on cocoon-dev. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240094&view=rev>) (thorsten)
- [1.4] Workflow - RoleCondition uses PolicyManager to check actual policy of a document instead of request policy. This fixes bug #36358. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240080&view=rev>) (andreas)
- [1.4] Limited support for cforms. Right now it is \*not\* possible to add custom flow snippets this will have to change in the future. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240076&view=rev>) (thorsten)
- [1.4] [minor change] fixed cast Transactionable -> Node [Diff](http://svn.apache.org/viewcvs.cgi?rev=240075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240075&view=rev>) (andreas)
- [1.4] [minor change] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=240065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240065&view=rev>) (andreas)
- [1.4] [minor change] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=240062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240062&view=rev>) (andreas)
- [1.4] Template manager: recurse into publication templates, this fixes bug #36304 [Diff](http://svn.apache.org/viewcvs.cgi?rev=240021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240021&view=rev>) (andreas)
- [1.4] Instantiator: Don't add additional <templates> element if it already exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=240020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240020&view=rev>) (andreas)
- [1.4] Updated libraries to Cocoon versions [Diff](http://svn.apache.org/viewcvs.cgi?rev=240013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240013&view=rev>) (andreas)
- [1.4] Fixes ability to use the AC Live tab to restrict access to a page or group of pages in the live area [Diff](http://svn.apache.org/viewcvs.cgi?rev=239664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=239664&view=rev>) (chestnut)
- [1.4] Don't apply admin menu for each publet (fixes bug #36277), don't show "New ..." items from publets in admin menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=234489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=234489&view=rev>) (andreas)
- [1.4] Display JCR usecase in admin area tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=234487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=234487&view=rev>) (andreas)
- [1.4] TreeSiteManager: save XML when node label was removed. This fixes bug #36297. [Diff](http://svn.apache.org/viewcvs.cgi?rev=234461&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=234461&view=rev>) (andreas)
- [1.4] Navigation visibility checkbox: Don't change order of <option> elements, but add a @selected attribute for consistency reasons [Diff](http://svn.apache.org/viewcvs.cgi?rev=233507&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233507&view=rev>) (andreas)
- [1.4] Allow internal calls from usecases to publets [Diff](http://svn.apache.org/viewcvs.cgi?rev=233503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233503&view=rev>) (andreas)
- [1.4] Allowing non-lanya-page usecase views (for instance plain XML) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233502&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233502&view=rev>) (andreas)
- [1.4] make visibleinnav selection persistent in case of a reload of the create screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=233498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233498&view=rev>) (jann)
- [1.4] necessary change in order to hide a node in the navigation (visibleinnav sitetree attribute) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233478&view=rev>) (jann)
- [1.4] necessary changes in the sitetree publet in order to hide a node in the navigation (visibleinnav sitetree attribute) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233476&view=rev>) (jann)
- [1.4] necessary changes in order to hide a node in the navigation (visibleinnav sitetree attribute) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233475&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233475&view=rev>) (jann)

- (<http://svn.apache.org/viewcvs.cgi?rev=233474&view=rev>) (jann)
- [1.4] Updated blog usecase (Transactional -> Node) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233325&view=rev>) (andreas)
- [1.4] Support submenus in non-XUL menu2xhtml as well [Diff](http://svn.apache.org/viewcvs.cgi?rev=233193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233193&view=rev>) (andreas)
- [1.4] Don't lock meta data node for JCRSourceNodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=233166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233166&view=rev>) (andreas)
- [1.4] Update usecase configurations and handler classes (Transactional -> Node) [Diff](http://svn.apache.org/viewcvs.cgi?rev=233165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233165&view=rev>) (andreas)
- [1.4] Lock meta data source node when locking source node. [Diff](http://svn.apache.org/viewcvs.cgi?rev=233163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=233163&view=rev>) (andreas)
- [1.4] Fixed createPublication JX template URL. This fixes bug #36141. [Diff](http://svn.apache.org/viewcvs.cgi?rev=232993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232993&view=rev>) (andreas)
- [1.4] [Refactoring] Hide transaction handling below repository layer [Diff](http://svn.apache.org/viewcvs.cgi?rev=232826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232826&view=rev>) (andreas)
- [1.4] [Refactoring] Hide transaction handling below repository layer [Diff](http://svn.apache.org/viewcvs.cgi?rev=232824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232824&view=rev>) (andreas)
- [1.4] [Refactoring] Hide transaction handling below repository layer [Diff](http://svn.apache.org/viewcvs.cgi?rev=232822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232822&view=rev>) (andreas)
- [1.4] JCR hint added [Diff](http://svn.apache.org/viewcvs.cgi?rev=232442&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232442&view=rev>) (michi)
- [1.4] link about importing data into JCR repo [Diff](http://svn.apache.org/viewcvs.cgi?rev=232306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232306&view=rev>) (michi)
- [1.4] classpath re libs was wrong if also pub specific libs are being used during build [Diff](http://svn.apache.org/viewcvs.cgi?rev=232305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=232305&view=rev>) (michi)
- [1.4] [minor change] removed invalid usecase view attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=231233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231233&view=rev>) (andreas)
- [1.4] Introduced RepositoryManager service. This service is the single entry point for repository manipulation, because RepositorySource handling doesn't take care of meta data (for instance JCR properties). [Diff](http://svn.apache.org/viewcvs.cgi?rev=231193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231193&view=rev>) (andreas)
- [1.4] Introduced RepositoryManager service. This service is the single entry point for repository manipulation, because RepositorySource handling doesn't take care of meta data (for instance JCR properties). [Diff](http://svn.apache.org/viewcvs.cgi?rev=231192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231192&view=rev>) (andreas)
- [1.4] Introduced RepositoryManager service. This service is the single entry point for repository manipulation, because RepositorySource handling doesn't take care of meta data (for instance JCR properties). [Diff](http://svn.apache.org/viewcvs.cgi?rev=231191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231191&view=rev>) (andreas)
- [1.4] Check for document existence before accessing workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=231190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231190&view=rev>) (andreas)
- [1.4] url fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=230503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230503&view=rev>) (chestnut)
- [1.4] encrypt cifs passwords [Diff](http://svn.apache.org/viewcvs.cgi?rev=230493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230493&view=rev>) (chestnut)
- [1.4] [minor change] removed dead config items from JCR configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=230481&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230481&view=rev>) (andreas)
- [1.4] Fixed JCR xpatch files [Diff](http://svn.apache.org/viewcvs.cgi?rev=230479&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230479&view=rev>) (andreas)
- [1.4] [minor change] removed offending > [Diff](http://svn.apache.org/viewcvs.cgi?rev=230476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230476&view=rev>) (andreas)
- [1.4] Added XML declaration to meta file. This fixes bug #36040. Thanks to Josias Thoeny. [Diff](http://svn.apache.org/viewcvs.cgi?rev=230454&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230454&view=rev>) (andreas)
- [1.4] The repository node is now MetaDataOwner, which allows to provide custom MetaDataManagers at the repository layer. [Diff](http://svn.apache.org/viewcvs.cgi?rev=230451&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230451&view=rev>) (andreas)
- [1.4] updated MetaDataManager return types from ...MetaData to MetaData [Diff](http://svn.apache.org/viewcvs.cgi?rev=230450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230450&view=rev>) (andreas)
- [1.4] JCR: store meta data as JCR properties. This required to change the return type of MetaDataManager methods to the MetaData interface. [Diff](http://svn.apache.org/viewcvs.cgi?rev=230447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=230447&view=rev>) (andreas)
- [1.4] changed ../../ to fallback in path to core xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=227495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227495&view=rev>) (chestnut)

- [1.4] cleaned up ../../ in paths in sitemaps, replaced most with fallback://lenya/ [Diff](http://svn.apache.org/viewcvs.cgi?rev=227484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227484&view=rev>) (chestnut)
- [1.4] patching JCR node types in cocoon.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=227440&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227440&view=rev>) (andreas)
- [1.4] Overview usecase: added links to documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=227427&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227427&view=rev>) (andreas)
- [1.4] [minor change] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=227408&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227408&view=rev>) (andreas)
- [1.4] Added Lenya-specific JCR repository implementation which adds the JCR session to the Cocoon session. [Diff](http://svn.apache.org/viewcvs.cgi?rev=227407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227407&view=rev>) (andreas)
- [1.4] Added site overview usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=227396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227396&view=rev>) (andreas)
- [1.4] xmlstylesheet type hardcoding removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=227205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227205&view=rev>) (michi)
- [1.4] debug statement added [Diff](http://svn.apache.org/viewcvs.cgi?rev=227203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227203&view=rev>) (michi)
- [1.4] DocumentWorkflowable.getWorkflowSchemaURI() returns null when workflow schema is null (no wf schema assigned to resource type) [Diff](http://svn.apache.org/viewcvs.cgi?rev=227201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=227201&view=rev>) (michi)

## 12.3. Docs

- [Docs] Renamed publets to modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=240190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240190&view=rev>) (andreas)
- [Docs] starting publet docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=231231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231231&view=rev>) (andreas)
- [Docs] Generated new status file, fixed some validation errors [Diff](http://svn.apache.org/viewcvs.cgi?rev=240195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240195&view=rev>) (andreas)
- [Docs] Applied patch for 1.4 source documentation (see bug #36074). Thanks to Oliver Schalch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=240193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240193&view=rev>) (andreas)
- [Docs] Added note about displaying usecases in tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=240191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=240191&view=rev>) (andreas)
- [Docs] added more publet docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=231234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231234&view=rev>) (andreas)
- [Docs] Updated usecase framework template definition docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=231205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=231205&view=rev>) (andreas)

## 12.4. Sandbox

- [Sandbox] committed soc work from robert goene [Diff](http://svn.apache.org/viewcvs.cgi?rev=265566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=265566&view=rev>) (gregor)

# 13. Version 2005-07 ()

## 13.1. 1.2

- [1.2] Add fallback. Thanks to Paul Friedman [Diff](http://svn.apache.org/viewcvs.cgi?rev=225873&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=225873&view=rev>) (antonio)
- [1.2] Fix the variable for the context-prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=216194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=216194&view=rev>) (edith)
- [1.2] Fix the 'please wait screen' for the internet explorer: reload the image after the js is called, set the function in the waitScreen.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=216185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=216185&view=rev>) (edith)
- [1.2] fixed the calling of fallback pipes by using {fallback://}. That fixes the bug I reported today about the blog pub [Diff](http://svn.apache.org/viewcvs.cgi?rev=215944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215944&view=rev>) (thorsten)
- [1.2] typos fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=210079&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210079&view=rev>) (michi)
- [1.2] Add new keys + small changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=209982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209982&view=rev>) (antonio)
- [1.2] Updated cocoon local build files to SVN revision 202297. It works with cocoon 2.1.7. Cocoon Querybean block is no longer included in lenya build. [Diff](http://svn.apache.org/viewcvs.cgi?rev=209928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209928&view=rev>) (antonio)
- [1.2] Applying patch for Bug #35660: UniqueDocumentId should not try to increase a dash-separated character value (foo-a), only number values (foo-1), credits to Simon Litwan [Diff](http://svn.apache.org/viewcvs.cgi?rev=209824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209824&view=rev>) (andreas)
- [1.2] Please Wait Message can be build in menu on the info site [Diff](http://svn.apache.org/viewcvs.cgi?rev=209603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209603&view=rev>) (edith)

- [1.2] Please Wait Message can be build in menu on the info site [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209602&view=rev>) (edith)
- [1.2] Remove the Timeout. It isn't necessary [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209601&view=rev>) (edith)
- [1.2] version updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209513&view=rev>) (michi)
- [1.2] Please Wait Message build while publishing, submiting, deactivating, copying, cutting, pasting, archiving, deletein, restoring [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209464&view=rev>) (edith)
- [1.2] Please Wait Message build while publishing, submiting, deactivating, copying, cutting, pasting, archiving, deletein, restoring [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209463&view=rev>) (edith)
- [1.2] Please Wait Message build while publishing, submiting, deactivating, copying, cutting, pasting, archiving, deletein, restoring [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209458&view=rev>) (edith)
- [1.2] some more hints and pointers added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209242&view=rev>) (michi)
- [1.2] dowload links added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209241&view=rev>) (michi)
- [1.2] Note about IBM/AIX added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209071&view=rev>) (michi)
- [1.2] svn:executable property set [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=208964&view=rev>) (gregor)
- [1.2] Search was not using i18n properly. Fix by Paul Ercolino, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35589](http://issues.apache.org/bugzilla/show_bug.cgi?id=35589) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=208943&view=rev>) (gregor)

### 13.2. 1.4

- [1.4] Lock assets when documents are manipulated. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=226394&view=rev>) (andreas)
- [1.4] Added JCRNodeFactory and usecase to import pubs into JCR [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220202&view=rev>) (andreas)
- [1.4] Added meta data file for live page in default pub [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220195&view=rev>) (andreas)
- [1.4] Added NodeFactory service. This allows to configure the node factory implementation. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220019&view=rev>) (andreas)
- [1.4] Tanks to Josias Thoeny: replace sitetree script with one based on XMLHTTP, bug32840 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219530&view=rev>) (edith)
- [1.4] repository configs according to default cocoon setting added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219310&view=rev>) (michi)
- [1.4] JCR sample config added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219204&view=rev>) (michi)
- [1.4] Use complete URIs as resource type sample locations. This separates resource types totally from publets (SoC) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=210131&view=rev>) (andreas)
- [1.4] Extracted sitetree to separate publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209293&view=rev>) (andreas)
- [1.4] removed obsolete homepage plugin (moved one folder up) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220216&view=rev>) (andreas)
- [1.4] Removed files that are no longer needed. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220203&view=rev>) (gregor)
- [1.4] [minor change] removed empty directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=210119&view=rev>) (andreas)
- [1.4] removed obsolete sitetree package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209295&view=rev>) (andreas)
- [1.4] Removed obsolete sitetree XSL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=209250&view=rev>) (andreas)
- [1.4] ChangeNodeID usecase: fixed NPE for top-level nodes, don't call super.getObjectsToLock() to avoid stack overflow. Patch by Josias Thoeny. This resolves bug #35873. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225773&view=rev>) (andreas)
- [1.4] Don't copy resources twice in DocumentManagerImpl.move(), patch by Josias Thoeny. This resolves bug #35876. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225772&view=rev>) (andreas)
- [1.4] [minor change] fixed formatting [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225769&view=rev>) (andreas)
- [1.4] Initialize source resolver properly (fixes bug #35874), applied patch by Josias Thoeny [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225768&view=rev>) (andreas)
- [1.4] TraversableGenerator instead of DirectoryGenerator used [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=225214&view=rev>) (michi)
  - [1.4] getChildren and getName implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225213&view=rev>) (michi)
  - [1.4] getChildren implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225212&view=rev>) (michi)
  - [1.4] check blocks implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225211&view=rev>) (michi)
  - [1.4] minor changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225210&view=rev>) (michi)
  - [1.4] repository block disabled because Traversables have been moved into Cocoon core. Also a version number added for notifying if properties out of sync [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=225209&view=rev>) (michi)
  - [1.4] Use lenya:// protocol for content access [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220217&view=rev>) (andreas)
  - [1.4] don't use lenya:// protocol to obtain workflow schema [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220205&view=rev>) (andreas)
- [1.4] TreeSiteManager returns all language versions in getDocuments(area) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220204&view=rev>) (andreas)
  - [1.4] lenya protocol used instead of FS calls [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220201&view=rev>) (michi)
  - [1.4] TraversableModifiable started [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220200&view=rev>) (michi)
  - [1.4] part of traversable interfaces implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220199&view=rev>) (michi)
  - [1.4] traversable interfaces added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220197&view=rev>) (michi)
  - [1.4] this resolves the problem of getting a 200 success code when trying to PUT invalid xml (not well formed), should now get a 415 Unsupported Media Type [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220128&view=rev>) (chestnut)
  - [1.4] Tomcat 4 work dir added for people who are still using Tomcat 4 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220092&view=rev>) (michi)
- [1.4] ASF license added and some debug statements to check usage [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=220091&view=rev>) (michi)
- [1.4] Removed unused menu entries [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219877&view=rev>) (gregor)
- [1.4] set webDAV DELETE method to use Delete usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219749&view=rev>) (chestnut)
- [1.4] Added CSS for active trash and archive tabs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219575&view=rev>) (andreas)
- [1.4] Removed obsolete Delete usecase from default pub [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219572&view=rev>) (andreas)
- [1.4] Delete placeholder docs after restoring a document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219569&view=rev>) (andreas)
- [1.4] Fixed delete and restore usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219565&view=rev>) (andreas)
- [1.4] Fixed search resource type sample URI [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219556&view=rev>) (andreas)
- [1.4] [minor change] moved from getUnitOfWork().getIdentityMap() to getDocumentIdentityMap() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219554&view=rev>) (andreas)
- [1.4] Thanks to Josias Thoeny: replace sitetree script with one based on XMLHTTP, bug32840 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219528&view=rev>) (edith)
- [1.4] added check to see if resource.getMimeType() returns null, resolves Bug 35759 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219244&view=rev>) (chestnut)
- [1.4] blocks for traversable generator and JCR enabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219203&view=rev>) (michi)
- [1.4] targetUrl should not contain the context path because it is added in the usecases.js javascript. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219192&view=rev>) (jann)
- [1.4] Adding publication ID to login screen [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219170&view=rev>) (andreas)
- [1.4] Properly releases ServiceSelector, patch provided by Andreas Hartmann. This resolves Bug 35734 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219145&view=rev>) (chestnut)
- [1.4] Refactoring: DocumentIdentityMap is now a factory. This avoids extending IdentityMapImpl, thus the creation and management of identifiability is more generic and not focused on documents. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219040&view=rev>) (andreas)
- [1.4] [minor change] removed unused code [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219034&view=rev>) (andreas)
- [1.4] sibling added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=219019&view=rev>) (michi)

- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=219009&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=219009&view=rev>) (andreas)
- [1.4] [minor change] removed unused variable, added javadoc tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=219008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=219008&view=rev>) (andreas)
- [1.4] JCR Block added [Diff](http://svn.apache.org/viewcvs.cgi?rev=219003&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=219003&view=rev>) (michi)
- [1.4] rename task install to install-tomcat (that's what it does) and execute task if servlet engine is tomcat. build.sh will now correctly build the tomcat webapp. [Diff](http://svn.apache.org/viewcvs.cgi?rev=219002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=219002&view=rev>) (jann)
- [1.4] added an entry for Goliath as a webdav client for the client selector [Diff](http://svn.apache.org/viewcvs.cgi?rev=216184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=216184&view=rev>) (chestnut)
- [1.4] shouldn't use fallback protocol when looking at document content [Diff](http://svn.apache.org/viewcvs.cgi?rev=216180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=216180&view=rev>) (chestnut)
- [1.4] fixed last-modified date format in PROPFIND responses [Diff](http://svn.apache.org/viewcvs.cgi?rev=216167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=216167&view=rev>) (chestnut)
- [1.4] Blog pub: Implemented publishing using the usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=215950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215950&view=rev>) (andreas)
- [1.4] Added workflow handling to forms editor, improved wf handling in oneform editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=215948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215948&view=rev>) (andreas)
- [1.4] Allow Boolean objects in AbstractUsecase.getBooleanParameter() [Diff](http://svn.apache.org/viewcvs.cgi?rev=215947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215947&view=rev>) (andreas)
- [1.4] [minor change] javadoc fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=215943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215943&view=rev>) (andreas)
- [1.4] [minor change] removed unnecessary asterisk from javadoc comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=215941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215941&view=rev>) (andreas)
- [1.4] No more publets in blog publication (replaced by simple resource type declaration) [Diff](http://svn.apache.org/viewcvs.cgi?rev=210143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210143&view=rev>) (andreas)
- [1.4] Apply <tabs> when merging menus, otherwise hidden tabs are displayed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=210142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210142&view=rev>) (andreas)
- [1.4] Use complete URIs as resource type sample locations. This separates resource types totally from publets (SoC) [Diff](http://svn.apache.org/viewcvs.cgi?rev=210133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210133&view=rev>) (andreas)
- [1.4] Use complete URIs as resource type sample locations. This separates resource types totally from publets (SoC) [Diff](http://svn.apache.org/viewcvs.cgi?rev=210130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210130&view=rev>) (andreas)
- [1.4] DefaultDocument throws exception when resource type is not defined [Diff](http://svn.apache.org/viewcvs.cgi?rev=210129&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210129&view=rev>) (andreas)
- [1.4] Fixed blog entry resource type: set correct creator [Diff](http://svn.apache.org/viewcvs.cgi?rev=210107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210107&view=rev>) (andreas)
- [1.4] [minor change] no exceptions for logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=210085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210085&view=rev>) (andreas)
- [1.4] renamed such that project and target name don't conflict anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=210024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=210024&view=rev>) (michi)
- [1.4] Translated new keys + small changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=209971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209971&view=rev>) (antonio)
- [1.4] workflow state needs to be set to authoring on edit so that one can publish [Diff](http://svn.apache.org/viewcvs.cgi?rev=209710&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209710&view=rev>) (chestnut)
- [1.4] Need to lock the live doc even if it doesn't yet exist, SiteUtil.getSubSite wasn't returning the doc when it didn't exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=209612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209612&view=rev>) (chestnut)
- [1.4] fixed @unless attribute in sitetree usecases.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=209431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209431&view=rev>) (andreas)
- [1.4] Changed location of default publication publets to avoid clash with fallback publet directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=209294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209294&view=rev>) (andreas)
- [1.4] Eclipse: added pub and publet sources to java source path [Diff](http://svn.apache.org/viewcvs.cgi?rev=209248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=209248&view=rev>) (andreas)
- [1.4] svn:executable property set [Diff](http://svn.apache.org/viewcvs.cgi?rev=208966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208966&view=rev>) (gregor)
- [1.4] Set echo off for batch file [Diff](http://svn.apache.org/viewcvs.cgi?rev=208965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208965&view=rev>) (gregor)
- [1.4] Added the concept of Nodes to the site management. The dependency relation is now applied to nodes, which avoids confusion re. document language versions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=208767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208767&view=rev>) (andreas)

- [1.4] Added the concept of Nodes to the site management. The dependency relation is now applied to nodes, which avoids confusion re. document language versions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=208766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208766&view=rev>) (andreas)
- [1.4] DocumentSet: added some methods and invariant checks [Diff](http://svn.apache.org/viewcvs.cgi?rev=208765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208765&view=rev>) (andreas)
- [1.4] DefaultSiteTree: call saveDocument(), this fixes the problem that sitetree nodes were not removed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=208764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208764&view=rev>) (andreas)
- [1.4] fixes problem with not being able to lock sitetree when putting a document with webDAV [Diff](http://svn.apache.org/viewcvs.cgi?rev=208758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208758&view=rev>) (chestnut)
- [1.4] fixes the problems of not being able to edit with one form editor and not being able to PUT documents via webDAV [Diff](http://svn.apache.org/viewcvs.cgi?rev=208757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208757&view=rev>) (chestnut)

### 13.3. Docs

- [Docs] Fix typos [Diff](http://svn.apache.org/viewcvs.cgi?rev=225676&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=225676&view=rev>) (antonio)
- [Docs] Updated resource type documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=215956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=215956&view=rev>) (andreas)
- [Docs] Fixed two small typos [Diff](http://svn.apache.org/viewcvs.cgi?rev=208969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208969&view=rev>) (gregor)
- [Docs] x removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=208788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208788&view=rev>) (michi)

### 13.4. Site

- [Site] Fixed two small typos [Diff](http://svn.apache.org/viewcvs.cgi?rev=208970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=208970&view=rev>) (gregor)

## 14. Version 2005-06 ()

### 14.1.

- [] Tagged release 1.2.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=201808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201808&view=rev>) (gregor)
- [] Created branch for doco integration work [Diff](http://svn.apache.org/viewcvs.cgi?rev=190800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190800&view=rev>) (gregor)
- [] Tagging 1.4alpha1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=190268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190268&view=rev>) (gregor)

### 14.2. 1.2

- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201782&view=rev>) (gregor)
- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201781&view=rev>) (gregor)
- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201780&view=rev>) (gregor)
- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201778&view=rev>) (gregor)
- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201770&view=rev>) (gregor)
- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201769&view=rev>) (gregor)
- [1.2] Added portuguese translation, thanks to Rolando Isidoro. [Diff](http://svn.apache.org/viewcvs.cgi?rev=190823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190823&view=rev>) (gregor)
- [1.2] redirects added to guarantee backwards compatibility [Diff](http://svn.apache.org/viewcvs.cgi?rev=190582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190582&view=rev>) (michi)
- [1.2] No backup while publishing a document (setting the publisher and the publication's and revision's date), fix bug 35309 [Diff](http://svn.apache.org/viewcvs.cgi?rev=201987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201987&view=rev>) (edith)
- [1.2] create a backup after the creation of a document; fix bug 31968 [Diff](http://svn.apache.org/viewcvs.cgi?rev=201978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201978&view=rev>) (edith)

- [1.2] Added Paul Ercolino to credits. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201806&view=rev>) (gregor)
- [1.2] Applied ASL [Diff](http://svn.apache.org/viewcvs.cgi?rev=201804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201804&view=rev>) (gregor)
- [1.2] Small syntax fix for index shell script [Diff](http://svn.apache.org/viewcvs.cgi?rev=201803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201803&view=rev>) (gregor)
- [1.2] Made sure that all batch files have their executable bit set. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201799&view=rev>) (gregor)
- [1.2] Added search usecase to default publication. Thanks to Paul Ercolino, this makes searching work out of the box on Windows for the first time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201783&view=rev>) (gregor)
- [1.2] Explicitly set alt tags for images, and title for assets. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35412](http://issues.apache.org/bugzilla/show_bug.cgi?id=35412) [Diff](http://svn.apache.org/viewcvs.cgi?rev=201777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201777&view=rev>) (gregor)
- [1.2] Set version to 1.2.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=201773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201773&view=rev>) (gregor)
- [1.2] No longer hardcode jars in the ant classpath. This resolves the constant breakage as new versions of these jars are added. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201767&view=rev>) (gregor)
- [1.2] bug fixed re copying of publication specific libraries [Diff](http://svn.apache.org/viewcvs.cgi?rev=201626&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201626&view=rev>) (michi)
- [1.2] make sample/template filename accessible such that the default creator can be reused [Diff](http://svn.apache.org/viewcvs.cgi?rev=201620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201620&view=rev>) (michi)
- [1.2] Removed empty menus (no longer needed) [Diff](http://svn.apache.org/viewcvs.cgi?rev=191313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191313&view=rev>) (gregor)
- [1.2] read from cache disabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=191189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191189&view=rev>) (michi)
- [1.2] LinkRewritingTransformer: add query string to rewritten URLs. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29701](http://issues.apache.org/bugzilla/show_bug.cgi?id=29701) [Diff](http://svn.apache.org/viewcvs.cgi?rev=191134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191134&view=rev>) (andreas)
- [1.2] Bugfix 35397 Submitted by Simon Litwan. Thx Simon Litwan [Diff](http://svn.apache.org/viewcvs.cgi?rev=191118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191118&view=rev>) (thorsten)
- [1.2] Bugfix 35356 Submitted by Simon Litwan. Thx Simon Litwan [Diff](http://svn.apache.org/viewcvs.cgi?rev=191117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191117&view=rev>) (thorsten)
- [1.2] Delete temp cocoon.xconf patch file on exit. This avoids that the build cancels under Windows when a file locking error occurs. The temp file won't be deleted in this case, so there's still room for improvement. Bug: [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35394](http://issues.apache.org/bugzilla/show_bug.cgi?id=35394), Patch supplied by Jan Metzner. Thanks! [Diff](http://svn.apache.org/viewcvs.cgi?rev=191105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191105&view=rev>) (andreas)
- [1.2] [minor change] added sanity checks for clearer error message in the case of a missing configuration item [Diff](http://svn.apache.org/viewcvs.cgi?rev=190937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190937&view=rev>) (jwkaltz)
- [1.2] Set the form at the top of the row, so that it is easy to see him, even when there are a multitude of documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=190625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190625&view=rev>) (edith)
- [1.2] XHTML ISO for backwards compatibility added [Diff](http://svn.apache.org/viewcvs.cgi?rev=190579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190579&view=rev>) (michi)
- [1.2] Explicitly set utf-8 as the charset. This should hopefully resolve the remaining UTF-8 problems. [Diff](http://svn.apache.org/viewcvs.cgi?rev=190513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190513&view=rev>) (gregor)
- [1.2] set the encoding in the email header [Diff](http://svn.apache.org/viewcvs.cgi?rev=190390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190390&view=rev>) (edith)
- [1.2] Avoid StringIndexOutOfBoundsException in crawler configuration. Patch by Michael Wohlfahrt, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35307](http://issues.apache.org/bugzilla/show_bug.cgi?id=35307) [Diff](http://svn.apache.org/viewcvs.cgi?rev=190175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190175&view=rev>) (gregor)
- [1.2] note added about install-pub target [Diff](http://svn.apache.org/viewcvs.cgi?rev=190089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190089&view=rev>) (michi)
- [1.2] Do not show pages hidden from navigation in the tabs, either. [Diff](http://svn.apache.org/viewcvs.cgi?rev=189879&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=189879&view=rev>) (gregor)
- [1.2] Made sure links sent by notification emails are proxied, if appropriate. Patch by Simon Litwan, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35287](http://issues.apache.org/bugzilla/show_bug.cgi?id=35287) [Diff](http://svn.apache.org/viewcvs.cgi?rev=189759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=189759&view=rev>) (gregor)
- [1.2] Updated Russian translation. Patch by Anton Kovalenko, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34798](http://issues.apache.org/bugzilla/show_bug.cgi?id=34798) [Diff](http://svn.apache.org/viewcvs.cgi?rev=189480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=189480&view=rev>) (gregor)
- [1.2] Worked around lack of namespace support in some older browser DOM implementations to make the sitetree work

- again on Netscape 7. Patch by Clint Harris, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35227](http://issues.apache.org/bugzilla/show_bug.cgi?id=35227) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=188642&view=rev>) (gregor)
- [1.2] Fixed issue that stripped the lenya namespace from the BXE asset popup. Patch by Simon Litwan. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35153](http://issues.apache.org/bugzilla/show_bug.cgi?id=35153) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=188640&view=rev>) (gregor)
- [1.2] Added build.properties to the Windows installer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=185102&view=rev>) (gregor)
- [1.2] Removed unnecessary if statements [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180203&view=rev>) (gregor)
- [1.2] Set serializer for BXE usecases to HTML because there are too many problems for JS inside XHTML (see <http://hixie.ch/advocacy/xhtml>) This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35152](http://issues.apache.org/bugzilla/show_bug.cgi?id=35152) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180171&view=rev>) (gregor)
- [1.2] Update ant to 1.6.5 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179940&view=rev>) (antonio)
- [1.2] Fix copyright year [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179939&view=rev>) (antonio)
- [1.2] applied patch for bug 35205, thanks to Simon Litwan [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179815&view=rev>) (andreas)
- [1.2] applied patch for bug #35088, thanks to Simon Litwan [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179813&view=rev>) (andreas)
- [1.2] applied patch for bug #35088, credits to simon litwan [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179793&view=rev>) (andreas)
- [1.2] Changed i18n to take the language of the document into account, not the request language. Patch by Paul Ercolino. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35099](http://issues.apache.org/bugzilla/show_bug.cgi?id=35099) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179707&view=rev>) (gregor)
- [1.2] Delete warning for referencing files was not properly translated. Patch by Felix Roethenbacher resolves this [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35189](http://issues.apache.org/bugzilla/show_bug.cgi?id=35189) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179705&view=rev>) (gregor)
- [1.2] No longer check the live area when deleting a document. Patch by Felix Roethenbacher, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35190](http://issues.apache.org/bugzilla/show_bug.cgi?id=35190) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179603&view=rev>) (gregor)

#### 14.3. 1.4

- [1.4] fixed admin -> search usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202394&view=rev>) (andreas)
- [1.4] moving search XSLTs to publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202238&view=rev>) (andreas)
- [1.4] moving search binaries to search publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202234&view=rev>) (andreas)
- [1.4] blog pub: migrated doctypes to publets [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202231&view=rev>) (andreas)
- [1.4] added search publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202220&view=rev>) (andreas)
- [1.4] simplified publet directory structure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202219&view=rev>) (andreas)
- [1.4] Introducing publet infrastructure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202183&view=rev>) (andreas)
- [1.4] added publets to build process [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202173&view=rev>) (andreas)
- [1.4] adding publets directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202172&view=rev>) (andreas)
- [1.4] Add sessions.jx for the session usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191151&view=rev>) (jann)
- [1.4] Add SessionViewer which gets all sessions from the SessionListener, extract the sessions belonging to the actual publication and prepare it to the usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191145&view=rev>) (jann)
- [1.4] Add a patch in order to add the SessionListener class to web.xml [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191144&view=rev>) (jann)
- [1.4] Add SessionListener class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191133&view=rev>) (jann)
- [1.4] Added portuguese translation, thanks to Rolando Isidoro. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190824&view=rev>) (gregor)
- [1.4] Started editing screen for the links doctype. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190167&view=rev>) (gregor)
- [1.4] Started work on a Kupu usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190133&view=rev>) (gregor)
- [1.4] Started work on a Kupu usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190132&view=rev>) (gregor)

- [1.4] Added WebDAV support. Patch by Doug Chestnut, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34994](http://issues.apache.org/bugzilla/show_bug.cgi?id=34994) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189866&view=rev>) (gregor)
- [1.4] added xsl for caching [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189519&view=rev>) (gregor)
- [1.4] Added compatibility classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189499&view=rev>) (gregor)
- [1.4] Added compatibility classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189498&view=rev>) (gregor)
- [1.4] Added metadata for blog feeds, needs to be incorporated into creator / publisher for the blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179935&view=rev>) (gregor)
- [1.4] added schemas to resources dir in blog pub [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179587&view=rev>) (andreas)
- [1.4] moved doctype definitions in blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179586&view=rev>) (andreas)
- [1.4] added homepage schema definition to resources/schemas dir [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179580&view=rev>) (andreas)
- [1.4] added schemas to resources directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179579&view=rev>) (andreas)
- [1.4] added default pub doctype definition to lenya/doctypes directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179578&view=rev>) (andreas)
- [1.4] added resource type definitions to core [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179577&view=rev>) (andreas)
- [1.4] moving search XSPs to publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202239&view=rev>) (andreas)
- [1.4] moving search XSLTs to publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202237&view=rev>) (andreas)
- [1.4] moving search binaries to search publet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202235&view=rev>) (andreas)
- [1.4] removed obsolete blog entry menu [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202232&view=rev>) (andreas)
- [1.4] Changed WebDAV status code and made WebDAV work with publication templating. Patch by Doug Chestnut, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35337](http://issues.apache.org/bugzilla/show_bug.cgi?id=35337) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190407&view=rev>) (gregor)
- [1.4] Removed no longer needed classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190208&view=rev>) (gregor)
- [1.4] Removed doctypes from old location and added a schema location for the homepage doctype. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190124&view=rev>) (gregor)
- [1.4] Removed unused sitemap. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179989&view=rev>) (gregor)
- [1.4] removed obsolete DocumentTypeResolver [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179662&view=rev>) (andreas)
- [1.4] removed old doctypes directory from blog pub [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179588&view=rev>) (andreas)
- [1.4] the fallback-transformation resource should use the fallback protocol, lets navigation xsl live in a pub template [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=208680&view=rev>) (chestnut)
- [1.4] Display usecase error messages as menu item tooltips [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202510&view=rev>) (andreas)
- [1.4] Added German workflow i18n entry [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202509&view=rev>) (andreas)
- [1.4] fixed link to meta data page (removed info- from area) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202397&view=rev>) (andreas)
- [1.4] added ASF header [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202342&view=rev>) (andreas)
- [1.4] xslt/xhtml2xhtml.xsl doesn't seem to exist anymore so I changed the href of the xsl:import to the xhtml publet stylesheet and now I get content on my homepage [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202313&view=rev>) (chestnut)
- [1.4] fixed webapp path in search.properties [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202241&view=rev>) (andreas)
- [1.4] added blog publets to build.properties [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202233&view=rev>) (andreas)
- [1.4] Made publet menus optional (resource-exists for menus.xmap) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202230&view=rev>) (andreas)
- [1.4] use search publet in default publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202222&view=rev>) (andreas)
- [1.4] added publets to build process [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202197&view=rev>) (andreas)
- [1.4] Introducing publet infrastructure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202184&view=rev>) (andreas)
- [1.4] Site area overview: Display ResourceType.getName() instead of ResourceType [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=202175&view=rev>) (andreas)

- [1.4] Switched java classes from DocumentType to ResourceType. ResourceType is an Avalon service and uses the Avalon FW configuration mechanism. [Diff](http://svn.apache.org/viewcvs.cgi?rev=202174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=202174&view=rev>) (andreas)
- [1.4] Render menu block titles as list items [Diff](http://svn.apache.org/viewcvs.cgi?rev=201977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201977&view=rev>) (andreas)
- [1.4] Added Paul Ercolino to credits. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201805&view=rev>) (gregor)
- [1.4] Made sure that all batch files have their executable bit set. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201798&view=rev>) (gregor)
- [1.4] Explicitly set alt tags for images, and title for assets. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35412](http://issues.apache.org/bugzilla/show_bug.cgi?id=35412) [Diff](http://svn.apache.org/viewcvs.cgi?rev=201776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201776&view=rev>) (gregor)
- [1.4] No longer hardcode jars in the ant classpath. This resolves the constant breakage as new versions of these jars are added. [Diff](http://svn.apache.org/viewcvs.cgi?rev=201766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201766&view=rev>) (gregor)
- [1.4] resolves Bug 35483 and added fallback:// to shared resources for pub templating [Diff](http://svn.apache.org/viewcvs.cgi?rev=201647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201647&view=rev>) (chestnut)
- [1.4] bug fixed re copying of publication specific libraries [Diff](http://svn.apache.org/viewcvs.cgi?rev=201629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201629&view=rev>) (michi)
- [1.4] I forgot to change the method name in the comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=193069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=193069&view=rev>) (chestnut)
- [1.4] Allows a user to checkout an object, execute multiple usecases on the object, and checkin the object [Diff](http://svn.apache.org/viewcvs.cgi?rev=193068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=193068&view=rev>) (chestnut)
- [1.4] fixed problem of not allowing owner of lock on objects to lock again [Diff](http://svn.apache.org/viewcvs.cgi?rev=191734&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191734&view=rev>) (chestnut)
- [1.4] needs to work even when we have documents named authoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=191716&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191716&view=rev>) (chestnut)
- [1.4] List assets of a document for PROPFIND webDAV method [Diff](http://svn.apache.org/viewcvs.cgi?rev=191704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191704&view=rev>) (chestnut)
- [1.4] List assets of a document for PROPFIND webDAV method [Diff](http://svn.apache.org/viewcvs.cgi?rev=191703&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191703&view=rev>) (chestnut)
- [1.4] stripped namespace from document that has been PUT [Diff](http://svn.apache.org/viewcvs.cgi?rev=191617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191617&view=rev>) (chestnut)
- [1.4] fixed PROPFIND match on publications root for webDAV, and added fallback: proto to access resources sitemap for templating [Diff](http://svn.apache.org/viewcvs.cgi?rev=191548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191548&view=rev>) (chestnut)
- [1.4] Added UNLOCK and fixed some problems [Diff](http://svn.apache.org/viewcvs.cgi?rev=191546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191546&view=rev>) (chestnut)
- [1.4] Added validation and ability to create a new document [Diff](http://svn.apache.org/viewcvs.cgi?rev=191540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191540&view=rev>) (chestnut)
- [1.4] read from cache dir disabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=191190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191190&view=rev>) (michi)
- [1.4] remove context path so that the link to the user profile works [Diff](http://svn.apache.org/viewcvs.cgi?rev=191164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191164&view=rev>) (jann)
- [1.4] Adding the session usecase as a tab in the admin area and change the urlPrefix value, so that the Search tab also works if you use tomcat. [Diff](http://svn.apache.org/viewcvs.cgi?rev=191149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191149&view=rev>) (jann)
- [1.4] Add the SessionViewer to the list of usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=191146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191146&view=rev>) (jann)
- [1.4] LinkRewritingTransformer: add query string to rewritten URLs. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29701](http://issues.apache.org/bugzilla/show_bug.cgi?id=29701) [Diff](http://svn.apache.org/viewcvs.cgi?rev=191135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191135&view=rev>) (andreas)
- [1.4] [minor change] added explicit check for required properties for nicer error message [Diff](http://svn.apache.org/viewcvs.cgi?rev=190940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190940&view=rev>) (jwkaltz)
- [1.4] Properly lock affected documents when deactivating. Patch by Doug Chestnut, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35381](http://issues.apache.org/bugzilla/show_bug.cgi?id=35381) [Diff](http://svn.apache.org/viewcvs.cgi?rev=190939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190939&view=rev>) (gregor)
- [1.4] Removed doctypes config from instantiator and did some minor code cleanup. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35382](http://issues.apache.org/bugzilla/show_bug.cgi?id=35382) [Diff](http://svn.apache.org/viewcvs.cgi?rev=190938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190938&view=rev>)

- (gregor)
- [1.4] dos2unix in order to remove windows carriage returns [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190793&view=rev>) (jann)
  - [1.4] set svn:eol-style to native [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190718&view=rev>) (andreas)
  - [1.4] Build Cocoon Ant tasks first, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35367](http://issues.apache.org/bugzilla/show_bug.cgi?id=35367) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190717&view=rev>) (andreas)
  - [1.4] Added publish to usecase policies [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190267&view=rev>) (gregor)
  - [1.4] Properties set [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190266&view=rev>) (gregor)
  - [1.4] Explicitly set charset for serializers [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190265&view=rev>) (gregor)
  - [1.4] Minor javadoc fixes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190177&view=rev>) (gregor)
  - [1.4] Added deprecation notice to creator interface [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190176&view=rev>) (gregor)
  - [1.4] Made sure hidden namespaces field is always set [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190146&view=rev>) (gregor)
  - [1.4] Removed IllegalArgumentException for null doctype since getTransformer() handles the null case [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190144&view=rev>) (gregor)
  - [1.4] Changed URL of flowscript to allow it to be resolved correctly [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190129&view=rev>) (gregor)
  - [1.4] Fixed reference to a moved Java class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190128&view=rev>) (gregor)
  - [1.4] Do not show pages hidden from navigation in the tabs, either. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189880&view=rev>) (gregor)
  - [1.4] Removed publishing, ant and tasks classes. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27335](http://issues.apache.org/bugzilla/show_bug.cgi?id=27335) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189495&view=rev>) (gregor)
  - [1.4] Updated russian translation. Patch by Anton Kovalenko, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34798](http://issues.apache.org/bugzilla/show_bug.cgi?id=34798) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=189481&view=rev>) (gregor)
  - [1.4] Added build.properties to the Windows installer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=185103&view=rev>) (gregor)
  - [1.4] [minor change] check for null for easier tracing of NullPointerException when document is created [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180303&view=rev>) (jwkaltz)
  - [1.4] [minor change] fixed typo in doc [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180122&view=rev>) (jwkaltz)
  - [1.4] [minor change] added explanation for workaround [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180120&view=rev>) (jwkaltz)
  - [1.4] Switched blog publication to use the publish usecase instead of ant task [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180113&view=rev>) (gregor)
  - [1.4] Added workaround for collapsed <textarea>, <script> and <style> problem [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180018&view=rev>) (gregor)
  - [1.4] Switched to a Lenya-branded error screen. Made all error screens I18N-aware. This (partially) resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34003](http://issues.apache.org/bugzilla/show_bug.cgi?id=34003) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=180003&view=rev>) (gregor)
  - [1.4] Update ant to 1.6.5 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179942&view=rev>) (antonio)
  - [1.4] Merge from 1.2.4-dev [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179941&view=rev>) (antonio)
  - [1.4] Removed unused menus [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179936&view=rev>) (gregor)
  - [1.4] Made sure that the cached files are XHTML strict too [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179925&view=rev>) (gregor)
  - [1.4] Switched serializers to XHTML strict and consolidated error handling pipelines [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179924&view=rev>) (gregor)
  - [1.4] refactored workflow classes, this minimizes the dependencies between core and workflow package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179790&view=rev>) (andreas)
  - [1.4] refactored workflow classes, this removes references from the core to workflow packages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179751&view=rev>) (andreas)

- [1.4] reverted pipeline order (site area was broken) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179749&view=rev>) (andreas)
- [1.4] fixed pipeline structure (fixes bug #35171) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179748&view=rev>) (andreas)
- [1.4] Changed i18n to take the language of the document into account, not the request language. Patch by Paul Ercolino. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35099](http://issues.apache.org/bugzilla/show_bug.cgi?id=35099) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179706&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179706&view=rev>) (gregor)
- [1.4] publish: add source repository nodes to locked objects, this is necessary because of workflow changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=179664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179664&view=rev>) (andreas)
- [1.4] moved functionality from defaultpub usecase to core [Diff](http://svn.apache.org/viewcvs.cgi?rev=179663&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179663&view=rev>) (andreas)
- [1.4] removed obsolete URIParameterizer and DocumentTypeResolver [Diff](http://svn.apache.org/viewcvs.cgi?rev=179661&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179661&view=rev>) (andreas)
- [1.4] added resource-type definitions to default pub publication.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=179589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179589&view=rev>) (andreas)
- [1.4] removed scheduler menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=179583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179583&view=rev>) (andreas)
- [1.4] reflecting new schema locations in sitemaps. Actually that should be handled by calls to the API (e.g. via input modules) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179582&view=rev>) (andreas)
- [1.4] reflecting new schema locations in sitemaps. Actually that should be handled by calls to the API (e.g. via input modules) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179581&view=rev>) (andreas)
- [1.4] (1) added fallback for doctypes, this means doctypes can be served by the core (1st step towards resource type packages) (2) store workflow state and variable values in meta data. currently the history is stored there as well, this is subject to changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=179575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179575&view=rev>) (andreas)
- [1.4] [minor change] set missing svn:eol-style and svn:keywords properties in Java files [Diff](http://svn.apache.org/viewcvs.cgi?rev=179568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179568&view=rev>) (jwkaltz)
- [1.4] Use fallback source to resolve sample content location. This enables the create usecase to work in publications that use publication templating. Patch by Doug Chestnut. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35132](http://issues.apache.org/bugzilla/show_bug.cgi?id=35132) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179490&view=rev>) (gregor)
- [1.4] Added policies to sources to copy for publication instanciator, patch by Doug Chestnut. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35167](http://issues.apache.org/bugzilla/show_bug.cgi?id=35167) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179489&view=rev>) (gregor)
- [1.4] Added fallbacks to enable publication templating where necessary. Patch by Doug Chestnut, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35168](http://issues.apache.org/bugzilla/show_bug.cgi?id=35168) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179488&view=rev>) (gregor)
- [1.4] create-document usecase: checking selected relation in JX template, validate relation in exec conditions, set initial relation 'child' [Diff](http://svn.apache.org/viewcvs.cgi?rev=179368&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179368&view=rev>) (andreas)
- [1.4] Allow to set the relation of a new document to an existing one, thanks to a patch by Doug Chestnut. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35130](http://issues.apache.org/bugzilla/show_bug.cgi?id=35130) [Diff](http://svn.apache.org/viewcvs.cgi?rev=179343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179343&view=rev>) (gregor)

## 14.4. Docs

- [Docs] added resource types documentation for 1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=179590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179590&view=rev>) (andreas)
- [Docs] fixed broken links [Diff](http://svn.apache.org/viewcvs.cgi?rev=201936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201936&view=rev>) (gregor)
- [Docs] Typo fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=201935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201935&view=rev>) (gregor)
- [Docs] Typo fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=201933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201933&view=rev>) (gregor)
- [Docs] Added information about Lenya 1.2.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=201809&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=201809&view=rev>) (gregor)
- [Docs] point lenya demo at ASF instance [Diff](http://svn.apache.org/viewcvs.cgi?rev=191561&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=191561&view=rev>) (gregor)
- [Docs] [minor change] fixed indentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=190720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=190720&view=rev>) (andreas)
- [Docs] added note to resource type docs about assigning workflow schemas to resource types [Diff](http://svn.apache.org/viewcvs.cgi?rev=179590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179590&view=rev>) (andreas)

- (<http://svn.apache.org/viewcvs.cgi?rev=190719&view=rev>) (andreas)
  - [Docs] Updated resource type docs: menu item reflects usecase framework syntax [Diff](#)
  - (<http://svn.apache.org/viewcvs.cgi?rev=190715&view=rev>) (andreas)
- [Docs] Added University of Kiel to the live sites [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190313&view=rev>) (gregor)
- [Docs] Updated the site in preparation of 1.4alpha1 release [Diff](#)
  - (<http://svn.apache.org/viewcvs.cgi?rev=190260&view=rev>) (gregor)
- [Docs] Don't indent and save 10% of the file size [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190178&view=rev>) (gregor)
- [Docs] Added UltraVNC to live sites [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190166&view=rev>) (gregor)
- [Docs] Added more prominent links to the downloads and clarified purpose of binary distributions. Patch by Hubertus Groepper, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35271](http://issues.apache.org/bugzilla/show_bug.cgi?id=35271) [Diff](#)
  - (<http://svn.apache.org/viewcvs.cgi?rev=189605&view=rev>) (gregor)
- [Docs] Clarified purpose of source and binary versions. Patch by Hubertus Groepper, this resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35248](http://issues.apache.org/bugzilla/show_bug.cgi?id=35248) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=185099&view=rev>) (gregor)
- [Docs] Made docs valid again, patch by Hubertus Groepper. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35221](http://issues.apache.org/bugzilla/show_bug.cgi?id=35221) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179990&view=rev>) (gregor)
- [Docs] changed project name [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179926&view=rev>) (thorsten)
- [Docs] Typo fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179894&view=rev>) (gregor)
- [Docs] Added Jann Forrer to the committers list. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179893&view=rev>) (gregor)
- [Docs] Added new japanese live site [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179701&view=rev>) (gregor)

## 14.5. Sandbox

- [Sandbox] README added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191484&view=rev>) (michi)
- [Sandbox] cforms within default publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191478&view=rev>) (michi)
- [Sandbox] obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191481&view=rev>) (michi)
- [Sandbox] obsolete pipeline removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=191480&view=rev>) (michi)
- [Sandbox] code link added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190886&view=rev>) (michi)
- [Sandbox] link to JCR and Blogs article added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190885&view=rev>) (michi)

## 14.6. Site

- [Site] Updated site for 1.2.4 release [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=201939&view=rev>) (gregor)
- [Site] Updated the site in preparation of 1.4alpha1 release [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=190217&view=rev>) (gregor)
- [Site] Added link to ApacheCon Europe 2005 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=179719&view=rev>) (gregor)

## 15. Version 2005-05 ()

### 15.1.

- [] Tagging release 1.2.3 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165549&view=rev>) (gregor)

### 15.2. 1.2

- [1.2] added ProxyUrlModule (Bug #33742), credits to Felix Roethenbacher [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178626&view=rev>) (andreas)
- [1.2] Added CIFSUser implementation by Doug Chestnut and Peter Shipley. This allows to authenticate users against CIFS using JCIFS. Lenya ships with a mock jar, replace with the real thing if you want to use this. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27289](http://issues.apache.org/bugzilla/show_bug.cgi?id=27289) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169175&view=rev>) (gregor)

- [1.2] Added CIFSUser implementation by Doug Chestnut and Peter Shipley. This allows to authenticate users against CIFS using JCIFS. Lenya ships with a mock jar, replace with the real thing if you want to use this. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27289](http://issues.apache.org/bugzilla/show_bug.cgi?id=27289) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169174&view=rev>) (gregor)
- [1.2] Added anonymous authenticator (useful for client certs) based on work by Mike Moretti. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34253](http://issues.apache.org/bugzilla/show_bug.cgi?id=34253) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169160&view=rev>) (gregor)
- [1.2] Updated russian translation by ##### #####. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34798](http://issues.apache.org/bugzilla/show_bug.cgi?id=34798) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169143&view=rev>) (gregor)
- [1.2] Added russian translation by Anton Kovalenko [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169108&view=rev>) (gregor)
- [1.2] Re-commit japanese translations in an effort to preseve UTF-8 encoding [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178743&view=rev>) (gregor)
- [1.2] apply patch for bug #35062 (strange characters in textarea-fields in IE), credits to Simon Litwan [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178451&view=rev>) (andreas)
- [1.2] Xopus pipeline view added in order to allow better debugging and illustrating how Xopus needs to be attached [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178415&view=rev>) (michi)
- [1.2] commit patch for bug #35041 (no german translations for errors in addUser GUI), credits to Simon Litwan [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178410&view=rev>) (andreas)
- [1.2] Updated the russian translation. Thanks to qMax [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178314&view=rev>) (gregor)
- [1.2] No longer emit debug messages when starting lenya on windows [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178311&view=rev>) (gregor)
- [1.2] Properly escape warnings in validation.js This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=35022](http://issues.apache.org/bugzilla/show_bug.cgi?id=35022) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=177988&view=rev>) (gregor)
- [1.2] Thanks to Simon Litwan: testing for selected file in insertImage/insertAsset popup; bug#34982 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=177947&view=rev>) (edith)
- [1.2] Optimized copying of files to WEB-INF/classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=177920&view=rev>) (gregor)
- [1.2] Updated ant to 1.6.4 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=171330&view=rev>) (antonio)
- [1.2] Improved russian translation. Thanks to qMax [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=171255&view=rev>) (gregor)
- [1.2] Fixed the links to the documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170900&view=rev>) (thorsten)
- [1.2] thanks to Simon Litwan the problem with slashes has been fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170886&view=rev>) (michi)
- [1.2] patch 15061 applied [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170731&view=rev>) (michi)
- [1.2] Set serializer for static publishing to XHTML. Thanks to Travis McCauley. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170412&view=rev>) (gregor)
- [1.2] generate a warning if no parentid request parameter has been specified and obsolete method name from log message removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170279&view=rev>) (michi)
- [1.2] Honour doctype in site area for menu generation. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34890](http://issues.apache.org/bugzilla/show_bug.cgi?id=34890) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170258&view=rev>) (gregor)
- [1.2] Backported CSS/XHTML menu from trunk, and switched to XHTML serialization everywhere. Lenya now validates as XHTML 1.0 strict. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170255&view=rev>) (gregor)
- [1.2] Made sure that linefeeds in batch files are windows-style. Thanks to Paul Ercolino for the hint. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170251&view=rev>) (gregor)
- [1.2] Added missing i18n declaration to password xsl. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34911](http://issues.apache.org/bugzilla/show_bug.cgi?id=34911) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170099&view=rev>) (gregor)

- [1.2] error handling and warnings improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=169905&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169905&view=rev>) (michi)
- [1.2] invalidate session added [Diff](http://svn.apache.org/viewcvs.cgi?rev=169904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169904&view=rev>) (michi)
- [1.2] Translated a couple stragglers in the admin UI, thanks to solprovider. [Diff](http://svn.apache.org/viewcvs.cgi?rev=169378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169378&view=rev>) (gregor)
- [1.2] Start to use labels for accessibility [Diff](http://svn.apache.org/viewcvs.cgi?rev=169217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169217&view=rev>) (gregor)
- [1.2] Translated 'document visible in navigation' [Diff](http://svn.apache.org/viewcvs.cgi?rev=169213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169213&view=rev>) (gregor)
- [1.2] Made sure that URI strings are properly encoded when calling the URI default constructor. This resolves the long-standing issue [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27558](http://issues.apache.org/bugzilla/show_bug.cgi?id=27558) where Lenya could not be installed in a directory with spaces in the path. [Diff](http://svn.apache.org/viewcvs.cgi?rev=169196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169196&view=rev>) (gregor)
- [1.2] Made access control classes serializable based on a patch by Mirek Hankus. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34127](http://issues.apache.org/bugzilla/show_bug.cgi?id=34127) [Diff](http://svn.apache.org/viewcvs.cgi?rev=169164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169164&view=rev>) (gregor)
- [1.2] logout activated [Diff](http://svn.apache.org/viewcvs.cgi?rev=169114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169114&view=rev>) (michi)
- [1.2] version updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=168351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=168351&view=rev>) (michi)
- [1.2] Use Ant task to fix CRLF for the shell scripts and make them executable [Diff](http://svn.apache.org/viewcvs.cgi?rev=168204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=168204&view=rev>) (gregor)
- [1.2] Explicitly exclude build directories from dist-src target [Diff](http://svn.apache.org/viewcvs.cgi?rev=165545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=165545&view=rev>) (gregor)

### 15.3. 1.4

- [1.4] added archive and restore usecase handlers [Diff](http://svn.apache.org/viewcvs.cgi?rev=178627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178627&view=rev>) (andreas)
- [1.4] added BXE JX template and stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=178174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178174&view=rev>) (andreas)
- [1.4] added BXE usecase handler [Diff](http://svn.apache.org/viewcvs.cgi?rev=178172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178172&view=rev>) (andreas)
- [1.4] added JX template for AC live tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=178140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178140&view=rev>) (andreas)
- [1.4] added SimpleSiteManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=170596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170596&view=rev>) (andreas)
- [1.4] implemented ipRangeGroups usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=170041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170041&view=rev>) (andreas)
- [1.4] implemented 'view IP range' usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=170027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170027&view=rev>) (andreas)
- [1.4] added addIpRange JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=170023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170023&view=rev>) (andreas)
- [1.4] Added CIFSUser implementation by Doug Chestnut and Peter Shipley. This allows to authenticate users against CIFS using JCIFS. Lenya ships with a mock jar, replace with the real thing if you want to use this. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27289](http://issues.apache.org/bugzilla/show_bug.cgi?id=27289) [Diff](http://svn.apache.org/viewcvs.cgi?rev=169177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169177&view=rev>) (gregor)
- [1.4] Added CIFSUser implementation by Doug Chestnut and Peter Shipley. This allows to authenticate users against CIFS using JCIFS. Lenya ships with a mock jar, replace with the real thing if you want to use this. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27289](http://issues.apache.org/bugzilla/show_bug.cgi?id=27289) [Diff](http://svn.apache.org/viewcvs.cgi?rev=169176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169176&view=rev>) (gregor)
- [1.4] Added russian translation by Anton Kovalenko [Diff](http://svn.apache.org/viewcvs.cgi?rev=169109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169109&view=rev>) (gregor)
- [1.4] removed obsolete parameter-doctype.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=178449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178449&view=rev>) (andreas)
- [1.4] No longer used [Diff](http://svn.apache.org/viewcvs.cgi?rev=178308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178308&view=rev>) (gregor)
- [1.4] No longer used [Diff](http://svn.apache.org/viewcvs.cgi?rev=178307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178307&view=rev>) (gregor)
- [1.4] removing obsolete info xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=178293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178293&view=rev>) (andreas)
- [1.4] removed obsolete BXE flowscript [Diff](http://svn.apache.org/viewcvs.cgi?rev=178181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178181&view=rev>) (andreas)
- [1.4] Removed obsoleted site management ant tasks [Diff](http://svn.apache.org/viewcvs.cgi?rev=177972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177972&view=rev>) (gregor)
- [1.4] Deleted empty directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=177865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177865&view=rev>) (gregor)
- [1.4] use SimpleSiteManager for blog publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=170601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170601&view=rev>) (andreas)
- [1.4] added IPRange.delete() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=179215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=179215&view=rev>) (andreas)

- [1.4] [minor change] removed invalid javadoc tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=178775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178775&view=rev>) (andreas)
- [1.4] configure exit usecases in cocoon.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=178774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178774&view=rev>) (andreas)
- [1.4] Instanciator: allow to copy directories (credits to Doug Chestnut) [Diff](http://svn.apache.org/viewcvs.cgi?rev=178766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178766&view=rev>) (andreas)
- [1.4] Re-commit japanese translations in an effort to preseve UTF-8 encoding [Diff](http://svn.apache.org/viewcvs.cgi?rev=178742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178742&view=rev>) (gregor)
- [1.4] Switch serialization to xhtml [Diff](http://svn.apache.org/viewcvs.cgi?rev=178739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178739&view=rev>) (gregor)
- [1.4] Removed unused component declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=178738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178738&view=rev>) (gregor)
- [1.4] [minor change] resolved variable name clashes [Diff](http://svn.apache.org/viewcvs.cgi?rev=178737&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178737&view=rev>) (gregor)
- [1.4] Shortened exception handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=178736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178736&view=rev>) (gregor)
- [1.4] Shortened exception handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=178735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178735&view=rev>) (gregor)
- [1.4] Applied patch by Doug Chestnut to support basic authentication. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34964](http://issues.apache.org/bugzilla/show_bug.cgi?id=34964) and paves the way for WebDAV support. [Diff](http://svn.apache.org/viewcvs.cgi?rev=178731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178731&view=rev>) (gregor)
- [1.4] added error messages to archive.jx [Diff](http://svn.apache.org/viewcvs.cgi?rev=178629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178629&view=rev>) (andreas)
- [1.4] added ProxyUrlModule (Bug #33742), credits to Felix Rothenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=178628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178628&view=rev>) (andreas)
- [1.4] forward query string during login usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=178613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178613&view=rev>) (andreas)
- [1.4] Instantiator: copy usecase-policies.xml and index\_en.xml meta file [Diff](http://svn.apache.org/viewcvs.cgi?rev=178606&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178606&view=rev>) (andreas)
- [1.4] [minor change] fixed quotation mark in error message [Diff](http://svn.apache.org/viewcvs.cgi?rev=178593&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178593&view=rev>) (andreas)
- [1.4] [minor change] added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=178450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178450&view=rev>) (andreas)
- [1.4] patch sitetree javascript to avoid error re. non-linked nodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=178441&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178441&view=rev>) (andreas)
- [1.4] replace DocumentTypeResolver by document.getResourceType() [Diff](http://svn.apache.org/viewcvs.cgi?rev=178435&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178435&view=rev>) (andreas)
- [1.4] disable area nodes in sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=178428&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178428&view=rev>) (andreas)
- [1.4] [minor change] use background instead of underline for hovering in sitetree CSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=178426&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178426&view=rev>) (andreas)
- [1.4] fixed sitetree CSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=178425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178425&view=rev>) (andreas)
- [1.4] removed info area prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=178423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178423&view=rev>) (andreas)
- [1.4] Updated the russian translation. Thanks to qMax [Diff](http://svn.apache.org/viewcvs.cgi?rev=178315&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178315&view=rev>) (gregor)
- [1.4] No longer emit debug messages when starting lenya on windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=178309&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178309&view=rev>) (gregor)
- [1.4] No longer call init twice, do not call cocoon resources to webapp [Diff](http://svn.apache.org/viewcvs.cgi?rev=178305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178305&view=rev>) (gregor)
- [1.4] remove info- area prefix from sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=178294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178294&view=rev>) (andreas)
- [1.4] don't use info- area prefix in menu2xhtml.xsl, add lenya.exitUsecase parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=178289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178289&view=rev>) (andreas)
- [1.4] fixed meta data URL in menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=178197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178197&view=rev>) (andreas)
- [1.4] added AbstractUsecase.setExitUsecase() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=178196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178196&view=rev>) (andreas)
- [1.4] Removed obsolete asset usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=178193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178193&view=rev>) (gregor)
- [1.4] added size attribute to asset upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=178187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178187&view=rev>) (andreas)
- [1.4] added size attribute to asset upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=178185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178185&view=rev>) (andreas)
- [1.4] [minor change] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=178180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178180&view=rev>) (andreas)
- [1.4] ported BXE to usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=178178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178178&view=rev>) (andreas)

- [1.4] ported BXE to usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=178177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178177&view=rev>) (andreas)
- [1.4] ported BXE to usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=178176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178176&view=rev>) (andreas)
- [1.4] editDocument.js: added pre-execution error checking [Diff](http://svn.apache.org/viewcvs.cgi?rev=178175&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=178175&view=rev>) (andreas)
- [1.4] page2xhtml: forward <page:body> attributes to <xhtml:body> [Diff](http://svn.apache.org/viewcvs.cgi?rev=178173&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=178173&view=rev>) (andreas)
- [1.4] removed obsolete PolicyHelper [Diff](http://svn.apache.org/viewcvs.cgi?rev=178146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178146&view=rev>) (andreas)
- [1.4] fixed credential adding+deletion on AC tab usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=178145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178145&view=rev>)  
(andreas)
- [1.4] [minor change] set svn prop [Diff](http://svn.apache.org/viewcvs.cgi?rev=178143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178143&view=rev>) (jwkaltz)
- [1.4] showing existing credentials on AC tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=178138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178138&view=rev>) (andreas)
- [1.4] added credential forms to AC usecase view [Diff](http://svn.apache.org/viewcvs.cgi?rev=178135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178135&view=rev>)  
(andreas)
- [1.4] [minor change] added debug messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=178131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178131&view=rev>) (jwkaltz)
- [1.4] fixed SSL form in AC usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=178120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178120&view=rev>) (andreas)
- [1.4] fixed sitetree JS links in site area page head [Diff](http://svn.apache.org/viewcvs.cgi?rev=178119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178119&view=rev>)  
(andreas)
- [1.4] [minor change] set svn prop [Diff](http://svn.apache.org/viewcvs.cgi?rev=177980&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177980&view=rev>) (jwkaltz)
- [1.4] Access static variable directly [Diff](http://svn.apache.org/viewcvs.cgi?rev=177927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177927&view=rev>) (gregor)
- [1.4] Avoided synthetic accessors [Diff](http://svn.apache.org/viewcvs.cgi?rev=177926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177926&view=rev>) (gregor)
- [1.4] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=177923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177923&view=rev>) (gregor)
- [1.4] Removed deprecated SiteTree.save() [Diff](http://svn.apache.org/viewcvs.cgi?rev=177922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177922&view=rev>) (gregor)
- [1.4] Added package target and enabled deprecation warnings [Diff](http://svn.apache.org/viewcvs.cgi?rev=177921&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=177921&view=rev>) (gregor)
- [1.4] Optimized copying of files to WEB-INF/classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=177919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177919&view=rev>)  
(gregor)
- [1.4] Don't echo internals during build [Diff](http://svn.apache.org/viewcvs.cgi?rev=177868&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177868&view=rev>) (gregor)
- [1.4] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=177864&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177864&view=rev>) (gregor)
- [1.4] Made exception final [Diff](http://svn.apache.org/viewcvs.cgi?rev=177863&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177863&view=rev>) (gregor)
- [1.4] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=177862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177862&view=rev>) (gregor)
- [1.4] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=177861&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177861&view=rev>) (gregor)
- [1.4] Made exception final [Diff](http://svn.apache.org/viewcvs.cgi?rev=177860&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177860&view=rev>) (gregor)
- [1.4] Implemented serialVersionUID for serializable classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=177858&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=177858&view=rev>) (gregor)
- [1.4] Implemented serialVersionUID for serializable classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=177857&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=177857&view=rev>) (gregor)
- [1.4] Avoid unnecessary toString() [Diff](http://svn.apache.org/viewcvs.cgi?rev=177856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177856&view=rev>) (gregor)
- [1.4] Made exception final [Diff](http://svn.apache.org/viewcvs.cgi?rev=177855&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177855&view=rev>) (gregor)
- [1.4] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=177854&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177854&view=rev>) (gregor)
- [1.4] Use static method instead of instance method [Diff](http://svn.apache.org/viewcvs.cgi?rev=177853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177853&view=rev>)  
(gregor)
- [1.4] Added documentation to stack helper class [Diff](http://svn.apache.org/viewcvs.cgi?rev=177852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177852&view=rev>) (gregor)
- [1.4] Implemented serialVersionUID for serializable classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=176418&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=176418&view=rev>) (gregor)
- [1.4] Made a constant final [Diff](http://svn.apache.org/viewcvs.cgi?rev=176417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=176417&view=rev>) (gregor)
- [1.4] Fixed dead local storage and a null pointer dereference. [Diff](http://svn.apache.org/viewcvs.cgi?rev=176416&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=176416&view=rev>) (gregor)
- [1.4] Implemented serialVersionUID for serializable classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=176415&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=176415&view=rev>) (gregor)
- [1.4] Return an immutable copy of the checkout date to avoid exposing mutable internals. [Diff](http://svn.apache.org/viewcvs.cgi?rev=176414&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=176414&view=rev>) (gregor)

- [1.4] Simplified parsing code [Diff](http://svn.apache.org/viewcvs.cgi?rev=176412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=176412&view=rev>) (gregor)
- [1.4] No longer ship an (outdated) copy of XConfToolTask, but rely on the one from Cocoon instead. This resolves parts of [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34191](http://issues.apache.org/bugzilla/show_bug.cgi?id=34191) [Diff](http://svn.apache.org/viewcvs.cgi?rev=171377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=171377&view=rev>) (gregor)
- [1.4] Updated ant to 1.6.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=171331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=171331&view=rev>) (antonio)
- [1.4] [minor change] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=171124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=171124&view=rev>) (andreas)
- [1.4] SourceNode: synchronizing critical methods (avoids 'invalid UTF-8' problem) [Diff](http://svn.apache.org/viewcvs.cgi?rev=171123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=171123&view=rev>) (andreas)
- [1.4] fixed locking in paste usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=170949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170949&view=rev>) (andreas)
- [1.4] tree site manager: return all language versions in getAncestors [Diff](http://svn.apache.org/viewcvs.cgi?rev=170948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170948&view=rev>) (andreas)
- [1.4] added locking to paste usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=170927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170927&view=rev>) (andreas)
- [1.4] fixed nudge usecase (instanceof check, locking) [Diff](http://svn.apache.org/viewcvs.cgi?rev=170926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170926&view=rev>) (andreas)
- [1.4] DocumentManager.add(): replaced initialContentsUri with another method where you can pass a source document [Diff](http://svn.apache.org/viewcvs.cgi?rev=170762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170762&view=rev>) (andreas)
- [1.4] [minor change] added comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=170742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170742&view=rev>) (jwkaltz)
- [1.4] simplified Creator interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=170732&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170732&view=rev>) (andreas)
- [1.4] updated DocumentManager.add() signature: don't require parent document, pass info as single strings [Diff](http://svn.apache.org/viewcvs.cgi?rev=170727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170727&view=rev>) (andreas)
- [1.4] removed existing node type concept (distinction branch / leaf), as it was not used [Diff](http://svn.apache.org/viewcvs.cgi?rev=170718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170718&view=rev>) (jwkaltz)
- [1.4] [minor change] reduced dependency on parent document [Diff](http://svn.apache.org/viewcvs.cgi?rev=170611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170611&view=rev>) (jwkaltz)
- [1.4] made SiteManager mandatory in DocumentManager interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=170603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170603&view=rev>) (andreas)
- [1.4] added SimpleSiteManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=170597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170597&view=rev>) (andreas)
- [1.4] [minor change] fixed parameter name typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=170595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170595&view=rev>) (andreas)
- [1.4] [minor change] added Id and introductory explanation of file's purpose [Diff](http://svn.apache.org/viewcvs.cgi?rev=170555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170555&view=rev>) (jwkaltz)
- [1.4] [minor change] added gregor's explanation on blog entry structuring to comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=170549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170549&view=rev>) (jwkaltz)
- [1.4] [minor change] added pub sources to javadocs target [Diff](http://svn.apache.org/viewcvs.cgi?rev=170548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170548&view=rev>) (jwkaltz)
- [1.4] [minor change] removed unused imports and variables, fixed some javadoc comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=170533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170533&view=rev>) (andreas)
- [1.4] some minor changes to the Javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=170384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170384&view=rev>) (tschlabach)
- [1.4] Improved some JavaDoc comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=170379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170379&view=rev>) (tschlabach)
- [1.4] Made sure that linefeeds in batch files are windows-style. Thanks to Paul Ercolino for the hint. [Diff](http://svn.apache.org/viewcvs.cgi?rev=170250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170250&view=rev>) (gregor)
- [1.4] factorized document creation into DocumentManager; removed usage of File in creation process [Diff](http://svn.apache.org/viewcvs.cgi?rev=170220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170220&view=rev>) (jwkaltz)
- [1.4] [minor change] rename Uri to URI. provide accessor [Diff](http://svn.apache.org/viewcvs.cgi?rev=170155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170155&view=rev>) (jwkaltz)
- [1.4] provide file-free equivalent to getContentDirectory [Diff](http://svn.apache.org/viewcvs.cgi?rev=170154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170154&view=rev>) (jwkaltz)
- [1.4] [minor change] add individual setter methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=170145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170145&view=rev>) (jwkaltz)
- [1.4] [minor change] remove dependency on new document instance [Diff](http://svn.apache.org/viewcvs.cgi?rev=170142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170142&view=rev>) (jwkaltz)
- [1.4] [minor change] removed unused imports, fixed some javadoc tags [Diff](http://svn.apache.org/viewcvs.cgi?rev=170141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170141&view=rev>) (jwkaltz)

- (<http://svn.apache.org/viewcvs.cgi?rev=170044&view=rev>) (andreas)
- [1.4] remove dependence on new document instance in usecases (first step towards refactoring of document creation code) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170034&view=rev>) (jwkaltz)
- [1.4] use imported messages JX template for IP range usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170032&view=rev>) (andreas)
- [1.4] finished ipRangeProfile usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170031&view=rev>) (andreas)
- [1.4] commented out non-finished usecase declaration from cocoon.xconf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170028&view=rev>) (andreas)
- [1.4] enabled IP range management usecases in cocoon.xconf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170026&view=rev>) (andreas)
- [1.4] calling super constructor in FileIPRange [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170025&view=rev>) (andreas)
- [1.4] continued addIPRange usecase, added mock classes for remaining IP range management usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170024&view=rev>) (andreas)
- [1.4] [minor change] set svn id prop [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170013&view=rev>) (jwkaltz)
- [1.4] [minor change] update year property; formatting [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170012&view=rev>) (jwkaltz)
- [1.4] [minor change] set svn id prop [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170011&view=rev>) (jwkaltz)
- [1.4] changed Document.getResourceType() to return an object instead of a string [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169992&view=rev>) (andreas)
- [1.4] [minor change] removed unused imports, added javadoc tags [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169984&view=rev>) (andreas)
- [1.4] [minor change] removed unused import, added javadoc tag [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169979&view=rev>) (andreas)
- [1.4] [minor change] removed unused imports [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169977&view=rev>) (andreas)
- [1.4] use constants / convenience methods instead of lenya:// for accessing content [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169853&view=rev>) (jwkaltz)
- [1.4] [minor change] set svn prop [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169843&view=rev>) (jwkaltz)
- [1.4] fix deleting asset usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169842&view=rev>) (jwkaltz)
- [1.4] deleting language version: lock objects, delete meta source as well [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169835&view=rev>) (jwkaltz)
- [1.4] use URI instead of file for initial contents of a new document. Language version uses URI of existing document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169824&view=rev>) (jwkaltz)
- [1.4] [minor change] check for null parameter [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169810&view=rev>) (jwkaltz)
- [1.4] [minor change] set Id property [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169809&view=rev>) (jwkaltz)
- [1.4] [minor change] removed unused import [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169804&view=rev>) (andreas)
- [1.4] factorize document creation code into superclass [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169797&view=rev>) (jwkaltz)
- [1.4] [minor change] added minimal dc attributes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169792&view=rev>) (jwkaltz)
- [1.4] sitetree JX: added missing / in tab link URL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169636&view=rev>) (andreas)
- [1.4] refactoring of meta-data creation into MetaDataManager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169476&view=rev>) (jwkaltz)
- [1.4] [minor change] remove duplicate term [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169475&view=rev>) (jwkaltz)
- [1.4] removed obsolete action [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169473&view=rev>) (jwkaltz)
- [1.4] [minor change] call new api to retrieve metadata value [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169460&view=rev>) (jwkaltz)
- [1.4] [minor change] fix javadoc references [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169447&view=rev>) (jwkaltz)
- [1.4] [minor change] fixed javadoc reference [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169445&view=rev>) (jwkaltz)
- [1.4] replace log4j with Avalon logger [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169444&view=rev>) (jwkaltz)
- [1.4] Use labels for accessibility. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34632](http://issues.apache.org/bugzilla/show_bug.cgi?id=34632) [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=169389&view=rev>) (gregor)
- [1.4] read meta-data directly instead of using DocumentTypeResolver [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=169308&view=rev>) (jwkaltz)
- [1.4] [minor change] add getResourceType() convenience method [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=169307&view=rev>) (jwkaltz)
- [1.4] [minor change] set resource type of default publication start page to homepage [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=169304&view=rev>) (jwkaltz)
- [1.4] [minor change] added id prop [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169301&view=rev>) (jwkaltz)
- [1.4] modified metadata handling: all meta is now separate from content, and can be of 3 different types (dc, lenya, custom) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169299&view=rev>) (jwkaltz)
- [1.4] [minor change] added logger to constructor call [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169254&view=rev>) (jwkaltz)
- [1.4] Start to use labels for accessibility [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169218&view=rev>) (gregor)
- [1.4] Made sure that URI strings are properly encoded when calling the URI default constructor. This resolves the long-standing issue [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27558](http://issues.apache.org/bugzilla/show_bug.cgi?id=27558) where Lenya could not be installed in a directory with spaces in the path. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169195&view=rev>) (gregor)
- [1.4] Made access control classes serializable based on a patch by Mirek Hankus. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34127](http://issues.apache.org/bugzilla/show_bug.cgi?id=34127) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169165&view=rev>) (gregor)
- [1.4] Added anonymous authenticator (useful for client certs) based on work by Mike Moretti. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34253](http://issues.apache.org/bugzilla/show_bug.cgi?id=34253) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169162&view=rev>) (gregor)
- [1.4] Updated russian translation by ##### #####. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34798](http://issues.apache.org/bugzilla/show_bug.cgi?id=34798) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=169144&view=rev>) (gregor)
- [1.4] Simplified Exception handling [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=168999&view=rev>) (gregor)
- [1.4] Removed unnecessary comparison to null [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=168997&view=rev>) (gregor)
- [1.4] Use Ant task to fix CRLF for the shell scripts and make them executable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=168203&view=rev>) (gregor)
- [1.4] handle document metadata the same as resource metadata, that is under separate URI, separated from contents [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=168097&view=rev>) (jwkaltz)
- [1.4] copied changes from branch 1\_2 to trunk; fixes bug 34190 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=167889&view=rev>) (jwkaltz)
- [1.4] always throw exception in error case [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=167886&view=rev>) (jwkaltz)
- [1.4] [minor change] added some logging and comments [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165625&view=rev>) (jwkaltz)
- [1.4] Explicitly exclude build directories from dist-src target [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165546&view=rev>) (gregor)
- [1.4] Added Gregor's PGP key [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165544&view=rev>) (gregor)

## 15.4. Docs

- [Docs] Added improved screenshots to the site. Thanks to Hubertus Groepper. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34597](http://issues.apache.org/bugzilla/show_bug.cgi?id=34597) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=178745&view=rev>) (gregor)
- [Docs] Added the sections "Publication" and "Authoring and Live mode" to the "Concepts" section of 1.4 docs. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170391&view=rev>) (tschlabach)
- [Docs] Added Paul Ercolino's external data how-to. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170278&view=rev>) (gregor)
- [Docs] Added Paul Ercolino's search how-to. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170273&view=rev>) (gregor)
- [Docs] Added FAQ to the site [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=170239&view=rev>) (gregor)

- [Docs] Added reserved names documentation to the site [Diff](http://svn.apache.org/viewcvs.cgi?rev=170235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170235&view=rev>) (gregor)
- [Docs] Added CMS screens documentation to the site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=170225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170225&view=rev>) (gregor)
- [Docs] Added CMS menus documentation to the site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=170224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170224&view=rev>) (gregor)
- [Docs] Added translation howto to the site [Diff](http://svn.apache.org/viewcvs.cgi?rev=170222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170222&view=rev>) (gregor)
- [Docs] Moved lots of tutorials from the wiki to the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=170196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170196&view=rev>) (gregor)
- [Docs] Added custom resource type how-to [Diff](http://svn.apache.org/viewcvs.cgi?rev=170166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170166&view=rev>) (gregor)
- [Docs] Added How-Tos from the wiki to the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=169567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169567&view=rev>) (gregor)
- [Docs] Added How-Tos from the wiki to the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=169566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169566&view=rev>) (gregor)
- [Docs] added information about exit usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=178776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178776&view=rev>) (andreas)
- [Docs] Clarified the Tomcat versions Lenya runs on in the install instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=178313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178313&view=rev>) (gregor)
- [Docs] improved explanation of LDAP integration [Diff](http://svn.apache.org/viewcvs.cgi?rev=177966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=177966&view=rev>) (jwkaltz)
- [Docs] Fixed typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=170294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170294&view=rev>) (gregor)
- [Docs] Made new documentation valid forrest documents. [Diff](http://svn.apache.org/viewcvs.cgi?rev=170282&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170282&view=rev>) (gregor)
- [Docs] Moved information about the Lenya Source Resolver to the site [Diff](http://svn.apache.org/viewcvs.cgi?rev=170234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170234&view=rev>) (gregor)
- [Docs] Updated usecases documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=170233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170233&view=rev>) (gregor)
- [Docs] Updated unit test documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=170228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170228&view=rev>) (gregor)
- [Docs] Moved workflow documentation to the site [Diff](http://svn.apache.org/viewcvs.cgi?rev=170223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170223&view=rev>) (gregor)
- [Docs] Added National Journal to live sites. [Diff](http://svn.apache.org/viewcvs.cgi?rev=169394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169394&view=rev>) (gregor)
- [Docs] Removed obsolete warnings about installation directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=169205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169205&view=rev>) (gregor)
- [Docs] Added anonymous authenticator (useful for client certs) based on work by Mike Moretti. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34253](http://issues.apache.org/bugzilla/show_bug.cgi?id=34253) [Diff](http://svn.apache.org/viewcvs.cgi?rev=169161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169161&view=rev>) (gregor)
- [Docs] Patrick Street Clinic and Helium 5 added to live sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=167913&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=167913&view=rev>) (gregor)
- [Docs] updated front page and changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=165560&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=165560&view=rev>) (gregor)

## 15.5. Sandbox

- [Sandbox] Added cforms cleanup patch by Maxim Wasiliev. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34562](http://issues.apache.org/bugzilla/show_bug.cgi?id=34562) [Diff](http://svn.apache.org/viewcvs.cgi?rev=178723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=178723&view=rev>) (gregor)

## 15.6. Site

- [Site] Updated site with latest how-to's. [Diff](http://svn.apache.org/viewcvs.cgi?rev=170289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170289&view=rev>) (gregor)
- [Site] Fixed typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=170295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=170295&view=rev>) (gregor)
- [Site] Added National Journal to live sites. [Diff](http://svn.apache.org/viewcvs.cgi?rev=169393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169393&view=rev>) (gregor)
- [Site] Added anonymous authenticator (useful for client certs) based on work by Mike Moretti. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34253](http://issues.apache.org/bugzilla/show_bug.cgi?id=34253) [Diff](http://svn.apache.org/viewcvs.cgi?rev=169163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=169163&view=rev>) (gregor)

- [Site] Patrick Street Clinic and Helium 5 added to live sites [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=167855&view=rev>) (gregor)
- [Site] updated index and changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165564&view=rev>) (gregor)

## 16. Version 2005-04 ()

### 16.1. 1.2

- [1.2] Upgrade ant to 1.6.3 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165401&view=rev>) (antonio)
- [1.2] Add ant-contrib license [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165400&view=rev>) (antonio)
- [1.2] delete resource by ssh called from shell script because sshexec does not work in any case [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165121&view=rev>) (michi)
- [1.2] sample files for crawling added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164999&view=rev>) (michi)
- [1.2] last modified for sitetree implementation added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160862&view=rev>) (michi)
- [1.2] replication to multiple servers by ssh resp. scp added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160232&view=rev>) (michi)
- [1.2] thanks to Felix Roethenbacher sitetree generator added in order to have sitetree abstraction within the sitemap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160017&view=rev>) (michi)
- [1.2] Update jetty to 4.2.23 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165397&view=rev>) (antonio)
- [1.2] sitetree is not needed by blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161265&view=rev>) (michi)
- [1.2] Fix pipelines [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165399&view=rev>) (antonio)
- [1.2] delete resource by shell script instead sshexec [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165122&view=rev>) (michi)
- [1.2]htdocs dump path improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165004&view=rev>) (michi)
- [1.2] call of the shellscript removed for crawling [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164997&view=rev>) (michi)
- [1.2] logging fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164996&view=rev>) (michi)
- [1.2] resolving of paths fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164995&view=rev>) (michi)
- [1.2] show configuration of crawler fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164991&view=rev>) (michi)
- [1.2] libraries updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164986&view=rev>) (michi)
- [1.2] Updated version to 1.2.3 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164486&view=rev>) (gregor)
- [1.2] Updated install instructions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164484&view=rev>) (gregor)
- [1.2] [minor change] applied Jann's suggestions (id=34567) to show ldap id of user; will take a look at trunk as well [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164209&view=rev>) (jwkaltz)
- [1.2] source editor link fixed and Xopus edit link added whereas not activated yet because the schema and XSLT is currently missing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=162071&view=rev>) (michi)
- [1.2] language parameter added and german text added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=162069&view=rev>) (michi)
- [1.2] language added such that it can be processed within the global XSLT [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=162057&view=rev>) (michi)
- [1.2] Fix bug#34190: introduction of blank lines, while saving the metadata [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=162024&view=rev>) (edith)
- [1.2] Replace the Writer, so we can set the encoding to utf-8. Else the default encoding of the platform is taken [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161913&view=rev>) (edith)
- [1.2] Thanks to Simon Litwan:renamed homonymous formfield, add a bit javascript and a hint [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161897&view=rev>) (edith)
- [1.2] Thanks to Simon Litwan: this patch prevents caching the oneFormEditor in the browser. Bug #34414 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161896&view=rev>) (edith)
- [1.2] Thanks to Simon Litwan:renamed homonymous formfield, add a bit javascript and a hintsrc/webapp/lenya/xslt/notification/message2xslt.xsl [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161891&view=rev>) (edith)

- [1.2] Thanks to Simon Litwan: changes in UploadAction.java, uscase-bxeng.xmap and asset-upload.xls for error notification after fileupload [Diff](http://svn.apache.org/viewcvs.cgi?rev=161890&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161890&view=rev>) (edith)
- [1.2] Thanks to Simon Litwan. Another minor change in the design. Hide formularfields of the existing asset section if the asset library is empty [Diff](http://svn.apache.org/viewcvs.cgi?rev=161888&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161888&view=rev>) (edith)
- [1.2] thanks to Olivier Lustenberger the Javascript error within Firefox should be gone [Diff](http://svn.apache.org/viewcvs.cgi?rev=161432&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161432&view=rev>) (michi)
- [1.2] note about mod\_jk added [Diff](http://svn.apache.org/viewcvs.cgi?rev=161270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161270&view=rev>) (michi)
- [1.2] thanks to Josias Thoeny the link attribute is also updated within the live are when published [Diff](http://svn.apache.org/viewcvs.cgi?rev=161169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161169&view=rev>) (michi)
- [1.2] [minor change] removed TODO hint, added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=161165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161165&view=rev>) (andreas)
- [1.2] The comments shoul be copied too [Diff](http://svn.apache.org/viewcvs.cgi?rev=161164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161164&view=rev>) (edith)
- [1.2] SiteTreeGenerator: use XML namespace for xml:lang attribute, this fixes the display of non-default languages. Thanks to Josias Thoeny. [Diff](http://svn.apache.org/viewcvs.cgi?rev=161163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161163&view=rev>) (andreas)
- [1.2] image and asset upload unified thanks to Simon Litwan [Diff](http://svn.apache.org/viewcvs.cgi?rev=160877&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160877&view=rev>) (michi)
- [1.2] thanks to Felix and Josias last modified has been implemeneted [Diff](http://svn.apache.org/viewcvs.cgi?rev=160864&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160864&view=rev>) (michi)
- [1.2] applied patch for bug #34348, thanks to Felix Roethenbacher [Diff](http://svn.apache.org/viewcvs.cgi?rev=160543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160543&view=rev>) (andreas)
- [1.2] Removed traces of iso-8859-1 serializers [Diff](http://svn.apache.org/viewcvs.cgi?rev=160354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160354&view=rev>) (gregor)
- [1.2] Honour the form-encoding default in Cocoon 2.1.7 (the previous approach kept led to 2 entries for form-encoding..) [Diff](http://svn.apache.org/viewcvs.cgi?rev=160353&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160353&view=rev>) (gregor)
- [1.2] Do not return an array of AbstractRole to enable implementations not derived from AbstractRole. This resolves http://issues.apache.org/bugzilla/show\_bug.cgi?id=34290 Thanks to Joachim Breitsprecher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=160351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160351&view=rev>) (gregor)
- [1.2] Point to BXE 1.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=160342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160342&view=rev>) (gregor)
- [1.2] thanks to Simon Litwan the title of an asset is being transformed into well-formed XML if inserted through BXE [Diff](http://svn.apache.org/viewcvs.cgi?rev=160270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160270&view=rev>) (michi)
- [1.2] thanks to Simon Litwan the title of an image is being transformed into well-formed XML if inserted through BXE [Diff](http://svn.apache.org/viewcvs.cgi?rev=160269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160269&view=rev>) (michi)
- [1.2] thanks to Simon Litwan URLs are being transformed into well-formed XML [Diff](http://svn.apache.org/viewcvs.cgi?rev=160267&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160267&view=rev>) (michi)
- [1.2] ignore local build properties file [Diff](http://svn.apache.org/viewcvs.cgi?rev=160234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160234&view=rev>) (michi)
- [1.2] create pending and delete dir if necessary [Diff](http://svn.apache.org/viewcvs.cgi?rev=160233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160233&view=rev>) (michi)
- [1.2] Copy the different attrs of the site tree nodes. Bugs #34298. Thanks to Felix Roethenbacher (Patch [Diff](http://issues.apache.org/bugzilla/attachment.cgi?id=14618&action=view) (<http://issues.apache.org/bugzilla/attachment.cgi?id=14618&action=view>) [Diff](http://svn.apache.org/viewcvs.cgi?rev=160162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160162&view=rev>) (edith))
- [1.2] deprecated getSiteTree replaced by getTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160156&view=rev>) (michi)
- [1.2] deprecated getSiteTree replaced by getTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160155&view=rev>) (michi)
- [1.2] deprecated getSiteTree replaced by getTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160154&view=rev>) (michi)
- [1.2] deprecated getSiteTree replaced by getTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160152&view=rev>) (michi)
- [1.2] deprecated getSiteTree replaced by getTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160151&view=rev>) (michi)
- [1.2] getSiteTree replaced by getTree because getSiteTree is deprecated [Diff](http://svn.apache.org/viewcvs.cgi?rev=160149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160149&view=rev>) (michi)
- [1.2] getSiteTree deprecated and getTree introduced such it stays backwards compatible [Diff](http://svn.apache.org/viewcvs.cgi?rev=160148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160148&view=rev>) (michi)
- [1.2] Javadoc added about the link argument [Diff](http://svn.apache.org/viewcvs.cgi?rev=160140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160140&view=rev>) (michi)
- [1.2] log messages cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=160024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160024&view=rev>) (michi)
- [1.2] commented unnecessary resource [Diff](http://svn.apache.org/viewcvs.cgi?rev=160022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160022&view=rev>) (michi)
- [1.2] hack to workaround failure of build process if build dir does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=160021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160021&view=rev>) (michi)

- (<http://svn.apache.org/viewcvs.cgi?rev=160021&view=rev>) (michi)
- [1.2] sitetree generated by sitetree generator [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160020&view=rev>) (michi)
- [1.2] sitetree generator used instead reading from filesystem directly [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160019&view=rev>) (michi)
- [1.2] sitetree generator declared [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160018&view=rev>) (michi)

## 16.2. 1.4

- [1.4] Add ant-contrib license [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165402&view=rev>) (antonio)
- [1.4] Update jetty to 4.2.23 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165398&view=rev>) (antonio)
- [1.4] implementation of DocumentTypeBuilder as an Avalon Service [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164549&view=rev>) (jwkaltz)
- [1.4] using usecase framework for BXE image upload [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161854&view=rev>) (andreas)
- [1.4] added InsertAsset usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161753&view=rev>) (andreas)
- [1.4] added UsecaseInvoker [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161752&view=rev>) (andreas)
- [1.4] generalized DublinCore to MetaDataManager, using lenya:// sources for asset management [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161285&view=rev>) (andreas)
- [1.4] ported oneformeditor to usecase framework, removed obsolete HtmlFormSaveAction [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161126&view=rev>) (andreas)
- [1.4] usecase framework for blog form editor [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161123&view=rev>) (andreas)
- [1.4] moved forms JX template to forms folder, improved error message display [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161049&view=rev>) (andreas)
- [1.4] Moved XSPPRecompileWrapper to test sources [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160970&view=rev>) (gregor)
- [1.4] migrated forms editor to usecase framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160958&view=rev>) (andreas)
- [1.4] added server status usecase JX template [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160687&view=rev>) (andreas)
- [1.4] added SiteUtil class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160686&view=rev>) (andreas)
- [1.4] display cocoon & server status properly [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160670&view=rev>) (andreas)
- [1.4] introduced Instantiator interface to create instances of publication templates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160590&view=rev>) (andreas)
- [1.4] Introduced lightweight repository layer using RepositorySource which is resolved by the lenya:// protocol. This allows transparent transaction handling in the source layer. The implementation is currently done using context:// sources, this can be changed to JCR later on. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160397&view=rev>) (andreas)
- [1.4] Strip down admin sitemap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160361&view=rev>) (gregor)
- [1.4] added version number to revision control, implemented locking for Transactionables [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159685&view=rev>) (andreas)
- [1.4] Update ant to 1.6.3 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=165404&view=rev>) (antonio)
- [1.4] removed obsolete 1formedit directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161130&view=rev>) (andreas)
- [1.4] removed obsolete forms/oneform editor files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161128&view=rev>) (andreas)
- [1.4] Removed proxy generator and scheduler sitemap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160369&view=rev>) (gregor)
- [1.4] Removed global ant tasks [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160368&view=rev>) (gregor)
- [1.4] Remove auxiliary files for old-style usecases. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160367&view=rev>) (gregor)
- [1.4] Remove auxiliary files for old-style usecases. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160366&view=rev>) (gregor)
- [1.4] Removed redirect XSP [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160362&view=rev>) (gregor)
- [1.4] Removed admin XSP/XSL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160360&view=rev>) (gregor)

- [1.4] added messages with parameters where appropriate [Diff](http://svn.apache.org/viewcvs.cgi?rev=165303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=165303&view=rev>) (jwkaltz)
- [1.4] [minor change] set svn properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=165300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=165300&view=rev>) (jwkaltz)
- [1.4] added possibility for parameters in usecase messages, to be used in i18n [Diff](http://svn.apache.org/viewcvs.cgi?rev=165299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=165299&view=rev>) (jwkaltz)
- [1.4] [minor change] added missing svn property [Diff](http://svn.apache.org/viewcvs.cgi?rev=164993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164993&view=rev>) (jwkaltz)
- [1.4] [minor change] fixed to use text in dictionary [Diff](http://svn.apache.org/viewcvs.cgi?rev=164992&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164992&view=rev>) (jwkaltz)
- [1.4] [minor change] use template for error messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=164788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164788&view=rev>) (jwkaltz)
- [1.4] [minor change] use template for error messages. Formatting: removed ctrl-Ms [Diff](http://svn.apache.org/viewcvs.cgi?rev=164786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164786&view=rev>) (jwkaltz)
- [1.4] [minor change] use template for error messages, where possible. Formatting: removed ctrl-Ms [Diff](http://svn.apache.org/viewcvs.cgi?rev=164785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164785&view=rev>) (jwkaltz)
- [1.4] [minor change] removed duplicate access to error messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=164784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164784&view=rev>) (jwkaltz)
- [1.4] [minor change] use template for error messages. Formatting: removed ctrl-Ms [Diff](http://svn.apache.org/viewcvs.cgi?rev=164781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164781&view=rev>) (jwkaltz)
- [1.4] [minor change] use template for error messages. [Diff](http://svn.apache.org/viewcvs.cgi?rev=164779&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164779&view=rev>) (jwkaltz)
- [1.4] [minor change] use template for error messages. Formatting: removed ctrl-Ms [Diff](http://svn.apache.org/viewcvs.cgi?rev=164777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164777&view=rev>) (jwkaltz)
- [1.4] added a link to the RelaxNG schema to the Avalon service configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=164636&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164636&view=rev>) (tschlabach)
- [1.4] added a comment and a link to the schema for the links resource type [Diff](http://svn.apache.org/viewcvs.cgi?rev=164635&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164635&view=rev>) (tschlabach)
- [1.4] [minor change] corrected parameter description [Diff](http://svn.apache.org/viewcvs.cgi?rev=164236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164236&view=rev>) (jwkaltz)
- [1.4] [minor change] added copyright notices [Diff](http://svn.apache.org/viewcvs.cgi?rev=164234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164234&view=rev>) (jwkaltz)
- [1.4] [minor change] added copyright notices [Diff](http://svn.apache.org/viewcvs.cgi?rev=164233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164233&view=rev>) (jwkaltz)
- [1.4] [minor change] added display of LDAP user id when present; fixes bug 34567 [Diff](http://svn.apache.org/viewcvs.cgi?rev=164231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164231&view=rev>) (jwkaltz)
- [1.4] [minor change] fixed logging usage and missing result retrieval; removed tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=164230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164230&view=rev>) (jwkaltz)
- [1.4] Made DocumentTypeBuilder a service. [Diff](http://svn.apache.org/viewcvs.cgi?rev=164044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164044&view=rev>) (jwkaltz)
- [1.4] language added in order to show how the language can also be used within the global layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=162081&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=162081&view=rev>) (michi)
- [1.4] [minor change] removed unused method [Diff](http://svn.apache.org/viewcvs.cgi?rev=161754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161754&view=rev>) (andreas)
- [1.4] [minor change] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=161746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161746&view=rev>) (andreas)
- [1.4] unit of work: synchronize commit() and rollback() because changes to sources are made [Diff](http://svn.apache.org/viewcvs.cgi?rev=161745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161745&view=rev>) (andreas)
- [1.4] added mime-type, lastmodified, contentlength to repo sources and assets [Diff](http://svn.apache.org/viewcvs.cgi?rev=161744&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161744&view=rev>) (andreas)
- [1.4] DefaultSiteTree: don't use source's DOM document [Diff](http://svn.apache.org/viewcvs.cgi?rev=161743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161743&view=rev>) (andreas)
- [1.4] removed 'usebuffer=false' (accidental check-in) [Diff](http://svn.apache.org/viewcvs.cgi?rev=161742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161742&view=rev>) (andreas)
- [1.4] [minor change] changed index from i to j in inner loop - I assume this was a typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=161302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161302&view=rev>) (jwkaltz)
- [1.4] using Resource objects in asset mgmt screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=161288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161288&view=rev>)

- (andreas)
- [1.4] generalized DublinCore to MetaDataManager, using lenya:// sources for asset management [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161284&view=rev>) (andreas)
- [1.4] added support for non-XML repository sources [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161283&view=rev>) (andreas)
- [1.4] [minor change] enabled using logger in DefaultDocument [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161178&view=rev>) (jwkaltz)
- [1.4] [minor change] removed no longer existing actions, HTMLFormSaveAction and OneFormEditorSaveAction, so they are not added to sitemap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161176&view=rev>) (jwkaltz)
- [1.4] use request attribute instead of session attribute to store UnitOfWork [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161167&view=rev>) (andreas)
- [1.4] [minor change] use already available publication instead of lookup [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161162&view=rev>) (jwkaltz)
- [1.4] usecases.js: allow usecase to rollback the transition if an exception was thrown in the flowscript [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161122&view=rev>) (andreas)
- [1.4] check for site manager hint != null in DefaultDocument.exists() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161115&view=rev>) (andreas)
- [1.4] AbstractUsecase: moved commit/rollback to finally clause [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161113&view=rev>) (andreas)
- [1.4] [minor change] set svn:keywords for Id on future commits [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161071&view=rev>) (jwkaltz)
- [1.4] [minor change] added some debug log messages and documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161069&view=rev>) (jwkaltz)
- [1.4] allow to cancel usecases incl. rollback of the transition, which means that objects are checked in when a usecase uses pessimistic offline lock [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161064&view=rev>) (andreas)
- [1.4] [minor change] removed reference to UnitOfWork.ROLE [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161063&view=rev>) (andreas)
- [1.4] [minor change] removed reference to non-existent default.css [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161058&view=rev>) (andreas)
- [1.4] [minor change] UnitOfWork is no longer a service -> do not release it through service manager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161057&view=rev>) (jwkaltz)
- [1.4] [minor change] added debug message at entry of usecase flow, to facilitate tracing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161052&view=rev>) (jwkaltz)
- [1.4] unit of work: check in all involved resources, not only the changed ones [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161050&view=rev>) (andreas)
- [1.4] using revision controller to determine if source node is checked out [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161048&view=rev>) (andreas)
- [1.4] added functionality to support pessimistic offline lock, fixed RCML path resolving for SourceNodes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=161036&view=rev>) (andreas)
- [1.4] Changed shorthand for ResourceNotFound exception to not-found to make error pipelines work again. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160976&view=rev>) (gregor)
- [1.4] Moved XSPPrecompileWrapper to test sources [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160971&view=rev>) (gregor)
- [1.4] usecases throw exception in advance() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160957&view=rev>) (andreas)
- [1.4] add exception to Usecase.advance() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160849&view=rev>) (andreas)
- [1.4] replace admin.xmap by usecases/admin/usecase.xmap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160845&view=rev>) (andreas)
- [1.4] Using usecase handler for BXE usecase. This allows transaction handling. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160689&view=rev>) (andreas)
- [1.4] added parameterization for usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=160688&view=rev>) (andreas)
- [1.4] refactored site management, fixed delete usecase problems [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=160685&view=rev>) (andreas)
- [1.4] Use byte array instead of separate thread to convert DOM to input stream. This avoids the 'pipe closed' exception. [Diff](http://svn.apache.org/viewcvs.cgi?rev=160684&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160684&view=rev>) (andreas)
- [1.4] disable 'empty trash' when trash is empty [Diff](http://svn.apache.org/viewcvs.cgi?rev=160673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160673&view=rev>) (andreas)
- [1.4] display site area tab properly [Diff](http://svn.apache.org/viewcvs.cgi?rev=160672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160672&view=rev>) (andreas)
- [1.4] use full page width for admin usecase tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=160671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160671&view=rev>) (andreas)
- [1.4] [minor change] added tab JX import to addGroup JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=160669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160669&view=rev>) (andreas)
- [1.4] locking added to ChangeLabel usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=160634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160634&view=rev>) (andreas)
- [1.4] proper locking when a document is moved or links are rewritten [Diff](http://svn.apache.org/viewcvs.cgi?rev=160633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160633&view=rev>) (andreas)
- [1.4] Using lenya:// protocol in parameter-doctype.xmap. This way, the resource type is correctly resolved in transactions, even if the real source of a document is not yet created. [Diff](http://svn.apache.org/viewcvs.cgi?rev=160632&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160632&view=rev>) (andreas)
- [1.4] {page-envelope:area} returns complete area instead of document area [Diff](http://svn.apache.org/viewcvs.cgi?rev=160624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160624&view=rev>) (andreas)
- [1.4] Introduced interfaces Versionable, Lockable, and Identifiable. This makes it easier to add the appropriate functionality to a class. Furthermore, a bug re. recursive deactivation was fixed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=160622&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160622&view=rev>) (andreas)
- [1.4] Publish recursively: Don't publish a document if it's parent is not published [Diff](http://svn.apache.org/viewcvs.cgi?rev=160603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160603&view=rev>) (andreas)
- [1.4] added locking to InvokeWorkflow usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=160601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160601&view=rev>) (andreas)
- [1.4] added locking to create uscases [Diff](http://svn.apache.org/viewcvs.cgi?rev=160599&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160599&view=rev>) (andreas)
- [1.4] [minor change] replaced System.out by getLogger().debug [Diff](http://svn.apache.org/viewcvs.cgi?rev=160596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160596&view=rev>) (andreas)
- [1.4] [minor change] set Id for svn back as it was - sorry about that [Diff](http://svn.apache.org/viewcvs.cgi?rev=160551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160551&view=rev>) (jwkaltz)
- [1.4] [minor change] set cocoon-version to 2.1.7 [Diff](http://svn.apache.org/viewcvs.cgi?rev=160550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160550&view=rev>) (jwkaltz)
- [1.4] [minor change] corrected XML syntax [Diff](http://svn.apache.org/viewcvs.cgi?rev=160548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160548&view=rev>) (jwkaltz)
- [1.4] Temporary fix for bug 34175 [Diff](http://svn.apache.org/viewcvs.cgi?rev=160504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160504&view=rev>) (gregor)
- [1.4] Introduced lightweight repository layer using RepositorySource which is resolved by the lenya:// protocol. This allows transparent transaction handling in the source layer. The implementation is currently done using context:// sources, this can be changed to JCR later on. [Diff](http://svn.apache.org/viewcvs.cgi?rev=160396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160396&view=rev>) (andreas)
- [1.4] Reverted move of menus to core (the menu is specific to the default publication) [Diff](http://svn.apache.org/viewcvs.cgi?rev=160363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160363&view=rev>) (gregor)
- [1.4] Removed scheduler logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=160359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160359&view=rev>) (gregor)
- [1.4] Do not return an array of AbstractRole to enable implementations not derived from AbstractRole. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34290](http://issues.apache.org/bugzilla/show_bug.cgi?id=34290) Thanks to Joachim Breitsprecher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=160350&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160350&view=rev>) (gregor)
- [1.4] use document area for meta data instead of usecase area [Diff](http://svn.apache.org/viewcvs.cgi?rev=160310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160310&view=rev>) (andreas)
- [1.4] removed unit of work from cocoon.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=160278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160278&view=rev>) (andreas)
- [1.4] create build dir by default such that build process does not fail unnecessarily [Diff](http://svn.apache.org/viewcvs.cgi?rev=160271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160271&view=rev>) (michi)
- [1.4] in finally block, check if services are not null [Diff](http://svn.apache.org/viewcvs.cgi?rev=160153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160153&view=rev>) (andreas)
- [1.4] Javadoc added about the link parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=160142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160142&view=rev>) (michi)
- [1.4] enabled transactions for workflow history [Diff](http://svn.apache.org/viewcvs.cgi?rev=159704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159704&view=rev>) (andreas)
- [1.4] resolve latest RC versions correctly [Diff](http://svn.apache.org/viewcvs.cgi?rev=159699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159699&view=rev>) (andreas)
- [1.4] avoid NPE when calling TreeSiteManager methods for non-existing tree nodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=159698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159698&view=rev>) (andreas)

## 16.3. Docs

- [Docs] Added articles by Jon Linczak [Diff](http://svn.apache.org/viewcvs.cgi?rev=164478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164478&view=rev>) (gregor)
- [Docs] Added a document about WYSIWYG in general. (To be extended and related to Lenya concepts in particular.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=161111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161111&view=rev>) (tschlabach)
- [Docs] Renamed the "Concepts" section to "Technical Reference" [Diff](http://svn.apache.org/viewcvs.cgi?rev=161094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161094&view=rev>) (tschlabach)
- [Docs] Improved title [Diff](http://svn.apache.org/viewcvs.cgi?rev=164730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164730&view=rev>) (gregor)
- [Docs] Removed duplicate description [Diff](http://svn.apache.org/viewcvs.cgi?rev=164495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164495&view=rev>) (gregor)
- [Docs] Rewrote front page of the site and improved the layout. Converted all documents to the document-2.0 DTD. [Diff](http://svn.apache.org/viewcvs.cgi?rev=164450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164450&view=rev>) (gregor)
- [Docs] added more docs on usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=161177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161177&view=rev>) (andreas)
- [Docs] added docu: section 'view' for the usecase framework, section 'instantiator' for publication templating [Diff](http://svn.apache.org/viewcvs.cgi?rev=160594&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160594&view=rev>) (andreas)
- [Docs] Updated install instructions for Cocoon 2.1.7 and JDK 1.5 [Diff](http://svn.apache.org/viewcvs.cgi?rev=160503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160503&view=rev>) (gregor)
- [Docs] More live sites added [Diff](http://svn.apache.org/viewcvs.cgi?rev=160370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160370&view=rev>) (gregor)

## 16.4. Sandbox

- [Sandbox] jaas based implementation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=160198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160198&view=rev>) (michi)
- [Sandbox] patched Xalan added [Diff](http://svn.apache.org/viewcvs.cgi?rev=160194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160194&view=rev>) (michi)
- [Sandbox] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=161274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161274&view=rev>) (michi)
- [Sandbox] replaced by most recent version [Diff](http://svn.apache.org/viewcvs.cgi?rev=160199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160199&view=rev>) (michi)
- [Sandbox] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=160041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160041&view=rev>) (michi)
- [Sandbox] moved into Lenya 1.2 itself [Diff](http://svn.apache.org/viewcvs.cgi?rev=160025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160025&view=rev>) (michi)
- [Sandbox] thanks to Felix the classpath is set correctly such that flowscript works properly [Diff](http://svn.apache.org/viewcvs.cgi?rev=161348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161348&view=rev>) (michi)
- [Sandbox] webapp.dir introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=161269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161269&view=rev>) (michi)
- [Sandbox] thanks to Felix Roethenbacher it's now independent of the default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=161268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161268&view=rev>) (michi)
- [Sandbox] thanks to Felix archive, etc. has been implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=160961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160961&view=rev>) (michi)
- [Sandbox] note about view-workspace added [Diff](http://svn.apache.org/viewcvs.cgi?rev=160852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160852&view=rev>) (michi)
- [Sandbox] patch of Felix Roethenbacher added [Diff](http://svn.apache.org/viewcvs.cgi?rev=160851&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160851&view=rev>) (michi)
- [Sandbox] upgraded to jaas based version [Diff](http://svn.apache.org/viewcvs.cgi?rev=160196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160196&view=rev>) (michi)
- [Sandbox] deprecated getSiteTree replaced by getTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160157&view=rev>) (michi)
- [Sandbox] thanks to Felix the import works now [Diff](http://svn.apache.org/viewcvs.cgi?rev=160042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160042&view=rev>) (michi)
- [Sandbox] improved version of JCRSiteTree [Diff](http://svn.apache.org/viewcvs.cgi?rev=160032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160032&view=rev>) (michi)

## 16.5. Site

- [Site] Added articles by Jon Linczak [Diff](http://svn.apache.org/viewcvs.cgi?rev=164477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164477&view=rev>) (gregor)
- [Site] Rewrote front page of the site and improved the layout. Converted all documents to the document-2.0 DTD. [Diff](http://svn.apache.org/viewcvs.cgi?rev=164448&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164448&view=rev>) (gregor)
- [Site] [Diff](http://svn.apache.org/viewcvs.cgi?rev=164445&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164445&view=rev>) (gregor)
- [Site] Added some more remarks to the introduction section of the document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=161188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=161188&view=rev>) (tschlabach)
- [Site] prepare new site [Diff](http://svn.apache.org/viewcvs.cgi?rev=164444&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=164444&view=rev>) (gregor)
- [Site] Added a document about WYSIWYG in general. (To be extended and related to Lenya concepts.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=160370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=160370&view=rev>) (gregor)

- (<http://svn.apache.org/viewcvs.cgi?rev=161114&view=rev>) (tschlabach)
- [Site] Improved title [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164731&view=rev>) (gregor)
- [Site] Removed duplicate description [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=164532&view=rev>) (gregor)

## 17. Version 2005-03 ()

### 17.1. 1.2

- [1.2] license of Guido for Tree Javascript added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158905&view=rev>) (michi)
- [1.2] images of new tree javascript implementation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158904&view=rev>) (michi)
- [1.2] howto added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157732&view=rev>) (michi)
- [1.2] clone build added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157731&view=rev>) (michi)
- [1.2] Removed unnecessary DOMStreamer patch (Cocoon 2.1.7 has been released) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159403&view=rev>) (gregor)
- [1.2] Removed unnecessary DOMStreamer patch (Cocoon 2.1.7 has been released) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159402&view=rev>) (gregor)
- [1.2] obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158909&view=rev>) (michi)
- [1.2] Thanks to Josias Thoeny these images have become obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158908&view=rev>) (michi)
- [1.2] removed, as is provided by Cocoon in a more recent version [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156526&view=rev>) (jwkaltz)
- [1.2] Changed Cocoon version to 2.1.7 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159405&view=rev>) (gregor)
- [1.2] Changed Cocoon version to 2.1.7 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159404&view=rev>) (gregor)
- [1.2] Made FileUser serializable. Patch by Miroslaw Hankus [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159123&view=rev>) (gregor)
- [1.2] thanks to Josias Thoeny the javascript of the client-side tree has no more trouble with the license anymore [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158923&view=rev>) (michi)
- [1.2] thanks to Josias Thoeny we now have a better javascript tree implementation which has no problem with the license [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158907&view=rev>) (michi)
- [1.2] Tomcat 4 readded because people might still use Tomcat 4 in productive environments [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158897&view=rev>) (michi)
- [1.2] caching of default publication back ported, in the deactivation too [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158618&view=rev>) (edith)
- [1.2] caching of default publication back ported, in the deactivation too [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158615&view=rev>) (edith)
- [1.2] Improved windows installer to make Lenya version more explicit and launch Lenya start page at the end of the install. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158360&view=rev>) (gregor)
- [1.2] Changed window title to Apache Lenya [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158356&view=rev>) (gregor)
- [1.2] Substitute Lenya version at build time. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33658](http://issues.apache.org/bugzilla/show_bug.cgi?id=33658) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158347&view=rev>) (gregor)
- [1.2] Set the default exclusion patterns to be more complete. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33905](http://issues.apache.org/bugzilla/show_bug.cgi?id=33905) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158340&view=rev>) (gregor)
- [1.2] Honour exclusion patterns for build clean too. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33769](http://issues.apache.org/bugzilla/show_bug.cgi?id=33769) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158338&view=rev>) (gregor)
- [1.2] Explicitly set XML serializer for SourceWritingTransformer (better be safe than sorry) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158240&view=rev>) (tschlabach)
- [1.2] Fixed bug #34045 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158140&view=rev>) (tschlabach)
- [1.2] Filename definition moved back into specific DefaultSiteTree implementation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158055&view=rev>) (michi)

- [1.2] DefaultSiteTree replaced by interface SiteTree and static parameters centralized [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158039&view=rev>) (michi)
- [1.2] Added context prefix to rename screen. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=34060 Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157942&view=rev>) (gregor)
- [1.2] Fixed DocumentIdExistsAction. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33948](#) Thanks to Felix Rothenbacher [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157868&view=rev>) (gregor)
- [1.2] Removed info messages from build and put it into comments in the build file instead. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157867&view=rev>) (gregor)
- [1.2] Removed outdated information about cocoon 2.1.5 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157864&view=rev>) (gregor)
- [1.2] overwrite added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157768&view=rev>) (michi)
- [1.2] touching the source of the clone publication added and the README improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157734&view=rev>) (michi)
- [1.2] ignore local.build.properties of clone process [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157733&view=rev>) (michi)
- [1.2] all methods synchronized [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157012&view=rev>) (michi)
- [1.2] concrete default implementation replaced by interface [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156917&view=rev>) (michi)
- [1.2] separated the anttasks building from the rest of the source such that patches can be applied without breaking the build process during the anttask target [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156702&view=rev>) (michi)
- [1.2] concrete Sitetree implementation replaced by interface [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156698&view=rev>) (michi)
- [1.2] Made sure cocoon.xconf is only copied if it has changed. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33847 Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156590&view=rev>) (gregor)
- [1.2] Activating cron block (needed by scheduler) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156550&view=rev>) (jwkaltz)
- [1.2] remove namespace from html document, which call the load of bxe [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156542&view=rev>) (edith)
- [1.2] replaced TODO with an example of category configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156524&view=rev>) (jwkaltz)
- [1.2] updated DTD reference for web-app as per java.sun.com instructions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156519&view=rev>) (jwkaltz)
- [1.2] Only copy cocoon.xconf if it has changed. Patch by Felix Rothenbacher. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33847 Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156483&view=rev>) (gregor)
- [1.2] Removed logout from access control exception list. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33754 Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156479&view=rev>) (gregor)
- [1.2] Changed workflow history files of samples to comply with date formatting expected by the workflow API. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156384&view=rev>) (gregor)
- [1.2] WLS build implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156179&view=rev>) (michi)
- [1.2] sitetree generation should not be cached, because otherwise permissions cannot be applied [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156052&view=rev>) (michi)
- [1.2] excludes simplified [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156027&view=rev>) (michi)
- [1.2] Synced back up with Kupu and BXE after the 1.2.2 freeze [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155803&view=rev>) (gregor)
- [1.2] Fixing bug 33661 with patch supplied by Miguel Martin (required a patch to /apache-lenya directory in kupu as well) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155802&view=rev>) (tschlabach)

## 17.2. 1.4

- [1.4] added EmptyTrash usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=159388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159388&view=rev>) (andreas)
- [1.4] Added a RelaxNG schema for the links resource type (formerly known as doctype) to be able to edit with the One Form Editor among other [Diff](http://svn.apache.org/viewcvs.cgi?rev=159102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159102&view=rev>) (tschlabach)
- [1.4] added usecase to show user profile [Diff](http://svn.apache.org/viewcvs.cgi?rev=158915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158915&view=rev>) (andreas)
- [1.4] added Users and Groups usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=158782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158782&view=rev>) (andreas)
- [1.4] common rendering of all usecase screens based on view configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=158781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158781&view=rev>) (andreas)
- [1.4] introduced usecase view configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=158772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158772&view=rev>) (andreas)
- [1.4] added first version of GUI to create a publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=157773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157773&view=rev>) (andreas)
- [1.4] setup to use hsql for cron block job persistence [Diff](http://svn.apache.org/viewcvs.cgi?rev=157482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157482&view=rev>) (andreas)
- [1.4] introduced UsecaseScheduler [Diff](http://svn.apache.org/viewcvs.cgi?rev=157414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157414&view=rev>) (andreas)
- [1.4] adding first draft of scheduler [Diff](http://svn.apache.org/viewcvs.cgi?rev=157116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157116&view=rev>) (andreas)
- [1.4] moved message output to dedicated JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=157075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157075&view=rev>) (andreas)
- [1.4] refactored tab JX templates [Diff](http://svn.apache.org/viewcvs.cgi?rev=156415&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156415&view=rev>) (andreas)
- [1.4] ported delete to usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=155806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155806&view=rev>) (andreas)
- [1.4] removed some obsolete classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=159566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159566&view=rev>) (andreas)
- [1.4] [Diff](http://svn.apache.org/viewcvs.cgi?rev=158393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158393&view=rev>) (gregor)
- [1.4] Unified patching of cocoon config files. This partially resolves  
[http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27825](http://issues.apache.org/bugzilla/show_bug.cgi?id=27825) [Diff](http://svn.apache.org/viewcvs.cgi?rev=158276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158276&view=rev>) (gregor)
- [1.4] Moved ant tasks used during build to tools/anttasks [Diff](http://svn.apache.org/viewcvs.cgi?rev=158271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158271&view=rev>) (gregor)
- [1.4] removed obsolete JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=157076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157076&view=rev>) (andreas)
- [1.4] removed workflow history files - created on the fly [Diff](http://svn.apache.org/viewcvs.cgi?rev=156953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156953&view=rev>) (andreas)
- [1.4] functions no longer used; replaced by use-cases [Diff](http://svn.apache.org/viewcvs.cgi?rev=156929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156929&view=rev>) (jwkaltz)
- [1.4] replaced WorkflowUsecase with WorkflowManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=156428&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156428&view=rev>) (andreas)
- [1.4] Removed old-style create and deactivate usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=155721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155721&view=rev>) (gregor)
- [1.4] add identity to UnitOfWork [Diff](http://svn.apache.org/viewcvs.cgi?rev=159605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159605&view=rev>) (andreas)
- [1.4] added transactions for site trees [Diff](http://svn.apache.org/viewcvs.cgi?rev=159600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159600&view=rev>) (andreas)
- [1.4] removed getSiteStructure() from DocumentIdentityMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=159587&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159587&view=rev>) (andreas)
- [1.4] UnitOfWork and IdentityMap are now generic [Diff](http://svn.apache.org/viewcvs.cgi?rev=159584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159584&view=rev>) (andreas)
- [1.4] DocumentBuilder and SiteManager are now Avalon services [Diff](http://svn.apache.org/viewcvs.cgi?rev=159567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159567&view=rev>) (andreas)
- [1.4] added view config to CreateBlogEntry usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=159478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159478&view=rev>) (andreas)
- [1.4] added selectableHint() to PublicationTemplateManager, added new getPageEnvelope() method to PageEnvelopeFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=159477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159477&view=rev>) (andreas)
- [1.4] added javadocs to AbstractUsecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=159476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159476&view=rev>) (andreas)
- [1.4] DocumentUsecase: add 'info-' prefix to target document area if necessary [Diff](http://svn.apache.org/viewcvs.cgi?rev=159387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159387&view=rev>) (andreas)
- [1.4] don't delete non-existing workflow history [Diff](http://svn.apache.org/viewcvs.cgi?rev=159385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159385&view=rev>) (andreas)
- [1.4] don't copy workflow history if it does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=159384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159384&view=rev>) (andreas)

- (andreas)
- [1.4] DocumentManager: removed unnecessary modifiers, added delete(DocumentSet) method [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159382&view=rev>) (andreas)
- [1.4] DocumentManager: simplified method names [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159381&view=rev>) (andreas)
- [1.4] don't log to System.out, use INFO instead of ERROR for checkPreconditions() messages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159357&view=rev>) (andreas)
- [1.4] Made FileUser serializable. Patch by Miroslaw Hankus [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159122&view=rev>) (gregor)
- [1.4] Fixed the bug that after RelaxNG validation errors, the original document was displayed again with the user's changes lost. Added some comments and applied some formatting. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159101&view=rev>) (tschlabach)
- [1.4] Switched the source of the document to be edited to the lenya: protocol [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159075&view=rev>) (tschlabach)
- [1.4] [minor change] added some documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159040&view=rev>) (jwkaltz)
- [1.4] [minor change] added some utility methods for reading parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159035&view=rev>) (jwkaltz)
- [1.4] [minor change] added docs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159007&view=rev>) (jwkaltz)
- [1.4] [minor change] check for existence of usecase view before using it (fixes pb for document submission step) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158999&view=rev>) (jwkaltz)
- [1.4] Added some comments for better readability. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158998&view=rev>) (tschlabach)
- [1.4] [minor change] release flowHelper component after usage [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158997&view=rev>) (jwkaltz)
- [1.4] Finished the move of FlowHelper to an Avalon component. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158947&view=rev>) (tschlabach)
- [1.4] added some comments and formatting [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158926&view=rev>) (tschlabach)
- [1.4] added group information usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158920&view=rev>) (andreas)
- [1.4] added groups to user profile screen [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158917&view=rev>) (andreas)
- [1.4] re-initialize view from usecase proxy [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158895&view=rev>) (andreas)
- [1.4] improved tab view for admin usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158894&view=rev>) (andreas)
- [1.4] redirect to tab.overview usecase in info sitemap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158892&view=rev>) (andreas)
- [1.4] removed obsolete info area pipelines [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158795&view=rev>) (andreas)
- [1.4] use area from page envelope to generate usecase menubar [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158794&view=rev>) (andreas)
- [1.4] redirect to admin.users usecase in admin area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158793&view=rev>) (andreas)
- [1.4] added some tabs to admin area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158789&view=rev>) (andreas)
- [1.4] [minor change] fixed some layout issues on usecase screens [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158788&view=rev>) (andreas)
- [1.4] added IP range overview usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158787&view=rev>) (andreas)
- [1.4] add page:head to page2xhtml [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158780&view=rev>) (andreas)
- [1.4] made AbstractItem Comparable (for sorting) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158779&view=rev>) (andreas)
- [1.4] common rendering of all usecase screens based on view configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158778&view=rev>) (andreas)
- [1.4] page2xhtml: show header only if <page:title> is present [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158773&view=rev>) (andreas)
- [1.4] BRANCH\_2\_1\_X added as Cocoon source default [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158634&view=rev>) (michi)

- [1.4] tab.overview: use getParameter('document').getId() instead of getParameter('documentid') [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158475&view=rev>) (andreas)
- [1.4] added initial implementation of 'manage scheduler jobs' usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158472&view=rev>) (andreas)
- [1.4] Usecase proxy sets source URL of usecase in setup() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158462&view=rev>) (andreas)
- [1.4] User profile JX: fixed some request parameter names [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158461&view=rev>) (andreas)
- [1.4] fixed javadocs target (src no longer in build; declare resource variable after the variable it depends on) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158460&view=rev>) (jwkaltz)
- [1.4] changed some usecase fields to parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158448&view=rev>) (andreas)
- [1.4] [minor change] removed log to System.out [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158446&view=rev>) (andreas)
- [1.4] Tear down and rebuild usecase handler after sendPage(...). This way, services are properly released. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158445&view=rev>) (andreas)
- [1.4] [minor change] added docs to pipeline. Set view pattern matching to internal [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158442&view=rev>) (jwkaltz)
- [1.4] updated some tests to new API [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158434&view=rev>) (andreas)
- [1.4] Removed AbstractUsecase.getDocumentManager(). Use try { lookup } finally { release } instead. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158433&view=rev>) (andreas)
- [1.4] [minor change] fixed javadoc tag [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158432&view=rev>) (andreas)
- [1.4] [minor change] added comments to usecase.xmap. Formatting: removed ctrl-M at end of line [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158427&view=rev>) (jwkaltz)
- [1.4] release usecase resolver after usecase is finished [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158422&view=rev>) (andreas)
- [1.4] [minor change] marked DelegatingAuthorizerAction as Poolable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158419&view=rev>) (jwkaltz)
- [1.4] Fixed kupu paths. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33793](http://issues.apache.org/bugzilla/show_bug.cgi?id=33793) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158404&view=rev>) (gregor)
- [1.4] Improved windows installer to make Lenya version more explicit and launch Lenya start page at the end of the install. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158359&view=rev>) (gregor)
- [1.4] Changed window title to Apache Lenya [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158355&view=rev>) (gregor)
- [1.4] Substitute Lenya version at build time. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33658](http://issues.apache.org/bugzilla/show_bug.cgi?id=33658) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158346&view=rev>) (gregor)
- [1.4] [minor change] marked service as poolable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158342&view=rev>) (jwkaltz)
- [1.4] [minor change] added some docu and debug messages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158341&view=rev>) (jwkaltz)
- [1.4] Set the default exclusion patterns to be more complete. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33905](http://issues.apache.org/bugzilla/show_bug.cgi?id=33905) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158339&view=rev>) (gregor)
- [1.4] Honour exclusion patterns for build clean too. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33769](http://issues.apache.org/bugzilla/show_bug.cgi?id=33769) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158337&view=rev>) (gregor)
- [1.4] Added a default CMS menu locale and a default document locale to the user profile [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158321&view=rev>) (tschlabach)
- [1.4] Added a default CMS menu locale and a default document locale to the user profile [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158320&view=rev>) (tschlabach)
- [1.4] Don't copy core Java sources to build.src. This saves another 500 unnecessary copies, and maybe 3 seconds. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158311&view=rev>) (gregor)
- [1.4] Switched build to precompiled ant tasks. This shaves another unnecessary 3 seconds off the build. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158283&view=rev>) (gregor)
- [1.4] Changed build to directly compile to WEB-INF/classes instead of to a temporary location. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158270&view=rev>) (gregor)

- [1.4] Moved more properties to properties-build, enabled javac optimization [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158263&view=rev>) (gregor)
- [1.4] Made sure that excludes are actually working while copying cocoon files. This resolves the problem where the Lenya db was not copied correctly. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158259&view=rev>) (gregor)
- [1.4] [minor change] changed to lazy loading of unit-of-work, as was done in usecase framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158249&view=rev>) (jwkaltz)
- [1.4] [optimization] UsecaseRegistrationMatcher checks if lenya.usecase parameter is set before calling resolver. Further, it is now marked as poolable, thus less service creations occur [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158246&view=rev>) (jwkaltz)
- [1.4] Added a default CMS menu locale and a default document locale to the User object. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158236&view=rev>) (tschlabach)
- [1.4] [minor change] in operations, retrieval of unit-of-work now is lazy. It can thus throw an exception, this is explicitly declared in the interface, for higher transparency [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158088&view=rev>) (jwkaltz)
- [1.4] release use case component after usage (does not solve the case where user never completes second step in interactive use cases) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158075&view=rev>) (jwkaltz)
- [1.4] Pass the ServiceManager to tasks and Ant tasks. This made it possible to remove deprecated workflow support classes. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157935&view=rev>) (andreas)
- [1.4] template management moved to Publication, lazy loading for PageEnvelope fields [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157930&view=rev>) (andreas)
- [1.4] added java-docs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157924&view=rev>) (jwkaltz)
- [1.4] Replaced PublicationFactory.existsPublication() by Publication.exists(). This way, all PublicationFactory.getPublication() methods can be used to check if a publication exists. The change was possible because of the publication config lazy loading. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157923&view=rev>) (andreas)
- [1.4] removed obsolete (Request, webappUrl) methods from AccessController and Authorizer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157922&view=rev>) (andreas)
- [1.4] [minor change] removed unused imports [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157919&view=rev>) (andreas)
- [1.4] lazy loading for PublicationImpl configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157918&view=rev>) (andreas)
- [1.4] fixed pipeline order (sorry for messing this up before) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157913&view=rev>) (andreas)
- [1.4] Added strip namespaces transformation to BXE open step [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157877&view=rev>) (gregor)
- [1.4] Synchronized all methods in DefaultSiteTree. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33908](http://issues.apache.org/bugzilla/show_bug.cgi?id=33908) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157871&view=rev>) (gregor)
- [1.4] Changed occurrence of document-node-id to document-name [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157859&view=rev>) (gregor)
- [1.4] Removed info messages from build and put it into comments in the build file instead. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157847&view=rev>) (gregor)
- [1.4] added first version of GUI to create a publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157772&view=rev>) (andreas)
- [1.4] improved UnitOfWork javadocs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157767&view=rev>) (andreas)
- [1.4] added debug messages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157761&view=rev>) (jwkaltz)
- [1.4] DocumentManager instance is now not created for every case, only upon request in getDocumentManager(). This method can now throw an exception, so methods explicitly listing exceptions as in ChangeNodeID.java must reflect this. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157758&view=rev>) (jwkaltz)
- [1.4] don't use page envelope in usecase flowscript [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157754&view=rev>) (andreas)
- [1.4] added method to publication factory to return all available publications [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157751&view=rev>) (andreas)
- [1.4] usecase resolver works now for non-publication URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157750&view=rev>) (andreas)

- [1.4] fallback source factory works now for non-publication URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157749&view=rev>) (andreas)
- [1.4] Moved config/menus/generic.xsp from publication to core lenya/cmsmenus.xsp [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157582&view=rev>) (tschlabach)
- [1.4] put scheduler declaration at the end, this way the HSQL DB server has started up when the scheduler needs the job store [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157548&view=rev>) (andreas)
- [1.4] enable hsqldb block for scheduler job persistence [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157543&view=rev>) (andreas)
- [1.4] scheduler: use custom keep-alive statement because HSQL cannot parse 'SELECT 1' [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157542&view=rev>) (andreas)
- [1.4] [minor change] updated to new DocumentFactory method signature [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157420&view=rev>) (andreas)
- [1.4] introduced UsecaseScheduler [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157416&view=rev>) (andreas)
- [1.4] introduced UsecaseScheduler [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157415&view=rev>) (andreas)
- [1.4] [minor change] refactoring: extracted method [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157412&view=rev>) (andreas)
- [1.4] reverted some changes due to improvements in usecase cron job [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157411&view=rev>) (andreas)
- [1.4] usecase cron job initializes request in object model with original URL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157410&view=rev>) (andreas)
- [1.4] don't use publication templating for content sources [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157407&view=rev>) (andreas)
- [1.4] uri parameterizer: pass publication ID as parameter to fallback module (allows to use it from scheduler) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157406&view=rev>) (andreas)
- [1.4] allow to pass publication ID as parameter to fallback module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157405&view=rev>) (andreas)
- [1.4] UsecaseCronJob initializes access control information in session -> workflow invocation works in scheduled usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157326&view=rev>) (andreas)
- [1.4] added methods to authorize a request with a custom URL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157325&view=rev>) (andreas)
- [1.4] CMSSituation: made toString() more verbose [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157324&view=rev>) (andreas)
- [1.4] don't check for scheduling request parameter (obsolete) in usecase flowscript [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157323&view=rev>) (andreas)
- [1.4] enable scheduling for publish usecase (doesn't work yet due to missing AC role initialization) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157304&view=rev>) (andreas)
- [1.4] initialize workflow situation even if no session is present [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157302&view=rev>) (andreas)
- [1.4] obtain publication from document instead of object model [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157300&view=rev>) (andreas)
- [1.4] don't use request to resolve invocation URL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157299&view=rev>) (andreas)
- [1.4] refactored usecase initialization (source URL is passed and not resolved via context) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157298&view=rev>) (andreas)
- [1.4] removed publication from document identity map (conceptually incorrect) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157295&view=rev>) (andreas)
- [1.4] Added default value for rendertype variable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157264&view=rev>) (tschlabach)
- [1.4] Finally fixed encoding ... sorry! [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157263&view=rev>) (tschlabach)
- [1.4] Applied some formatting and fixed encoding to UTF-8 (see bug #28448) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157262&view=rev>) (tschlabach)

- [1.4] minor change: log error message [Diff](http://svn.apache.org/viewcvs.cgi?rev=157115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157115&view=rev>) (andreas)
- [1.4] moved message output to dedicated JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=157074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157074&view=rev>) (andreas)
- [1.4] changing css class references from lenya-form-entry to lenya-form-element, as this is what is available in the css file [Diff](http://svn.apache.org/viewcvs.cgi?rev=157068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157068&view=rev>) (jwkaltz)
- [1.4] fix to avoid NPE in logging when new user is added and then used for log in. Note: this is a quick fix, a restructuring of the Item hierarchy might be necessary to avoid these problems, see discussion on dev list [Diff](http://svn.apache.org/viewcvs.cgi?rev=157066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157066&view=rev>) (jwkaltz)
- [1.4] removed spaces within textarea element to avoid problems in description field [Diff](http://svn.apache.org/viewcvs.cgi?rev=156939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156939&view=rev>) (jwkaltz)
- [1.4] remove spaces in textarea element. Correct password typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=156937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156937&view=rev>) (jwkaltz)
- [1.4] Redesign of workflow handling. The workflow core is reduced to a mere engine, the history handling is done by Workflowable now. This way, the workflow persistence could be moved to the Document classes, which means that repository access and transaction handling can easily be supported. [Diff](http://svn.apache.org/viewcvs.cgi?rev=156931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156931&view=rev>) (andreas)
- [1.4] save changes to user [Diff](http://svn.apache.org/viewcvs.cgi?rev=156928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156928&view=rev>) (jwkaltz)
- [1.4] call new use-case for "change group memberships" [Diff](http://svn.apache.org/viewcvs.cgi?rev=156927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156927&view=rev>) (jwkaltz)
- [1.4] call save() after changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=156922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156922&view=rev>) (jwkaltz)
- [1.4] call new use-case for changing group profile [Diff](http://svn.apache.org/viewcvs.cgi?rev=156921&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156921&view=rev>) (jwkaltz)
- [1.4] removed unused function [Diff](http://svn.apache.org/viewcvs.cgi?rev=156920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156920&view=rev>) (jwkaltz)
- [1.4] corrected title [Diff](http://svn.apache.org/viewcvs.cgi?rev=156919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156919&view=rev>) (jwkaltz)
- [1.4] removed functions which are no longer used [Diff](http://svn.apache.org/viewcvs.cgi?rev=156661&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156661&view=rev>) (jwkaltz)
- [1.4] changed to refer to new usecase names [Diff](http://svn.apache.org/viewcvs.cgi?rev=156659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156659&view=rev>) (jwkaltz)
- [1.4] save user after usecase completion [Diff](http://svn.apache.org/viewcvs.cgi?rev=156652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156652&view=rev>) (andreas)
- [1.4] Made sure cocoon.xconf is only copied if it has changed. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33847](http://issues.apache.org/bugzilla/show_bug.cgi?id=33847) [Diff](http://svn.apache.org/viewcvs.cgi?rev=156589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156589&view=rev>) (gregor)
- [1.4] store site structure objects in document identity map [Diff](http://svn.apache.org/viewcvs.cgi?rev=156558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156558&view=rev>) (andreas)
- [1.4] updated DTD reference as per java.sun.com instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=156520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156520&view=rev>) (jwkaltz)
- [1.4] Added "successfully built" message to trunk build [Diff](http://svn.apache.org/viewcvs.cgi?rev=156485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156485&view=rev>) (gregor)
- [1.4] Only copy cocoon.xconf if it has changed. Patch by Felix Rothenbacher. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33847](http://issues.apache.org/bugzilla/show_bug.cgi?id=33847) [Diff](http://svn.apache.org/viewcvs.cgi?rev=156484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156484&view=rev>) (gregor)
- [1.4] Removed logout from access control exception list. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33754](http://issues.apache.org/bugzilla/show_bug.cgi?id=33754) [Diff](http://svn.apache.org/viewcvs.cgi?rev=156481&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156481&view=rev>) (gregor)
- [1.4] delete: use unique document ID in trash area [Diff](http://svn.apache.org/viewcvs.cgi?rev=156458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156458&view=rev>) (andreas)
- [1.4] minor change: code formatting, removed unneeded methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=156455&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156455&view=rev>) (andreas)
- [1.4] override delete usecase in default pub to add workflow handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=156454&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156454&view=rev>) (andreas)
- [1.4] simplified method names [Diff](http://svn.apache.org/viewcvs.cgi?rev=156453&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156453&view=rev>) (andreas)
- [1.4] simplified method names [Diff](http://svn.apache.org/viewcvs.cgi?rev=156452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156452&view=rev>) (andreas)

- [1.4] moved methods from DocumentManager to WorkflowManager, don't copy workflow history on itself [Diff](http://svn.apache.org/viewcvs.cgi?rev=156434&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156434&view=rev>) (andreas)
- [1.4] updated javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=156430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156430&view=rev>) (andreas)
- [1.4] replace lenya.event handling by Avalon configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=156429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156429&view=rev>) (andreas)
- [1.4] move from info-overview to tab.overview, transfer tab.\* view checking from usecases.js to usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=156423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156423&view=rev>) (andreas)
- [1.4] check if document exists in checkPreconditions() [Diff](http://svn.apache.org/viewcvs.cgi?rev=156421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156421&view=rev>) (andreas)
- [1.4] when re-trowing, add exception with stack trace (helps finding the cause) [Diff](http://svn.apache.org/viewcvs.cgi?rev=156412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156412&view=rev>) (andreas)
- [1.4] Fixed restoreVersion to correctly restore the workflow version date [Diff](http://svn.apache.org/viewcvs.cgi?rev=156385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156385&view=rev>) (gregor)
- [1.4] Changed workflow history files of samples to comply with date formatting expected by the workflow API. [Diff](http://svn.apache.org/viewcvs.cgi?rev=156382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156382&view=rev>) (gregor)
- [1.4] Made the Javadoc a bit more verbose. [Diff](http://svn.apache.org/viewcvs.cgi?rev=156340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156340&view=rev>) (tschlabach)
- [1.4] fixed deleting of assets [Diff](http://svn.apache.org/viewcvs.cgi?rev=156186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156186&view=rev>) (andreas)
- [1.4] added deleteResource() [Diff](http://svn.apache.org/viewcvs.cgi?rev=156185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156185&view=rev>) (andreas)
- [1.4] fixed un-initialized variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=156182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156182&view=rev>) (andreas)
- [1.4] create meta file before saving [Diff](http://svn.apache.org/viewcvs.cgi?rev=156181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156181&view=rev>) (andreas)
- [1.4] added getPart() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=156178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156178&view=rev>) (andreas)
- [1.4] correct enctype and method for asset upload form [Diff](http://svn.apache.org/viewcvs.cgi?rev=156177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156177&view=rev>) (andreas)
- [1.4] added variable declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=156166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156166&view=rev>) (andreas)
- [1.4] stay on same tab for site area usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=156164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156164&view=rev>) (andreas)
- [1.4] activated new site area usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=156163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156163&view=rev>) (andreas)
- [1.4] corrected resolving of document ID [Diff](http://svn.apache.org/viewcvs.cgi?rev=156162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156162&view=rev>) (andreas)
- [1.4] fixed submit button parameter name [Diff](http://svn.apache.org/viewcvs.cgi?rev=156161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156161&view=rev>) (andreas)
- [1.4] removed unneeded method [Diff](http://svn.apache.org/viewcvs.cgi?rev=156159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156159&view=rev>) (andreas)
- [1.4] sitetree generation shall not be cached otherwise permissions cannot be applied [Diff](http://svn.apache.org/viewcvs.cgi?rev=156053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156053&view=rev>) (michi)
- [1.4] excludes simplified [Diff](http://svn.apache.org/viewcvs.cgi?rev=156028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156028&view=rev>) (michi)
- [1.4] DocumentManager: use copy+delete for move [Diff](http://svn.apache.org/viewcvs.cgi?rev=155805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155805&view=rev>) (andreas)
- [1.4] Fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=155740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155740&view=rev>) (gregor)
- [1.4] Tried to refactor the spaghetti code that is the search usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=155739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155739&view=rev>) (gregor)

## 17.3. Docs

- [Docs] Started a section explaining the Lenya sitemaps. This can be used as an overview document where links to all the other components can be placed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=159198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159198&view=rev>) (tschlabach)
- [Docs] added publication templating docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=156407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156407&view=rev>) (andreas)
- [Docs] Finishing up the Lenya Sitemap Overview document (for now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=159252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159252&view=rev>) (tschlabach)
- [Docs] Added Ohio Transfer Council to live sites. [Diff](http://svn.apache.org/viewcvs.cgi?rev=159225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159225&view=rev>) (gregor)
- [Docs] More live sites added [Diff](http://svn.apache.org/viewcvs.cgi?rev=159195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159195&view=rev>) (gregor)
- [Docs] Java Concepts added to live sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=159185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159185&view=rev>) (gregor)
- [Docs] Josias and Guido as contributors added [Diff](http://svn.apache.org/viewcvs.cgi?rev=158910&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158910&view=rev>) (michi)
- [Docs] Fixed internal link from 1.2.x -> Installation Instructions to the 1.2.x Download page [Diff](http://svn.apache.org/viewcvs.cgi?rev=158909&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158909&view=rev>) (michi)

- (<http://svn.apache.org/viewcvs.cgi?rev=158901&view=rev>) (tschlabach)
  - [Docs] [minor change] request parameter formatting [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158525&view=rev>) (andreas)
  - [Docs] removed outdated info about lenya.event, fixed some typos [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158524&view=rev>) (andreas)
  - [Docs] fixed a mistake in document structure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158242&view=rev>) (tschlabach)
  - [Docs] Added some more remarks to the introduction section of the document. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158241&view=rev>) (tschlabach)
  - [Docs] Reflect the demise of eyebrowse, and replace it with mod\_inbox [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157883&view=rev>) (gregor)
  - [Docs] Added AIESEC Afghanistan ([www.aiesec.org.af](http://www.aiesec.org.af)) to Live Sites [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=157588&view=rev>) (tschlabach)
  - [Docs] Added Hybrigencis to live sites. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156667&view=rev>) (gregor)
  - [Docs] fixed some indentation errors [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156513&view=rev>) (andreas)
  - [Docs] Fixed wrong instructions on website-update and added some note on contrib page. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156493&view=rev>) (thorsten)
  - [Docs] readded the changes. Sorry, dudes;-) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156470&view=rev>) (thorsten)
  - [Docs] Added a section to advertise the Lenya Wiki. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156257&view=rev>) (tschlabach)
  - [Docs] Adding some comments and making formatting a bit nicer for better overview. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156251&view=rev>) (tschlabach)
  - [Docs] reverted deletes that I did by accident [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156207&view=rev>) (thorsten)
  - [Docs] fixed the tab issue on the website. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156201&view=rev>) (thorsten)
  - [Docs] Fixed navigation to display Andreas' concepts/usecase-framework document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155792&view=rev>) (tschlabach)
  - [Docs] Fixing tab navigation (1.2 and 1.4) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155787&view=rev>) (tschlabach)
  - [Docs] News updated with 1.2.2 release [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155751&view=rev>) (gregor)

## 17.4. Sandbox

- [Sandbox] Fixing directory structure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159188&view=rev>) (tschlabach)
- [Sandbox] Fixing directory structure. (Sorry) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159184&view=rev>) (tschlabach)
- [Sandbox] Sharing the experimental CForm edit usecase (see README.txt) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159183&view=rev>) (tschlabach)
- [Sandbox] repository started [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159001&view=rev>) (michi)
- [Sandbox] sitetree generator added to get rid of filesystem dependency [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158960&view=rev>) (michi)
- [Sandbox] unit tests added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158957&view=rev>) (michi)
- [Sandbox] config for sitetree factory added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158956&view=rev>) (michi)
- [Sandbox] helper classes added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158953&view=rev>) (michi)
- [Sandbox] very first steps of a repository model added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158847&view=rev>) (michi)
- [Sandbox] README added on how to patch Lenya with the JCRSiteTree [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158042&view=rev>) (michi)
- [Sandbox] Thanks to Felix Rothenbacher the JCRSiteTree is now using workspaces [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158041&view=rev>) (michi)
- [Sandbox] download libs added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156706&view=rev>) (michi)
- [Sandbox] JCRSiteTree implementation added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=156703&view=rev>) (michi)
- [Sandbox] Fixing direcory structure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=159187&view=rev>) (tschlabach)
- [Sandbox] cleaned within Lenya and hence obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=158040&view=rev>) (michi)

- [Sandbox] extra will be created during build process [Diff](http://svn.apache.org/viewcvs.cgi?rev=156707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156707&view=rev>) (michi)
- [Sandbox] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=158962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158962&view=rev>) (michi)
- [Sandbox] userId and password added [Diff](http://svn.apache.org/viewcvs.cgi?rev=158961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158961&view=rev>) (michi)
- [Sandbox] XSLT for import added [Diff](http://svn.apache.org/viewcvs.cgi?rev=158955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158955&view=rev>) (michi)
- [Sandbox] accessing the repository directly [Diff](http://svn.apache.org/viewcvs.cgi?rev=158954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158954&view=rev>) (michi)
- [Sandbox] note about trunk added [Diff](http://svn.apache.org/viewcvs.cgi?rev=158769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158769&view=rev>) (michi)
- [Sandbox] Made the README a bit more verbose; especially put in that this is a patch for 1.2.x, not for trunk. [Diff](http://svn.apache.org/viewcvs.cgi?rev=158765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158765&view=rev>) (tschlabach)
- [Sandbox] ignore local.build.properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=158044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158044&view=rev>) (michi)
- [Sandbox] clear target added [Diff](http://svn.apache.org/viewcvs.cgi?rev=158043&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158043&view=rev>) (michi)
- [Sandbox] namespace from registry added [Diff](http://svn.apache.org/viewcvs.cgi?rev=157920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157920&view=rev>) (michi)
- [Sandbox] resolve prefix of specific namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=157831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157831&view=rev>) (michi)
- [Sandbox] read sitetree through JCR instead from filesystem [Diff](http://svn.apache.org/viewcvs.cgi?rev=157248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157248&view=rev>) (michi)
- [Sandbox] load sitetree through JCR [Diff](http://svn.apache.org/viewcvs.cgi?rev=157246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157246&view=rev>) (michi)
- [Sandbox] touch added to make sure everything is really compiled [Diff](http://svn.apache.org/viewcvs.cgi?rev=156925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156925&view=rev>) (michi)
- [Sandbox] getRepo added [Diff](http://svn.apache.org/viewcvs.cgi?rev=156924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156924&view=rev>) (michi)
- [Sandbox] extra to ignore [Diff](http://svn.apache.org/viewcvs.cgi?rev=156711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156711&view=rev>) (michi)
- [Sandbox] download target added [Diff](http://svn.apache.org/viewcvs.cgi?rev=156708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156708&view=rev>) (michi)

## 17.5. Site

- [Site] Finishing up the Lenya Sitemap Overview document (for now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=159255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159255&view=rev>) (tschlabach)
- [Site] Checking in Andreas' publication templating document [Diff](http://svn.apache.org/viewcvs.cgi?rev=156422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156422&view=rev>) (tschlabach)
- [Site] Adding the concepts subtree to SVN [Diff](http://svn.apache.org/viewcvs.cgi?rev=156271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156271&view=rev>) (tschlabach)
- [Site] Started a section explaining the Lenya sitemaps. This can be used as an overview document where links to all the other components can be placed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=159203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159203&view=rev>) (tschlabach)
- [Site] Java Concepts added to live sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=159186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=159186&view=rev>) (gregor)
- [Site] Added some more remarks to the introduction section of the document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=158319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=158319&view=rev>) (tschlabach)
- [Site] updated Java-docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=157926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157926&view=rev>) (jwkaltz)
- [Site] Reflect the demise of eyebrowse, and replace it with mod\_inbox [Diff](http://svn.apache.org/viewcvs.cgi?rev=157884&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157884&view=rev>) (gregor)
- [Site] Added AIESEC Afghanistan ([www.aiesec.org.af](http://www.aiesec.org.af)) to Live Sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=157576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=157576&view=rev>) (tschlabach)
- [Site] Fixed wrong instructions on website-update and added some note on contrib page. [Diff](http://svn.apache.org/viewcvs.cgi?rev=156492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156492&view=rev>) (thorsten)
- [Site] readded the changes. Sorry, dudes;-) [Diff](http://svn.apache.org/viewcvs.cgi?rev=156469&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156469&view=rev>) (thorsten)
- [Site] Added a section to advertise the Lenya Wiki. [Diff](http://svn.apache.org/viewcvs.cgi?rev=156270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156270&view=rev>) (tschlabach)
- [Site] fix - the index page of . was wrong->let to community [Diff](http://svn.apache.org/viewcvs.cgi?rev=156262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156262&view=rev>) (thorsten)
- [Site] Added a section to advertise the Lenya wiki. [Diff](http://svn.apache.org/viewcvs.cgi?rev=156259&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156259&view=rev>) (tschlabach)
- [Site] Continuing to fix the tab navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=156253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156253&view=rev>) (tschlabach)
- [Site] fixed tab issue [Diff](http://svn.apache.org/viewcvs.cgi?rev=156223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=156223&view=rev>) (thorsten)
- [Site] Fixing tab navigation (1.2 and 1.4) [Diff](http://svn.apache.org/viewcvs.cgi?rev=155789&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155789&view=rev>) (tschlabach)

- [Site] Fixing tab navigation (1.2 and 1.4) [Diff](http://svn.apache.org/viewcvs.cgi?rev=155788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155788&view=rev>) (tschlabach)
- [Site] News updated with 1.2.2 release [Diff](http://svn.apache.org/viewcvs.cgi?rev=155750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155750&view=rev>) (gregor)

## 18. Version 2005-02 ()

### 18.1.

- [] Tagging 1.2.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=155235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155235&view=rev>) (roku)
- [] Tagging 1.2.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=154530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154530&view=rev>) (roku)
- [] Tagging 1.2.2 based on BRANCHES/BRANCH\_1\_2\_X [Diff](http://svn.apache.org/viewcvs.cgi?rev=154498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154498&view=rev>) (roku)
- [] Preparing final re-tag of 1.2.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=155234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155234&view=rev>) (roku)
- [] Preparing re-tagging [Diff](http://svn.apache.org/viewcvs.cgi?rev=154529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154529&view=rev>) (roku)

### 18.2. 1.2

- [1.2] Renamed libraries to have their version in the name [Diff](http://svn.apache.org/viewcvs.cgi?rev=153650&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153650&view=rev>) (gregor)
- [1.2] notes added about building and patching Cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=151347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151347&view=rev>) (michi)
- [1.2] thanks to Josias Thoeny the DOMStreamer is working also for default namespaces with attributes in the root element [Diff](http://svn.apache.org/viewcvs.cgi?rev=151332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151332&view=rev>) (michi)
- [1.2] Added empty tasks log directory to make view-logs usecase work [Diff](http://svn.apache.org/viewcvs.cgi?rev=151319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151319&view=rev>) (gregor)
- [1.2] Added empty tasks log directory to make view-logs usecase work [Diff](http://svn.apache.org/viewcvs.cgi?rev=151318&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151318&view=rev>) (gregor)
- [1.2] versions updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=155647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155647&view=rev>) (michi)
- [1.2] Removed the need to click edit icon in Forms editor twice, patch by Thomas Comiotto. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=26577](http://issues.apache.org/bugzilla/show_bug.cgi?id=26577) [Diff](http://svn.apache.org/viewcvs.cgi?rev=155357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155357&view=rev>) (gregor)
- [1.2] Made sitetree methods synchronized to guard against concurrent writes [Diff](http://svn.apache.org/viewcvs.cgi?rev=155287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155287&view=rev>) (gregor)
- [1.2] Fixed NPE reported by Phillip Bolle [Diff](http://svn.apache.org/viewcvs.cgi?rev=155284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155284&view=rev>) (gregor)
- [1.2] Made forms editor scroll to editing position after pressing "edit". This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33731](http://issues.apache.org/bugzilla/show_bug.cgi?id=33731) (Thanks to Thomas Comiotto for the patch) [Diff](http://svn.apache.org/viewcvs.cgi?rev=155268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155268&view=rev>) (gregor)
- [1.2] Create WEB-INF\logs on unpacking of the war file. Otherwise we get errors on console upon start up. The ant jar task does not include empty dirs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=155232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155232&view=rev>) (roku)
- [1.2] Proper fix for [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33225](http://issues.apache.org/bugzilla/show_bug.cgi?id=33225) [Diff](http://svn.apache.org/viewcvs.cgi?rev=155115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155115&view=rev>) (gregor)
- [1.2] local.feeds.properties shall be ignored [Diff](http://svn.apache.org/viewcvs.cgi?rev=155012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155012&view=rev>) (michi)
- [1.2] local build properties added for downloading feeds [Diff](http://svn.apache.org/viewcvs.cgi?rev=155010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155010&view=rev>) (michi)
- [1.2] lucene version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=155009&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155009&view=rev>) (michi)
- [1.2] Updated library references in ant targets [Diff](http://svn.apache.org/viewcvs.cgi?rev=154859&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154859&view=rev>) (gregor)
- [1.2] Updated javadocs task to use breakiterator and set complete classpath so that javadoc can see ant. [Diff](http://svn.apache.org/viewcvs.cgi?rev=154715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154715&view=rev>) (gregor)
- [1.2] [Diff](http://svn.apache.org/viewcvs.cgi?rev=154524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154524&view=rev>) (roku)
- [1.2] Fixed asset conversion whitespace problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=154522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154522&view=rev>) (roku)
- [1.2] [Diff](http://svn.apache.org/viewcvs.cgi?rev=154519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154519&view=rev>) (roku)
- [1.2] Fixed broken link [Diff](http://svn.apache.org/viewcvs.cgi?rev=154518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154518&view=rev>) (roku)

- [1.2] Moving to latest kupu 1.2. fix; Fixed img @src, since we use Lenya asset stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=154516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154516&view=rev>) (roku)
- [1.2] Fixed object2xhtml conversion; Object with a leading / in @data ar used as-is. This is needed if a page references assets from another page. [Diff](http://svn.apache.org/viewcvs.cgi?rev=154515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154515&view=rev>) (roku)
- [1.2] Grumml, corrected kupu revision [Diff](http://svn.apache.org/viewcvs.cgi?rev=154496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154496&view=rev>) (roku)
- [1.2] Corrected svn:externals url for kupu [Diff](http://svn.apache.org/viewcvs.cgi?rev=154495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154495&view=rev>) (roku)
- [1.2] Corrected revision numbers [Diff](http://svn.apache.org/viewcvs.cgi?rev=154494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154494&view=rev>) (roku)
- [1.2] Prepare 1.2.2 tag; revert after the release See #33658 [Diff](http://svn.apache.org/viewcvs.cgi?rev=154492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154492&view=rev>) (roku)
- [1.2] Incremented version number to 1.2.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=154491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154491&view=rev>) (roku)
- [1.2] Prepare 1.2.2 tag; revert after the release [Diff](http://svn.apache.org/viewcvs.cgi?rev=154490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154490&view=rev>) (roku)
- [1.2] Set -r for svn:externals for the 1.2.2 release; do not forget to revert after the release [Diff](http://svn.apache.org/viewcvs.cgi?rev=154489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154489&view=rev>) (roku)
- [1.2] Enhanced xsltproc download note [Diff](http://svn.apache.org/viewcvs.cgi?rev=154487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154487&view=rev>) (roku)
- [1.2] Added note from where to download xsltproc. Unfortunately, it is not fotting to the build process to include a build kupu in the src dist. So, for 1.2.2, kupu still needs to be build, which requires xsltproc to be installed [Diff](http://svn.apache.org/viewcvs.cgi?rev=154486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154486&view=rev>) (roku)
- [1.2] Rewrote menu javascript code to avoid crashes on Linux. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33643](http://issues.apache.org/bugzilla/show_bug.cgi?id=33643) [Diff](http://svn.apache.org/viewcvs.cgi?rev=154348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154348&view=rev>) (gregor)
- [1.2] failure message of loading BXE improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=154261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154261&view=rev>) (michi)
- [1.2] thanks to Linczak, Jonathan W. the root is not doubled anymore when creating a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=154188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154188&view=rev>) (michi)
- [1.2] Added version attribute to generated stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=154166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154166&view=rev>) (gregor)
- [1.2] link rewriting: take care of context prefix, don't try to rewrite external links [Diff](http://svn.apache.org/viewcvs.cgi?rev=154163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154163&view=rev>) (andreas)
- [1.2] link rewriting: use document builder to match rewritable URLs [Diff](http://svn.apache.org/viewcvs.cgi?rev=154052&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154052&view=rev>) (andreas)
- [1.2] added link-attribute configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=154051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154051&view=rev>) (andreas)
- [1.2] added link-attribute configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=154050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154050&view=rev>) (andreas)
- [1.2] Thanks to Gregor Imboden and Andreas Hartmann the editing re Workflow triggering is again backwards compatible for documents without a workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=154019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154019&view=rev>) (michi)
- [1.2] Fixed link rewriting to make sure that links to sub URLs are rewritten. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29861](http://issues.apache.org/bugzilla/show_bug.cgi?id=29861) Thanks to Thomas Comiotto for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=153898&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153898&view=rev>) (gregor)
- [1.2] Declared flowscript variables excplicitly. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33577](http://issues.apache.org/bugzilla/show_bug.cgi?id=33577) [Diff](http://svn.apache.org/viewcvs.cgi?rev=153888&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153888&view=rev>) (gregor)
- [1.2] Added XSD schema for workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=153817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153817&view=rev>) (gregor)
- [1.2] Useability fix: Only display tab as link, if tab if not the current nav:node [Diff](http://svn.apache.org/viewcvs.cgi?rev=153668&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153668&view=rev>) (roku)
- [1.2] Changed test defaults to use existing publications and doctypes [Diff](http://svn.apache.org/viewcvs.cgi?rev=153665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153665&view=rev>) (gregor)
- [1.2] Switched to BXE 1.1 and Kupu 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=153646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153646&view=rev>) (gregor)
- [1.2] Switched to BXE 1.1 and Kupu 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=153642&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153642&view=rev>) (gregor)
- [1.2] Changed enum variables to improve compatibility with JDK 1.5 [Diff](http://svn.apache.org/viewcvs.cgi?rev=153519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153519&view=rev>) (gregor)
- [1.2] Made images and asset titles visible in the forms editor. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29139](http://issues.apache.org/bugzilla/show_bug.cgi?id=29139) [Diff](http://svn.apache.org/viewcvs.cgi?rev=153164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153164&view=rev>) (gregor)
- [1.2] set the date of publication, the publisher and the date of modification when a document is published [Diff](http://svn.apache.org/viewcvs.cgi?rev=153164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153164&view=rev>) (gregor)

- (<http://svn.apache.org/viewcvs.cgi?rev=153091&view=rev>) (edith)
  - [1.2] introduce method for the checkIn/Out of document; needed when the publication of a document to set the date, publisher, ... [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153090&view=rev>) (edith)
  - [1.2] set the date of publication, the publisher and the date of modification when a document is published: user-name and user-email parameters needed; check if the document can be checkout [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153089&view=rev>) (edith)
  - [1.2] Fixed problem where IndexInformation.index was never written, and cleaned the source up a bit. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=152969&view=rev>) (gregor)
  - [1.2] Updated install instructions with patch from Hubertus Groepper. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33392](http://issues.apache.org/bugzilla/show_bug.cgi?id=33392) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151787&view=rev>) (gregor)
  - [1.2] reset target integrated into clean target [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151437&view=rev>) (michi)
  - [1.2] versions updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151346&view=rev>) (michi)
  - [1.2] install target removed from build instruction [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151333&view=rev>) (michi)
  - [1.2] Re-enabled view task log usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151320&view=rev>) (gregor)
  - [1.2] Updated the blog menus to use uc attributes and I18n. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27832](http://issues.apache.org/bugzilla/show_bug.cgi?id=27832) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151316&view=rev>) (gregor)
  - [1.2] Added a note on proxy configuration to publication.xconf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151211&view=rev>) (gregor)
  - [1.2] thanks to Josias softlinks for the content and resources directory should be possible [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151165&view=rev>) (michi)
  - [1.2] caching of default publication back ported [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151073&view=rev>) (michi)
  - [1.2] Enabled roundtripping of images between BXE and Kupu. Note that this change requires at least Kupu revision 8795 to work. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29164](http://issues.apache.org/bugzilla/show_bug.cgi?id=29164) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149482&view=rev>) (gregor)
  - [1.2] If the current sitree node does not exist in the displayed document's language Continue with next node. This is a quick fix for bug #32808. Next step would be to offer all links to the available languages. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149443&view=rev>) (roku)
  - [1.2] form encoding fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149393&view=rev>) (michi)
  - [1.2] Improved sample documents in the default publication with metadata. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149362&view=rev>) (gregor)
  - [1.2] [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149325&view=rev>) (gregor)

### 18.3. 1.4

- [1.4] Added usecase for revisions tab [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155664&view=rev>) (gregor)
- [1.4] port cut/copy/paste to usecase framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155201&view=rev>) (andreas)
- [1.4] added site usecase utility class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155020&view=rev>) (andreas)
- [1.4] Added XMLUnit for the XML tests [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153895&view=rev>) (gregor)
- [1.4] Updated tests to use ContainerTestCase and related Cocoon helper classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153893&view=rev>) (gregor)
- [1.4] Renamed libraries to have their version in the name [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153652&view=rev>) (gregor)
- [1.4] Moved to a more recent version of xmldb-xupdate [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153641&view=rev>) (gregor)
- [1.4] Added a single-step workflow definition to the blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153532&view=rev>) (gregor)
- [1.4] Removed unused rollback screen [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155716&view=rev>) (gregor)
- [1.4] removed obsolete publication.file package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155327&view=rev>) (andreas)
- [1.4] remove FileDocumentManager - replaced java.io.File by o.a.e.source.Source [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=155326&view=rev>) (andreas)
- [1.4] Removed unused directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155288&view=rev>) (gregor)
- [1.4] removed obsolete XSPs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155207&view=rev>) (andreas)
- [1.4] removed obsolete XSLTs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155206&view=rev>) (andreas)
- [1.4] removed obsolete XSLTs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155205&view=rev>) (andreas)
- [1.4] removed obsolete XSLT [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155204&view=rev>) (andreas)
- [1.4] removed obsolete XSP [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155203&view=rev>) (andreas)
- [1.4] removed obsolete classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155041&view=rev>) (andreas)
- [1.4] removed obsolete class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155019&view=rev>) (andreas)
- [1.4] Removed DocumentCreator test [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153656&view=rev>) (gregor)
- [1.4] Removed DocumentCreator test [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153655&view=rev>) (gregor)
- [1.4] Removed empty directories [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149460&view=rev>) (gregor)
- [1.4] Removed obsolete code from menus [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155717&view=rev>) (gregor)
- [1.4] Added date getters and setters to workflow history [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155712&view=rev>) (gregor)
- [1.4] release sources properly [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155680&view=rev>) (andreas)
- [1.4] added delete(...) methods to DocumentManager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155679&view=rev>) (andreas)
- [1.4] log error messages when addResource() failes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155678&view=rev>) (andreas)
- [1.4] Changed flowscript to call concrete implementation of FlowHelper. This makes saving in the editors work again. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155663&view=rev>) (gregor)
- [1.4] Enhanced assets usecase to actually show existing assets ;) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155652&view=rev>) (gregor)
- [1.4] Improved workflow usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155638&view=rev>) (gregor)
- [1.4] Added stub usecase for workflow history tab. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155605&view=rev>) (gregor)
- [1.4] Enhanced site area XSLT to support both old-style XSP and new-style JX tabs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155602&view=rev>) (gregor)
- [1.4] Continued work on the search usecase. The search code needs some major love, good lord! [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155596&view=rev>) (gregor)
- [1.4] Removed the need to click edit icon in Forms editor twice, patch by Thomas Comiotto. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=26577](http://issues.apache.org/bugzilla/show_bug.cgi?id=26577) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155356&view=rev>) (gregor)
- [1.4] added DocumentManager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155317&view=rev>) (andreas)
- [1.4] fixed NPE for empty sitetree node labels [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155316&view=rev>) (andreas)
- [1.4] introduced DocumentManager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155315&view=rev>) (andreas)
- [1.4] Made sitetree methods synchronized to guard against concurrent writes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155286&view=rev>) (gregor)
- [1.4] allow non-interactive usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155272&view=rev>) (andreas)
- [1.4] usecase framework: move node up/down [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155271&view=rev>) (andreas)
- [1.4] added getPrecedingSiblings() method [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155270&view=rev>) (andreas)
- [1.4] added getPrecedingSibling() methods [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155269&view=rev>) (andreas)
- [1.4] Made forms editor scroll to editing position after pressing "edit". This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33731](http://issues.apache.org/bugzilla/show_bug.cgi?id=33731) (Thanks to Thomas Comiotto for the patch) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155267&view=rev>) (gregor)
- [1.4] Create WEB-INF\logs on unpacking of the war file. Otherwise we get errors on console upon start up. The ant jar task does not include empty dirs. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155233&view=rev>) (roku)
- [1.4] removed obsolete usecase pipelines [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155202&view=rev>) (andreas)
- [1.4] fixed missing namespace declarations, added error message display [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155200&view=rev>) (andreas)

- [1.4] after finishing usecase, go to same area (e.g., index-...) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155199&view=rev>) (andreas)
- [1.4] added methods to copy/move groups of documents [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155198&view=rev>) (andreas)
- [1.4] removed obsolete task declarations [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155097&view=rev>) (andreas)
- [1.4] removed obsolete condition checks from menu [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155096&view=rev>) (andreas)
- [1.4] improved preconditions for site usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155095&view=rev>) (andreas)
- [1.4] added preconditions to publish and deactivate [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155094&view=rev>) (andreas)
- [1.4] check for usecase preconditions in UsecaseMenuTransformer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155091&view=rev>) (andreas)
- [1.4] check if invoked on document in checkPreconditions() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155090&view=rev>) (andreas)
- [1.4] allow certain uscaces only in authoring area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155089&view=rev>) (andreas)
- [1.4] rename all language version URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155085&view=rev>) (andreas)
- [1.4] removed deactivate task reference [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155082&view=rev>) (andreas)
- [1.4] switch from WorkflowHelper to WorkflowResolver [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155081&view=rev>) (andreas)
- [1.4] added precondition checks, allow to create documents from non-document URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155080&view=rev>) (andreas)
- [1.4] publish and deactivate implemented using usecase framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155040&view=rev>) (andreas)
- [1.4] added deprecation message to LinkRewriteTask [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155028&view=rev>) (andreas)
- [1.4] removed obsolete doctype config options, added <link-attribute> declarations [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155027&view=rev>) (andreas)
- [1.4] call usecase framework implementation from menu for changeNodeID usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155026&view=rev>) (andreas)
- [1.4] remove references to renameDocument task [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155025&view=rev>) (andreas)
- [1.4] move resource handling to publication class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155024&view=rev>) (andreas)
- [1.4] use site utility to validate document ID [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155023&view=rev>) (andreas)
- [1.4] add LinkRewriter to Avalon roles [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155022&view=rev>) (andreas)
- [1.4] rename URL is handled by usecase framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155021&view=rev>) (andreas)
- [1.4] lucene version number fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155013&view=rev>) (michi)
- [1.4] Updated library references in ant targets [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154860&view=rev>) (gregor)
- [1.4] Updated javadocs task to use breakiterator and set complete classpath so that javadoc can see ant. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154722&view=rev>) (gregor)
- [1.4] Fixed Javadocs warnings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154714&view=rev>) (gregor)
- [1.4] Fixed Javadocs warnings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154710&view=rev>) (gregor)
- [1.4] Fixed asset conversion whitespace problem [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154523&view=rev>) (roku)
- [1.4] Fixed objct conversion. See bug #33661 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154520&view=rev>) (roku)
- [1.4] Added note from where to download xsltproc. Unfortunately, it is not fotting to the build process to include a build kupu in the src dist. So, for 1.2.2, kupu still needs to be build, which requires xsltproc to be installed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154488&view=rev>) (roku)
- [1.4] Fixed compilation errors for the unit tests [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154229&view=rev>) (gregor)
- [1.4] Made Link insertion into BXE work with XMLHTTP sitetree. [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=154228&view=rev>) (gregor)
- [1.4] added initial version of LinkRewriter [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154172&view=rev>) (andreas)
- [1.4] Declared flowscript variables explicitly. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33577](http://issues.apache.org/bugzilla/show_bug.cgi?id=33577) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153889&view=rev>) (gregor)
- [1.4] Added XSD schema for workflow [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153818&view=rev>) (gregor)
- [1.4] added missing href attribute to menu item [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153772&view=rev>) (andreas)
- [1.4] applying workflowmenu and usecasemenu transformations is not necessary here [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153770&view=rev>) (andreas)
- [1.4] check if current URL represents document before accessing document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153768&view=rev>) (andreas)
- [1.4] check if current URL represents document before accessing document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153767&view=rev>) (andreas)
- [1.4] check if current URL represents document before resolving according values [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153766&view=rev>) (andreas)
- [1.4] get area from URL instead of document, add DOCUMENT\_TYPE to parameter list [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153765&view=rev>) (andreas)
- [1.4] check if URL represents document before resolving workflow [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153764&view=rev>) (andreas)
- [1.4] don't apply WF transformation for non-document URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153763&view=rev>) (andreas)
- [1.4] isDocument = false for admin area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153761&view=rev>) (andreas)
- [1.4] Merged from 1.2.x: Usability fix: Only display tab as link, if tab if not the current nav:node [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153664&view=rev>) (roku)
- [1.4] Added a ConsoleLogger() to make test cases run again [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153660&view=rev>) (gregor)
- [1.4] Switched to BXE 1.1 and Kupu 1.2 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153645&view=rev>) (gregor)
- [1.4] Started to use the (much more recent) Quartz from the Cocoon cron block in lieu of the library we shipped before. Our version did not implement methods that some of our code was expecting. Also fixed the scheduler XSP to get past compilation errors. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153640&view=rev>) (gregor)
- [1.4] Changed string concatenation to use a StringBuffer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153562&view=rev>) (gregor)
- [1.4] Fixed Eclipse warnings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153561&view=rev>) (gregor)
- [1.4] Fixed resource leaks with not properly closing Streams [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153560&view=rev>) (gregor)
- [1.4] Made exceptions final [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153559&view=rev>) (gregor)
- [1.4] Made exceptions final [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153558&view=rev>) (gregor)
- [1.4] Fixed resource leaks with not properly closing Streams [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153557&view=rev>) (gregor)
- [1.4] Removed unneeded Log4J [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153556&view=rev>) (gregor)
- [1.4] Fixed Eclipse warnings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153555&view=rev>) (gregor)
- [1.4] Replaced deprecated tokenStream(Reader) with tokenStream(String, Reader) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153553&view=rev>) (gregor)
- [1.4] Cleaned up Eclipse warnings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153548&view=rev>) (gregor)
- [1.4] Made insert link popup work again by switching to XHTML serialization. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153545&view=rev>) (gregor)
- [1.4] Added the workflow menu transformer to the blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153534&view=rev>) (gregor)
- [1.4] Added a single-step workflow definition to the blog publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153533&view=rev>) (gregor)
- [1.4] Changed enum variables to improve compatibility with JDK 1.5 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153520&view=rev>) (gregor)

- [1.4] check if current URL represents a document before calling setDocument() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153188&view=rev>) (andreas)
- [1.4] Made images and asset titles visible in the forms editor. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29139](#) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153165&view=rev>) (gregor)
- [1.4] thanks to Josias Thoeny XMLHTTP has been implemented for the sitetree of the default publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=153044&view=rev>) (michi)
- [1.4] Made anonymous classes final inner classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=152937&view=rev>) (gregor)
- [1.4] Added svn properties [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=152916&view=rev>) (gregor)
- [1.4] Cleaned up source code to deal with Eclipse warnings and Findbug reports. This adds javadocs to all public methods, fixes some resource leaks (Findbugs term: OS), replaces string concatenation with StringBuffer (SBSC), avoids catch (Exception e) (REC), avoids hiding of internal variables by parameter names, makes variable access explicit, and uses entrySet instead of keySet (WMI). [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=152682&view=rev>) (gregor)
- [1.4] Use XML serializer for XHTML until Xalan doctype problems are resolved. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33431](#) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151792&view=rev>) (gregor)
- [1.4] Removed label attribute from menu (no longer needed) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151322&view=rev>) (gregor)
- [1.4] Updated the blog menus to use uc attributes and I18n. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=27832](#) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151315&view=rev>) (gregor)
- [1.4] Removed dead code [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151309&view=rev>) (gregor)
- [1.4] Fix dubious code to use a locale for toUpperCase / toLowerCase methods [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151307&view=rev>) (gregor)
- [1.4] Added a note on proxy configuration to publication.xconf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=151210&view=rev>) (gregor)
- [1.4] Enabled roundtripping of images between BXE and Kupu. Note that this change requires at least Kupu revision 8795 to work. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29164](#) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149481&view=rev>) (gregor)
- [1.4] Removed xlink tranformer definition [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149459&view=rev>) (gregor)
- [1.4] If the current sitree node does not exist in the displayed document's language Continue with next node. This is a quick fix for bug #32808. Next step would be to offer all links to the available languages. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149444&view=rev>) (roku)
- [1.4] Replaced ASL 1.1 with ASL 2.0 and set svn properties [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149371&view=rev>) (gregor)
- [1.4] Improved sample documents in the default publication with metadata. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149361&view=rev>) (gregor)

## 18.4. Docs

- [Docs] add concepts overview page for 1.4 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155690&view=rev>) (andreas)
- [Docs] added usecase framework documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155689&view=rev>) (andreas)
- [Docs] Added screenshots page to the site [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154763&view=rev>) (gregor)
- [Docs] Removed obsolete directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=154764&view=rev>) (gregor)
- [Docs] Added some remarks to the "Website Update" procedure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155598&view=rev>) (tschlabach)
- [Docs] Fixed Version 1.2 and Version 1.4 tabs to jump right into the appropriate sections [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155595&view=rev>) (tschlabach)
- [Docs] Added "Investmentclub-Niederrhein GbR" to "Live Sites" [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=155578&view=rev>) (tschlabach)

- [Docs] Live sites updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=154867&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154867&view=rev>) (gregor)
- [Docs] SVN properties set [Diff](http://svn.apache.org/viewcvs.cgi?rev=154862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154862&view=rev>) (gregor)
- [Docs] Live sites updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=154853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154853&view=rev>) (gregor)
- [Docs] Live sites updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=154774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154774&view=rev>) (gregor)
- [Docs] Removed misleading SVN keyword from roadmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=154748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154748&view=rev>) (gregor)
- [Docs] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154735&view=rev>) (gregor)
- [Docs] enable proxy notes for Apache 2 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=153529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=153529&view=rev>) (michi)
- [Docs] Added a note about web.app.server [Diff](http://svn.apache.org/viewcvs.cgi?rev=151782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151782&view=rev>) (gregor)
- [Docs] fixed wrong author email address [Diff](http://svn.apache.org/viewcvs.cgi?rev=151775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151775&view=rev>) (gregor)
- [Docs] reset into clean integrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=151439&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151439&view=rev>) (michi)
- [Docs] install target removed from source build instruction [Diff](http://svn.apache.org/viewcvs.cgi?rev=151434&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151434&view=rev>) (michi)
- [Docs] Changed seperate to separate throughout. [Diff](http://svn.apache.org/viewcvs.cgi?rev=151208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=151208&view=rev>) (gregor)
- [Docs] Updated proxying instructions with notes about Jetty [Diff](http://svn.apache.org/viewcvs.cgi?rev=149445&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=149445&view=rev>) (gregor)

## 18.5. Site

- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154747&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154746&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154745&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154742&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154741&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154738&view=rev>) (gregor)
- [Site] Deleted old 1.2 API docs in order to commit new ones [Diff](http://svn.apache.org/viewcvs.cgi?rev=154733&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154733&view=rev>) (gregor)
- [Site] Added "Investmentclub Niederrhein" to "Live Sites" [Diff](http://svn.apache.org/viewcvs.cgi?rev=155677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=155677&view=rev>) (tschlabach)
- [Site] Added screenshots page to the site [Diff](http://svn.apache.org/viewcvs.cgi?rev=154773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154773&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154740&view=rev>) (gregor)
- [Site] Site restructured to distinguish between Lenya 1.2 and 1.4, roadmap updated with progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=154739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=154739&view=rev>) (gregor)

## 19. Version 2005-01 ()

### 19.1. 1.2

- [1.2] add README re patching libraries shipped with Cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=148866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=148866&view=rev>) (michi)
- [1.2] profiler added for performance analysis but commented because of slowing down the system [Diff](http://svn.apache.org/viewcvs.cgi?rev=126490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126490&view=rev>) (michi)
- [1.2] build messages added [Diff](http://svn.apache.org/viewcvs.cgi?rev=125916&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125916&view=rev>) (michi)

- [1.2] Added dutch translation for Lenya UI contributed by Arjen. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125533&view=rev>) (gregor)
- [1.2] Added japanese translation for Lenya UI contributed by Tetsuya Kitahata. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125527&view=rev>) (gregor)
- [1.2] Removed empty directories [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=128439&view=rev>) (gregor)
- [1.2] Removed unused license files. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125882&view=rev>) (gregor)
- [1.2] [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149289&view=rev>) (gregor)
- [1.2] Fixed site area image preview to work for all URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149216&view=rev>) (gregor)
- [1.2] Improved title generation for authoring, admin and site areas [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149176&view=rev>) (gregor)
- [1.2] build properties version added in order to check if local build properties is in sync [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=148869&view=rev>) (michi)
- [1.2] log4j conf added in order to patch Cocoon's log4j conf [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=148865&view=rev>) (michi)
- [1.2] Set default logger to log4j and made log4 log file path relative to webapp. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=128440&view=rev>) (gregor)
- [1.2] Changed revision controller view to no longer access a static member of Publication. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33225](http://issues.apache.org/bugzilla/show_bug.cgi?id=33225) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=128438&view=rev>) (gregor)
- [1.2] Improved wording of build message [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=128437&view=rev>) (gregor)
- [1.2] Enhanced the message on succesful build [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126608&view=rev>) (egli)
- [1.2] Refactor the link detection so that the linkrewriter can be subclassed more easily [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126597&view=rev>) (egli)
- [1.2] Removed xml:output. Cocoon serializers take care of this. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126575&view=rev>) (gregor)
- [1.2] Fixed order of XSL import statements to avoid xslt exceptions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126571&view=rev>) (gregor)
- [1.2] Set XML serializer back to UTF-8. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126548&view=rev>) (gregor)
- [1.2] Javadoc of Server Side Include class updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126545&view=rev>) (michi)
- [1.2] Added getter/setter methods for ignoreAElement [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126494&view=rev>) (egli)
- [1.2] Fixed code that tried to delete a file that was still referenced in an open file stream. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=31986](http://issues.apache.org/bugzilla/show_bug.cgi?id=31986) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126321&view=rev>) (gregor)
- [1.2] differentiate between Tomcat and Jetty during the install [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125918&view=rev>) (michi)
- [1.2] version fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125917&view=rev>) (michi)
- [1.2] allow patching of Lucene [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125911&view=rev>) (michi)
- [1.2] note about lucene and Cocoon 2.1.5.1 added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125903&view=rev>) (michi)
- [1.2] Fixed wrong pipeline call that broke IP range group administration. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125879&view=rev>) (gregor)
- [1.2] Removed Lucene and log4j from Lenya (we now get them from Cocoon). Moved neko libraries to /lib, upgraded nekodtd to 0.1.11 and removed src/webapp/WEB-INF/lib [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125854&view=rev>) (gregor)
- [1.2] note about building Lenya offline added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125813&view=rev>) (michi)
- [1.2] Fixed lenya.bat to no longer display the ASL comments during launch [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125718&view=rev>) (gregor)
- [1.2] log4j enabled because it now also works with Jetty [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125678&view=rev>) (michi)

- [1.2] Jetty path added [Diff](http://svn.apache.org/viewcvs.cgi?rev=125677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125677&view=rev>) (michi)
- [1.2] copyright year updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=125601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125601&view=rev>) (michi)
- [1.2] copyright year updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=125600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125600&view=rev>) (michi)
- [1.2] patch from Jann Forrer applied [Diff](http://svn.apache.org/viewcvs.cgi?rev=125558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125558&view=rev>) (michi)
- [1.2] Fixed typo in a translation key as reported by Arjen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=125536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125536&view=rev>) (gregor)
- [1.2] copyright to 2005 changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=125430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125430&view=rev>) (michi)
- [1.2] log4j path configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=125429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125429&view=rev>) (michi)
- [1.2] commented out superfluous sanity check, to avoid problems with MS Active Directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=125171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125171&view=rev>) (jwkaltz)
- [1.2] Fixed undeclared variables in flowscript [Diff](http://svn.apache.org/viewcvs.cgi?rev=124972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124972&view=rev>) (edith)
- [1.2] Backported patch to show resource type in the overview tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=124771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124771&view=rev>) (gregor)
- [1.2] info about Tomcat added [Diff](http://svn.apache.org/viewcvs.cgi?rev=124497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124497&view=rev>) (michi)
- [1.2] German translation started [Diff](http://svn.apache.org/viewcvs.cgi?rev=124496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124496&view=rev>) (michi)
- [1.2] versions updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=124495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124495&view=rev>) (michi)
- [1.2] prefixes added and default namespace removed because of problems with Sourcewriting Transformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=124488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124488&view=rev>) (michi)
- [1.2] Fixed a typo in the translation key. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123993&view=rev>) (egli)
- [1.2] view task log usecase doesn't seem to work or link might be wrong [Diff](http://svn.apache.org/viewcvs.cgi?rev=123953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123953&view=rev>) (michi)

## 19.2. 1.4

- [1.4] added some publication utility classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=149234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=149234&view=rev>) (andreas)
- [1.4] add publish usecase handler for default pub [Diff](http://svn.apache.org/viewcvs.cgi?rev=149232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=149232&view=rev>) (andreas)
- [1.4] Replaced the Lenya menu with a standards-based implementation by Jon Linczak. New features: \* It is now possible to have more (or less) than 4 menus \* The area tabs are now internationalized \* The new menu displays properly with serialization set to XHTML \* The menu javascript code is now far more robust (and simpler) \* Area tabs now have a hover effect \* Accessibility is improved (by doing away with tables for the menu, and using lists) This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33024](http://issues.apache.org/bugzilla/show_bug.cgi?id=33024) [Diff](http://svn.apache.org/viewcvs.cgi?rev=149185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=149185&view=rev>) (gregor)
- [1.4] Re-added Xlink and XPath classes that slipped into the XPS removal. [Diff](http://svn.apache.org/viewcvs.cgi?rev=126516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126516&view=rev>) (gregor)
- [1.4] usecase framework for publishing [Diff](http://svn.apache.org/viewcvs.cgi?rev=126405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126405&view=rev>) (andreas)
- [1.4] usecase framework for submit usecase in default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=126363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126363&view=rev>) (andreas)
- [1.4] usecase framework for submit usecase in default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=126361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126361&view=rev>) (andreas)
- [1.4] added InvokeWorkflow usecase handler [Diff](http://svn.apache.org/viewcvs.cgi?rev=126360&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126360&view=rev>) (andreas)
- [1.4] Added stubs for search usecase. Lucene search was not handled as a usecase before, so this will involve some porting work. [Diff](http://svn.apache.org/viewcvs.cgi?rev=125895&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125895&view=rev>) (gregor)
- [1.4] Removed Lucene and log4j from Lenya (we now get them from Cocoon). Moved neko libraries to /lib, upgraded nekodtd to 0.1.11 and removed src/webapp/WEB-INF/lib [Diff](http://svn.apache.org/viewcvs.cgi?rev=125853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125853&view=rev>) (gregor)
- [1.4] moved deleteLanguage JX to core [Diff](http://svn.apache.org/viewcvs.cgi?rev=125780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125780&view=rev>) (andreas)
- [1.4] using usecase framework for deleteLanguage usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=125769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125769&view=rev>) (andreas)
- [1.4] Added missing create blog entry JX screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=125568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125568&view=rev>) (gregor)
- [1.4] Added dutch translation for Lenya UI contributed by Arjen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=125536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125536&view=rev>) (gregor)

- (http://svn.apache.org/viewcvs.cgi?rev=125531&view=rev) (gregor)
- [1.4] Added japanese translation for Lenya UI contributed by Tetsuya Kitahata. [Diff](#)
- (http://svn.apache.org/viewcvs.cgi?rev=125526&view=rev) (gregor)
- [1.4] Added stub for create blog entry usecase. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124828&view=rev) (gregor)
- [1.4] Added stub for create blog entry usecase. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124827&view=rev) (gregor)
- [1.4] added createLanguage usecase to usecase framework [Diff](#)
- (http://svn.apache.org/viewcvs.cgi?rev=124786&view=rev) (andreas)
- [1.4] added CreateDocument usecase [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124784&view=rev) (andreas)
- [1.4] added DocumentTypeResolver [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124783&view=rev) (andreas)
- [1.4] start to implement default pub usecases using usecase framework [Diff](#)
- (http://svn.apache.org/viewcvs.cgi?rev=124408&view=rev) (andreas)
- [1.4] not ready yet, but needed to compile Lenya [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124188&view=rev) (andreas)
- [1.4] group admin using usecase framework [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124123&view=rev) (andreas)
- [1.4] group admin using usecase framework [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124121&view=rev) (andreas)
- [1.4] group admin using usecase framework [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124117&view=rev) (andreas)
- [1.4] refactor usecase packages [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124009&view=rev) (andreas)
- [1.4] refactor usecase packages [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124008&view=rev) (andreas)
- [1.4] refactor usecase packages [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124007&view=rev) (andreas)
- [1.4] added WorkflowUsecase [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=123978&view=rev) (andreas)
- [1.4] added matcher to match registered usecases [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=123968&view=rev) (andreas)
- [1.4] Removed empty directories [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=126579&view=rev) (gregor)
- [1.4] Removed empty directory [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=126577&view=rev) (gregor)
- [1.4] Removed XPSAssembler and various XML helper classes. This resolves  
http://issues.apache.org/bugzilla/show\_bug.cgi?id=33030 , http://issues.apache.org/bugzilla/show\_bug.cgi?id=25956 ,  
http://issues.apache.org/bugzilla/show\_bug.cgi?id=19552 and http://issues.apache.org/bugzilla/show\_bug.cgi?id=19583  
[Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=126514&view=rev) (gregor)
- [1.4] usecase framework for submit and reject [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=126368&view=rev) (andreas)
- [1.4] usecase framework for submit and reject [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=126367&view=rev) (andreas)
- [1.4] Removed unused license files. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=125881&view=rev) (gregor)
- [1.4] usecase framework used to change navigation title [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=125781&view=rev) (andreas)
- [1.4] moved deleteLanguage JX to core [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=125779&view=rev) (andreas)
- [1.4] using usecase framework for deleteLanguage usecase [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=125775&view=rev) (andreas)
- [1.4] renamed package site.usecase to site.usecases [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=125766&view=rev) (andreas)
- [1.4] Made log4j the log system used by Lenya, and start using log4j.xconf for configuration. This obviates the need for absolute paths in the log4j configuration. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=125705&view=rev) (gregor)
- [1.4] Added missing create blog entry JX screen. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=125569&view=rev) (gregor)
- [1.4] Finished the new blog entry usecase. This allowed to remove dom4j and the ParentChildCreatorAction as well as create.xsp and create.xsl, which are now no longer used. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124886&view=rev) (gregor)
- [1.4] Removed unused DelegatingAuthenticatorAction. Login is now handled by the login usecase. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=124814&view=rev) (gregor)
- [1.4] removed obsolete document creation helpers [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=124792&view=rev) (andreas)
- [1.4] Removed upload.js flow script (the upload usecase is now handled by the usecase framework) [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=124766&view=rev) (gregor)
- [1.4] Removed validate action. Usecases that need to validate use the Relax NG helper directly. [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=124744&view=rev>) (gregor)
- [1.4] Removed deprecated SMTP class, which has been replaced by the notification task. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=124736&view=rev>) (gregor)
- [1.4] refactor usecase packages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124013&view=rev>) (andreas)
- [1.4] refactor usecase packages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124011&view=rev>) (andreas)
- [1.4] refactor usecase packages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124010&view=rev>) (andreas)
- [1.4] removed obsolete logout files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124000&view=rev>) (andreas)
- [1.4] removed obsolete logout files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123999&view=rev>) (andreas)
- [1.4] removed obsolete login files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123991&view=rev>) (andreas)
- [1.4] removed obsolete login files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123990&view=rev>) (andreas)
- [1.4] [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149288&view=rev>) (gregor)
- [1.4] added recursive publishing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149252&view=rev>) (andreas)
- [1.4] added recursive publishing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149251&view=rev>) (andreas)
- [1.4] lazy loading for workflow history [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149236&view=rev>) (andreas)
- [1.4] switch to AbstractLogEnabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149233&view=rev>) (andreas)
- [1.4] Fixed site area image preview to work for all URLs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=149215&view=rev>) (gregor)
- [1.4] Improved title generation for authoring, admin and site areas [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=149175&view=rev>) (gregor)
- [1.4] Changed remaining instances of lenya.usecase=logout to lenya.usecase=ac.logout [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=149166&view=rev>) (gregor)
- [1.4] Updated WorkflowDocumentSet to use the new WorkflowFactory interface [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=149152&view=rev>) (gregor)
- [1.4] switch to AbstractLogEnabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126622&view=rev>) (andreas)
- [1.4] introduced workflow resolver [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126614&view=rev>) (andreas)
- [1.4] introduced workflow resolver [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126613&view=rev>) (andreas)
- [1.4] Removed xml:output. Cocoon serializers take care of this. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=126576&view=rev>) (gregor)
- [1.4] Changed revision controller view to no longer access a static member of Publication. This resolves  
[http://issues.apache.org/bugzilla/show\\_bug.cgi?id=33225](http://issues.apache.org/bugzilla/show_bug.cgi?id=33225) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126562&view=rev>) (gregor)
- [1.4] switch to AbstractLogEnabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126515&view=rev>) (andreas)
- [1.4] FlowHelper is now Avalon component [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126404&view=rev>) (andreas)
- [1.4] usecase framework for publishing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126403&view=rev>) (andreas)
- [1.4] usecase framework for publishing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126402&view=rev>) (andreas)
- [1.4] switch to AbstractLogEnabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126401&view=rev>) (andreas)
- [1.4] switch to AbstractLogEnabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126400&view=rev>) (andreas)
- [1.4] usecase framework for submit and reject [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126369&view=rev>) (andreas)
- [1.4] usecase framework for reject usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126366&view=rev>) (andreas)
- [1.4] usecase framework for submit usecase in default publication [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=126364&view=rev>) (andreas)
- [1.4] added document to initial parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126359&view=rev>) (andreas)
- [1.4] refactoring: extracted method getExecutableEvent() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126358&view=rev>) (andreas)
- [1.4] Fixed code that tried to delete a file that was still referenced in an open file stream. This fixes  
[http://issues.apache.org/bugzilla/show\\_bug.cgi?id=31986](http://issues.apache.org/bugzilla/show_bug.cgi?id=31986) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=126320&view=rev>) (gregor)
- [1.4] make sure that local properties are in sync with pre-set build properties [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=125967&view=rev>) (michi)
- [1.4] Added stubs for search usecase. Lucene search was not handled as a usecase before, so this will involve some porting work. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125896&view=rev>) (gregor)

- [1.4] Fixed wrong pipeline call that broke IP range group administration. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125878&view=rev>) (gregor)
- [1.4] add i18n messages for changeLabel usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125783&view=rev>) (andreas)
- [1.4] usecase framework used to change navigation title [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125782&view=rev>) (andreas)
- [1.4] using usecase framework for deleteLanguage usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125774&view=rev>) (andreas)
- [1.4] using usecase framework for deleteLanguage usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125770&view=rev>) (andreas)
- [1.4] Fixed lenya.bat to no longer display the ASL comments during launch [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125717&view=rev>) (gregor)
- [1.4] log4j enabled because it also works now with Jetty [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125679&view=rev>) (michi)
- [1.4] note about deployment re the various servlet containers added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125595&view=rev>) (michi)
- [1.4] applied patch from Jann Forrer re context prefix and asset upload [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125561&view=rev>) (michi)
- [1.4] german translation of default publication welcome page started [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125556&view=rev>) (michi)
- [1.4] log4j path configurable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125555&view=rev>) (michi)
- [1.4] Fixed typo in a translation key as reported by Arjen. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125535&view=rev>) (gregor)
- [1.4] commented out superfluous sanity check, to avoid problems with MS Active Directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=125172&view=rev>) (jwkaltz)
- [1.4] Removed references to dom4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124887&view=rev>) (gregor)
- [1.4] removed create tasks [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124791&view=rev>) (andreas)
- [1.4] adding sitetree label instead of new node when node already exists [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124790&view=rev>) (andreas)
- [1.4] refactored exception handling in URIParameterizer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124789&view=rev>) (andreas)
- [1.4] refactored Create usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124788&view=rev>) (andreas)
- [1.4] using create usecases from usecase FW, show create-language item only when not all language versions exist [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124787&view=rev>) (andreas)
- [1.4] added createLanguage usecase to usecase framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124785&view=rev>) (andreas)
- [1.4] added DocumentTypeResolver [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124782&view=rev>) (andreas)
- [1.4] Changed invocation of ResourcesManager to DefaultResourcesManager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124767&view=rev>) (gregor)
- [1.4] Renamed testGetFullName to testGetName to reflect interface changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124765&view=rev>) (gregor)
- [1.4] Replaced references to oscom publication with default publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124764&view=rev>) (gregor)
- [1.4] Removed deprecated getAbsoluteParentId() from SiteTreeNode interface [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124763&view=rev>) (gregor)
- [1.4] Removed deprecated getParentId() from SiteTreeNode interface [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124761&view=rev>) (gregor)
- [1.4] Replaced occurrences of deprecated node-id with node-name [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124759&view=rev>) (gregor)
- [1.4] Changed occurrences of DocumentURL to use CanonicalDocumentURL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=124757&view=rev>) (gregor)

- [1.4] Set missing SVN properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=124751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124751&view=rev>) (gregor)
- [1.4] Removed deprecated methods from AbstractUser [Diff](http://svn.apache.org/viewcvs.cgi?rev=124750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124750&view=rev>) (gregor)
- [1.4] Added ASL 2.0 license and set SVN properties for some new Java files that did not have them [Diff](http://svn.apache.org/viewcvs.cgi?rev=124749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124749&view=rev>) (gregor)
- [1.4] Added ASL 2.0 license and set SVN properties for some new Java files that did not have them [Diff](http://svn.apache.org/viewcvs.cgi?rev=124746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124746&view=rev>) (gregor)
- [1.4] Removed default-create action which has been superceded by the create usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=124743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124743&view=rev>) (gregor)
- [1.4] Completed migration from a.o.l.util.FileUtil to excalibur FileUtil [Diff](http://svn.apache.org/viewcvs.cgi?rev=124738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124738&view=rev>) (gregor)
- [1.4] Removed known issues from 1.4 readme. [Diff](http://svn.apache.org/viewcvs.cgi?rev=124682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124682&view=rev>) (gregor)
- [1.4] Removed occurrence of cocoon-lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=124671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124671&view=rev>) (gregor)
- [1.4] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=124538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124538&view=rev>) (andreas)
- [1.4] fixed StringIndexException for language prefixes like de\_CH [Diff](http://svn.apache.org/viewcvs.cgi?rev=124536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124536&view=rev>) (andreas)
- [1.4] fixed some parameter names in Create JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=124534&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124534&view=rev>) (andreas)
- [1.4] implemented Create usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=124533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124533&view=rev>) (andreas)
- [1.4] changing DOM when label has changed, not only Label object [Diff](http://svn.apache.org/viewcvs.cgi?rev=124527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124527&view=rev>) (andreas)
- [1.4] publication polymorphism for usecase handler classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=124492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124492&view=rev>) (andreas)
- [1.4] transforming non-namespace elements to XHTML [Diff](http://svn.apache.org/viewcvs.cgi?rev=124412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124412&view=rev>) (andreas)
- [1.4] first steps for create usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=124411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124411&view=rev>) (andreas)
- [1.4] first steps for create usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=124410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124410&view=rev>) (andreas)
- [1.4] avoid NPE when fetching source document [Diff](http://svn.apache.org/viewcvs.cgi?rev=124409&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124409&view=rev>) (andreas)
- [1.4] allow fallback for JX templates [Diff](http://svn.apache.org/viewcvs.cgi?rev=124407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124407&view=rev>) (andreas)
- [1.4] allow string for name, not only NCName [Diff](http://svn.apache.org/viewcvs.cgi?rev=124404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124404&view=rev>) (andreas)
- [1.4] setting link attributes instead of title [Diff](http://svn.apache.org/viewcvs.cgi?rev=124403&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124403&view=rev>) (andreas)
- [1.4] replaced {fallback} by fallback://, fixed serializer for SourceWritingTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=124402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124402&view=rev>) (andreas)
- [1.4] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=124401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124401&view=rev>) (andreas)
- [1.4] fixed order of XSLT statements [Diff](http://svn.apache.org/viewcvs.cgi?rev=124400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124400&view=rev>) (andreas)
- [1.4] fixed order of XSLT statements [Diff](http://svn.apache.org/viewcvs.cgi?rev=124398&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124398&view=rev>) (andreas)
- [1.4] replaced element.setNodeValue() by DocumentHelper.setSimpleElementText() [Diff](http://svn.apache.org/viewcvs.cgi?rev=124388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124388&view=rev>) (andreas)
- [1.4] replaced element.setNodeValue() by DocumentHelper.setSimpleElementText() [Diff](http://svn.apache.org/viewcvs.cgi?rev=124387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124387&view=rev>) (andreas)
- [1.4] fixed xpath to replace author [Diff](http://svn.apache.org/viewcvs.cgi?rev=124383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124383&view=rev>) (andreas)
- [1.4] add stylesheet version attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=124380&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124380&view=rev>) (andreas)
- [1.4] add stylesheet version attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=124379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124379&view=rev>) (andreas)
- [1.4] don't swallow exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=124378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124378&view=rev>) (andreas)
- [1.4] XUL menus enabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=124292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124292&view=rev>) (michi)
- [1.4] XUL menus fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=124291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124291&view=rev>) (michi)
- [1.4] comment about meta stylesheet added [Diff](http://svn.apache.org/viewcvs.cgi?rev=124152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124152&view=rev>) (michi)
- [1.4] group admin using usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=124122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124122&view=rev>) (andreas)
- [1.4] group admin using usecase framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=124120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124120&view=rev>) (andreas)
- [1.4] add save() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=124119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124119&view=rev>) (andreas)

- [1.4] refactoring (remove duplicate code) [Diff](http://svn.apache.org/viewcvs.cgi?rev=124118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124118&view=rev>) (andreas)
- [1.4] add resources tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=124015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124015&view=rev>) (andreas)
- [1.4] refactor usecase packages [Diff](http://svn.apache.org/viewcvs.cgi?rev=124014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124014&view=rev>) (andreas)
- [1.4] added XML file extension [Diff](http://svn.apache.org/viewcvs.cgi?rev=124012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124012&view=rev>) (andreas)
- [1.4] removed obsolete declarations and pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=124005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124005&view=rev>) (andreas)
- [1.4] using usecase framework for logout [Diff](http://svn.apache.org/viewcvs.cgi?rev=124004&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124004&view=rev>) (andreas)
- [1.4] added logout functionality [Diff](http://svn.apache.org/viewcvs.cgi?rev=124002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124002&view=rev>) (andreas)
- [1.4] init session before use [Diff](http://svn.apache.org/viewcvs.cgi?rev=124001&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=124001&view=rev>) (andreas)
- [1.4] user-groups usecase added [Diff](http://svn.apache.org/viewcvs.cgi?rev=123989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123989&view=rev>) (andreas)
- [1.4] using usecase framework for login usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123988&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123988&view=rev>) (andreas)
- [1.4] removed TODO comment (looks fine to me) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123987&view=rev>) (andreas)
- [1.4] fixed submit button name [Diff](http://svn.apache.org/viewcvs.cgi?rev=123986&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123986&view=rev>) (andreas)
- [1.4] don't obtain workflow situation [Diff](http://svn.apache.org/viewcvs.cgi?rev=123985&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123985&view=rev>) (andreas)
- [1.4] removed exception clause from doInitialize() [Diff](http://svn.apache.org/viewcvs.cgi?rev=123984&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123984&view=rev>) (andreas)
- [1.4] removed exception clause from doInitialize() [Diff](http://svn.apache.org/viewcvs.cgi?rev=123982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123982&view=rev>) (andreas)
- [1.4] removed exception clause from doInitialize() [Diff](http://svn.apache.org/viewcvs.cgi?rev=123981&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123981&view=rev>) (andreas)
- [1.4] fixed some style issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=123980&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123980&view=rev>) (andreas)
- [1.4] removed exception clause from doInitialize() [Diff](http://svn.apache.org/viewcvs.cgi?rev=123979&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123979&view=rev>) (andreas)
- [1.4] added matcher to match registered usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123971&view=rev>) (andreas)
- [1.4] added matcher to match registered usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123970&view=rev>) (andreas)
- [1.4] added method to check if a usecase is registered [Diff](http://svn.apache.org/viewcvs.cgi?rev=123967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123967&view=rev>) (andreas)
- [1.4] moved triggerWorkflow() one level up as it can apply to multiple documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=123963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123963&view=rev>) (andreas)
- [1.4] added methods to trigger workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=123962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123962&view=rev>) (andreas)
- [1.4] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=123961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123961&view=rev>) (andreas)
- [1.4] output single languages instead of array object [Diff](http://svn.apache.org/viewcvs.cgi?rev=123960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123960&view=rev>) (andreas)
- [1.4] don't use interface constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=123959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123959&view=rev>) (andreas)
- [1.4] removed unused imports, replace strings with pre-defined fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=123957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123957&view=rev>) (andreas)

## 19.3. Docs

- [Docs] Added a note about misleading Forrest error messages during web site build [Diff](http://svn.apache.org/viewcvs.cgi?rev=126554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126554&view=rev>) (gregor)
- [Docs] Added clarification about forrest version used for building the site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=126423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=126423&view=rev>) (gregor)
- [Docs] updated the link to our live site [Diff](http://svn.apache.org/viewcvs.cgi?rev=125177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=125177&view=rev>) (jwkaltz)

## 19.4. Site

- [Site] Updated site with latest documentation changes and removed eol-style [Diff](http://svn.apache.org/viewcvs.cgi?rev=123936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123936&view=rev>) (gregor)

- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123935&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123934&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123924&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123933&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123932&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123930&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123929&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123928&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes and removed eol-style [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123927&view=rev>) (gregor)
- [Site] Updated site with latest documentation changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123925&view=rev>) (gregor)

## 20. Version 2004-12 ()

### 20.1.

- [] Tagging the Apache Lenya 1.2.1 release [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123667&view=rev>) (roku)
- [] Tagging the Apache Lenya 1.2.1 release [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123663&view=rev>) (roku)
- [] removing: used wrong kupu and bxe revs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123666&view=rev>) (roku)

### 20.2. 1.2

- [1.2] Added my gpg key. We also should sign our releases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123725&view=rev>) (roku)
- [1.2] Made search.properties work out of the box. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109851&view=rev>) (gregor)
- [1.2] It is enough if the KEYS file is in the trunk. It is better to maintain. Maybe we should open a new directory called misc or so. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123726&view=rev>) (roku)
- [1.2] Removed OSCOM publication, which will continue to be available from <http://oscom.org>. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123489&view=rev>) (gregor)
- [1.2] Removed the links sample page from the default publication until the doctype is completed. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=111678&view=rev>) (gregor)
- [1.2] The namespaces are needed in order that the XPSAssembler work with the new xalan [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=111362&view=rev>) (edith)
- [1.2] Use cocoon log4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109787&view=rev>) (antonio)
- [1.2] We don't include xalan in the distribution [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109786&view=rev>) (antonio)
- [1.2] Made checksum file extension lower case. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123684&view=rev>) (roku)
- [1.2] Uups, used the wrong revision [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123665&view=rev>) (roku)
- [1.2] Uups, used the wrong revision [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123664&view=rev>) (roku)
- [1.2] Preparing 1.2.1 tag [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123662&view=rev>) (roku)
- [1.2] Switched to Cocoon 2.1.5.1, since this will be the shipped version in 1.2.1 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123661&view=rev>) (roku)

- [1.2] Including special revisions of kupu and bxe. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123660&view=rev>) (roku)
- [1.2] Line break test [Diff](http://svn.apache.org/viewcvs.cgi?rev=123221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123221&view=rev>) (roku)
- [1.2] Applied patch sent by Hubertus Groepper. Fixes inaccessible links of bread crumbs. See bug [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32610](http://issues.apache.org/bugzilla/show_bug.cgi?id=32610) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123217&view=rev>) (roku)
- [1.2] set the xlink namespace even if the document already exist, because the namespace are else removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=123205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123205&view=rev>) (edith)
- [1.2] Converted tabs to spaces. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32739](http://issues.apache.org/bugzilla/show_bug.cgi?id=32739) Thanks to Josias Thoeny. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122866&view=rev>) (gregor)
- [1.2] Readded dependency on Lucene block as the Lenya search XSP relies on it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122793&view=rev>) (gregor)
- [1.2] Fixed path to legal dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=122721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122721&view=rev>) (roku)
- [1.2] Added kupu to be build for dist-bin target. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122720&view=rev>) (roku)
- [1.2] \* Fixed target dist-bin ; removed copying of endorsed libs, since the folder does not exist anymore \* excluded dist folder from copy process [Diff](http://svn.apache.org/viewcvs.cgi?rev=122718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122718&view=rev>) (roku)
- [1.2] Changing to kupu 1.2 branch. Guido Wesdorp created it yesterday from trunk. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122672&view=rev>) (roku)
- [1.2] Removed setLanguageTabs() Javascript function from the site tree. It was no longer needed and caused problems with some language settings. Also made the sitetree code more defensive to get rid of some Javascript errors in the insert link popup. Thanks to Josias Thoeny for reporting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=112007&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=112007&view=rev>) (gregor)
- [1.2] Improved the warning message if Kupu is not installed correctly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111996&view=rev>) (gregor)
- [1.2] Switched from deprecated resolver.resolve() to resolver.resolveURI() [Diff](http://svn.apache.org/viewcvs.cgi?rev=111923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111923&view=rev>) (gregor)
- [1.2] Set cocoon.src.dir to cocoon-2.1.6 by default [Diff](http://svn.apache.org/viewcvs.cgi?rev=111831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111831&view=rev>) (gregor)
- [1.2] Removed support for hsqldb [Diff](http://svn.apache.org/viewcvs.cgi?rev=111826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111826&view=rev>) (gregor)
- [1.2] Removed support for hsqldb [Diff](http://svn.apache.org/viewcvs.cgi?rev=111779&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111779&view=rev>) (gregor)
- [1.2] Moved styling information from inline to CSS. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111777&view=rev>) (gregor)
- [1.2] Made the start page for the export target valid. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111755&view=rev>) (gregor)
- [1.2] Removed reliance of export targets on Tomcat. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111753&view=rev>) (gregor)
- [1.2] Removed spurious debugging statements and improved language [Diff](http://svn.apache.org/viewcvs.cgi?rev=111679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111679&view=rev>) (gregor)
- [1.2] Changed text of the login screen to explicitly mention both default users. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32570](http://issues.apache.org/bugzilla/show_bug.cgi?id=32570) [Diff](http://svn.apache.org/viewcvs.cgi?rev=111676&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111676&view=rev>) (gregor)
- [1.2] Added support for Macromedia Flash to the insert image screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111651&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111651&view=rev>) (gregor)
- [1.2] String fixed such that it actually compiles because I mixed up versions [Diff](http://svn.apache.org/viewcvs.cgi?rev=111427&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111427&view=rev>) (michi)
- [1.2] hardcoded 127.0.0.1 replaced by serverName such also WebLogic Server works re Scheduling [Diff](http://svn.apache.org/viewcvs.cgi?rev=111423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111423&view=rev>) (michi)
- [1.2] name fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=111420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111420&view=rev>) (michi)
- [1.2] The namespaces are needed in order that the XPSAssembler work with the new xalan [Diff](http://svn.apache.org/viewcvs.cgi?rev=111361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111361&view=rev>) (edith)
- [1.2] Fixed undeclared variables in flowscript. Thanks to Doug Chestnut and Jeremy Torres. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32544](http://issues.apache.org/bugzilla/show_bug.cgi?id=32544) [Diff](http://svn.apache.org/viewcvs.cgi?rev=110062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=110062&view=rev>)

- (gregor)
- [1.2] Fix the uri, because the publication id has no / [Diff](http://svn.apache.org/viewcvs.cgi?rev=109972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109972&view=rev>) (edith)
- [1.2] allowing 5-character language extensions instead of 4-character [Diff](http://svn.apache.org/viewcvs.cgi?rev=109967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109967&view=rev>) (andreas)
- [1.2] Fix setup method of DocumentIndexTransformer to work with Cocoon 2.1.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=109920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109920&view=rev>) (gregor)
- [1.2] Add missing keys [Diff](http://svn.apache.org/viewcvs.cgi?rev=109873&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109873&view=rev>) (antonio)
- [1.2] Add &#160; [Diff](http://svn.apache.org/viewcvs.cgi?rev=109870&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109870&view=rev>) (antonio)
- [1.2] Use the same key as i18n files [Diff](http://svn.apache.org/viewcvs.cgi?rev=109869&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109869&view=rev>) (antonio)
- [1.2] Improve usability of edit menu. Thanks to Jean-Pierre LeJacq. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32514](http://issues.apache.org/bugzilla/show_bug.cgi?id=32514) [Diff](http://svn.apache.org/viewcvs.cgi?rev=109839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109839&view=rev>) (gregor)
- [1.2] We don't use pizza compiler. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109791&view=rev>) (antonio)
- [1.2] Fix typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=109790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109790&view=rev>) (antonio)
- [1.2] Use cocoon XConfToolTask.class [Diff](http://svn.apache.org/viewcvs.cgi?rev=109785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109785&view=rev>) (antonio)
- [1.2] Remove unused local variables. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109784&view=rev>) (antonio)
- [1.2] Fix lenya wiki link [Diff](http://svn.apache.org/viewcvs.cgi?rev=109783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109783&view=rev>) (antonio)
- [1.2] Eclipse project now use cocoon 2.1.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=109768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109768&view=rev>) (antonio)
- [1.2] Remove trailing spaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=109764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109764&view=rev>) (antonio)
- [1.2] Remove unused imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109760&view=rev>) (antonio)
- [1.2] Fix typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109759&view=rev>) (antonio)
- [1.2] must return a value. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109758&view=rev>) (antonio)
- [1.2] Define xalan as the default xslt tranformer again (run with cocoon-2.1.6) [Diff](http://svn.apache.org/viewcvs.cgi?rev=109757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109757&view=rev>) (antonio)
- [1.2] Remove unused imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109755&view=rev>) (antonio)
- [1.2] Remove unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=109754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109754&view=rev>) (antonio)
- [1.2] Comment hsqldb port variable. Set cocon dir to 2.1.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=109753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109753&view=rev>) (antonio)
- [1.2] Update info based in cocoon 2.16 [Diff](http://svn.apache.org/viewcvs.cgi?rev=109752&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109752&view=rev>) (antonio)
- [1.2] Set java 1.4 as source vm [Diff](http://svn.apache.org/viewcvs.cgi?rev=109751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109751&view=rev>) (antonio)
- [1.2] Allow to run in cygwin [Diff](http://svn.apache.org/viewcvs.cgi?rev=109743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109743&view=rev>) (antonio)
- [1.2] Use issue.apache.org [Diff](http://svn.apache.org/viewcvs.cgi?rev=109741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109741&view=rev>) (antonio)
- [1.2] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=109722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109722&view=rev>) (roku)
- [1.2] - Print out error and fail if xsltproc is not available - Removed redundant call of make on windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=109717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109717&view=rev>) (roku)
- [1.2] Added note for xsltproc [Diff](http://svn.apache.org/viewcvs.cgi?rev=109707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109707&view=rev>) (roku)
- [1.2] Updated svn:external prop for bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=109699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109699&view=rev>) (roku)
- [1.2] Updated svn:external prop for bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=109698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109698&view=rev>) (roku)
- [1.2] When saving in Xopus the workflow state is now set back to "authoring". This is similar to the behaviour in bitflux. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109679&view=rev>) (egli)
- [1.2] avoid arrayindexoutofboundsexception (URL length check) [Diff](http://svn.apache.org/viewcvs.cgi?rev=109677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109677&view=rev>) (andreas)
- [1.2] calling super.setup() to avoid NPE in startPrefixMapping() [Diff](http://svn.apache.org/viewcvs.cgi?rev=109488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109488&view=rev>) (andreas)
- [1.2] adding missing 18n namespace declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=109483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109483&view=rev>) (andreas)
- [1.2] Improved Xopus installation instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=109422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109422&view=rev>) (gregor)
- [1.2] fixed XLink namespace URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=109336&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109336&view=rev>) (andreas)
- [1.2] fixed XLink namespace URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=109334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109334&view=rev>) (andreas)

## 20.3. 1.4

- [1.4] Added my gpg key. We also should sign our releases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123680&view=rev>) (roku)
- [1.4] Refactored site-area usecases that are displayed in a tab to have the naming convention tab.\* Added seperate view pipeline for those usecases, plus arbitration code in usecases.js [Diff](http://svn.apache.org/viewcvs.cgi?rev=123637&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123637&view=rev>) (gregor)
- [1.4] Added stub usecases for login, create and move. Added well-known usecase names. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123429&view=rev>) (gregor)
- [1.4] Renamed two usecases to make the naming consistent [Diff](http://svn.apache.org/viewcvs.cgi?rev=123364&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123364&view=rev>) (gregor)
- [1.4] Added (currently inactive) Login usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123362&view=rev>) (gregor)
- [1.4] Added (currently inactive) Login usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123361&view=rev>) (gregor)
- [1.4] Added metadata and generic site usecase (as a superclass for all site-area usecases) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123346&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123346&view=rev>) (gregor)
- [1.4] Added first draft of JX templates for site usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123335&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123335&view=rev>) (gregor)
- [1.4] Added first draft of JX templates for site usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123334&view=rev>) (gregor)
- [1.4] user groups as JX template usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123124&view=rev>) (andreas)
- [1.4] user groups as JX template usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123122&view=rev>) (andreas)
- [1.4] changePassword migrated to JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=123096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123096&view=rev>) (andreas)
- [1.4] re-organized admin usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123083&view=rev>) (andreas)
- [1.4] initial checkin of java-based access control usecasees [Diff](http://svn.apache.org/viewcvs.cgi?rev=123066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123066&view=rev>) (andreas)
- [1.4] initial checkin of java-based access control usecasees [Diff](http://svn.apache.org/viewcvs.cgi?rev=123065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123065&view=rev>) (andreas)
- [1.4] added TopicMapSiteManager outline [Diff](http://svn.apache.org/viewcvs.cgi?rev=123060&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123060&view=rev>) (andreas)
- [1.4] Renamed XPSInclude to XInclude and XPSAssembler to XIncludeImpl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122790&view=rev>) (gregor)
- [1.4] Added new compile-xsp target to precompile XSP. This can be used to detect errors in XSP files that would otherwise go unnoticed. This uses code submitted by Simon Mieth ([http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29360](http://issues.apache.org/bugzilla/show_bug.cgi?id=29360)) [Diff](http://svn.apache.org/viewcvs.cgi?rev=122743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122743&view=rev>) (gregor)
- [1.4] Added new compile-xsp target to precompile XSP. This can be used to detect errors in XSP files that would otherwise go unnoticed. This uses code submitted by Simon Mieth ([http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29360](http://issues.apache.org/bugzilla/show_bug.cgi?id=29360)) [Diff](http://svn.apache.org/viewcvs.cgi?rev=122742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122742&view=rev>) (gregor)
- [1.4] Added preview for images to asset upload screens and asset lists. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111781&view=rev>) (gregor)
- [1.4] Added patch by Marc Kuester to enable per-doctype CSS. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29325](http://issues.apache.org/bugzilla/show_bug.cgi?id=29325) [Diff](http://svn.apache.org/viewcvs.cgi?rev=111671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111671&view=rev>) (gregor)
- [1.4] Made search.properties work out of the box. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109850&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109850&view=rev>) (gregor)
- [1.4] Added kupu build script [Diff](http://svn.apache.org/viewcvs.cgi?rev=109723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109723&view=rev>) (roku)
- [1.4] Removed UploadHelper (replaced by ResourceManager) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123642&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123642&view=rev>) (gregor)
- [1.4] Refactored site-area usecases that are displayed in a tab to have the naming convention tab.\* Added seperate view pipeline for those usecases, plus arbitration code in usecases.js [Diff](http://svn.apache.org/viewcvs.cgi?rev=123638&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123638&view=rev>) (gregor)
- [1.4] Removed OSCOM publication, which will continue to be available from <http://oscom.org>. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123490&view=rev>) (gregor)
- [1.4] Removed SSI class which has been deprecated since 1.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=123416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123416&view=rev>) (gregor)

- [1.4] removed old admin XSP and XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=123128&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123128&view=rev>) (andreas)
- [1.4] removed old admin XSP and XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=123127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123127&view=rev>) (andreas)
- [1.4] Made checksum file extension lower case. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123683&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123683&view=rev>) (roku)
- [1.4] Added kupu target [Diff](http://svn.apache.org/viewcvs.cgi?rev=123682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123682&view=rev>) (roku)
- [1.4] Added stub class for tab.ac\* usecases. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123669&view=rev>) (gregor)
- [1.4] Refactored tab.meta initialization code [Diff](http://svn.apache.org/viewcvs.cgi?rev=123659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123659&view=rev>) (gregor)
- [1.4] Added tab.overview usecase, extended SiteUsecase to provide more values [Diff](http://svn.apache.org/viewcvs.cgi?rev=123658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123658&view=rev>) (gregor)
- [1.4] Changed ResourcesManager invocation to go via Document.getResourceManager() [Diff](http://svn.apache.org/viewcvs.cgi?rev=123644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123644&view=rev>) (gregor)
- [1.4] Refactored ResourcesManager, added addResource method. Based ResourcesManager on DublinCore. Added getResourceManager() to Document interface. Added Assets usecase. Improved the assets JX view. Changed all callers of ResourceManager to use getResourceManager() [Diff](http://svn.apache.org/viewcvs.cgi?rev=123528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123528&view=rev>) (gregor)
- [1.4] Removed duplicate ResourceNotFound exception selector (it is already defined by Cocoon) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123520&view=rev>) (gregor)
- [1.4] Made license header consistent [Diff](http://svn.apache.org/viewcvs.cgi?rev=123498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123498&view=rev>) (gregor)
- [1.4] Removed empty component definitions from all sitemaps [Diff](http://svn.apache.org/viewcvs.cgi?rev=123497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123497&view=rev>) (gregor)
- [1.4] Upgraded Cocoon version to 2.1.6 in publication screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=123493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123493&view=rev>) (gregor)
- [1.4] Moved exception selectors to the root sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=123492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123492&view=rev>) (gregor)
- [1.4] [Diff](http://svn.apache.org/viewcvs.cgi?rev=123426&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123426&view=rev>) (gregor)
- [1.4] Removed unnecessary definitions from usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=123423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123423&view=rev>) (gregor)
- [1.4] Improved layout of site area JX views [Diff](http://svn.apache.org/viewcvs.cgi?rev=123421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123421&view=rev>) (gregor)
- [1.4] Refactored IterativeHTMLCrawler to implement Configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=123417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123417&view=rev>) (gregor)
- [1.4] Migrated pipelines to the Cocoon XincludeTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=123414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123414&view=rev>) (gregor)
- [1.4] Refactored RevisionController to no longer rely on the deprecated XPSOutputStream [Diff](http://svn.apache.org/viewcvs.cgi?rev=123413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123413&view=rev>) (gregor)
- [1.4] Refactored RCML to no longer rely on the deprecated XPointerFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=123412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123412&view=rev>) (gregor)
- [1.4] Refactored NewBlogEntryCreator to no longer rely on the deprecated DOMUtil [Diff](http://svn.apache.org/viewcvs.cgi?rev=123411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123411&view=rev>) (gregor)
- [1.4] Fixed broken revisions tab (it was using a no longer existing method call) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123401&view=rev>) (gregor)
- [1.4] Deprecated DelegatingAuthenticatorAction in favour of Login usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123363&view=rev>) (gregor)
- [1.4] Exposed the Context in the AbstractUsecase with a getter method [Diff](http://svn.apache.org/viewcvs.cgi?rev=123359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123359&view=rev>) (gregor)
- [1.4] Exposed the AccessController in the AccessControlUsecase with a getter method [Diff](http://svn.apache.org/viewcvs.cgi?rev=123358&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123358&view=rev>) (gregor)
- [1.4] Set eol-style and keywords [Diff](http://svn.apache.org/viewcvs.cgi?rev=123356&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123356&view=rev>) (gregor)
- [1.4] Remove keywords from binary files [Diff](http://svn.apache.org/viewcvs.cgi?rev=123355&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123355&view=rev>) (gregor)
- [1.4] Set svn:keywords and svn:eol-style consistently [Diff](http://svn.apache.org/viewcvs.cgi?rev=123348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123348&view=rev>) (gregor)
- [1.4] Removed duplicate menu entries [Diff](http://svn.apache.org/viewcvs.cgi?rev=123340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123340&view=rev>) (gregor)
- [1.4] Added license and file:// prefix to image preview javascript code [Diff](http://svn.apache.org/viewcvs.cgi?rev=123339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123339&view=rev>) (gregor)

- [1.4] Added image preview to asset usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123338&view=rev>) (gregor)
- [1.4] Added comments and license to usecases.js [Diff](http://svn.apache.org/viewcvs.cgi?rev=123337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123337&view=rev>) (gregor)
- [1.4] Added deprecation note to WriteDCParametersTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=123316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123316&view=rev>) (gregor)
- [1.4] Improved javadocs for DocumentUsecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123315&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123315&view=rev>) (gregor)
- [1.4] Merged from 1.2.x [Diff](http://svn.apache.org/viewcvs.cgi?rev=123222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123222&view=rev>) (roku)
- [1.4] [merged from 1.2.x] Applied patch sent by Hubertus Groepper. Fixes inaccessible links of bread crumbs. See bug [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32610](http://issues.apache.org/bugzilla/show_bug.cgi?id=32610) [Diff](http://svn.apache.org/viewcvs.cgi?rev=123220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123220&view=rev>) (roku)
- [1.4] Fix the uri, because the publicationId has no '/' at the beginning [Diff](http://svn.apache.org/viewcvs.cgi?rev=123213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123213&view=rev>) (edith)
- [1.4] Fixed typo to make SVN version tags work. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123203&view=rev>) (gregor)
- [1.4] Defined source resolver in lenya.xtest and removed Tomcat path dependencies [Diff](http://svn.apache.org/viewcvs.cgi?rev=123195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123195&view=rev>) (gregor)
- [1.4] Removed Tomcat-specific context prefix from AntTaskTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=123194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123194&view=rev>) (gregor)
- [1.4] Removed dependencies on Tomcat for the test build, fixed some ant properties related to the test build. [Diff](http://svn.apache.org/viewcvs.cgi?rev=123193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123193&view=rev>) (gregor)
- [1.4] user groups as JX template usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123126&view=rev>) (andreas)
- [1.4] user groups as JX template usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123125&view=rev>) (andreas)
- [1.4] user groups as JX template usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123123&view=rev>) (andreas)
- [1.4] user groups as JX template usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=123121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123121&view=rev>) (andreas)
- [1.4] fixed some code style issues, parameters as objects allowed [Diff](http://svn.apache.org/viewcvs.cgi?rev=123120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123120&view=rev>) (andreas)
- [1.4] fixed some code style issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=123101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123101&view=rev>) (andreas)
- [1.4] added some password usecase messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=123099&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123099&view=rev>) (andreas)
- [1.4] added some password usecase messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=123098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123098&view=rev>) (andreas)
- [1.4] changePassword usecase added [Diff](http://svn.apache.org/viewcvs.cgi?rev=123097&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123097&view=rev>) (andreas)
- [1.4] changePassword migrated to JX template [Diff](http://svn.apache.org/viewcvs.cgi?rev=123095&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123095&view=rev>) (andreas)
- [1.4] re-organized admin usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123087&view=rev>) (andreas)
- [1.4] re-organized admin usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123086&view=rev>) (andreas)
- [1.4] re-organized admin usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123085&view=rev>) (andreas)
- [1.4] re-organized admin usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123084&view=rev>) (andreas)
- [1.4] using heading style instead of paragraph [Diff](http://svn.apache.org/viewcvs.cgi?rev=123076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123076&view=rev>) (andreas)
- [1.4] removed unused declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=123075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123075&view=rev>) (andreas)
- [1.4] updated usecase names [Diff](http://svn.apache.org/viewcvs.cgi?rev=123074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123074&view=rev>) (andreas)
- [1.4] using attribute value templates to reduce XSLT verbosity [Diff](http://svn.apache.org/viewcvs.cgi?rev=123073&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123073&view=rev>) (andreas)
- [1.4] added admin area usecase declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=123072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123072&view=rev>) (andreas)
- [1.4] removed deprecated stuff from lenya.roles [Diff](http://svn.apache.org/viewcvs.cgi?rev=123071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123071&view=rev>) (andreas)
- [1.4] convert initialized() to template method [Diff](http://svn.apache.org/viewcvs.cgi?rev=123070&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123070&view=rev>) (andreas)
- [1.4] calling usecase.xmap for certain admin area usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=123069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123069&view=rev>) (andreas)
- [1.4] removing unused component declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=123068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123068&view=rev>) (andreas)
- [1.4] use NULL to generate NPEs instead of FileNotFoundException [Diff](http://svn.apache.org/viewcvs.cgi?rev=123059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123059&view=rev>) (andreas)
- [1.4] made tests compile again [Diff](http://svn.apache.org/viewcvs.cgi?rev=123058&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123058&view=rev>) (andreas)
- [1.4] Converted tabs to spaces. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32739](http://issues.apache.org/bugzilla/show_bug.cgi?id=32739) Thanks to Josias Thoeny. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122869&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122869&view=rev>) (gregor)
- [1.4] Removed obsolete xhtml-iso serializer from the blog sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122785&view=rev>) (gregor)

- [1.4] Readded dependency on Lucene block as the Lenya search XSP relies on it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122777&view=rev>) (gregor)
- [1.4] Fixed the creator test by changing the resource type to xhtml. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122745&view=rev>) (gregor)
- [1.4] Removed empty promise from the code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122598&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122598&view=rev>) (gregor)
- [1.4] Removed empty promise from the code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122596&view=rev>) (gregor)
- [1.4] Added resource type to the site area overview tab. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32615](http://issues.apache.org/bugzilla/show_bug.cgi?id=32615) [Diff](http://svn.apache.org/viewcvs.cgi?rev=122595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122595&view=rev>) (gregor)
- [1.4] do not build Cocoon every time during Lenya build [Diff](http://svn.apache.org/viewcvs.cgi?rev=112019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=112019&view=rev>) (michi)
- [1.4] hardcoded 127.0.0.1 address replaced by server name [Diff](http://svn.apache.org/viewcvs.cgi?rev=112018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=112018&view=rev>) (michi)
- [1.4] Removed setLanguageTabs() Javascript function from the site tree. It was no longer needed and caused problems with some language settings. Also made the sitetree code more defensive to get rid of some Javascript errors in the insert link popup. Thanks to Josias Thoeny for reporting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=112008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=112008&view=rev>) (gregor)
- [1.4] Improved the warning message if Kupu is not installed correctly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111997&view=rev>) (gregor)
- [1.4] Added fallback:// protocol to more pipelines. This enables to easily overwrite the look and feel of Lenya by providing custom stylesheets. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111934&view=rev>) (gregor)
- [1.4] Switched from deprecated resolver.resolve() to resolver.resolveURI() [Diff](http://svn.apache.org/viewcvs.cgi?rev=111924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111924&view=rev>) (gregor)
- [1.4] Removed support for hsqldb [Diff](http://svn.apache.org/viewcvs.cgi?rev=111825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111825&view=rev>) (gregor)
- [1.4] Removed support for hsqldb [Diff](http://svn.apache.org/viewcvs.cgi?rev=111780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111780&view=rev>) (gregor)
- [1.4] Moved styling information from inline to CSS. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111776&view=rev>) (gregor)
- [1.4] Make building of Cocoon conditional to allow Gump to sidestep it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111768&view=rev>) (gregor)
- [1.4] Made the start page for the export target valid. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111756&view=rev>) (gregor)
- [1.4] Removed reliance of export targets on Tomcat. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111754&view=rev>) (gregor)
- [1.4] Made Identity serializable (forward-ported from 1.2 branch) [Diff](http://svn.apache.org/viewcvs.cgi?rev=111680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111680&view=rev>) (gregor)
- [1.4] Changed text of the login screen to explicitly mention both default users. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32570](http://issues.apache.org/bugzilla/show_bug.cgi?id=32570) [Diff](http://svn.apache.org/viewcvs.cgi?rev=111677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111677&view=rev>) (gregor)
- [1.4] Changed property name from "gump.build" to "gump.skipcocoonbuild" to avoid clashes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111655&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111655&view=rev>) (gregor)
- [1.4] Make building of Cocoon conditional to allow Gump to sidestep it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111653&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111653&view=rev>) (gregor)
- [1.4] Added support for Macromedia Flash to the insert image screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111652&view=rev>) (gregor)
- [1.4] Apply patch by Doug Chestnut to make BXE work with 2.1.6. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32574](http://issues.apache.org/bugzilla/show_bug.cgi?id=32574) [Diff](http://svn.apache.org/viewcvs.cgi?rev=111347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111347&view=rev>) (gregor)
- [1.4] The XML serializer is now set to UTF-8 by default, therefore cleaning out references to xml-utf-8 serializers. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32554](http://issues.apache.org/bugzilla/show_bug.cgi?id=32554), thanks to Doug Chestnut. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111343&view=rev>) (gregor)
- [1.4] using xsl:element again since it works at least with Xalan [Diff](http://svn.apache.org/viewcvs.cgi?rev=111342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111342&view=rev>) (gregor)

- (<http://svn.apache.org/viewcvs.cgi?rev=110096&view=rev>) (andreas)
- [1.4] Fixed undeclared variables in flowscript. Thanks to Doug Chestnut and Jeremy Torres. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32544](http://issues.apache.org/bugzilla/show_bug.cgi?id=32544) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=110064&view=rev>) (gregor)
- [1.4] Fix setup method of DocumentIndexTransformer to work with Cocoon 2.1.6 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109921&view=rev>) (gregor)
- [1.4] Fix typo. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109855&view=rev>) (antonio)
- [1.4] Improve usability of edit menu. Thanks to Jean-Pierre LeJacq. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32514](http://issues.apache.org/bugzilla/show_bug.cgi?id=32514) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109838&view=rev>) (gregor)
- [1.4] Set default publication serialization to html to deal with rendering problems from spurious namespace definitions when using XHTML. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109834&view=rev>) (gregor)
- [1.4] Fixed edit flowscript to no longer use the getSourceURI method. Thanks to Doug Chestnut. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109831&view=rev>) (gregor)
- [1.4] Switch to HTML / XHTML / XML serializers from the serializers block. This improves compliance with UTF-8 and fixes various serialization bugs. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109830&view=rev>) (gregor)
- [1.4] Adapted published check to API changes in 1.4. Thanks to Doug Chestnut. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109777&view=rev>) (gregor)
- [1.4] Set encoding to UTF-8 for admin pipelines [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109776&view=rev>) (gregor)
- [1.4] Remove encoding from stylesheet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109775&view=rev>) (gregor)
- [1.4] Set enable.uploads=false [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109769&view=rev>) (antonio)
- [1.4] Update info based in cocoon 2.1.6 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109766&view=rev>) (antonio)
- [1.4] Set java 1.4 as source vm [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109765&view=rev>) (antonio)
- [1.4] Comment hsqldb port variable. It is not needed. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109763&view=rev>) (antonio)
- [1.4] Allow to run in cygwin [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109762&view=rev>) (antonio)
- [1.4] Use issue.apache.org + remove trailing spaces. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109761&view=rev>) (antonio)
- [1.4] Added note for xsltproc [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109706&view=rev>) (roku)
- [1.4] Updated svn:external prop for bxe [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109701&view=rev>) (roku)
- [1.4] check wellformedness [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109490&view=rev>) (andreas)
- [1.4] calling super.setup() to avoid NPE in startPrefixMapping() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109489&view=rev>) (andreas)
- [1.4] Improved Xopus installation instructions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109421&view=rev>) (gregor)
- [1.4] removed unnecessary component declarations [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109344&view=rev>) (andreas)
- [1.4] fixed XLink namespace URI [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109343&view=rev>) (andreas)
- [1.4] fixed XLink namespace URI [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=109341&view=rev>) (andreas)

## 20.4. Docs

- [Docs] Moved resource-types to make them a proper folder in the documentation. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=122872&view=rev>) (gregor)
- [Docs] Moved resource-types to make them a proper folder in the documentation. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=122871&view=rev>) (gregor)
- [Docs] Substantially extended the Lenya proxying howto, and enabled the section on resource types. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=111902&view=rev>) (gregor)
- [Docs] - Added release 1.2.1 - Improved download link text [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=123730&view=rev>) (roku)
- [Docs] Updated Xopus documentation with pointers from Nele Vogel. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=122815&view=rev>) (gregor)

- [Docs] Increased default memory allocation for forrest to avoid out of memory exceptions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122803&view=rev>) (gregor)
- [Docs] Updated status.xml from SVN logs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122802&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122802&view=rev>) (gregor)
- [Docs] Added instructions to create changes.html from SVN logs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122801&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122801&view=rev>) (gregor)
- [Docs] Improved svn2changes stylesheet to show the version and link to a diff of the change. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122799&view=rev>) (gregor)
- [Docs] Fixed install document validation errors. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122794&view=rev>) (gregor)
- [Docs] Changed ant install to build install in the install instructions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122781&view=rev>) (gregor)
- [Docs] Made install instructions clearer, thanks to a patch by Hubertus Groepper. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32768](http://issues.apache.org/bugzilla/show_bug.cgi?id=32768) [Diff](http://svn.apache.org/viewcvs.cgi?rev=122767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122767&view=rev>) (gregor)
- [Docs] Improved the Lucene documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111890&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111890&view=rev>) (gregor)
- [Docs] Updated install instructions to reflect that Cocoon 2.1.6 is now the required version. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111832&view=rev>) (gregor)
- [Docs] Added two live sites to the list. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111828&view=rev>) (gregor)
- [Docs] Fixed a typo in the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111659&view=rev>) (gregor)
- [Docs] changed install note for forrest [Diff](http://svn.apache.org/viewcvs.cgi?rev=111438&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111438&view=rev>) (thorsten)
- [Docs] Apply patch by Hubertus Groepper to better describe the patch preparation procedure. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111424&view=rev>) (gregor)
- [Docs] Clarified install instructions. Thanks to Martin Luethi. [Diff](http://svn.apache.org/viewcvs.cgi?rev=111345&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111345&view=rev>) (gregor)
- [Docs] removed "<strong>" for Torsten Schlabach afert having read at the bottom of the page what the type means [Diff](http://svn.apache.org/viewcvs.cgi?rev=110109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=110109&view=rev>) (tschlabach)
- [Docs] added "Torsten Schlabach" (tschlabach at apache.org) to the list of active committers [Diff](http://svn.apache.org/viewcvs.cgi?rev=110104&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=110104&view=rev>) (tschlabach)
- [Docs] added unibe.ch [Diff](http://svn.apache.org/viewcvs.cgi?rev=110101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=110101&view=rev>) (andreas)
- [Docs] Extended BXE documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109922&view=rev>) (gregor)
- [Docs] New live site added. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109919&view=rev>) (gregor)
- [Docs] Live site added. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109917&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109917&view=rev>) (gregor)
- [Docs] Improved the BXE documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109856&view=rev>) (gregor)
- [Docs] Language improvements [Diff](http://svn.apache.org/viewcvs.cgi?rev=109852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109852&view=rev>) (gregor)
- [Docs] Expanded Lucene documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109849&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109849&view=rev>) (gregor)
- [Docs] Replace references to cocoon-lenia [Diff](http://svn.apache.org/viewcvs.cgi?rev=109841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109841&view=rev>) (gregor)
- [Docs] Expanded the Xopus integration documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=109425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=109425&view=rev>) (gregor)

## 20.5. Sandbox

- [Sandbox] debugging improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=110038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=110038&view=rev>) (michi)
- [Sandbox] logging off added [Diff](http://svn.apache.org/viewcvs.cgi?rev=110037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=110037&view=rev>) (michi)

## 20.6. Site

- [Site] Added missing icon [Diff](http://svn.apache.org/viewcvs.cgi?rev=122812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122812&view=rev>) (gregor)
- [Site] Update for release 1.2.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=123731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=123731&view=rev>) (roku)
- [Site] Updated Xopus documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122817&view=rev>) (gregor)
- [Site] Updated editors documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122816&view=rev>) (gregor)
- [Site] Updated site with latest changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122811&view=rev>) (gregor)
- [Site] Updated site with latest changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=122808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=122808&view=rev>) (gregor)
- [Site] deployed the site with last changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=111437&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111437&view=rev>) (thorsten)

- [Site] deployed changes that have been done by committers that not have deployed the site afterwards [Diff](http://svn.apache.org/viewcvs.cgi?rev=111244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=111244&view=rev>) (thorsten)

## 21. Version 2004-11 ()

### 21.1.

- [] Migrate lenya to TLP [Diff](http://svn.apache.org/viewcvs.cgi?rev=56820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56820&view=rev>) (blautenb)

### 21.2. 1.2

- [1.2] A sample for ldap.properties; the usage of the various options (especially the new ones) are documented within the file [Diff](http://svn.apache.org/viewcvs.cgi?rev=65597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65597&view=rev>) (jwkaltz)
- [1.2] this is needed to edit homepage documents in bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=65541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65541&view=rev>) (gregor)
- [1.2] factor out js validation add check for empty title to all asset / image upload screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=56722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56722&view=rev>) (gregor)
- [1.2] schema added [Diff](http://svn.apache.org/viewcvs.cgi?rev=56488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56488&view=rev>) (michi)
- [1.2] homepage readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=56484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56484&view=rev>) (michi)
- [1.2] status.xml is no longer needed; it can be generated from the SVN log file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106146&view=rev>) (gregor)
- [1.2] Not needed anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=106117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106117&view=rev>) (roku)
- [1.2] charter moved to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=71524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71524&view=rev>) (gregor)
- [1.2] resolution moved to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=71519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71519&view=rev>) (gregor)
- [1.2] project-logo.gif is no longer used [Diff](http://svn.apache.org/viewcvs.cgi?rev=65543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65543&view=rev>) (gregor)
- [1.2] documentation was moved to its own branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=56184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56184&view=rev>) (gregor)
- [1.2] documentation was moved to its own branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=56178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56178&view=rev>) (gregor)
- [1.2] added more java file types [Diff](http://svn.apache.org/viewcvs.cgi?rev=106994&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106994&view=rev>) (andreas)
- [1.2] Move to web-app 2.3 DTD [Diff](http://svn.apache.org/viewcvs.cgi?rev=106277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106277&view=rev>) (gregor)
- [1.2] 404: Page not found returned HTTP status code 200, not 404. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32337](http://issues.apache.org/bugzilla/show_bug.cgi?id=32337) [Diff](http://svn.apache.org/viewcvs.cgi?rev=106247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106247&view=rev>) (gregor)
- [1.2] Adjustements for new directory layout in kupu trunk [Diff](http://svn.apache.org/viewcvs.cgi?rev=106227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106227&view=rev>) (roku)
- [1.2] Improved download message. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106222&view=rev>) (roku)
- [1.2] Lifted 2-letter language code restriction. It is now possible to create pages with a language code of zh-tw, for instance. It is still possible to use the short en, de as well. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=28974](http://issues.apache.org/bugzilla/show_bug.cgi?id=28974) [Diff](http://svn.apache.org/viewcvs.cgi?rev=106153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106153&view=rev>) (gregor)
- [1.2] Make homepage matcher work with multiple languages [Diff](http://svn.apache.org/viewcvs.cgi?rev=106151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106151&view=rev>) (gregor)
- [1.2] Missing config files for homepage and links doctypes added. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106148&view=rev>) (gregor)
- [1.2] Publication specific libs are copied in init-build.xml. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106124&view=rev>) (roku)
- [1.2] Fixed html tags in docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=106122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106122&view=rev>) (roku)
- [1.2] Improved docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=106120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106120&view=rev>) (roku)
- [1.2] - Added generic bulkCopy task. Can also be used for copyJavaSources, but that would require the regexp mapper, which is part of ant optional package. - Fixes for bug 29553. - Removed CopyLibraries task [Diff](http://svn.apache.org/viewcvs.cgi?rev=106114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106114&view=rev>) (roku)
- [1.2] Test [Diff](http://svn.apache.org/viewcvs.cgi?rev=106113&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106113&view=rev>) (roku)

- [1.2] Disable HSQLDB block (not used by Lenya) [Diff](http://svn.apache.org/viewcvs.cgi?rev=79519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=79519&view=rev>) (antonio)
- [1.2] lenya TLP changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=76156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76156&view=rev>) (gregor)
- [1.2] Fixed the entity bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=76153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76153&view=rev>) (thorsten)
- [1.2] escape special characters in BXE link sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=76135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76135&view=rev>) (andreas)
- [1.2] OneFormEditor: check wellformedness before validation [Diff](http://svn.apache.org/viewcvs.cgi?rev=76111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76111&view=rev>) (andreas)
- [1.2] 508 compliance [Diff](http://svn.apache.org/viewcvs.cgi?rev=76018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76018&view=rev>) (gregor)
- [1.2] added more parameter descriptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=71497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71497&view=rev>) (jwkaltz)
- [1.2] added support for multi paragraph paste into BXE to config [Diff](http://svn.apache.org/viewcvs.cgi?rev=71477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71477&view=rev>) (gregor)
- [1.2] sitemap components cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=65627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65627&view=rev>) (gregor)
- [1.2] Removed hard-coding of ou=People branch, added possibility to search a subtree for a user, and added option to support MS Active Directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=65598&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65598&view=rev>) (jwkaltz)
- [1.2] move more validation out of XSL and into javascript validation.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=65583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65583&view=rev>) (gregor)
- [1.2] move client side ip range validation to validation.xml (currently unused) sync trunk with 1.2 for validation.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=65581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65581&view=rev>) (gregor)
- [1.2] move js to includes to avoid problems with XML and && [Diff](http://svn.apache.org/viewcvs.cgi?rev=65579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65579&view=rev>) (gregor)
- [1.2] #30039 make addMetaData.xsl consistent [Diff](http://svn.apache.org/viewcvs.cgi?rev=65574&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65574&view=rev>) (gregor)
- [1.2] #32000 reliance on cocoon deprecated classes removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=65568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65568&view=rev>) (gregor)
- [1.2] BAD practice to log standard messages with log.error. [Diff](http://svn.apache.org/viewcvs.cgi?rev=65550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65550&view=rev>) (gregor)
- [1.2] BAD practice to log standard messages with log.error. [Diff](http://svn.apache.org/viewcvs.cgi?rev=65546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65546&view=rev>) (gregor)
- [1.2] remove misleading comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=65540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65540&view=rev>) (gregor)
- [1.2] eol-style set to native [Diff](http://svn.apache.org/viewcvs.cgi?rev=65522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65522&view=rev>) (gregor)
- [1.2] eol-style set to native [Diff](http://svn.apache.org/viewcvs.cgi?rev=65514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65514&view=rev>) (gregor)
- [1.2] #32119 org.apache.forrest.components.sourcetype.SourceTypeAction references [Diff](http://svn.apache.org/viewcvs.cgi?rev=65513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65513&view=rev>) (gregor)
- [1.2] remove misleading comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=57596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57596&view=rev>) (gregor)
- [1.2] recommended version added [Diff](http://svn.apache.org/viewcvs.cgi?rev=57524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57524&view=rev>) (michi)
- [1.2] thanks to Josias the javascript is now copied properly [Diff](http://svn.apache.org/viewcvs.cgi?rev=57523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57523&view=rev>) (michi)
- [1.2] change to ../cocoon to match what the docs say [Diff](http://svn.apache.org/viewcvs.cgi?rev=57500&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57500&view=rev>) (gregor)
- [1.2] #32183 keep the visibility attribute if a usecase as archive is invoked [Diff](http://svn.apache.org/viewcvs.cgi?rev=57499&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57499&view=rev>) (gregor)
- [1.2] eol style set [Diff](http://svn.apache.org/viewcvs.cgi?rev=57496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57496&view=rev>) (gregor)
- [1.2] getting tests to run [Diff](http://svn.apache.org/viewcvs.cgi?rev=57495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57495&view=rev>) (gregor)
- [1.2] getting tests to run [Diff](http://svn.apache.org/viewcvs.cgi?rev=57494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57494&view=rev>) (gregor)
- [1.2] getting tests to run [Diff](http://svn.apache.org/viewcvs.cgi?rev=57493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57493&view=rev>) (gregor)
- [1.2] [Diff](http://svn.apache.org/viewcvs.cgi?rev=57492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57492&view=rev>) (gregor)
- [1.2] line endings [Diff](http://svn.apache.org/viewcvs.cgi?rev=57491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57491&view=rev>) (gregor)
- [1.2] #29135 convert spaces in asset filenames to underscores [Diff](http://svn.apache.org/viewcvs.cgi?rev=56989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56989&view=rev>) (gregor)
- [1.2] timestamp format fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=56959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56959&view=rev>) (michi)
- [1.2] thanks to Josias the IE problem re UTF-8 has been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=56958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56958&view=rev>) (michi)

- (<http://svn.apache.org/viewcvs.cgi?rev=56928&view=rev>) (michi)
- [1.2] more details on how to build Cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=56920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56920&view=rev>) (michi)
- [1.2] Fixing typos [Diff](http://svn.apache.org/viewcvs.cgi?rev=56769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56769&view=rev>) (antonio)
- [1.2] Don't use underscore text decoration in the lenya menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=56685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56685&view=rev>) (antonio)
- [1.2] adding lenya:asset/@size attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=56673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56673&view=rev>) (andreas)
- [1.2] adding button to insert asset (fixes bug #31953) [Diff](http://svn.apache.org/viewcvs.cgi?rev=56672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56672&view=rev>) (andreas)
- [1.2] hardcoded Xopus path removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=56654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56654&view=rev>) (michi)
- [1.2] false readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=56487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56487&view=rev>) (michi)
- [1.2] homepage readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=56485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56485&view=rev>) (michi)
- [1.2] serialize Identity [Diff](http://svn.apache.org/viewcvs.cgi?rev=56385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56385&view=rev>) (michi)
- [1.2] bring schema for object closer in sync with xhtml 2 draft and allow the href attribute we should really migrate to the rng for xhtml 2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=56343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56343&view=rev>) (gregor)
- [1.2] remove xul from 1.2 branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=56336&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56336&view=rev>) (gregor)
- [1.2] #29156 i18n for checkout exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=56331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56331&view=rev>) (gregor)
- [1.2] #29156 i18n for checkout exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=56330&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56330&view=rev>) (gregor)
- [1.2] update lenya 1.2.1 issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=56186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56186&view=rev>) (gregor)

## 21.3. 1.4

- [1.4] homepage stylesheets added [Diff](http://svn.apache.org/viewcvs.cgi?rev=106764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106764&view=rev>) (michi)
- [1.4] - Added generic bulkCopy task. Can also be used for copyJavaSources, but that would require the regexp mapper, which is part of ant optional package. - Fixes for bug 29553. - Removed CopyLibraries task. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106118&view=rev>) (roku)
- [1.4] refactor the build to \* trigger the cocoon build, using the lenya-supplied properties \* xpatch the original cocoon sitemap to arrive at the lenya sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=56277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56277&view=rev>) (gregor)
- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=56193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56193&view=rev>) (gregor)
- [1.4] add XUL css (was forgotten in original commit) [Diff](http://svn.apache.org/viewcvs.cgi?rev=56170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56170&view=rev>) (gregor)
- [1.4] Move to web-app 2.3 DTD [Diff](http://svn.apache.org/viewcvs.cgi?rev=106278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106278&view=rev>) (gregor)
- [1.4] status.xml is no longer needed; it can be generated from the SVN log file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106147&view=rev>) (gregor)
- [1.4] Not needed anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=106119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106119&view=rev>) (roku)
- [1.4] charter moved to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=71522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71522&view=rev>) (gregor)
- [1.4] resolution moved to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=71521&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71521&view=rev>) (gregor)
- [1.4] sitemap.xmap is no longer needed as it is generated [Diff](http://svn.apache.org/viewcvs.cgi?rev=71482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71482&view=rev>) (gregor)
- [1.4] project-logo.gif is no longer used [Diff](http://svn.apache.org/viewcvs.cgi?rev=65544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65544&view=rev>) (gregor)
- [1.4] cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=56278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56278&view=rev>) (gregor)
- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=56194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56194&view=rev>) (gregor)
- [1.4] documentation was moved to its own branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=56183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56183&view=rev>) (gregor)
- [1.4] sync with 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=56177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56177&view=rev>) (gregor)
- [1.4] sync with 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=56176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56176&view=rev>) (gregor)
- [1.4] XUL breaks layout completely. Used to work. DISABLED for the moment [Diff](http://svn.apache.org/viewcvs.cgi?rev=106765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106765&view=rev>) (michi)
- [1.4] Remove Lenya's implementation of the AbstractDOMTransformer in favour of the orginal from Cocoon. This solves http://issues.apache.org/bugzilla/show\_bug.cgi?id=27331 [Diff](http://svn.apache.org/viewcvs.cgi?rev=106251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106251&view=rev>) (gregor)
- [1.4] Exclude HSQLDB block from lenya build as it is unused. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106249&view=rev>) (gregor)

- [1.4] 404: Page not found returned HTTP status code 200, not 404. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32337](http://issues.apache.org/bugzilla/show_bug.cgi?id=32337) [Diff](http://svn.apache.org/viewcvs.cgi?rev=106248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106248&view=rev>) (gregor)
- [1.4] Improved download message. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106223&view=rev>) (roku)
- [1.4] Lifted 2-letter language code restriction. It is now possible to create pages with a language code of zh-tw, for instance. It is still possible to use the short en, de as well. This fixes [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=28974](http://issues.apache.org/bugzilla/show_bug.cgi?id=28974) [Diff](http://svn.apache.org/viewcvs.cgi?rev=106154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106154&view=rev>) (gregor)
- [1.4] Make homepage matcher work with multiple languages [Diff](http://svn.apache.org/viewcvs.cgi?rev=106152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106152&view=rev>) (gregor)
- [1.4] Missing config files for homepage and links doctypes added. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106150&view=rev>) (gregor)
- [1.4] Publication specific libs are copied in init-build.xml. [Diff](http://svn.apache.org/viewcvs.cgi?rev=106125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106125&view=rev>) (roku)
- [1.4] Fixed html tags in docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=106123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106123&view=rev>) (roku)
- [1.4] Improved docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=106121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106121&view=rev>) (roku)
- [1.4] lenya TLP changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=76157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76157&view=rev>) (gregor)
- [1.4] 508 compliance [Diff](http://svn.apache.org/viewcvs.cgi?rev=76019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76019&view=rev>) (gregor)
- [1.4] bring in sync with build changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=71516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71516&view=rev>) (gregor)
- [1.4] don't destroy the original cocoon sitemap.xmap this allows to run cocoon and lenya side by side with the same build [Diff](http://svn.apache.org/viewcvs.cgi?rev=71515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71515&view=rev>) (gregor)
- [1.4] added more parameter descriptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=71499&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71499&view=rev>) (jwkaltz)
- [1.4] added support for multi paragraph paste into BXE to config [Diff](http://svn.apache.org/viewcvs.cgi?rev=71478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71478&view=rev>) (gregor)
- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=71476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71476&view=rev>) (gregor)
- [1.4] sitemap components cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=65628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65628&view=rev>) (gregor)
- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=65619&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65619&view=rev>) (gregor)
- [1.4] applying same changes as to BRANCH\_1\_2\_X: providing sample for ldap.properties and adding features to LDAP configuration: flexibility in branch, possibility for subtree searches and for MS Active Directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=65608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65608&view=rev>) (jwkaltz)
- [1.4] move more validation out of XSL and into javascript validation.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=65584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65584&view=rev>) (gregor)
- [1.4] move client side ip range validation to validation.xml (currently unused) sync trunk with 1.2 for validation.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=65582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65582&view=rev>) (gregor)
- [1.4] move js to includes to avoid problems with XML and && [Diff](http://svn.apache.org/viewcvs.cgi?rev=65580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65580&view=rev>) (gregor)
- [1.4] #30039 make addMetaData.xsl consistent [Diff](http://svn.apache.org/viewcvs.cgi?rev=65575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65575&view=rev>) (gregor)
- [1.4] #32000 reliance on cocoon deprecated classes removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=65569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65569&view=rev>) (gregor)
- [1.4] add UTF-8 encoding explicitly to give IE a break [Diff](http://svn.apache.org/viewcvs.cgi?rev=65559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65559&view=rev>) (gregor)
- [1.4] BAD practice to log standard messages with log.error. [Diff](http://svn.apache.org/viewcvs.cgi?rev=65551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65551&view=rev>) (gregor)
- [1.4] i18n prefix added [Diff](http://svn.apache.org/viewcvs.cgi?rev=65548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65548&view=rev>) (gregor)
- [1.4] BAD practice to log standard messages with log.error. [Diff](http://svn.apache.org/viewcvs.cgi?rev=65547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65547&view=rev>) (gregor)
- [1.4] eol-style set to native [Diff](http://svn.apache.org/viewcvs.cgi?rev=65517&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65517&view=rev>) (gregor)
- [1.4] eol-style set to native [Diff](http://svn.apache.org/viewcvs.cgi?rev=65515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65515&view=rev>) (gregor)
- [1.4] #32119 org.apache.forrest.components.sourcetype.SourceTypeAction references [Diff](http://svn.apache.org/viewcvs.cgi?rev=65512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65512&view=rev>) (gregor)
- [1.4] remove misleading comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=57595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57595&view=rev>) (gregor)

- [1.4] trying to get tests to compile again.. not finished yet. the ac classes were all wrong, still having the ac2 etc [Diff](http://svn.apache.org/viewcvs.cgi?rev=57486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57486&view=rev>) (gregor)
- [1.4] #29135 convert spaces in asset filenames to underscores [Diff](http://svn.apache.org/viewcvs.cgi?rev=56988&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56988&view=rev>) (gregor)
- [1.4] factor out js validation add check for empty title to all asset / image upload screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=56721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56721&view=rev>) (gregor)
- [1.4] Don't use underscore text decoration in the lenya menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=56687&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56687&view=rev>) (antonio)
- [1.4] merging from 1.2 branch: add library buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=56682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56682&view=rev>) (andreas)
- [1.4] merging schema change from 1.2 branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=56681&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56681&view=rev>) (andreas)
- [1.4] fix build errors, improve integration with cooon build [Diff](http://svn.apache.org/viewcvs.cgi?rev=56565&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56565&view=rev>) (gregor)
- [1.4] bring schema for object closer in sync with xhtml 2 draft and allow the href attribute we should really migrate to the rng for xhtml 2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=56344&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56344&view=rev>) (gregor)
- [1.4] #29156 i18n for checkout exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=56332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56332&view=rev>) (gregor)
- [1.4] add xsl ns [Diff](http://svn.apache.org/viewcvs.cgi?rev=56190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56190&view=rev>) (gregor)
- [1.4] add missing version attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=56175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56175&view=rev>) (gregor)
- [1.4] DocumentReferencesHelper signature changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=56174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56174&view=rev>) (gregor)
- [1.4] DocumentReferencesHelper signature changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=56172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56172&view=rev>) (gregor)

## 21.4. Docs

- [Docs] charter moved to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=71523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71523&view=rev>) (gregor)
- [Docs] add resolution to site [Diff](http://svn.apache.org/viewcvs.cgi?rev=71518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=71518&view=rev>) (gregor)
- [Docs] initial upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56968&view=rev>) (thorsten)
- [Docs] creating docu dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=56943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56943&view=rev>) (thorsten)
- [Docs] restructured documentation and added apacheCon logo [Diff](http://svn.apache.org/viewcvs.cgi?rev=56187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56187&view=rev>) (thorsten)
- [Docs] fix eol-style [Diff](http://svn.apache.org/viewcvs.cgi?rev=65538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65538&view=rev>) (gregor)
- [Docs] cleaned the docu [Diff](http://svn.apache.org/viewcvs.cgi?rev=56945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56945&view=rev>) (thorsten)
- [Docs] Updated install instructions to recommend deletion of Tomcat work directory. This resolves [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=32433](http://issues.apache.org/bugzilla/show_bug.cgi?id=32433) [Diff](http://svn.apache.org/viewcvs.cgi?rev=106979&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106979&view=rev>) (gregor)
- [Docs] fixed link spotted by Matt collin [Diff](http://svn.apache.org/viewcvs.cgi?rev=106562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106562&view=rev>) (thorsten)
- [Docs] Add 1.4 javadocs, fix download location, fix external links [Diff](http://svn.apache.org/viewcvs.cgi?rev=106370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106370&view=rev>) (gregor)
- [Docs] Add svn2changes stylesheet to generate status.xml out of the svn log. Note that this is a XSLT 2.0 stylesheet, so you need to use an appropriate processor like Saxon 8. Add changes.html page to the site. Increase Forrest memory allocation to handle status.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=105934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105934&view=rev>) (gregor)
- [Docs] Wolfgang is not yet PMC member [Diff](http://svn.apache.org/viewcvs.cgi?rev=105817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105817&view=rev>) (thorsten)
- [Docs] missing p end tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=105812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105812&view=rev>) (thorsten)
- [Docs] some typos [Diff](http://svn.apache.org/viewcvs.cgi?rev=105811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105811&view=rev>) (thorsten)
- [Docs] We are testing before we are checkin something [Diff](http://svn.apache.org/viewcvs.cgi?rev=105810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105810&view=rev>) (thorsten)
- [Docs] some contributors were in bold type, making them pmc members according to the notes :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=103457&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=103457&view=rev>) (gregor)
- [Docs] Add more links to site.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=87688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=87688&view=rev>) (antonio)
- [Docs] Fixed missing / spotted by stefan burkhard [Diff](http://svn.apache.org/viewcvs.cgi?rev=85337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=85337&view=rev>)

(thorsten)

- [Docs] Add subversion link [Diff](http://svn.apache.org/viewcvs.cgi?rev=83250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=83250&view=rev>) (antonio)
- [Docs] Move links to site.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=82904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=82904&view=rev>) (antonio)
- [Docs] modified ack. [Diff](http://svn.apache.org/viewcvs.cgi?rev=76278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76278&view=rev>) (thorsten)
- [Docs] formated the site + TLP move + modified ack. [Diff](http://svn.apache.org/viewcvs.cgi?rev=76273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76273&view=rev>) (thorsten)
- [Docs] Add myself [Diff](http://svn.apache.org/viewcvs.cgi?rev=76264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76264&view=rev>) (antonio)
- [Docs] added some docs and fixed a linking bug. PLEASE use site:node to link to sites instead of linking to the page.html [Diff](http://svn.apache.org/viewcvs.cgi?rev=76132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76132&view=rev>) (thorsten)
- [Docs] moved 1.4 date into the future again :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=75976&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=75976&view=rev>) (gregor)
- [Docs] ant -> build [Diff](http://svn.apache.org/viewcvs.cgi?rev=75974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=75974&view=rev>) (gregor)
- [Docs] svn:ignore [Diff](http://svn.apache.org/viewcvs.cgi?rev=65636&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65636&view=rev>) (gregor)
- [Docs] eyebrowse is now on mail-archives [Diff](http://svn.apache.org/viewcvs.cgi?rev=65634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65634&view=rev>) (gregor)
- [Docs] nagoya -> issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=65633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65633&view=rev>) (gregor)
- [Docs] updated the install instructions, subversion [Diff](http://svn.apache.org/viewcvs.cgi?rev=57501&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57501&view=rev>) (gregor)
- [Docs] fixed the open issue with aggregation [Diff](http://svn.apache.org/viewcvs.cgi?rev=57342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57342&view=rev>) (thorsten)
- [Docs] renamed dir to solve a bug ;-) [Diff](http://svn.apache.org/viewcvs.cgi?rev=57339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57339&view=rev>) (thorsten)
- [Docs] started to use the status.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=57019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57019&view=rev>) (thorsten)
- [Docs] cleaned the wrong mailing address [Diff](http://svn.apache.org/viewcvs.cgi?rev=57016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57016&view=rev>) (thorsten)
- [Docs] TLP clean up [Diff](http://svn.apache.org/viewcvs.cgi?rev=56932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56932&view=rev>) (thorsten)
- [Docs] whitespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=56859&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56859&view=rev>) (gregor)
- [Docs] update lenya site instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=56857&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56857&view=rev>) (gregor)
- [Docs] another live site [Diff](http://svn.apache.org/viewcvs.cgi?rev=56800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56800&view=rev>) (gregor)

## 21.5. Sandbox

- [Sandbox] mod\_lenya and sandbox added [Diff](http://svn.apache.org/viewcvs.cgi?rev=57152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57152&view=rev>) (michi)

## 21.6. Site

- [Site] Add 1.4 javadocs, fix download location, fix external links [Diff](http://svn.apache.org/viewcvs.cgi?rev=106371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106371&view=rev>) (gregor)
- [Site] Add images for RSS, Fix and Change [Diff](http://svn.apache.org/viewcvs.cgi?rev=105937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105937&view=rev>) (gregor)
- [Site] We are testing before we are checkin something [Diff](http://svn.apache.org/viewcvs.cgi?rev=105813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105813&view=rev>) (thorsten)
- [Site] added some docs and fixed a linking bug. PLEASE use site:node to link to sites instead of linking to the page.html [Diff](http://svn.apache.org/viewcvs.cgi?rev=76133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76133&view=rev>) (thorsten)
- [Site] documentation restructure and add link for apacheCon [Diff](http://svn.apache.org/viewcvs.cgi?rev=57030&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57030&view=rev>) (thorsten)
- [Site] initial upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56967&view=rev>) (thorsten)
- [Site] initial upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56966&view=rev>) (thorsten)
- [Site] initial upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56964&view=rev>) (thorsten)
- [Site] initial upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56958&view=rev>) (thorsten)
- [Site] initial upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56957&view=rev>) (thorsten)
- [Site] moving again [Diff](http://svn.apache.org/viewcvs.cgi?rev=56940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56940&view=rev>) (thorsten)
- [Site] tlp [Diff](http://svn.apache.org/viewcvs.cgi?rev=56938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56938&view=rev>) (thorsten)
- [Site] tlp cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=56936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56936&view=rev>) (thorsten)
- [Site] restructuring site [Diff](http://svn.apache.org/viewcvs.cgi?rev=56931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56931&view=rev>) (thorsten)
- [Site] Add 1.4 javadocs, fix download location, fix external links [Diff](http://svn.apache.org/viewcvs.cgi?rev=106378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106378&view=rev>) (gregor)
- [Site] dell old docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=57021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57021&view=rev>) (thorsten)
- [Site] still cleaning [Diff](http://svn.apache.org/viewcvs.cgi?rev=56950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56950&view=rev>) (thorsten)

- [Site] tlp cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=56949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56949&view=rev>) (thorsten)
- [Site] tlp cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=56947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56947&view=rev>) (thorsten)
- [Site] tlp part 99 -- [Diff](http://svn.apache.org/viewcvs.cgi?rev=56941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56941&view=rev>) (thorsten)
- [Site] tlp -- [Diff](http://svn.apache.org/viewcvs.cgi?rev=56939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56939&view=rev>) (thorsten)
- [Site] still moving [Diff](http://svn.apache.org/viewcvs.cgi?rev=56937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56937&view=rev>) (thorsten)
- [Site] restructuring site [Diff](http://svn.apache.org/viewcvs.cgi?rev=56930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56930&view=rev>) (thorsten)
- [Site] This line, and those below, will be ignored-- A <https://svn.apache.org/repos/asf/lenya/site/lenya> [Diff](http://svn.apache.org/viewcvs.cgi?rev=56915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56915&view=rev>) (thorsten)
- [Site] fixed link spotted by Matt collin [Diff](http://svn.apache.org/viewcvs.cgi?rev=106564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106564&view=rev>) (thorsten)
- [Site] Add 1.4 javadocs, fix download location, fix external links [Diff](http://svn.apache.org/viewcvs.cgi?rev=106379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106379&view=rev>) (gregor)
- [Site] Add 1.4 javadocs, fix download location, fix external links [Diff](http://svn.apache.org/viewcvs.cgi?rev=106377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=106377&view=rev>) (gregor)
- [Site] Added link to SVN diff for each commit (experimental) Added changes.rss [Diff](http://svn.apache.org/viewcvs.cgi?rev=105940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105940&view=rev>) (gregor)
- [Site] Add changes.html to the site. This is generated out of the SVN logs and is structured by month. [Diff](http://svn.apache.org/viewcvs.cgi?rev=105936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105936&view=rev>) (gregor)
- [Site] Wolfgang is not yet PMC member [Diff](http://svn.apache.org/viewcvs.cgi?rev=105818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105818&view=rev>) (thorsten)
- [Site] enhanced text [Diff](http://svn.apache.org/viewcvs.cgi?rev=105815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=105815&view=rev>) (thorsten)
- [Site] some contributors were in bold type, making them pmc members according to the notes :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=103458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=103458&view=rev>) (gregor)
- [Site] Fixed missing / spotted by stefan burkhard [Diff](http://svn.apache.org/viewcvs.cgi?rev=85123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=85123&view=rev>) (thorsten)
- [Site] modified ack. [Diff](http://svn.apache.org/viewcvs.cgi?rev=76276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76276&view=rev>) (thorsten)
- [Site] formated the site + TLP move + modified ack. [Diff](http://svn.apache.org/viewcvs.cgi?rev=76274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=76274&view=rev>) (thorsten)
- [Site] updated install instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=65630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=65630&view=rev>) (gregor)
- [Site] fixed more tlp related stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=57068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57068&view=rev>) (thorsten)
- [Site] fixed more tlp related stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=57064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57064&view=rev>) (thorsten)
- [Site] fixed more tlp related stuff and updated the website-update doc [Diff](http://svn.apache.org/viewcvs.cgi?rev=57063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=57063&view=rev>) (thorsten)
- [Site] TLP clean up [Diff](http://svn.apache.org/viewcvs.cgi?rev=56934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56934&view=rev>) (thorsten)

## 22. Version 2004-10 ()

### 22.1. 1.2

- [1.2] Fixed [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=31987](http://issues.apache.org/bugzilla/show_bug.cgi?id=31987) [Diff](http://svn.apache.org/viewcvs.cgi?rev=56083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56083&view=rev>) (roku)
- [1.2] add workflow to links sample [Diff](http://svn.apache.org/viewcvs.cgi?rev=55774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55774&view=rev>) (gregor)
- [1.2] add workflow to links sample [Diff](http://svn.apache.org/viewcvs.cgi?rev=55773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55773&view=rev>) (gregor)
- [1.2] move forrest source type action here [Diff](http://svn.apache.org/viewcvs.cgi?rev=55663&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55663&view=rev>) (gregor)
- [1.2] overhaul of the build system: got rid of duplicate servlet.jar switched to standard build.properties / local.build.properties pair removed dependency on external ant added build.bat / build.sh script from cocoon got rid of commons-dpcp.jar Tomcat 5 is now the default Upgraded Ant from 1.6a to 1.6.2 removed gump.xml (it is managed externally now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=55444&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55444&view=rev>) (gregor)
- [1.2] - Extracted edit (forms editor) usecase to separte sitemap - Switched form-encoding to UTF-8 for testing purposes. Lets rip all iso-\* out. Please help testing. I guess I had a lucky hand this time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55433&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55433&view=rev>) (roku)
- [1.2] Extraced 1oneformedit usecase to its own sitemap. Using flow to save doc. Fixed blank pages on save and exit. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55422&view=rev>) (roku)
- [1.2] cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=56066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56066&view=rev>) (gregor)

- [1.2] no longer needed [Diff](http://svn.apache.org/viewcvs.cgi?rev=55664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55664&view=rev>) (gregor)
- [1.2] delete docs-new and point to the live documentation for now [Diff](http://svn.apache.org/viewcvs.cgi?rev=55661&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55661&view=rev>) (gregor)
- [1.2] these are obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=55447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55447&view=rev>) (gregor)
- [1.2] remove obsolete jars [Diff](http://svn.apache.org/viewcvs.cgi?rev=55446&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55446&view=rev>) (gregor)
- [1.2] Fixed bug [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=31988](http://issues.apache.org/bugzilla/show_bug.cgi?id=31988) Thanks to Jann Forrer [Diff](http://svn.apache.org/viewcvs.cgi?rev=56148&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=56148&view=rev>) (roku)
- [1.2] Fixed 31955 [Diff](http://svn.apache.org/viewcvs.cgi?rev=56078&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56078&view=rev>) (roku)
- [1.2] excludes changed due to svn move and build refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=56073&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=56073&view=rev>) (gregor)
- [1.2] reduce verbosity [Diff](http://svn.apache.org/viewcvs.cgi?rev=56071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56071&view=rev>) (gregor)
- [1.2] made image upload work again made title mandatory (now used for listing assets) added note about lowercasing file extensions added js validation of title fixed missing translation in asset screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=56062&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=56062&view=rev>) (gregor)
- [1.2] Removed debug stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=56049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56049&view=rev>) (roku)
- [1.2] Fixed meta data access. [Diff](http://svn.apache.org/viewcvs.cgi?rev=56047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56047&view=rev>) (roku)
- [1.2] enable image upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=56007&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56007&view=rev>) (gregor)
- [1.2] #30080 BXE usecase has hardcoded link to German language for a sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=56002&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=56002&view=rev>) (gregor)
- [1.2] Fix for bug #31941 [Diff](http://svn.apache.org/viewcvs.cgi?rev=55886&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55886&view=rev>) (roku)
- [1.2] Improved error message on missing kupu build [Diff](http://svn.apache.org/viewcvs.cgi?rev=55881&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55881&view=rev>) (roku)
- [1.2] the form editors and bxe no longer require iso encoding [Diff](http://svn.apache.org/viewcvs.cgi?rev=55781&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55781&view=rev>) (gregor)
- [1.2] when will people learn to use the repository instead of commenting dead code out.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55778&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55778&view=rev>) (gregor)
- [1.2] consistency [Diff](http://svn.apache.org/viewcvs.cgi?rev=55775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55775&view=rev>) (gregor)
- [1.2] make links menu behave like a grown-up lenya menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=55745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55745&view=rev>) (gregor)
- [1.2] incubating removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=55742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55742&view=rev>) (michi)
- [1.2] fixed ref to kupu [Diff](http://svn.apache.org/viewcvs.cgi?rev=55719&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55719&view=rev>) (roku)
- [1.2] Set Kupu to trunk version, since integration into 1.1 branch is not working properly [Diff](http://svn.apache.org/viewcvs.cgi?rev=55718&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55718&view=rev>) (roku)
- [1.2] Updated to bxe 0.9.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=55717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55717&view=rev>) (roku)
- [1.2] backwards compatibility fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=55698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55698&view=rev>) (michi)
- [1.2] don't swallow all children when matching <cocoon> [Diff](http://svn.apache.org/viewcvs.cgi?rev=55696&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55696&view=rev>) (andreas)
- [1.2] ignore local properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=55679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55679&view=rev>) (michi)
- [1.2] sync build.properties with changes in cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=55667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55667&view=rev>) (gregor)
- [1.2] delete docs-new and point to the live documentation for now [Diff](http://svn.apache.org/viewcvs.cgi?rev=55662&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55662&view=rev>) (gregor)
- [1.2] #31533 [Patch] workaround for XHTML <script/> bug in most browser [Diff](http://svn.apache.org/viewcvs.cgi?rev=55659&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55659&view=rev>) (gregor)
- [1.2] fixed a colour issue for our website [Diff](http://svn.apache.org/viewcvs.cgi?rev=55638&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55638&view=rev>) (thorsten)
- [1.2] no longer need bxe / kupu excludes since they are now part of the source tree [Diff](http://svn.apache.org/viewcvs.cgi?rev=55623&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55623&view=rev>) (gregor)
- [1.2] #31357 [Patch] Add visibility attribute to node within sitetree (against lenya-1.2.x) [Diff](http://svn.apache.org/viewcvs.cgi?rev=55566&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=55566&view=rev>) (gregor)
- [1.2] #30000 Alt attribute not set for images [Diff](http://svn.apache.org/viewcvs.cgi?rev=55559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55559&view=rev>) (gregor)
- [1.2] #27400 [patch] consolidate Redirect files [Diff](http://svn.apache.org/viewcvs.cgi?rev=55558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55558&view=rev>) (gregor)
- [1.2] fix lucene crawler libraries.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55555&view=rev>) (gregor)
- [1.2] #31863 Editing the Homepage of the default pub throws an homepage.rng not found error [Diff](http://svn.apache.org/viewcvs.cgi?rev=55554&view=rev)

- (http://svn.apache.org/viewcvs.cgi?rev=55551&view=rev) (gregor)
- [1.2] #26588 Reward install directions [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55548&view=rev) (gregor)
- [1.2] #30596 CopyJavaSourcesTask.java Ant task only works relative to basedir [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55545&view=rev) (gregor)
- [1.2] Removed build of Kupu during build of webapp since we would have a xsltproc dependency then, which is bad.  
TODO: Add the possibility to build kupu via "build.sh kupu" and "build.bat kupu" [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55531&view=rev) (roku)
- [1.2] Added kupu build. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55530&view=rev) (roku)
- [1.2] Trying svn:externals property. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55525&view=rev) (roku)
- [1.2] Trying svn:externals property. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55524&view=rev) (roku)
- [1.2] Trying svn:externals property. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55522&view=rev) (roku)
- [1.2] [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55511&view=rev) (roku)
- [1.2] new lenya site [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55508&view=rev) (gregor)
- [1.2] Fixed dos2unix conversion problem. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55505&view=rev) (roku)
- [1.2] Undo lastest change (restore copy of lib-dir) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55499&view=rev) (antonio)
- [1.2] {tools.lib.dir} does not exists. Fix for 'ant install' [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55496&view=rev) (antonio)
- [1.2] #29311 Search field in lower-level articles does not work [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55485&view=rev) (gregor)
- [1.2] make text more professional [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55482&view=rev) (gregor)
- [1.2] update install instructions [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55481&view=rev) (gregor)
- [1.2] whitespace fixes, remove link to press release (it is now part of the index page) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55474&view=rev) (gregor)
- [1.2] major site update in preparation for the TLP move [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55469&view=rev) (gregor)
- [1.2] added Lenya favicon. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55467&view=rev) (gregor)
- [1.2] Made executable. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55463&view=rev) (roku)
- [1.2] Made executable. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55460&view=rev) (roku)
- [1.2] overhaul of the build system: got rid of duplicate servlet.jar switched to standard build.properties / local.build.properties pair removed dependency on external ant added build.bat / build.sh script from cocoon got rid of commons-dpcp.jar Tomcat 5 is now the default Upgraded Ant from 1.6a to 1.6.2 removed gump.xml (it is managed externally now) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55445&view=rev) (gregor)
- [1.2] - Extracted edit (forms editor) usecase to separte sitemap - Switched form-encoding to UTF-8 for testing purposes. Lets rip all iso-\* out. Please help testing. I guess I had a lucky hand this time. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55434&view=rev) (roku)
- [1.2] Removed hardcoded paths, which I accidentally introduced for testing purposes. Removed useless commented parts. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55428&view=rev) (roku)
- [1.2] Extraced 1oneformedit usecase to its own sitemap. Using flow to save doc. Fixed blank pages on save and exit. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55423&view=rev) (roku)
- [1.2] Added helper methods for revision controlling. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55420&view=rev) (roku)
- [1.2] update [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55407&view=rev) (gregor)
- [1.2] Update acknowledgements [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55405&view=rev) (gregor)
- [1.2] Fixed typo [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55387&view=rev) (roku)
- [1.2] Removed svn:mime-type [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55386&view=rev) (roku)
- [1.2] Fixed reference to a Kupu xslt, since they merged some the last months. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55384&view=rev) (roku)
- [1.2] Saving a doc with 1form editor now uses utf-8. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55360&view=rev) (roku)
- [1.2] Saving a doc with bxe now uses utf-8. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55358&view=rev) (roku)
- [1.2] Fixed #30675. Kupu should not change the encoding anymore. BTW: I will now make some tests re switching Lenya completely to UTF-8, or is that not useful for 1.2.x ?? [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55330&view=rev) (roku)

- [1.2] fix bug #29295 dead links on introduction pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=55204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55204&view=rev>) (gregor)
- [1.2] update CREDITS with active committers. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55198&view=rev>) (gregor)
- [1.2] change cocoon.apache.org/lenya to lenya.apache.org [Diff](http://svn.apache.org/viewcvs.cgi?rev=55195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55195&view=rev>) (gregor)
- [1.2] fixed bug #31798 [Diff](http://svn.apache.org/viewcvs.cgi?rev=55141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55141&view=rev>) (andreas)
- [1.2] information on the id of the first child [Diff](http://svn.apache.org/viewcvs.cgi?rev=55015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55015&view=rev>) (edith)
- [1.2] Change the type within 'em' and 'strong' types from NCName to text [Diff](http://svn.apache.org/viewcvs.cgi?rev=54258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=54258&view=rev>) (bigdog)
- [1.2] upper case suffix for JPG added [Diff](http://svn.apache.org/viewcvs.cgi?rev=53856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=53856&view=rev>) (michi)

## 22.2. 1.4

- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=56044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56044&view=rev>) (gregor)
- [1.4] add workflow to links sample [Diff](http://svn.apache.org/viewcvs.cgi?rev=55772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55772&view=rev>) (gregor)
- [1.4] add workflow to links sample [Diff](http://svn.apache.org/viewcvs.cgi?rev=55771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55771&view=rev>) (gregor)
- [1.4] overhaul of the build system: got rid of duplicate servlet.jar switched to standard build.properties / local.build.properties pair removed dependency on external ant added build.bat / build.sh script from cocoon got rid of commons-dpcp.jar Tomcat 5 is now the default Upgraded Ant from 1.6a to 1.6.2 removed gump.xml (it is managed externally now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=55452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55452&view=rev>) (gregor)
- [1.4] overhaul of the build system: got rid of duplicate servlet.jar switched to standard build.properties / local.build.properties pair removed dependency on external ant added build.bat / build.sh script from cocoon got rid of commons-dpcp.jar Tomcat 5 is now the default Upgraded Ant from 1.6a to 1.6.2 removed gump.xml (it is managed externally now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=55451&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55451&view=rev>) (gregor)
- [1.4] overhaul of the build system: got rid of duplicate servlet.jar switched to standard build.properties / local.build.properties pair removed dependency on external ant added build.bat / build.sh script from cocoon got rid of commons-dpcp.jar Tomcat 5 is now the default Upgraded Ant from 1.6a to 1.6.2 removed gump.xml (it is managed externally now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=55450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55450&view=rev>) (gregor)
- [1.4] overhaul of the build system: got rid of duplicate servlet.jar switched to standard build.properties / local.build.properties pair removed dependency on external ant added build.bat / build.sh script from cocoon got rid of commons-dpcp.jar Tomcat 5 is now the default Upgraded Ant from 1.6a to 1.6.2 removed gump.xml (it is managed externally now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=55449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55449&view=rev>) (gregor)
- [1.4] [Merged from 1.2.x] - Extracted edit (forms editor) usecase to separate sitemap - Switched form-encoding to UTF-8 for testing purposes. Lets rip all iso-\* out. Please help testing. I guess I had a lucky hand this time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55435&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55435&view=rev>) (roku)
- [1.4] [Merged from 1.2.x] Extracted 1oneformedit usecase to its own sitemap. Using flow to save doc. Fixed blank pages on save and exit. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55424&view=rev>) (roku)
- [1.4] documentation moved to /lenya/site [Diff](http://svn.apache.org/viewcvs.cgi?rev=56085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56085&view=rev>) (gregor)
- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=56046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56046&view=rev>) (gregor)
- [1.4] bxeng -> bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=56045&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56045&view=rev>) (gregor)
- [1.4] remove obsolete jars [Diff](http://svn.apache.org/viewcvs.cgi?rev=55470&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55470&view=rev>) (gregor)
- [1.4] ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=56090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56090&view=rev>) (gregor)
- [1.4] Fixed [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=31987](http://issues.apache.org/bugzilla/show_bug.cgi?id=31987) [Diff](http://svn.apache.org/viewcvs.cgi?rev=56084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56084&view=rev>) (roku)
- [1.4] deprecated conf.properties removed from RC [Diff](http://svn.apache.org/viewcvs.cgi?rev=56080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56080&view=rev>) (gregor)
- [1.4] Added support for archive node [Diff](http://svn.apache.org/viewcvs.cgi?rev=56079&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56079&view=rev>) (roku)
- [1.4] excludes changed due to svn move and build refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=56072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56072&view=rev>) (gregor)
- [1.4] reduce verbosity [Diff](http://svn.apache.org/viewcvs.cgi?rev=56070&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56070&view=rev>) (gregor)
- [1.4] made image upload work again made title mandatory (now used for listing assets) added note about lowercasing file extensions added js validation of title fixed missing translation in asset screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=53856&view=rev)

- (http://svn.apache.org/viewcvs.cgi?rev=56061&view=rev) (gregor)
- [1.4] Fixed meta data access. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=56053&view=rev) (roku)
- [1.4] activate xul menu [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=56051&view=rev) (gregor)
- [1.4] enable image upload [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=56006&view=rev) (gregor)
- [1.4] #30080 BXE usecase has hardcoded link to German language for a sitetree [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55933&view=rev) (gregor)
- [1.4] Fixed my last checkin :) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55889&view=rev) (roku)
- [1.4] Fix for bug #31941 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55887&view=rev) (roku)
- [1.4] [Merged from 1.2.x] Improved error message on missing kupu build [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55882&view=rev) (roku)
- [1.4] the form editors and bxe no longer require iso encoding [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55780&view=rev) (gregor)
- [1.4] when will people learn to use the repository instead of commenting dead code out.. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55777&view=rev) (gregor)
- [1.4] make links menu behave like a grown-up lenya menu [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55744&view=rev)  
(gregor)
- [1.4] incubating removed and version fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55743&view=rev) (michi)
- [1.4] ignore local properties [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55680&view=rev) (michi)
- [1.4] sync build.properties with changes in cocoon [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55666&view=rev) (gregor)
- [1.4] #31533 [Patch] workaround for XHTML <script/> bug in most browser [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55658&view=rev) (gregor)
- [1.4] cocoon site branch changed its name [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55650&view=rev) (gregor)
- [1.4] fixed a colour issue for our website [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55639&view=rev) (thorsten)
- [1.4] changed AbstractDOMTransformer from Composable to Serviceable [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55606&view=rev) (andreas)
- [1.4] #30000 Alt attribute not set for images [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55560&view=rev) (gregor)
- [1.4] #27400 [patch] consolidate Redirect files [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55557&view=rev) (gregor)
- [1.4] fix lucene crawler libraries.. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55556&view=rev) (gregor)
- [1.4] #31863 Editing the Homepage of the default pub throws an homepage.rng not found error [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55552&view=rev) (gregor)
- [1.4] #26588 Reword install directions [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55550&view=rev) (gregor)
- [1.4] #30596 CopyJavaSourcesTask.java Ant task only works relative to basedir [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55546&view=rev) (gregor)
- [1.4] sync with 1.2 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55544&view=rev) (gregor)
- [1.4] sync with 1.2 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55543&view=rev) (gregor)
- [1.4] Trying svn:externals property. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55527&view=rev) (roku)
- [1.4] [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55512&view=rev) (roku)
- [1.4] Fixed dos2unix conversion problem. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55509&view=rev) (roku)
- [1.4] Fixed dos2unix conversion problem. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55507&view=rev) (roku)
- [1.4] Fixed dos2unix conversion problem. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55506&view=rev) (roku)
- [1.4] #29311 Search field in lower-level articles does not work [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55486&view=rev) (gregor)
- [1.4] make text more professional [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55483&view=rev) (gregor)
- [1.4] bxeng -> bxe [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55477&view=rev) (gregor)
- [1.4] sync with 1.2 branch [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55476&view=rev) (gregor)
- [1.4] added Lenya favicon. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55466&view=rev) (gregor)
- [1.4] Made executable. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55462&view=rev) (roku)
- [1.4] Made executable. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=55461&view=rev) (roku)
- [1.4] [Merged from 1.2.x] - Extracted edit (forms editor) usecase to separte sitemap - Switched form-encoding to UTF-8  
for testing purposes. Lets rip all iso-\* out. Please help testing. I guess I had a lucky hand this time. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=55436&view=rev) (roku)

- [1.4] Removed hardcoded paths, which I accidentally introduced for testing purposes. Removed useless commented parts. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55429&view=rev>) (roku)
- [1.4] [Merged from 1.2.x] Extracted 1oneformedit usecase to its own sitemap. Using flow to save doc. Fixed blank pages on save and exit. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55425&view=rev>) (roku)
- [1.4] [Merged from 1.2.x] Added helper methods for revision controlling. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55421&view=rev>) (roku)
- [1.4] update [Diff](http://svn.apache.org/viewcvs.cgi?rev=55406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55406&view=rev>) (gregor)
- [1.4] Update acknowledgements [Diff](http://svn.apache.org/viewcvs.cgi?rev=55404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55404&view=rev>) (gregor)
- [1.4] Removed svn:mime-type so that we can see diffs. Otherwise the doc was treated as a binary file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55390&view=rev>) (roku)
- [1.4] Fixed typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=55388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55388&view=rev>) (roku)
- [1.4] [Merged from 1.2.x branch] Fixed reference to a Kupu xslt, since they merged some the last months. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55385&view=rev>) (roku)
- [1.4] Saving a doc with 1form editor now uses utf-8. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55361&view=rev>) (roku)
- [1.4] Saving a doc with bxe now uses utf-8. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55359&view=rev>) (roku)
- [1.4] [Merged from 1.2.x] Fixed #30675. Kupu should not change the encoding anymore. BTW: I will now make some tests re switching Lenya completely to UTF-8, or is that not useful for 1.2.x ?? [Diff](http://svn.apache.org/viewcvs.cgi?rev=55331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55331&view=rev>) (roku)
- [1.4] fix bug #29295 dead links on introduction pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=55203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55203&view=rev>) (gregor)
- [1.4] update CREDITS with active committers. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55199&view=rev>) (gregor)
- [1.4] change cocoon.apache.org/lenya to lenya.apache.org [Diff](http://svn.apache.org/viewcvs.cgi?rev=55196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55196&view=rev>) (gregor)
- [1.4] fixed Bug #31798 [Diff](http://svn.apache.org/viewcvs.cgi?rev=55140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55140&view=rev>) (andreas)
- [1.4] remove cocoon favicon, provide capability to have one for your publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=54811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=54811&view=rev>) (gregor)
- [1.4] change "NCName" text in tags to 'text' to allow any text in <strong> amd <em> tags. [Diff](http://svn.apache.org/viewcvs.cgi?rev=54637&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=54637&view=rev>) (bigdog)

## 22.3. Docs

- [Docs] preserved document2txt.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=56082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56082&view=rev>) (gregor)
- [Docs] initial checkin part2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=55748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55748&view=rev>) (thorsten)
- [Docs] initial checkin [Diff](http://svn.apache.org/viewcvs.cgi?rev=55747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55747&view=rev>) (thorsten)
- [Docs] new live site [Diff](http://svn.apache.org/viewcvs.cgi?rev=56088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56088&view=rev>) (gregor)
- [Docs] new live sites.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=55967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55967&view=rev>) (gregor)
- [Docs] documentation was wrong. It should read "/lenya" instead of "lenya" "/news/foo" instead of "news/foo" #29698 [Diff](http://svn.apache.org/viewcvs.cgi?rev=55931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55931&view=rev>) (gregor)
- [Docs] new live site [Diff](http://svn.apache.org/viewcvs.cgi?rev=55861&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55861&view=rev>) (gregor)

## 22.4. Site

- [Site] preserved document2txt.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=56081&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=56081&view=rev>) (gregor)
- [Site] [Diff](http://svn.apache.org/viewcvs.cgi?rev=55647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55647&view=rev>) (gregor)
- [Site] [Diff](http://svn.apache.org/viewcvs.cgi?rev=55646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55646&view=rev>) (gregor)
- [Site] [Diff](http://svn.apache.org/viewcvs.cgi?rev=55645&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55645&view=rev>) (gregor)
- [Site] [Diff](http://svn.apache.org/viewcvs.cgi?rev=55644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55644&view=rev>) (gregor)
- [Site] [Diff](http://svn.apache.org/viewcvs.cgi?rev=55643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55643&view=rev>) (gregor)
- [Site] create site branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=55642&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=55642&view=rev>) (gregor)

## 23. Version 2004-09 ()

## 23.1.

- [] Import Lenya into Subversion [Diff](http://svn.apache.org/viewcvs.cgi?rev=37790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37790&view=rev>) (jerenkrantz)

## 23.2. 1.2

- [1.2] Thanks to Gregor Imboden Lenya receives a Feed downloader which is checking well-formedness [Diff](http://svn.apache.org/viewcvs.cgi?rev=47248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47248&view=rev>) (michi)
- [1.2] Thanks to Gregor Imboden Lenya receives a Feed downloader which is checking well-formedness [Diff](http://svn.apache.org/viewcvs.cgi?rev=47247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47247&view=rev>) (michi)
- [1.2] disable sitemap for the moment in order to generate HTML files [Diff](http://svn.apache.org/viewcvs.cgi?rev=47227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47227&view=rev>) (michi)
- [1.2] Renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=47087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47087&view=rev>) (roku)
- [1.2] [Diff](http://svn.apache.org/viewcvs.cgi?rev=46952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46952&view=rev>) (bigdog)
- [1.2] Update lucene to 1.4.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46284&view=rev>) (antonio)
- [1.2] Fixing bug #31256 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46213&view=rev>) (antonio)
- [1.2] Class to perform some useful stuff on Sources. [Diff](http://svn.apache.org/viewcvs.cgi?rev=45910&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45910&view=rev>) (roku)
- [1.2] Creating Lenya 1.2.\* branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=43473&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43473&view=rev>) (andreas)
- [1.2] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=47425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47425&view=rev>) (michi)
- [1.2] disable sitemap for the moment in order to generate HTML files [Diff](http://svn.apache.org/viewcvs.cgi?rev=47228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47228&view=rev>) (michi)
- [1.2] Renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=47089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47089&view=rev>) (roku)
- [1.2] [Diff](http://svn.apache.org/viewcvs.cgi?rev=46953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46953&view=rev>) (bigdog)
- [1.2] Update jetty to 4.2.22. Fix bug #29300 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46340&view=rev>) (antonio)
- [1.2] Update xalan to 2.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46135&view=rev>) (antonio)
- [1.2] sync with trunk [Diff](http://svn.apache.org/viewcvs.cgi?rev=47566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47566&view=rev>) (michi)
- [1.2] ignore for feeds.properties added [Diff](http://svn.apache.org/viewcvs.cgi?rev=47424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47424&view=rev>) (michi)
- [1.2] Fix jscript tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=47292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47292&view=rev>) (antonio)
- [1.2] license added [Diff](http://svn.apache.org/viewcvs.cgi?rev=47250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47250&view=rev>) (michi)
- [1.2] license added [Diff](http://svn.apache.org/viewcvs.cgi?rev=47249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47249&view=rev>) (michi)
- [1.2] CVS replaced by Subversion [Diff](http://svn.apache.org/viewcvs.cgi?rev=47226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47226&view=rev>) (michi)
- [1.2] update install bin instructions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=47214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47214&view=rev>) (gregor)
- [1.2] TLP and 1.2.1 changes. We need to make the nisis script more generic in 1.4-dev. [Diff](http://svn.apache.org/viewcvs.cgi?rev=47189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47189&view=rev>) (roku)
- [1.2] Update properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=47127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47127&view=rev>) (antonio)
- [1.2] Add comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=47125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47125&view=rev>) (antonio)
- [1.2] Add copyright info + comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=47123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47123&view=rev>) (antonio)
- [1.2] branch added [Diff](http://svn.apache.org/viewcvs.cgi?rev=47122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47122&view=rev>) (michi)
- [1.2] tags fixed according to forrest validator [Diff](http://svn.apache.org/viewcvs.cgi?rev=47121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47121&view=rev>) (michi)
- [1.2] TLP changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=47108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47108&view=rev>) (roku)
- [1.2] TLP changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=47105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47105&view=rev>) (roku)
- [1.2] Fix Javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=47098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47098&view=rev>) (antonio)
- [1.2] Fixed project name to "Apache Lenya" [Diff](http://svn.apache.org/viewcvs.cgi?rev=47039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47039&view=rev>) (roku)
- [1.2] language added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46974&view=rev>) (michi)
- [1.2] Added Stefano M. as PMC member. [Diff](http://svn.apache.org/viewcvs.cgi?rev=46962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46962&view=rev>) (roku)
- [1.2] Added Steven Noels as initial PMC member. [Diff](http://svn.apache.org/viewcvs.cgi?rev=46930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46930&view=rev>) (roku)
- [1.2] using document-id request parameter if present [Diff](http://svn.apache.org/viewcvs.cgi?rev=46928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46928&view=rev>) (andreas)
- [1.2] Fix bug #30541: xalan transformer declared twice [Diff](http://svn.apache.org/viewcvs.cgi?rev=46342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46342&view=rev>) (antonio)
- [1.2] fixed some HTML validation issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=46248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46248&view=rev>) (andreas)

- [1.2] upload filename can be overwritten [Diff](http://svn.apache.org/viewcvs.cgi?rev=46183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46183&view=rev>) (michi)
- [1.2] Add new live site - InterMedia, University of Oslo [Diff](http://svn.apache.org/viewcvs.cgi?rev=46168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46168&view=rev>) (antonio)
- [1.2] cvs command added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46163&view=rev>) (michi)
- [1.2] Hiram College added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46162&view=rev>) (michi)
- [1.2] Check if the images is already uploaded [Diff](http://svn.apache.org/viewcvs.cgi?rev=46106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46106&view=rev>) (antonio)
- [1.2] patch applied which was submitted by Michael Jung [Diff](http://svn.apache.org/viewcvs.cgi?rev=46046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46046&view=rev>) (michi)
- [1.2] comment updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=46025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46025&view=rev>) (michi)
- [1.2] comment about pipeline added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46024&view=rev>) (michi)
- [1.2] applied patch for bug #30231 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46011&view=rev>) (andreas)
- [1.2] applied patch for bug #30231 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46010&view=rev>) (andreas)
- [1.2] Updated to Kupu 1.1.x [Diff](http://svn.apache.org/viewcvs.cgi?rev=45912&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45912&view=rev>) (roku)
- [1.2] Fix for bug "save+exit in bxe and kupu takes forever..." [Diff](http://svn.apache.org/viewcvs.cgi?rev=45911&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45911&view=rev>) (roku)
- [1.2] Added method to get a documents "cocoon" URI which can be useful together with a SourceResolver. [Diff](http://svn.apache.org/viewcvs.cgi?rev=45909&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45909&view=rev>) (roku)
- [1.2] Removed java.io depend method. [Diff](http://svn.apache.org/viewcvs.cgi?rev=45908&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45908&view=rev>) (roku)
- [1.2] changed collection return type to UserType array [Diff](http://svn.apache.org/viewcvs.cgi?rev=43672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43672&view=rev>) (andreas)
- [1.2] fixed test cases [Diff](http://svn.apache.org/viewcvs.cgi?rev=43670&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43670&view=rev>) (andreas)
- [1.2] using arrays for parameter passing, added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43669&view=rev>) (andreas)
- [1.2] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43668&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43668&view=rev>) (andreas)
- [1.2] fixed missing import [Diff](http://svn.apache.org/viewcvs.cgi?rev=43667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43667&view=rev>) (andreas)
- [1.2] applied patch: [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=30231](http://issues.apache.org/bugzilla/show_bug.cgi?id=30231) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43666&view=rev>) (andreas)

### 23.3. 1.4

- [1.4] sitemap readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=47500&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47500&view=rev>) (michi)
- [1.4] Renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=47086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47086&view=rev>) (roku)
- [1.4] Update jetty to 4.2.22. Fix bug #29300 [Diff](http://svn.apache.org/viewcvs.cgi?rev=46341&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46341&view=rev>) (antonio)
- [1.4] created publication.util package [Diff](http://svn.apache.org/viewcvs.cgi?rev=46264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46264&view=rev>) (andreas)
- [1.4] introduced DocumentFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=46262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46262&view=rev>) (andreas)
- [1.4] re-organize site management, using DocumentIdentityMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=46204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46204&view=rev>) (andreas)
- [1.4] Merged from Sprint 2004 branch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=45919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45919&view=rev>) (roku)
- [1.4] added homepage form editor XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=43600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43600&view=rev>) (andreas)
- [1.4] added homepage schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=43599&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43599&view=rev>) (andreas)
- [1.4] adding FallbackSourceFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=43539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43539&view=rev>) (andreas)
- [1.4] Initial checkin of publication templating code [Diff](http://svn.apache.org/viewcvs.cgi?rev=43529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43529&view=rev>) (andreas)
- [1.4] subversion howto added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43464&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43464&view=rev>) (michi)
- [1.4] XUL view added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43300&view=rev>) (michi)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=47501&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47501&view=rev>) (michi)
- [1.4] Had to disable the whole docu feature. I have to fix the sitemap for that [Diff](http://svn.apache.org/viewcvs.cgi?rev=47142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47142&view=rev>) (thorsten)
- [1.4] Renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=47088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47088&view=rev>) (roku)
- [1.4] removed obsolete XopusHandlerAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=43583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43583&view=rev>) (andreas)
- [1.4] removed obsolete XopusHandlerAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=43582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43582&view=rev>) (andreas)

- [1.4] removed obsolete XopusHandlerAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=43580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43580&view=rev>) (andreas)
- [1.4] Update lucene to 1.4.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43547&view=rev>) (antonio)
- [1.4] related projects updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=47587&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47587&view=rev>) (michi)
- [1.4] fixed validation issue [Diff](http://svn.apache.org/viewcvs.cgi?rev=47586&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47586&view=rev>) (andreas)
- [1.4] exclude unwanted result prefixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=47585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47585&view=rev>) (andreas)
- [1.4] don't remove XHTML namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=47584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47584&view=rev>) (andreas)
- [1.4] fixed validation issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=47583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47583&view=rev>) (andreas)
- [1.4] serialize as XHTML [Diff](http://svn.apache.org/viewcvs.cgi?rev=47582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47582&view=rev>) (andreas)
- [1.4] serialize as XHTML [Diff](http://svn.apache.org/viewcvs.cgi?rev=47581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47581&view=rev>) (andreas)
- [1.4] using <xsl:copy> instead of <xsl:element> to avoid that XSLTC adds custom namespace prefixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=47580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47580&view=rev>) (andreas)
- [1.4] just fixed formating [Diff](http://svn.apache.org/viewcvs.cgi?rev=47579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47579&view=rev>) (thorsten)
- [1.4] update docu about howto update our website [Diff](http://svn.apache.org/viewcvs.cgi?rev=47576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47576&view=rev>) (thorsten)
- [1.4] CVS replaced by Subversion [Diff](http://svn.apache.org/viewcvs.cgi?rev=47563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47563&view=rev>) (michi)
- [1.4] added i18n namespace - needed in resulting stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=47243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47243&view=rev>) (andreas)
- [1.4] fixed conformance issue [Diff](http://svn.apache.org/viewcvs.cgi?rev=47242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47242&view=rev>) (andreas)
- [1.4] don't remove namespace URIs [Diff](http://svn.apache.org/viewcvs.cgi?rev=47238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47238&view=rev>) (andreas)
- [1.4] updated the dtd of skinconf to enable new skin features [Diff](http://svn.apache.org/viewcvs.cgi?rev=47145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47145&view=rev>) (thorsten)
- [1.4] TLP changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=47109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47109&view=rev>) (roku)
- [1.4] TLP changes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=47107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47107&view=rev>) (roku)
- [1.4] Fixed project name to "Apache Lenya" [Diff](http://svn.apache.org/viewcvs.cgi?rev=47038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47038&view=rev>) (roku)
- [1.4] using / instead of - to separate mount url prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=47037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47037&view=rev>) (andreas)
- [1.4] update deprecated to current classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=47036&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=47036&view=rev>) (andreas)
- [1.4] language added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46975&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46975&view=rev>) (michi)
- [1.4] Added Stefano M. as PMC member. [Diff](http://svn.apache.org/viewcvs.cgi?rev=46961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46961&view=rev>) (roku)
- [1.4] adding document usecase, improving setup [Diff](http://svn.apache.org/viewcvs.cgi?rev=46938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46938&view=rev>) (andreas)
- [1.4] added license and javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=46935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46935&view=rev>) (andreas)
- [1.4] adding usecase component declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=46934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46934&view=rev>) (andreas)
- [1.4] merging bugfix from 1.2 branch [Diff](http://svn.apache.org/viewcvs.cgi?rev=46933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46933&view=rev>) (andreas)
- [1.4] adding usecase classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=46932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46932&view=rev>) (andreas)
- [1.4] Added Steven Noels as initial PMC member. [Diff](http://svn.apache.org/viewcvs.cgi?rev=46929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46929&view=rev>) (roku)
- [1.4] created publication.util package [Diff](http://svn.apache.org/viewcvs.cgi?rev=46265&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46265&view=rev>) (andreas)
- [1.4] introduced DocumentFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=46263&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46263&view=rev>) (andreas)
- [1.4] introduced DocumentFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=46261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46261&view=rev>) (andreas)
- [1.4] introduced DocumentFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=46260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46260&view=rev>) (andreas)
- [1.4] fixed some HTML validation issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=46251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46251&view=rev>) (andreas)
- [1.4] replaced calls to DocumentBuilder by DocumentIdentityMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=46249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46249&view=rev>) (andreas)
- [1.4] submenus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46246&view=rev>) (michi)
- [1.4] submenu added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46245&view=rev>) (michi)
- [1.4] speedup and XUL added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46244&view=rev>) (michi)
- [1.4] Id line updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=46243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46243&view=rev>) (michi)
- [1.4] submenus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=46242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46242&view=rev>) (michi)
- [1.4] Id line updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=46241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46241&view=rev>) (michi)
- [1.4] sequence of submenus and items fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=46240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46240&view=rev>) (michi)
- [1.4] using correct identitymap.get() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=46210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46210&view=rev>) (andreas)
- [1.4] re-organize site management, using DocumentIdentityMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=46209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=46209&view=rev>) (andreas)

- (<http://svn.apache.org/viewcvs.cgi?rev=46205&view=rev>) (andreas)
- [1.4] re-organize site management, using DocumentIdentityMap [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=46201&view=rev>) (andreas)
- [1.4] upload filename can be overwritten [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46184&view=rev>) (michi)
- [1.4] get rid of log4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46182&view=rev>) (andreas)
- [1.4] get rid of log4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46181&view=rev>) (andreas)
- [1.4] get rid of log4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46180&view=rev>) (andreas)
- [1.4] get rid of log4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46179&view=rev>) (andreas)
- [1.4] get rid of log4j [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46178&view=rev>) (andreas)
- [1.4] changed some public modifiers to protected, added javadocs [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=46173&view=rev>) (andreas)
- [1.4] changed some public modifiers to protected, added javadocs [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=46172&view=rev>) (andreas)
- [1.4] caching activated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46170&view=rev>) (michi)
- [1.4] Add new live site - InterMedia, University of Oslo [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46169&view=rev>) (antonio)
- [1.4] caching implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46166&view=rev>) (michi)
- [1.4] Hiram College [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46161&view=rev>) (michi)
- [1.4] added javadocs, removed deprecated stuff [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46134&view=rev>) (andreas)
- [1.4] removed reference to DOMUtil [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46133&view=rev>) (andreas)
- [1.4] using avalon configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46131&view=rev>) (andreas)
- [1.4] added javadocs, refactoring, improved logging [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46130&view=rev>) (andreas)
- [1.4] reflecting changes to sitetree package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46122&view=rev>) (andreas)
- [1.4] removed tabstops, don't use fallback:// for sitemaps [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46112&view=rev>) (andreas)
- [1.4] don't use fallback:// for sitemaps [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46111&view=rev>) (andreas)
- [1.4] don't use fallback:// for sitemaps [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46110&view=rev>) (andreas)
- [1.4] releasing template manager [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46109&view=rev>) (andreas)
- [1.4] check if file exists before creating [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46108&view=rev>) (andreas)
- [1.4] submenus added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46052&view=rev>) (michi)
- [1.4] Michael Jung patch applied to OSCOM publication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46051&view=rev>) (michi)
- [1.4] patch applied which was submitted by Michael Jung [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46047&view=rev>) (michi)
- [1.4] comments updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46026&view=rev>) (michi)
- [1.4] applied patch for bug #30231 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46016&view=rev>) (andreas)
- [1.4] applied patch for bug #30231 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46015&view=rev>) (andreas)
- [1.4] removed some deprecated stuff [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46014&view=rev>) (andreas)
- [1.4] removed some deprecated stuff [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46013&view=rev>) (andreas)
- [1.4] removed some deprecated stuff [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=46012&view=rev>) (andreas)
- [1.4] added javadocs, removed some deprecated stuff [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=45969&view=rev>) (andreas)
- [1.4] removed some deprecated stuff [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=45968&view=rev>) (andreas)
- [1.4] removed some deprecated stuff, added javadocs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=45967&view=rev>) (andreas)
- [1.4] moving dublin core classes to their own package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=45966&view=rev>) (andreas)
- [1.4] moving dublin core classes to their own package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=45965&view=rev>) (andreas)
- [1.4] moving dublin core classes to their own package [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=45964&view=rev>)

- (andreas)
- [1.4] moved sitetree classes to their own package [Diff](http://svn.apache.org/viewcvs.cgi?rev=45963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45963&view=rev>) (andreas)
  - [1.4] moved sitetree classes to their own package [Diff](http://svn.apache.org/viewcvs.cgi?rev=45962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45962&view=rev>) (andreas)
  - [1.4] moved sitetree classes to their own package [Diff](http://svn.apache.org/viewcvs.cgi?rev=45961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45961&view=rev>) (andreas)
  - [1.4] removed some deprecated stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=45960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45960&view=rev>) (andreas)
  - [1.4] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=45959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45959&view=rev>) (andreas)
  - [1.4] using lenya:/ protocol for source access [Diff](http://svn.apache.org/viewcvs.cgi?rev=45958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45958&view=rev>) (andreas)
  - [1.4] added logger to fallback sf [Diff](http://svn.apache.org/viewcvs.cgi?rev=45957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45957&view=rev>) (andreas)
  - [1.4] releasing source resolver, wrapping exception instead of message [Diff](http://svn.apache.org/viewcvs.cgi?rev=45956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45956&view=rev>) (andreas)
  - [1.4] removed unused code [Diff](http://svn.apache.org/viewcvs.cgi?rev=45955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45955&view=rev>) (andreas)
  - [1.4] code formatting, fixed @version tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=45954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45954&view=rev>) (andreas)
  - [1.4] completed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=45953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45953&view=rev>) (andreas)
  - [1.4] fixed wrong variable reference, final parameter declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=45952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45952&view=rev>) (andreas)
  - [1.4] fixed a to link! REMEMBER to use link instead of <a Deleted author tags. We agreed not to use them! [Diff](http://svn.apache.org/viewcvs.cgi?rev=45942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45942&view=rev>) (thorsten)
  - [1.4] Merged from Sprint 2004 branch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=45920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45920&view=rev>) (roku)
  - [1.4] Merge from 1\_2\_x [Diff](http://svn.apache.org/viewcvs.cgi?rev=45913&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=45913&view=rev>) (roku)
  - [1.4] merged BRANCH\_1\_2\_X into trunk [Diff](http://svn.apache.org/viewcvs.cgi?rev=43675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43675&view=rev>) (andreas)
  - [1.4] merged BRANCH\_1\_2\_X into trunk [Diff](http://svn.apache.org/viewcvs.cgi?rev=43674&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43674&view=rev>) (andreas)
  - [1.4] merged BRANCH\_1\_2\_X into trunk [Diff](http://svn.apache.org/viewcvs.cgi?rev=43673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43673&view=rev>) (andreas)
  - [1.4] fixed typo and wellformedness [Diff](http://svn.apache.org/viewcvs.cgi?rev=43662&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43662&view=rev>) (andreas)
  - [1.4] links creator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43606&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43606&view=rev>) (michi)
  - [1.4] using fallback for schemas and form editor XSLTs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43602&view=rev>) (andreas)
  - [1.4] using fallback for RNG schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=43601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43601&view=rev>) (andreas)
  - [1.4] added fallback protocol [Diff](http://svn.apache.org/viewcvs.cgi?rev=43598&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43598&view=rev>) (andreas)
  - [1.4] replaced java.io.file by o.a.excalibur.source.Source [Diff](http://svn.apache.org/viewcvs.cgi?rev=43597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43597&view=rev>) (andreas)
  - [1.4] Update xalan to 2.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43595&view=rev>) (antonio)
  - [1.4] Set back xslt as default transformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=43590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43590&view=rev>) (antonio)
  - [1.4] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=43589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43589&view=rev>) (andreas)
  - [1.4] removed duplicate Xalan transformer declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=43588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43588&view=rev>) (andreas)
  - [1.4] using fallback for schemas [Diff](http://svn.apache.org/viewcvs.cgi?rev=43587&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43587&view=rev>) (andreas)
  - [1.4] using source resolver to resolve schema -> allows fallback:// protocol [Diff](http://svn.apache.org/viewcvs.cgi?rev=43586&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43586&view=rev>) (andreas)
  - [1.4] making validate method public [Diff](http://svn.apache.org/viewcvs.cgi?rev=43585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43585&view=rev>) (andreas)
  - [1.4] extracted input source method [Diff](http://svn.apache.org/viewcvs.cgi?rev=43584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43584&view=rev>) (andreas)
  - [1.4] removed obsolete XopusHandlerAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=43581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43581&view=rev>) (andreas)
  - [1.4] Using fallback module to mount sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=43575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43575&view=rev>) (andreas)
  - [1.4] Lucene version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43548&view=rev>) (michi)
  - [1.4] using fallback:// protocol instead of input module [Diff](http://svn.apache.org/viewcvs.cgi?rev=43543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43543&view=rev>) (andreas)
  - [1.4] using fallback:// protocol instead of input module [Diff](http://svn.apache.org/viewcvs.cgi?rev=43542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43542&view=rev>) (andreas)
  - [1.4] using FallbackSourceFactory (allows combination of fallback and ResourceExistsAction) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43541&view=rev>) (andreas)
  - [1.4] adding license header [Diff](http://svn.apache.org/viewcvs.cgi?rev=43540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43540&view=rev>) (andreas)
  - [1.4] more versions updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43533&view=rev>) (michi)

- [1.4] version number updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43532&view=rev>) (michi)
- [1.4] Initial checkin of publication templating code [Diff](http://svn.apache.org/viewcvs.cgi?rev=43528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43528&view=rev>) (andreas)
- [1.4] Initial checkin of publication templating code [Diff](http://svn.apache.org/viewcvs.cgi?rev=43527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43527&view=rev>) (andreas)
- [1.4] openssl added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43466&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43466&view=rev>) (michi)
- [1.4] SVN info to navigation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43465&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43465&view=rev>) (michi)
- [1.4] space inserted to test [Diff](http://svn.apache.org/viewcvs.cgi?rev=43463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43463&view=rev>) (michi)
- [1.4] Changed line break (repo test) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43456&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43456&view=rev>) (andreas)
- [1.4] Updated CVS usage docu -> SVN (The doc is not yet tested and may need improvements) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43455&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43455&view=rev>) (roku)
- [1.4] Adding generator metatag [Diff](http://svn.apache.org/viewcvs.cgi?rev=43423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43423&view=rev>) (antonio)
- [1.4] trivial text change -- testing complaints that commit is broken [Diff](http://svn.apache.org/viewcvs.cgi?rev=43422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43422&view=rev>) (noel)
- [1.4] fixing link inclusion bug in BXE [Diff](http://svn.apache.org/viewcvs.cgi?rev=43308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43308&view=rev>) (andreas)
- [1.4] formatting fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43307&view=rev>) (michi)
- [1.4] do not show empty menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=43306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43306&view=rev>) (michi)
- [1.4] XUL selector added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43305&view=rev>) (michi)
- [1.4] Search Block removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43304&view=rev>) (michi)
- [1.4] date into english translated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43303&view=rev>) (michi)
- [1.4] XUL enabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=43302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43302&view=rev>) (michi)
- [1.4] copyright statement added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43301&view=rev>) (michi)
- [1.4] match links menu by doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=43299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43299&view=rev>) (michi)

## 24. Version 2004-08 ()

### 24.1. 1.4

- [1.4] Support for getting all docs from a pub via sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=43283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43283&view=rev>) (roku)
- [1.4] Extracted kupu usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43268&view=rev>) (roku)
- [1.4] refactored image upload XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=43267&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43267&view=rev>) (andreas)
- [1.4] added string-functions XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=43264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43264&view=rev>) (andreas)
- [1.4] menu of doctype links added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43245&view=rev>) (michi)
- [1.4] added charter [Diff](http://svn.apache.org/viewcvs.cgi?rev=43203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43203&view=rev>) (gregor)
- [1.4] using of doctypes is now better recognizable [Diff](http://svn.apache.org/viewcvs.cgi?rev=43198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43198&view=rev>) (michi)
- [1.4] generalized fallback module [Diff](http://svn.apache.org/viewcvs.cgi?rev=43179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43179&view=rev>) (andreas)
- [1.4] search URL configuration separated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43170&view=rev>) (michi)
- [1.4] using same GUI for bxe & lenya asset upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=43277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43277&view=rev>) (andreas)
- [1.4] Removed lenya patched StreamGenerator since we now can configure the content type in kupu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43251&view=rev>) (roku)
- [1.4] Added passage about mailing list guidelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=43298&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43298&view=rev>) (andreas)
- [1.4] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43297&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43297&view=rev>) (michi)
- [1.4] Fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43296&view=rev>) (roku)
- [1.4] Fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43295&view=rev>) (roku)
- [1.4] Triggering workflow after each save now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43294&view=rev>) (roku)
- [1.4] Added method to trigger workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=43293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43293&view=rev>) (roku)
- [1.4] Fixed path reference to rco-exception.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=43292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43292&view=rev>) (roku)
- [1.4] - Removed useless imports - Added lic - Docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43291&view=rev>) (roku)
- [1.4] Fixed typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=43290&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43290&view=rev>) (roku)

- [1.4] Added javadocs . I know nobby like that :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43289&view=rev>) (roku)
- [1.4] Fixed bug #27905 for Kupu (Save and Exit takes forever) This also can fix the bug for bxe, but will need some usecase sitemap refactoring. I would very appreciate to fix that for bxe too in 1.2.1 CHANGES in detail: - Added method savePipelineToDocument to FlowHelper - Refactored kupu usecase sitemap to save doc via js flow. - Added coomons-io for faster output streams. BTW: excalibur-io is deprecated ! [Diff](http://svn.apache.org/viewcvs.cgi?rev=43288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43288&view=rev>) (roku)
- [1.4] fixed empty expression error [Diff](http://svn.apache.org/viewcvs.cgi?rev=43287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43287&view=rev>) (andreas)
- [1.4] Removed useless comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=43286&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43286&view=rev>) (roku)
- [1.4] Exclude current pages images in "other" pages images [Diff](http://svn.apache.org/viewcvs.cgi?rev=43285&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43285&view=rev>) (roku)
- [1.4] Added methods getImageResources and getResourceUrl [Diff](http://svn.apache.org/viewcvs.cgi?rev=43284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43284&view=rev>) (roku)
- [1.4] Continued image drawer integration: Its now possible to select images from all pages. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43282&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43282&view=rev>) (roku)
- [1.4] IE fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43281&view=rev>) (roku)
- [1.4] prettified XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=43280&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43280&view=rev>) (andreas)
- [1.4] removed tabstops [Diff](http://svn.apache.org/viewcvs.cgi?rev=43279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43279&view=rev>) (andreas)
- [1.4] check if policy file exists before creating [Diff](http://svn.apache.org/viewcvs.cgi?rev=43278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43278&view=rev>) (andreas)
- [1.4] using same GUI for bxe & lenya asset upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=43276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43276&view=rev>) (andreas)
- [1.4] using same GUI for bxe & lenya asset upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=43275&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43275&view=rev>) (andreas)
- [1.4] - added license - parameter declarations were in wrong position [Diff](http://svn.apache.org/viewcvs.cgi?rev=43274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43274&view=rev>) (andreas)
- [1.4] using same GUI for bxe & lenya asset upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=43273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43273&view=rev>) (andreas)
- [1.4] refactoring: extracted some methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=43272&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43272&view=rev>) (andreas)
- [1.4] fixed javascript error: adding selected image [Diff](http://svn.apache.org/viewcvs.cgi?rev=43271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43271&view=rev>) (andreas)
- [1.4] improved comment for root parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=43270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43270&view=rev>) (andreas)
- [1.4] Removed useless commneted sitemap markup [Diff](http://svn.apache.org/viewcvs.cgi?rev=43269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43269&view=rev>) (roku)
- [1.4] warning message for invalid asset file names [Diff](http://svn.apache.org/viewcvs.cgi?rev=43266&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43266&view=rev>) (andreas)
- [1.4] escaping characters ", <, > in sitetree labels [Diff](http://svn.apache.org/viewcvs.cgi?rev=43265&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43265&view=rev>) (andreas)
- [1.4] Started using dc meta data in assets.xsp and info:assets. Its a bit hacky, but my approach to do it nice is out of scope of Lenya 1.2.1. So smack me if its too bad. The info:assets screen now also shows the real dc:title. The bxe assets screens need to be fixed abit. I laready started but haven't tested yet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43263&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43263&view=rev>) (roku)
- [1.4] Added some useful methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43262&view=rev>) (roku)
- [1.4] Small refactoring of kupu usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43261&view=rev>) (roku)
- [1.4] Updated kupu usecase re linkdrawer integration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43260&view=rev>) (roku)
- [1.4] Added method to get a meta file for a special resource. i guess we need an Asset API which keeps us away from acting on File level here. The ResourceManager should return sth. like Asset or Resource. However..... [Diff](http://svn.apache.org/viewcvs.cgi?rev=43259&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43259&view=rev>) (roku)
- [1.4] Documented Kupu usecase a bit. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43258&view=rev>) (roku)
- [1.4] Using content/info/assets.xsp to populate Kupu image drawer. There is some work to do in assets.xsp I feel [Diff](http://svn.apache.org/viewcvs.cgi?rev=43257&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43257&view=rev>) (roku)
- [1.4] Kupu uc updates [Diff](http://svn.apache.org/viewcvs.cgi?rev=43256&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43256&view=rev>) (roku)
- [1.4] Cleaned up kupu usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43255&view=rev>) (roku)
- [1.4] Small kupu fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=43254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43254&view=rev>) (roku)

- [1.4] Continued kupu usecase. Started image drawer integration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43253&view=rev>) (roku)
- [1.4] Added jx generator. I need it for the kupu usecase (drawers) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43252&view=rev>) (roku)
- [1.4] Cleaned up kupu use case. Added step "exit", where the doc is checked in. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43250&view=rev>) (roku)
- [1.4] Upgraded to Kupu 1.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43249&view=rev>) (roku)
- [1.4] Error message improved, hint given [Diff](http://svn.apache.org/viewcvs.cgi?rev=43248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43248&view=rev>) (michi)
- [1.4] doctype links added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43247&view=rev>) (michi)
- [1.4] formatting fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43246&view=rev>) (michi)
- [1.4] make resolution ready for the board. the vote history can be inferred from older CVS versions. also changed the copy & paste errors from forest. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43244&view=rev>) (gregor)
- [1.4] My vote for PMC proposal [Diff](http://svn.apache.org/viewcvs.cgi?rev=43243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43243&view=rev>) (bigdog)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43242&view=rev>) (andreas)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43241&view=rev>) (andreas)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43240&view=rev>) (andreas)
- [1.4] My two cents. I hope this is ok. Feel free to correct. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43239&view=rev>) (roku)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43238&view=rev>) (andreas)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43237&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43237&view=rev>) (andreas)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43236&view=rev>) (andreas)
- [1.4] Andreas declined the chair [Diff](http://svn.apache.org/viewcvs.cgi?rev=43235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43235&view=rev>) (thorsten)
- [1.4] resignation from candidature [Diff](http://svn.apache.org/viewcvs.cgi?rev=43234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43234&view=rev>) (andreas)
- [1.4] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=43233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43233&view=rev>) (egli)
- [1.4] Changed Cocoon to lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=43232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43232&view=rev>) (thorsten)
- [1.4] Enhanced the mission of the lenya project [Diff](http://svn.apache.org/viewcvs.cgi?rev=43231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43231&view=rev>) (thorsten)
- [1.4] closing streams in finally block [Diff](http://svn.apache.org/viewcvs.cgi?rev=43230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43230&view=rev>) (andreas)
- [1.4] removed redundant comparison to null [Diff](http://svn.apache.org/viewcvs.cgi?rev=43229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43229&view=rev>) (andreas)
- [1.4] changed & to && [Diff](http://svn.apache.org/viewcvs.cgi?rev=43228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43228&view=rev>) (andreas)
- [1.4] using boolean || instead of integer | [Diff](http://svn.apache.org/viewcvs.cgi?rev=43227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43227&view=rev>) (andreas)
- [1.4] fixed equals() comparison [Diff](http://svn.apache.org/viewcvs.cgi?rev=43226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43226&view=rev>) (andreas)
- [1.4] fixed nullpointer deference [Diff](http://svn.apache.org/viewcvs.cgi?rev=43225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43225&view=rev>) (andreas)
- [1.4] replaced important assertions with exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=43224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43224&view=rev>) (andreas)
- [1.4] removed redundant comparison to null [Diff](http://svn.apache.org/viewcvs.cgi?rev=43223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43223&view=rev>) (andreas)
- [1.4] using Boolean.valueOf instead of constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=43222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43222&view=rev>) (andreas)
- [1.4] don't swallow & log exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=43221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43221&view=rev>) (andreas)
- [1.4] using boolean || instead of integer | [Diff](http://svn.apache.org/viewcvs.cgi?rev=43220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43220&view=rev>) (andreas)
- [1.4] added javadoc tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=43219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43219&view=rev>) (andreas)
- [1.4] closing streams [Diff](http://svn.apache.org/viewcvs.cgi?rev=43218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43218&view=rev>) (andreas)
- [1.4] removed unnecessary "== null" check [Diff](http://svn.apache.org/viewcvs.cgi?rev=43217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43217&view=rev>) (andreas)
- [1.4] using boolean || instead of integer | [Diff](http://svn.apache.org/viewcvs.cgi?rev=43216&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43216&view=rev>) (andreas)
- [1.4] closing stream in finally block [Diff](http://svn.apache.org/viewcvs.cgi?rev=43215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43215&view=rev>) (andreas)
- [1.4] - fixed javadocs - fixed access modifier of static fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=43214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43214&view=rev>) (andreas)
- [1.4] added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43213&view=rev>) (andreas)
- [1.4] findbugs: a class's finalize() method should have protected access [Diff](http://svn.apache.org/viewcvs.cgi?rev=43212&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43212&view=rev>) (gregor)
- [1.4] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=43211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43211&view=rev>) (thorsten)
- [1.4] added time wrapping (minutes are added) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43210&view=rev>) (andreas)

- [1.4] PMC vote casted [Diff](http://svn.apache.org/viewcvs.cgi?rev=43209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43209&view=rev>) (michi)
- [1.4] added missing javadoc tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=43208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43208&view=rev>) (andreas)
- [1.4] LinkRewritingTransformer can now handle URLs with anchors [Diff](http://svn.apache.org/viewcvs.cgi?rev=43207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43207&view=rev>) (andreas)
- [1.4] set default encoding for text serializer to UTF-8 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43206&view=rev>) (andreas)
- [1.4] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=43205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43205&view=rev>) (roku)
- [1.4] removed myself as candidate and voted [Diff](http://svn.apache.org/viewcvs.cgi?rev=43204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43204&view=rev>) (gregor)
- [1.4] saner defaults for notification [Diff](http://svn.apache.org/viewcvs.cgi?rev=43202&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43202&view=rev>) (gregor)
- [1.4] refactoring: extracted method [Diff](http://svn.apache.org/viewcvs.cgi?rev=43201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43201&view=rev>) (andreas)
- [1.4] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=43200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43200&view=rev>) (andreas)
- [1.4] replaced tabs by spaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=43199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43199&view=rev>) (andreas)
- [1.4] - removed tabstops - code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=43197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43197&view=rev>) (andreas)
- [1.4] replaced tabstops by spaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=43196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43196&view=rev>) (andreas)
- [1.4] added fallback for referenced documents screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43195&view=rev>) (andreas)
- [1.4] added fallback for log view usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43194&view=rev>) (andreas)
- [1.4] added fallback for notification pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=43193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43193&view=rev>) (andreas)
- [1.4] removed obsolete resources for CMS screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=43192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43192&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for asset screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43191&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for create-language screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43190&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for create screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43189&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for create screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43188&view=rev>) (andreas)
- [1.4] replaced tabstops by spaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=43187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43187&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for publish screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43186&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for reject screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43185&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for submit screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43184&view=rev>) (andreas)
- [1.4] using fallback module instead of cms-screen-xml resource for scheduler screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=43183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43183&view=rev>) (andreas)
- [1.4] noc of afghanistan added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43182&view=rev>) (michi)
- [1.4] removed invalid fallback call [Diff](http://svn.apache.org/viewcvs.cgi?rev=43181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43181&view=rev>) (andreas)
- [1.4] Hand down lenya:meta to page2xhtml. page2xhtml uses dc:title to set title element in html head. Hope this is ok. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43180&view=rev>) (roku)
- [1.4] deleting empty parent directories after deleting resources [Diff](http://svn.apache.org/viewcvs.cgi?rev=43178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43178&view=rev>) (andreas)
- [1.4] Wiki Link updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43177&view=rev>) (michi)
- [1.4] removed DEBUG classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=43176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43176&view=rev>) (andreas)
- [1.4] delete enclosing directories when deleting workflow history file [Diff](http://svn.apache.org/viewcvs.cgi?rev=43175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43175&view=rev>) (andreas)
- [1.4] create index if it does not exist yet [Diff](http://svn.apache.org/viewcvs.cgi?rev=43174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43174&view=rev>) (michi)
- [1.4] search form added to third column [Diff](http://svn.apache.org/viewcvs.cgi?rev=43173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43173&view=rev>) (michi)
- [1.4] Demo element added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43172&view=rev>) (michi)
- [1.4] search and results improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=43171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43171&view=rev>) (michi)

- [1.4] incrementally indexing finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=43169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43169&view=rev>) (michi)
- [1.4] names added, sorted alphabetically [Diff](http://svn.apache.org/viewcvs.cgi?rev=43168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43168&view=rev>) (gregor)
- [1.4] formatting fixed log.error() is not there for debugging purposes.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43167&view=rev>) (gregor)

## 25. Version 2004-07 ()

### 25.1. 1.4

- [1.4] readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=43162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43162&view=rev>) (michi)
- [1.4] Added the aggregation of our documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=43130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43130&view=rev>) (thorsten)
- [1.4] Checked in the src/documentation and forrest specic files for the website build [Diff](http://svn.apache.org/viewcvs.cgi?rev=43104&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43104&view=rev>) (thorsten)
- [1.4] project id fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43166&view=rev>) (michi)
- [1.4] deleting and readding implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=43165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43165&view=rev>) (michi)
- [1.4] creation of ID improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=43164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43164&view=rev>) (michi)
- [1.4] Lenya version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43163&view=rev>) (michi)
- [1.4] minor docu chances [Diff](http://svn.apache.org/viewcvs.cgi?rev=43161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43161&view=rev>) (thorsten)
- [1.4] Fixed exception message [Diff](http://svn.apache.org/viewcvs.cgi?rev=43160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43160&view=rev>) (roku)
- [1.4] Fixed exception message [Diff](http://svn.apache.org/viewcvs.cgi?rev=43159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43159&view=rev>) (roku)
- [1.4] Added deleteParentDirs. See javadoc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43158&view=rev>) (roku)
- [1.4] replaced SimpleLinkRewritingTransformer by LinkRewritingTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=43157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43157&view=rev>) (andreas)
- [1.4] added fallback for menubar stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=43156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43156&view=rev>) (andreas)
- [1.4] simplified a catch cascade [Diff](http://svn.apache.org/viewcvs.cgi?rev=43155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43155&view=rev>) (andreas)
- [1.4] added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43154&view=rev>) (andreas)
- [1.4] using DOM level 2 method to create namespace declaration attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=43153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43153&view=rev>) (andreas)
- [1.4] target added for indexing a single document incrementally [Diff](http://svn.apache.org/viewcvs.cgi?rev=43152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43152&view=rev>) (michi)
- [1.4] incrementally indexing of a single document started [Diff](http://svn.apache.org/viewcvs.cgi?rev=43151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43151&view=rev>) (michi)
- [1.4] Added history site, added contributing site and the proposal for pmc [Diff](http://svn.apache.org/viewcvs.cgi?rev=43150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43150&view=rev>) (thorsten)
- [1.4] Cocoon version updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43149&view=rev>) (michi)
- [1.4] Epoz by Kupu replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=43148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43148&view=rev>) (michi)
- [1.4] version added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43147&view=rev>) (michi)
- [1.4] lucene xmap link added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43146&view=rev>) (michi)
- [1.4] patching documentation content [Diff](http://svn.apache.org/viewcvs.cgi?rev=43145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43145&view=rev>) (michi)
- [1.4] don't swallow stack trace [Diff](http://svn.apache.org/viewcvs.cgi?rev=43144&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43144&view=rev>) (andreas)
- [1.4] Added delete path [Diff](http://svn.apache.org/viewcvs.cgi?rev=43143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43143&view=rev>) (roku)
- [1.4] using <map:redirect-to> for forms editor save usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43142&view=rev>) (andreas)
- [1.4] using document-url module for remove-language usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43141&view=rev>) (andreas)
- [1.4] using document-url module for new-language usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=43140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43140&view=rev>) (andreas)
- [1.4] Added DocumentURLModule (thanks to Peter Shipley) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43139&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43139&view=rev>) (andreas)
- [1.4] Tweaked NPE guard clause [Diff](http://svn.apache.org/viewcvs.cgi?rev=43138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43138&view=rev>) (roku)

- [1.4] Fixed potential NullPointerException. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43137&view=rev>) (roku)
- [1.4] avoid classcastexception when roles are hot-added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43136&view=rev>) (andreas)
- [1.4] clarified the installation INSTRUCTIONS [Diff](http://svn.apache.org/viewcvs.cgi?rev=43135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43135&view=rev>) (thorsten)
- [1.4] fixed link from group to member [Diff](http://svn.apache.org/viewcvs.cgi?rev=43134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43134&view=rev>) (andreas)
- [1.4] added sample proxy configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=43133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43133&view=rev>) (andreas)
- [1.4] added new LinkRewritingTransformer and proxy configuration for publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=43132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43132&view=rev>) (andreas)
- [1.4] Exchanged usage of.nio.Channel.transferTo with ...excalibur.io.FileUtil since Linux 2.6.x Kernels have an issue with jdk 1.4.x. See <http://swforum.sun.com/jive/thread.jspa?threadID=46416> Of course transferTo is most fucking quick :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43131&view=rev>) (roku)
- [1.4] param document-id added to xopus stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=43129&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43129&view=rev>) (edith)
- [1.4] added fallback for login & logout screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=43128&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43128&view=rev>) (andreas)
- [1.4] fixed logging categories for some input modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=43127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43127&view=rev>) (andreas)
- [1.4] method to delete the revisions (backups) and the rcml files [Diff](http://svn.apache.org/viewcvs.cgi?rev=43126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43126&view=rev>) (edith)
- [1.4] added javadocs with replacement code suggestions [Diff](http://svn.apache.org/viewcvs.cgi?rev=43125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43125&view=rev>) (andreas)
- [1.4] added setSimpleElementText() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=43124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43124&view=rev>) (andreas)
- [1.4] - deprecated select(Document, String) - added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43123&view=rev>) (andreas)
- [1.4] added DocumentHelper.readDocument(String) deprecated same method in DOMUtil [Diff](http://svn.apache.org/viewcvs.cgi?rev=43122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43122&view=rev>) (andreas)
- [1.4] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=43121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43121&view=rev>) (andreas)
- [1.4] XHTML serializer reverted [Diff](http://svn.apache.org/viewcvs.cgi?rev=43120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43120&view=rev>) (michi)
- [1.4] method tidy readded, see javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=43119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43119&view=rev>) (michi)
- [1.4] remove tags implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=43118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43118&view=rev>) (michi)
- [1.4] excerpt length configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=43117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43117&view=rev>) (michi)
- [1.4] Wiki link fixed and Apache 1 installation instruction added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43116&view=rev>) (michi)
- [1.4] indexing XML documents added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43115&view=rev>) (michi)
- [1.4] default value and delimiter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43114&view=rev>) (michi)
- [1.4] initializing session (avoid NPE) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43113&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43113&view=rev>) (andreas)
- [1.4] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=43112&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43112&view=rev>) (andreas)
- [1.4] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=43111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43111&view=rev>) (andreas)
- [1.4] override getNamespaceHelper() instead of save() [Diff](http://svn.apache.org/viewcvs.cgi?rev=43110&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43110&view=rev>) (andreas)
- [1.4] replaced DOM level 1 by DOM level 2 methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=43109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43109&view=rev>) (andreas)
- [1.4] fixed the link [Diff](http://svn.apache.org/viewcvs.cgi?rev=43108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43108&view=rev>) (michi)
- [1.4] reverted serializers [Diff](http://svn.apache.org/viewcvs.cgi?rev=43107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43107&view=rev>) (michi)
- [1.4] download link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43106&view=rev>) (michi)
- [1.4] new live sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=43105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43105&view=rev>) (gregor)
- [1.4] the text-utf-8 serializer was removed. if this leads to funny-looking sitetree in the insert link popup, it will have to be reinstated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43103&view=rev>) (gregor)

## 26. Version 2004-06 ()

### 26.1.

- [] This commit was manufactured by cvs2svn to create tag 'cocoon-lenya'. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43079&view=rev>) ()
- [] This commit was manufactured by cvs2svn to create tag 'RELEASE\_1\_2'. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43085&view=rev>) ()

## 26.2. 1.4

- [1.4] added admin area policies for lenya and alice [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43094&view=rev>) (andreas)
- [1.4] added missing licesne files for log4j, neko and kupu removed obsolete epoz license [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43078&view=rev>) (gregor)
- [1.4] do not copy SCM files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43060&view=rev>) (michi)
- [1.4] this file is necessary else the build process does not work [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43058&view=rev>) (michi)
- [1.4] - cleaned up component declarations - moved component declarations from global-sitemap to sitemap - removed duplicate component declarations - using XML/XHTML/HTML serializers from Cocoon serializers block [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43102&view=rev>) (andreas)
- [1.4] - code formatting - replaced log4j by Avalon logging [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43101&view=rev>) (andreas)
- [1.4] workflow event is not hardcoded anymore [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43100&view=rev>) (michi)
- [1.4] copying publication specific libraries [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43099&view=rev>) (michi)
- [1.4] Reverted [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43098&view=rev>) (roku)
- [1.4] - proper exception handling - corrected some javadocs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43097&view=rev>) (andreas)
- [1.4] Fix for [http://issues.apache.org/bugzilla/show\\_bug.cgi?id=29553](http://issues.apache.org/bugzilla/show_bug.cgi?id=29553) . Now the pub specific libraries are included in the compile classpath. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43096&view=rev>) (roku)
- [1.4] applied patch ([http://nagoya.apache.org/bugzilla/show\\_bug.cgi?id=26600](http://nagoya.apache.org/bugzilla/show_bug.cgi?id=26600)) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43095&view=rev>) (andreas)
- [1.4] using specific notification message for scheduler [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43093&view=rev>) (andreas)
- [1.4] don't remember request URI when flowscript function has ended [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43092&view=rev>) (andreas)
- [1.4] getPublication() throws exception when publication could not be created [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43091&view=rev>) (andreas)
- [1.4] trimming &#160; chars from parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43090&view=rev>) (andreas)
- [1.4] notification: allow passing "from" address as parameter [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43089&view=rev>) (andreas)
- [1.4] note added to javadoc about missing implementation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43088&view=rev>) (michi)
- [1.4] preparation for Tomcat 5 ... [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43087&view=rev>) (michi)
- [1.4] added netcom SA [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43086&view=rev>) (gregor)
- [1.4] Added copying of "legal" directory. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43084&view=rev>) (roku)
- [1.4] Following incubator filename pattern. We should use and replace to set this automatically. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43083&view=rev>) (roku)
- [1.4] Added copying of NOTICE.txt and CREDITS.txt in prepare-dist-bin. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43082&view=rev>) (roku)
- [1.4] Added copying of LICENSE.txt within prepare-dist-bin. See #29525. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43081&view=rev>) (roku)
- [1.4] Added copying of legal dir to dist-bin-prepare. See #29523. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=43080&view=rev>) (roku)
- [1.4] Set log4j log level for jcs to ERROR as voted today. This spuresses some confusing console WARN loggings of jcs,

- if log4j is disabled during build. In this case lenya uses a concle appender for logging. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43077&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43077&view=rev>) (roku)
- [1.4] Sorry for the commit, but this was necessarry. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43076&view=rev>) (roku)
- [1.4] libraries updated re Cocoon-2.1.5 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43075&view=rev>) (michi)
- [1.4] log4j lib version updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43074&view=rev>) (michi)
- [1.4] Using generated issue list from bugzilla instead of a hand made one [Diff](http://svn.apache.org/viewcvs.cgi?rev=43073&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43073&view=rev>) (roku)
- [1.4] - Added hints about "known issues" Feel free to update them. I hope I put it at the right place. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43072&view=rev>) (roku)
- [1.4] restored accidentally deleted messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=43071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43071&view=rev>) (andreas)
- [1.4] changed username + password in reload target [Diff](http://svn.apache.org/viewcvs.cgi?rev=43070&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43070&view=rev>) (andreas)
- [1.4] info improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=43069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43069&view=rev>) (michi)
- [1.4] allowing multiple cocoon.xconf patch files [Diff](http://svn.apache.org/viewcvs.cgi?rev=43068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43068&view=rev>) (andreas)
- [1.4] feedvalidator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43067&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43067&view=rev>) (michi)
- [1.4] renumbering moved into action such that file is not read and written within the pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=43066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43066&view=rev>) (michi)
- [1.4] - removed unused import - refactored this.excludes to list - added more javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=43065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43065&view=rev>) (andreas)
- [1.4] javadocs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43064&view=rev>) (michi)
- [1.4] removed commented-out std out log [Diff](http://svn.apache.org/viewcvs.cgi?rev=43063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43063&view=rev>) (andreas)
- [1.4] Filter for SCM files added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43062&view=rev>) (michi)
- [1.4] readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=43061&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43061&view=rev>) (michi)
- [1.4] fixed direct user/group/iprange links in the admin area [Diff](http://svn.apache.org/viewcvs.cgi?rev=43059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43059&view=rev>) (andreas)

## 27. Version 2004-05 ()

### 27.1.

- [] Sprint hacks: LenyaSourceFactory and lenya protocol integration [Diff](http://svn.apache.org/viewcvs.cgi?rev=43010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43010&view=rev>) (roku)
- [] This commit was manufactured by cvs2svn to create branch 'Lenya\_Sprint\_2004\_5\_13-branch'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42995&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42995&view=rev>) ()
- [] Removed @author. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43012&view=rev>) (roku)
- [] This commit was manufactured by cvs2svn to create tag 'Root-of-Lenya\_Sprint\_2004\_5\_13'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42996&view=rev>) ()

### 27.2. 1.4

- [1.4] Those two files were missing see #29172 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43049&view=rev>) (roku)
- [1.4] upload added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43002&view=rev>) (michi)
- [1.4] Lucene 1.4-rc3 added which allows sorting [Diff](http://svn.apache.org/viewcvs.cgi?rev=42991&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42991&view=rev>) (michi)
- [1.4] thorsten is active again [Diff](http://svn.apache.org/viewcvs.cgi?rev=43056&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43056&view=rev>) (thorsten)
- [1.4] Lucene 1.3 replaced by 1.4-rc3 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42992&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42992&view=rev>) (michi)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=42981&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42981&view=rev>) (michi)
- [1.4] Deleting CVS dirs from build/lenya/webapp/lenya/pubs and subdirs since copyPubs task is not using the defaultexcludes attribute. This should improve the build process, since one tends to forget to delete the cvs dirs by hand. See #29196 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43057&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43057&view=rev>) (roku)
- [1.4] disabled export for default publication #29083 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43055&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43055&view=rev>) (gregor)

- [1.4] Added unpacking of WAR file if needed (on first start up of lenya). See #29026. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43054&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43054&view=rev>) (roku)
- [1.4] #29023 search result links were wrong [Diff](http://svn.apache.org/viewcvs.cgi?rev=43053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43053&view=rev>) (gregor)
- [1.4] why bother with css and the lenya GUI guidelines when you can have font tags and debug output... [Diff](http://svn.apache.org/viewcvs.cgi?rev=43052&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43052&view=rev>) (gregor)
- [1.4] Cocoon seems to have a problem with write-source transformer re serialization. Hence enforce XML serialization [Diff](http://svn.apache.org/viewcvs.cgi?rev=43051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43051&view=rev>) (michi)
- [1.4] Applied Dale Patch. This fixes #29218. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43050&view=rev>) (egli)
- [1.4] - Added appropriate @basedir to ZIP targets [Diff](http://svn.apache.org/viewcvs.cgi?rev=43048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43048&view=rev>) (roku)
- [1.4] - Added creation of ZIPs - Added generation of MD5 checksum files [Diff](http://svn.apache.org/viewcvs.cgi?rev=43047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43047&view=rev>) (roku)
- [1.4] added documentation for resource types [Diff](http://svn.apache.org/viewcvs.cgi?rev=43046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43046&view=rev>) (andreas)
- [1.4] Added target "dist" which simply depends on clean, dist-src and dist-bin. Fixed some comments. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43045&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43045&view=rev>) (roku)
- [1.4] Finished i18n of image upload/insert screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43044&view=rev>) (roku)
- [1.4] new live site [Diff](http://svn.apache.org/viewcvs.cgi?rev=43043&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43043&view=rev>) (gregor)
- [1.4] - Started translation of Image upload/insert screen(bxe) - fixed i18n stuff in Asset upload/insert screen(bxe) - started using logical message keys instead of the texts itself as key [Diff](http://svn.apache.org/viewcvs.cgi?rev=43042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43042&view=rev>) (roku)
- [1.4] Bugfix for bug #29117. Added method filterURI in order to remove session info encoded within the uri, otherwise the URIParametrizer would fail on such an unfiltered uri. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43041&view=rev>) (roku)
- [1.4] improve RC error messages (no longer omit cause of exception) remove obsolete exception.xsp the RC code uses exceptions for flow control.. hopefully we can soon rip it out and replace it with repository code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43040&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43040&view=rev>) (gregor)
- [1.4] improve error message when checkout fails. for some reason we didnt show the exception message. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43039&view=rev>) (gregor)
- [1.4] reverse added and link activated [Diff](http://svn.apache.org/viewcvs.cgi?rev=43038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43038&view=rev>) (michi)
- [1.4] showing + disabling SSL checkbox when parent URL is SSL-protected [Diff](http://svn.apache.org/viewcvs.cgi?rev=43037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43037&view=rev>) (andreas)
- [1.4] Made getDocument() public. This is a hack due to the insufficient workflow condition interface (should be reconsidered when the new API is designed). [Diff](http://svn.apache.org/viewcvs.cgi?rev=43036&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43036&view=rev>) (andreas)
- [1.4] added new admin interface usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=43035&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43035&view=rev>) (andreas)
- [1.4] removed unneeded field workflowId [Diff](http://svn.apache.org/viewcvs.cgi?rev=43034&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43034&view=rev>) (andreas)
- [1.4] asserting that workflow name is not null and non-empty [Diff](http://svn.apache.org/viewcvs.cgi?rev=43033&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43033&view=rev>) (andreas)
- [1.4] replaced assertion with exception for non-valid areas [Diff](http://svn.apache.org/viewcvs.cgi?rev=43032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43032&view=rev>) (andreas)
- [1.4] added info-\* as valid areas [Diff](http://svn.apache.org/viewcvs.cgi?rev=43031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43031&view=rev>) (andreas)
- [1.4] fix bxe download url [Diff](http://svn.apache.org/viewcvs.cgi?rev=43030&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43030&view=rev>) (gregor)
- [1.4] setting Cache-Control header for sitetree javascript (enforce reloading) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43029&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43029&view=rev>) (andreas)
- [1.4] fixed check of netmask 255.255.255.255 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43028&view=rev>) (andreas)
- [1.4] treat 255.255.255.255 exceptionally [Diff](http://svn.apache.org/viewcvs.cgi?rev=43027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43027&view=rev>) (michi)
- [1.4] added notification for scheduling [Diff](http://svn.apache.org/viewcvs.cgi?rev=43026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43026&view=rev>) (andreas)
- [1.4] Added another live site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43025&view=rev>) (roku)
- [1.4] gurit added to live sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=43024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43024&view=rev>) (gregor)
- [1.4] change the navigation framework to create absolute links including the host and protocol if SSL is enabled anywhere in a publication. this is necessary to make navigating between SSL and non SSL pages of a site possible (without a protocol it is not possible to distinguish otherwise) if you have problems with your links through a proxy, consider using the live mount prefix. this will rewrite links in your live area to the form /livemountprefix/documentid/. use / as livemountprefix for

- virtual hosts (it will rewrite lenya/yourpub/authoring/index.html to yoursite.com/index.html and so on) yeah i know this needs more documentation :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=43023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43023&view=rev>) (gregor)
- [1.4] xpath as element instead as attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=43022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43022&view=rev>) (michi)
  - [1.4] add comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=43021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43021&view=rev>) (michi)
  - [1.4] javadoc added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43020&view=rev>) (michi)
  - [1.4] namespaces added [Diff](http://svn.apache.org/viewcvs.cgi?rev=43019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43019&view=rev>) (michi)
  - [1.4] javadoc added and logging fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43018&view=rev>) (michi)
  - [1.4] index live area [Diff](http://svn.apache.org/viewcvs.cgi?rev=43017&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43017&view=rev>) (michi)
  - [1.4] add multiple xpaths to combine various elements [Diff](http://svn.apache.org/viewcvs.cgi?rev=43016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43016&view=rev>) (michi)
  - [1.4] encoding parameter removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=43015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43015&view=rev>) (michi)
  - [1.4] #28992 atom relax ng had NMOKEN instead of dateTime [Diff](http://svn.apache.org/viewcvs.cgi?rev=43014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43014&view=rev>) (gregor)
  - [1.4] Simplify the installation instructions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43013&view=rev>) (egli)
  - [1.4] #28538 Lenya build process does not support multiple tomcat instance [Diff](http://svn.apache.org/viewcvs.cgi?rev=43011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43011&view=rev>) (gregor)
  - [1.4] #28538 Lenya build process does not support multiple tomcat instance [Diff](http://svn.apache.org/viewcvs.cgi?rev=43009&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43009&view=rev>) (gregor)
  - [1.4] \* The encoding is now taken from the request and no longer from the sitemap parameter. \* Said encoding is used when writing the file. This seems to solve a few problems with umlauts. [Diff](http://svn.apache.org/viewcvs.cgi?rev=43008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43008&view=rev>) (egli)
  - [1.4] enforce password security when changing passwords. \* at least 6 characters long \* at least one digit [Diff](http://svn.apache.org/viewcvs.cgi?rev=43007&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43007&view=rev>) (gregor)
  - [1.4] default to em and strong instead of i and b [Diff](http://svn.apache.org/viewcvs.cgi?rev=43006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43006&view=rev>) (gregor)
  - [1.4] Jetty included into binary snapshot [Diff](http://svn.apache.org/viewcvs.cgi?rev=43005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43005&view=rev>) (michi)
  - [1.4] building snapshots cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=43004&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43004&view=rev>) (michi)
  - [1.4] upload added but out commented [Diff](http://svn.apache.org/viewcvs.cgi?rev=43003&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43003&view=rev>) (michi)
  - [1.4] source instead of suroce [Diff](http://svn.apache.org/viewcvs.cgi?rev=43001&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43001&view=rev>) (edith)
  - [1.4] fix bug 28861 [Diff](http://svn.apache.org/viewcvs.cgi?rev=43000&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=43000&view=rev>) (edith)
  - [1.4] special characters fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42999&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42999&view=rev>) (michi)
  - [1.4] sorting implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=42998&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42998&view=rev>) (michi)
  - [1.4] checking area validity in isDocument() [Diff](http://svn.apache.org/viewcvs.cgi?rev=42997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42997&view=rev>) (andreas)
  - [1.4] libraries fixed and Usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42994&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42994&view=rev>) (michi)
  - [1.4] Lucene 1.4-rc3 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42993&view=rev>) (michi)
  - [1.4] thanks to Jan Metzner special characters within XML files are handled correctly within excerpts [Diff](http://svn.apache.org/viewcvs.cgi?rev=42990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42990&view=rev>) (michi)
  - [1.4] encoding fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42989&view=rev>) (michi)
  - [1.4] pixel gif fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42988&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42988&view=rev>) (michi)
  - [1.4] #28915 more atom fixes thanks dale [Diff](http://svn.apache.org/viewcvs.cgi?rev=42987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42987&view=rev>) (gregor)
  - [1.4] #28917 make blog bxe editable again [Diff](http://svn.apache.org/viewcvs.cgi?rev=42986&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42986&view=rev>) (gregor)
  - [1.4] Remove myself [Diff](http://svn.apache.org/viewcvs.cgi?rev=42985&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42985&view=rev>) (antonio)
  - [1.4] Kupu and BXE mentioned [Diff](http://svn.apache.org/viewcvs.cgi?rev=42984&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42984&view=rev>) (michi)
  - [1.4] no strong email [Diff](http://svn.apache.org/viewcvs.cgi?rev=42983&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42983&view=rev>) (michi)
  - [1.4] fix 404 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42982&view=rev>) (gregor)
  - [1.4] don't add a mime-type if one can't be mapped [Diff](http://svn.apache.org/viewcvs.cgi?rev=42980&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42980&view=rev>) (michi)
  - [1.4] check if Cocoon webapp dir exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=42979&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42979&view=rev>) (michi)
  - [1.4] string replaced by parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=42978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42978&view=rev>) (michi)
  - [1.4] cocoon.dir renamed and simplified [Diff](http://svn.apache.org/viewcvs.cgi?rev=42977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42977&view=rev>) (michi)
  - [1.4] Update link to Cocoon 2.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42976&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42976&view=rev>) (antonio)
  - [1.4] #28890 upgrade to atom 0.3 thanks to dale christ WOOF WOOF! [Diff](http://svn.apache.org/viewcvs.cgi?rev=42975&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42975&view=rev>) (gregor)

- [1.4] ADD EMAIL ADDRESS [Diff](http://svn.apache.org/viewcvs.cgi?rev=42974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42974&view=rev>) (thorsten)
- [1.4] moved deleteTrash usecase from usecase.xmap to admin.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=42973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42973&view=rev>) (andreas)
- [1.4] - commented out patching of web.xml (problems with <init-param>) - copy publication libraries [Diff](http://svn.apache.org/viewcvs.cgi?rev=42972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42972&view=rev>) (andreas)
- [1.4] patch web.xml by publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=42971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42971&view=rev>) (andreas)
- [1.4] merged patch to support IP range access control through proxies. thanks to jann forrer [Diff](http://svn.apache.org/viewcvs.cgi?rev=42970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42970&view=rev>) (gregor)
- [1.4] output fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=42969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42969&view=rev>) (michi)
- [1.4] stored fields added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42968&view=rev>) (michi)
- [1.4] Epoz replaced by Kupu [Diff](http://svn.apache.org/viewcvs.cgi?rev=42967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42967&view=rev>) (michi)
- [1.4] versions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42966&view=rev>) (michi)
- [1.4] homepage before email [Diff](http://svn.apache.org/viewcvs.cgi?rev=42965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42965&view=rev>) (michi)
- [1.4] adding and deleting features improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42964&view=rev>) (michi)
- [1.4] adding of homepage attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=42963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42963&view=rev>) (michi)
- [1.4] Xopus and Rollback added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42962&view=rev>) (michi)
- [1.4] homepage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42961&view=rev>) (michi)
- [1.4] homepage attribute added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42960&view=rev>) (michi)
- [1.4] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=42959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42959&view=rev>) (thorsten)
- [1.4] When the cancel button was pressed in the one form editor the pipeline would still validate the contents. Now it only validates if the save button was pressed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42958&view=rev>) (egli)
- [1.4] dist targets fixed and improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42957&view=rev>) (michi)
- [1.4] info added and simplified [Diff](http://svn.apache.org/viewcvs.cgi?rev=42956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42956&view=rev>) (michi)
- [1.4] hostname replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=42955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42955&view=rev>) (michi)
- [1.4] normalize element after removing children [Diff](http://svn.apache.org/viewcvs.cgi?rev=42954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42954&view=rev>) (andreas)
- [1.4] return null if publication does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=42953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42953&view=rev>) (andreas)
- [1.4] Fixed Trapo's realname. Sorry Trapo :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42952&view=rev>) (roku)

## 28. Version 2004-04 ()

### 28.1.

- [] This commit was manufactured by cvs2svn to create tag 'RELEASE\_1\_2\_RC\_3'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42828&view=rev>) ()

### 28.2. 1.4

- [1.4] moved menu resources one directory up [Diff](http://svn.apache.org/viewcvs.cgi?rev=42914&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42914&view=rev>) (andreas)
- [1.4] hiding namespaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=42904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42904&view=rev>) (michi)
- [1.4] shouldnt have deleted this sitemap.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42900&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42900&view=rev>) (gregor)
- [1.4] Added italian translation for cms ui. Thanks to Giampaolo Trapasso for this contribution. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42895&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42895&view=rev>) (roku)
- [1.4] added ResourceExistsModule [Diff](http://svn.apache.org/viewcvs.cgi?rev=42855&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42855&view=rev>) (andreas)
- [1.4] strip namespaces utility xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=42854&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42854&view=rev>) (gregor)
- [1.4] - Added french dict file fro default pub - Moved global keys to pub local [Diff](http://svn.apache.org/viewcvs.cgi?rev=42840&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42840&view=rev>) (roku)
- [1.4] Thanks to Olivier Lange for the french translation and his useful comments. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42838&view=rev>) (roku)
- [1.4] log4j was removed from upstream cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=42826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42826&view=rev>) (gregor)
- [1.4] Revoking update of xalan due to weird behavior under special circumstances. Jetty only likes xalan-2.6.0 if not placed in endorsed dir. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42791&view=rev>) (roku)

- [1.4] while the call back is nice, its not necessary here. there is more than one way to do things in bxe.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42937&view=rev>) (gregor)
- [1.4] epoz is now kupu [Diff](http://svn.apache.org/viewcvs.cgi?rev=42901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42901&view=rev>) (gregor)
- [1.4] renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42823&view=rev>) (michi)
- [1.4] This checkin should fix bug 27474. Changes: ... - updated shipped xalan to version 2.6.0 ... [Diff](http://svn.apache.org/viewcvs.cgi?rev=42790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42790&view=rev>) (roku)
- [1.4] Removed as it is not used anywhere and is under MPL license, so is problematic to keep in CVS anyway. Also there are better versions of this stylesheet @ [www.openoffice.org](http://www.openoffice.org). [Diff](http://svn.apache.org/viewcvs.cgi?rev=42788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42788&view=rev>) (egli)
- [1.4] don't allow to delete current user [Diff](http://svn.apache.org/viewcvs.cgi?rev=42951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42951&view=rev>) (andreas)
- [1.4] don't allow LDAP users to change their password [Diff](http://svn.apache.org/viewcvs.cgi?rev=42950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42950&view=rev>) (andreas)
- [1.4] removed reference to pending area [Diff](http://svn.apache.org/viewcvs.cgi?rev=42949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42949&view=rev>) (andreas)
- [1.4] [jam] replaced PENDING\_AREA with PENDING\_PATH [Diff](http://svn.apache.org/viewcvs.cgi?rev=42948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42948&view=rev>) (andreas)
- [1.4] [jam] added copy(File, File) method [Diff](http://svn.apache.org/viewcvs.cgi?rev=42947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42947&view=rev>) (andreas)
- [1.4] added forgotten "else" [Diff](http://svn.apache.org/viewcvs.cgi?rev=42946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42946&view=rev>) (andreas)
- [1.4] added "search-" as valid area prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42945&view=rev>) (andreas)
- [1.4] utf-8 serialization for sitetree labels in the link popup [Diff](http://svn.apache.org/viewcvs.cgi?rev=42944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42944&view=rev>) (gregor)
- [1.4] ascending order for workflow history versions [Diff](http://svn.apache.org/viewcvs.cgi?rev=42943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42943&view=rev>) (andreas)
- [1.4] using ISO date format for workflow history [Diff](http://svn.apache.org/viewcvs.cgi?rev=42942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42942&view=rev>) (andreas)
- [1.4] disallow \_ in url [Diff](http://svn.apache.org/viewcvs.cgi?rev=42941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42941&view=rev>) (gregor)
- [1.4] add an OK button to checkout exception screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42940&view=rev>) (gregor)
- [1.4] seperate out scheduling from workflow in the menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=42939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42939&view=rev>) (gregor)
- [1.4] scheduling notification is currently not working. it was disabled in the sitemap. the new strip\_namespaces turned the stray not:textarea into one big textarea, breaking the screen. disabled that part in the xslt for now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42938&view=rev>) (gregor)
- [1.4] changed callback [Diff](http://svn.apache.org/viewcvs.cgi?rev=42936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42936&view=rev>) (gregor)
- [1.4] a xslt param was not applied. this lead to ie errors. thanks to Johnson Hsu for spotting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42935&view=rev>) (gregor)
- [1.4] using mime-type "application/x-javascript" [Diff](http://svn.apache.org/viewcvs.cgi?rev=42934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42934&view=rev>) (andreas)
- [1.4] namespaces added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42933&view=rev>) (gregor)
- [1.4] connect lenya link insert popup with bxe link button. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42932&view=rev>) (gregor)
- [1.4] fixed indentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42931&view=rev>) (andreas)
- [1.4] added policies for user administration usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=42930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42930&view=rev>) (andreas)
- [1.4] added "edit" as author role [Diff](http://svn.apache.org/viewcvs.cgi?rev=42929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42929&view=rev>) (andreas)
- [1.4] getCredential() -> public [Diff](http://svn.apache.org/viewcvs.cgi?rev=42928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42928&view=rev>) (andreas)
- [1.4] check if accreditable has role before deleting role [Diff](http://svn.apache.org/viewcvs.cgi?rev=42927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42927&view=rev>) (andreas)
- [1.4] refactored admin usecases using "lenya.usecase" request parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=42926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42926&view=rev>) (andreas)
- [1.4] checking if item was already removed when file was deleted [Diff](http://svn.apache.org/viewcvs.cgi?rev=42925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42925&view=rev>) (andreas)
- [1.4] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=42924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42924&view=rev>) (andreas)
- [1.4] remove author role on user admin URL when a user is deleted [Diff](http://svn.apache.org/viewcvs.cgi?rev=42923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42923&view=rev>) (andreas)

- (http://svn.apache.org/viewcvs.cgi?rev=42923&view=rev) (andreas)
- [1.4] adding author role on user admin URL when a user is created [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42922&view=rev) (andreas)
- [1.4] added USER\_ADMIN\_URL field [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42921&view=rev) (andreas)
- [1.4] remove user from groups before (re-)configuring [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42920&view=rev)  
(andreas)
- [1.4] - restore group consistence after file changes - re-configuring items instead of building new ones [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42919&view=rev) (andreas)
- [1.4] added removeFromAllGroups() to Groupable interface [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42918&view=rev) (andreas)
- [1.4] added accreditableAdded() method [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42917&view=rev) (andreas)
- [1.4] implemented accreditableAdded() [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42916&view=rev) (andreas)
- [1.4] fixed core resource pipelines and moved them to lenya.xmap [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42915&view=rev) (andreas)
- [1.4] insert-before of select/option added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42913&view=rev) (michi)
- [1.4] not well formed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42912&view=rev) (gregor)
- [1.4] Search link added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42911&view=rev) (michi)
- [1.4] unnecessary error logging [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42910&view=rev) (gregor)
- [1.4] b replaced by strong and i replaced by em [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42909&view=rev) (michi)
- [1.4] hiding namespaces during editing ... [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42908&view=rev) (michi)
- [1.4] reloading AC items when the files have changed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42907&view=rev)  
(andreas)
- [1.4] added some isDebugEnabled() checks [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42906&view=rev) (andreas)
- [1.4] improved entry css from dale christ. #28114 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42905&view=rev) (gregor)
- [1.4] use correct lenya links to enable link rewriting, [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42903&view=rev)  
(gregor)
- [1.4] updated lenya start page [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42902&view=rev) (gregor)
- [1.4] fixed lenya:meta positioning bug Sorry, thanks Michi for the FIXME [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42899&view=rev) (andreas)
- [1.4] added getChildren(Element) without namespace check [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42898&view=rev) (andreas)
- [1.4] REVERT addition of i18n transformer because of resolver issues. see source for details. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42897&view=rev) (gregor)
- [1.4] credits updated, contributors added, reformatted. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42896&view=rev)  
(gregor)
- [1.4] removed legacy initArticle() check. the function was not even defined.. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42894&view=rev) (gregor)
- [1.4] add strip\_namespaces transform step to before all (x)html serializations. this should fix the issues with stray  
namespaces showing up in the final output. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42893&view=rev) (gregor)
- [1.4] hello? i -> em, or these will never be valid xhtml strict [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42892&view=rev) (gregor)
- [1.4] hello? b -> strong, or these will never be valid xhtml strict [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42891&view=rev) (gregor)
- [1.4] epoz -> kupu [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42890&view=rev) (gregor)
- [1.4] FIXME added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42889&view=rev) (michi)
- [1.4] copying of tools.jar removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42888&view=rev) (michi)
- [1.4] fixed lenya:meta positioning bug [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42887&view=rev) (andreas)
- [1.4] reloading sitetree if stale [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42886&view=rev) (andreas)
- [1.4] starting with Sitetree reloading [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42885&view=rev) (andreas)
- [1.4] unnecessary list removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42884&view=rev) (michi)
- [1.4] Jean Pierre LeJacq : Lenya build process fixes location of anttask build directory #28540 thanks [Diff](#)

- (http://svn.apache.org/viewcvs.cgi?rev=42883&view=rev) (gregor)
  - [1.4] crawl target removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42882&view=rev) (michi)
  - [1.4] crawl is now executed by ant directly [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42881&view=rev) (michi)
  - [1.4] index target is obsolete [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42880&view=rev) (michi)
  - [1.4] indexing via ant instead of shell script [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42879&view=rev) (michi)
  - [1.4] rng png and xsl files now also bypass the access control. this allows editing to work for restricted users [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42878&view=rev) (gregor)
- [1.4] improved error message [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42877&view=rev) (andreas)
- [1.4] disable-output-escaping is not allowed on xsl:stylesheet [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42876&view=rev) (gregor)
- [1.4] URLs fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42875&view=rev) (michi)
- [1.4] go figure, xhtml serializer escapes things in cdata, html doesnt. this broke javascript for image upload [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42874&view=rev) (gregor)
- [1.4] embed replaced by replace [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42873&view=rev) (michi)
- [1.4] replace, embed and enclose bug fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42872&view=rev) (michi)
- [1.4] Added possibility to specify <node @visible="true|false"> in order to hide a page from sitetree. Default is assumed "true" if @visible is not specified. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42871&view=rev) (roku)
- [1.4] protect insert ns from strip\_namespaces stylesheet. this broke the link popup [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42870&view=rev) (gregor)
- [1.4] import was pointing into nirvana [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42869&view=rev) (gregor)
- [1.4] Epoz->Kupu [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42868&view=rev) (roku)
- [1.4] exclude i18n [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42867&view=rev) (gregor)
- [1.4] allow overriding of document-id UGLY [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42866&view=rev) (gregor)
- [1.4] strangely, <script/> was turned into <script> in xhtml which broke the rendering. changed to <script> </script>. still a lot of changes needed before we can finally switch to xhtml in the authoring area. for instance, the whole <td background= business is broken in xhtml. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42865&view=rev) (gregor)
- [1.4] Reverting to iso-\* encoding since utf-8 broke the forms editor. Annoying. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42864&view=rev) (roku)
- [1.4] - Updated french translation send by Olivier Lange - Removed entities from german and french translation [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42863&view=rev) (roku)
- [1.4] Fixed comments [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42862&view=rev) (roku)
- [1.4] Updated and added pub specific translation. Thanks to Jose Chaso for this contribution. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42861&view=rev) (roku)
- [1.4] restored Cocoon 2.1.4 compatibility [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42860&view=rev) (andreas)
- [1.4] Added def. of init-param form-encoding. I set it to utf-8. Otherwise I had many problems using forms with special chars in. Trapo had that problem , too. So, if this chnage causes any problems, we need to revert this fix. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42859&view=rev) (roku)
- [1.4] fix stray namespaces in asset / image upload screens that broke the javascript code apply i18n to image upload screen [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42858&view=rev) (gregor)
- [1.4] Removed hint to ope another browser window using @target since that attribute is ot allowed in xhtml strict . [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42857&view=rev) (roku)
- [1.4] added some javadocs [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42856&view=rev) (andreas)
- [1.4] wyona.com replaced by apache.org [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42853&view=rev) (michi)
- [1.4] - code style fixes - added method [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42852&view=rev) (andreas)
- [1.4] replaced inline strings by constants [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42851&view=rev) (andreas)
- [1.4] added pending area to areas list [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42850&view=rev) (andreas)
- [1.4] code formatting [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42849&view=rev) (andreas)
- [1.4] IndexIterator added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42848&view=rev) (michi)
- [1.4] sorting of files is optional [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42847&view=rev) (michi)
- [1.4] Added translations. Again thanks to Olivier lange. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42846&view=rev) (roku)

- [1.4] Reverted ediths changes as they broke a number of pubs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42845&view=rev>) (egli)
- [1.4] make shell script executable [Diff](http://svn.apache.org/viewcvs.cgi?rev=42844&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42844&view=rev>) (michi)
- [1.4] Rolf added to credits page [Diff](http://svn.apache.org/viewcvs.cgi?rev=42843&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42843&view=rev>) (michi)
- [1.4] Do the special character really not work? They work in the global file, at least for the french translation. This is a test checkin [Diff](http://svn.apache.org/viewcvs.cgi?rev=42842&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42842&view=rev>) (roku)
- [1.4] Fixed a special character using entity since cvs screws this up. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42841&view=rev>) (roku)
- [1.4] Fixed i18n key "New document". Is now "New Document". Was reported by Olivier Lange. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42839&view=rev>) (roku)
- [1.4] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42837&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42837&view=rev>) (joerg)
- [1.4] extracted method to calculate href attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42836&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42836&view=rev>) (andreas)
- [1.4] using constant for XLink namespace URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=42835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42835&view=rev>) (andreas)
- [1.4] set pipeline for the share css and images in the globalsitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=42834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42834&view=rev>) (edith)
- [1.4] make language switching in insert link popup work pass default language to insert link popup [Diff](http://svn.apache.org/viewcvs.cgi?rev=42833&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42833&view=rev>) (gregor)
- [1.4] start sitetree closed in insert link screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42832&view=rev>) (gregor)
- [1.4] sitetree was no longer visible in insert link screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42831&view=rev>) (gregor)
- [1.4] code formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=42830&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42830&view=rev>) (andreas)
- [1.4] fix documentation link #28348 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42829&view=rev>) (gregor)
- [1.4] set publication versions to 1.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42827&view=rev>) (gregor)
- [1.4] restored backwards compatibility [Diff](http://svn.apache.org/viewcvs.cgi?rev=42825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42825&view=rev>) (andreas)
- [1.4] - added javaflow block - changed syntax from exclude to include [Diff](http://svn.apache.org/viewcvs.cgi?rev=42824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42824&view=rev>) (andreas)
- [1.4] Pending area added for replication of content to other servers [Diff](http://svn.apache.org/viewcvs.cgi?rev=42822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42822&view=rev>) (michi)
- [1.4] forgot language extension and "html" for some ssl rewrites :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42821&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42821&view=rev>) (gregor)
- [1.4] fix ldap exception. was due to javascript being quite happy with arbitrary number of arguments.. grr WHERE IS MY GROOVY WHEN I NEED IT!! [Diff](http://svn.apache.org/viewcvs.cgi?rev=42820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42820&view=rev>) (gregor)
- [1.4] all the possible versions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42819&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42819&view=rev>) (michi)
- [1.4] cocoon, lenya and publication version added resp differentiated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42818&view=rev>) (michi)
- [1.4] bin added to corresponding target names such that it is consistent with src [Diff](http://svn.apache.org/viewcvs.cgi?rev=42817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42817&view=rev>) (michi)
- [1.4] wasn't well-formed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42816&view=rev>) (gregor)
- [1.4] enable "mounting" of live site under specified url. if you enable the live-mount-point in your publication.xconf, publications using the simpleLinkRewritingTransformer will rewrite urls of the form /lenya/publication/authoring/documentid to /livemountpoint/documentid [Diff](http://svn.apache.org/viewcvs.cgi?rev=42815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42815&view=rev>) (gregor)
- [1.4] Formatting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42814&view=rev>) (roku)
- [1.4] Fixed old Epoz comment. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42813&view=rev>) (roku)
- [1.4] Formatting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42812&view=rev>) (roku)
- [1.4] i18n enhancements for AC info screen/tab. We should have i18n'ed >= 95% of texts now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42811&view=rev>) (roku)
- [1.4] import statements added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42810&view=rev>) (michi)
- [1.4] lucene configuration documented [Diff](http://svn.apache.org/viewcvs.cgi?rev=42809&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42809&view=rev>) (michi)
- [1.4] indexer info added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42808&view=rev>) (michi)
- [1.4] configurable filter to configurable indexer added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42807&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42807&view=rev>)

- (michi)
- [1.4] Added i18n for Role list box in ac info screen/tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=42806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42806&view=rev>) (roku)
- [1.4] ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42805&view=rev>) (gregor)
- [1.4] various improvements to the installer: \* checks for installed JVM \* retains build.xml \* fix for #26957 (no menu items installed) \* show ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42804&view=rev>) (gregor)
- [1.4] Small i18n fixes of workflow info screen/tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42803&view=rev>) (roku)
- [1.4] Small i18n fixes of workflow info screen/tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42802&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42802&view=rev>) (roku)
- [1.4] IPv6 comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=42801&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42801&view=rev>) (gregor)
- [1.4] Getting closer to a complete i18n and translation. I love this kind of work...really :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42800&view=rev>) (roku)
- [1.4] Reordered active committers list [Diff](http://svn.apache.org/viewcvs.cgi?rev=42799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42799&view=rev>) (roku)
- [1.4] Hope it was ok to add me to the list of active committers. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42798&view=rev>) (roku)
- [1.4] Completed i18n of info RC screen/tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42797&view=rev>) (roku)
- [1.4] Completed i18n of info asset screen/tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42796&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42796&view=rev>) (roku)
- [1.4] Completed i18n of info asset screen/tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42795&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42795&view=rev>) (roku)
- [1.4] Completed i18n for meta info screen/tab. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42794&view=rev>) (roku)
- [1.4] home.dir replaced by webapp.dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=42793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42793&view=rev>) (michi)
- [1.4] oops, the ASL turns up in the final html .. thats NOT the idea. the ASL is not supposed to be viral and licesne the user content under ASL :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42792&view=rev>) (gregor)
- [1.4] This checkin should fix bug 27474. Changes: - exclude all xalan jars from cocoon webapp space during copy process in build scripts - updated shipped xalan to version 2.6.0 - updated nekopull to version 0.2.4 which fixes an xerces-2.6.2 issue with the class ObjectFactory which has been removed from xerces due to security issues - moved nekopull libs from docs-new pub to global WEB-INF/lib [Diff](http://svn.apache.org/viewcvs.cgi?rev=42789&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42789&view=rev>) (roku)

## 29. Version 2004-03 ()

### 29.1. 1.4

- [1.4] Moved i18n handling to a separate sitemap in order to: - avoid potential endless loops caused by sub sitemap mounts - avoid unessacarry ResourceBundle loggings in core.log if a dict file is not found [Diff](http://svn.apache.org/viewcvs.cgi?rev=42754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42754&view=rev>) (roku)
- [1.4] the eclipse-project target is now able to create an eclipse project for lenya. some new properties in build.properties: cocoon.dir ide.eclipse.outputdir ide.eclipse.export.libs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42748&view=rev>) (gregor)
- [1.4] logging for shell scripts and batch files [Diff](http://svn.apache.org/viewcvs.cgi?rev=42720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42720&view=rev>) (michi)
- [1.4] UploadHelper added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42714&view=rev>) (michi)
- [1.4] Added pub local i18n catalogue files. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42695&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42695&view=rev>) (roku)
- [1.4] Merges pub local i18n catalogue with global i18n catalogue. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42691&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42691&view=rev>) (roku)
- [1.4] Used to merge pub local message catalogue with global one. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42689&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42689&view=rev>) (roku)
- [1.4] Added a new use step in the publish usecase named "show-referenced-documents" which allows you to download the list of referenced documents as a text/plain file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42685&view=rev>) (egli)
- [1.4] Search is now handled in a separate xsl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42655&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42655&view=rev>) (egli)
- [1.4] pre-populate lucene index for authoring area as well. michi, please update both indexes before release #26945 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42646&view=rev>) (gregor)
- [1.4] Implementation for a collection, so that xlink are inserted in the collection [Diff](http://svn.apache.org/viewcvs.cgi?rev=42623&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42623&view=rev>) (edith)
- [1.4] Tutorial on how a new doctype can be created [Diff](http://svn.apache.org/viewcvs.cgi?rev=42609&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42609&view=rev>) (michi)

- [1.4] epoz -> kupu [Diff](http://svn.apache.org/viewcvs.cgi?rev=42785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42785&view=rev>) (gregor)
- [1.4] Remove dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42779&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42779&view=rev>) (egli)
- [1.4] Remove these entities as they are outdated and are officially provided by <http://xml.openoffice.org/sx2ml> [Diff](http://svn.apache.org/viewcvs.cgi?rev=42775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42775&view=rev>) (egli)
- [1.4] publishing of articles [Diff](http://svn.apache.org/viewcvs.cgi?rev=42771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42771&view=rev>) (gregor)
- [1.4] when will people finally use the proper location for files? geez. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42766&view=rev>) (gregor)
- [1.4] upgrade to jetty 4.2.19 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42745&view=rev>) (gregor)
- [1.4] no longer needed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42738&view=rev>) (gregor)
- [1.4] no longer needed (its from the old bitflux editor) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42735&view=rev>) (gregor)
- [1.4] no longer needed. this is provided by the cocoon webapp [Diff](http://svn.apache.org/viewcvs.cgi?rev=42732&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42732&view=rev>) (gregor)
- [1.4] remove traces of old documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42709&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42709&view=rev>) (gregor)
- [1.4] got rid of old schemas [Diff](http://svn.apache.org/viewcvs.cgi?rev=42707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42707&view=rev>) (gregor)
- [1.4] merge dicts not needed anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=42690&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42690&view=rev>) (roku)
- [1.4] removed forrest bloat [Diff](http://svn.apache.org/viewcvs.cgi?rev=42678&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42678&view=rev>) (gregor)
- [1.4] remove unused navigation experiments [Diff](http://svn.apache.org/viewcvs.cgi?rev=42631&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42631&view=rev>) (gregor)
- [1.4] useless [Diff](http://svn.apache.org/viewcvs.cgi?rev=42629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42629&view=rev>) (gregor)
- [1.4] remove unused usecases (unusecases?) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42628&view=rev>) (gregor)
- [1.4] superceded by pageenvelopemodule [Diff](http://svn.apache.org/viewcvs.cgi?rev=42627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42627&view=rev>) (gregor)
- [1.4] remove unused menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=42626&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42626&view=rev>) (gregor)
- [1.4] epoz integration prepared for epoz 1.0.2 release \* epoz now also runs in jetty \* removed epoz files from lenya (we use the originals now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42619&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42619&view=rev>) (gregor)
- [1.4] LICENSE.txt is now in root [Diff](http://svn.apache.org/viewcvs.cgi?rev=42615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42615&view=rev>) (gregor)
- [1.4] no longer used anywhere [Diff](http://svn.apache.org/viewcvs.cgi?rev=42597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42597&view=rev>) (gregor)
- [1.4] removed unnecessary class [Diff](http://svn.apache.org/viewcvs.cgi?rev=42593&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42593&view=rev>) (andreas)
- [1.4] remove deprecated pageenvelopeaction [Diff](http://svn.apache.org/viewcvs.cgi?rev=42592&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42592&view=rev>) (gregor)
- [1.4] these two are no longer used anywhere [Diff](http://svn.apache.org/viewcvs.cgi?rev=42591&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42591&view=rev>) (gregor)
- [1.4] these two are no longer used anywhere [Diff](http://svn.apache.org/viewcvs.cgi?rev=42590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42590&view=rev>) (gregor)
- [1.4] make sure the scheduler default time is in the future :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42787&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42787&view=rev>) (gregor)
- [1.4] fix asset / image lists [Diff](http://svn.apache.org/viewcvs.cgi?rev=42786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42786&view=rev>) (gregor)
- [1.4] Usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42784&view=rev>) (michi)
- [1.4] better install instructions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42783&view=rev>) (michi)
- [1.4] better install instructions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42782&view=rev>) (michi)
- [1.4] formatting fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42781&view=rev>) (michi)
- [1.4] Insert ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42780&view=rev>) (egli)
- [1.4] Insert ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42778&view=rev>) (egli)
- [1.4] Insert ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42777&view=rev>) (egli)
- [1.4] Insert ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42776&view=rev>) (egli)
- [1.4] Insert ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42774&view=rev>) (egli)
- [1.4] Insert ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42773&view=rev>) (egli)
- [1.4] missing resource PR: Obtained from: Submitted by: Reviewed by: CVS:

----- CVS: PR: CVS: If this change addresses a PR in the problem report tracking CVS: database, then enter the PR number(s) here. CVS: Obtained from: CVS: If this change has been taken from another system, such as NCSA, CVS: then name the system in this line, otherwise delete it. CVS: Submitted by: CVS: If this code has been contributed to Apache by someone else; i.e., CVS: they sent us a patch or a new module, then include their name/email CVS: address here. If this is your work then delete this line. CVS: Reviewed by: CVS: If we are doing pre-commit code reviews and someone else has CVS: reviewed your changes, include their name(s) here. CVS: If you have not had it reviewed then delete this line. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42772&view=rev>) (gregor)

- [1.4] If a script is passed as an argument, add it to the files section. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42770&view=rev>) (egli)
- [1.4] Fixed Epoz->Kupu renaming. Old Epoz will not work anymore. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42769&view=rev>) (roku)
- [1.4] more ie 6 script tag madness [Diff](http://svn.apache.org/viewcvs.cgi?rev=42768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42768&view=rev>) (gregor)
- [1.4] exception message improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42767&view=rev>) (michi)
- [1.4] As reported by gregor there are problems if i18n dir is not existing in pub space. I dunno why it has sth to do with noncaching stuff. Reverting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42765&view=rev>) (roku)
- [1.4] Finished i18n. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42764&view=rev>) (roku)
- [1.4] Added i18n support for Asset Dialog (BXE) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42763&view=rev>) (roku)
- [1.4] fix the rc namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=42762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42762&view=rev>) (edith)
- [1.4] reinsert needed transformation {doctypes}toxhtml [Diff](http://svn.apache.org/viewcvs.cgi?rev=42761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42761&view=rev>) (edith)
- [1.4] Added i18n transformation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42760&view=rev>) (roku)
- [1.4] Started with i18n. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42759&view=rev>) (roku)
- [1.4] Removed type="noncaching". I had problems earlier when not using noncaching. Maybe I have to revoke this change later. Lets see. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42758&view=rev>) (roku)
- [1.4] new lenya live sites [Diff](http://svn.apache.org/viewcvs.cgi?rev=42757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42757&view=rev>) (gregor)
- [1.4] Fixed cvs keyword [Diff](http://svn.apache.org/viewcvs.cgi?rev=42756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42756&view=rev>) (roku)
- [1.4] Fixed comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=42755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42755&view=rev>) (roku)
- [1.4] Fix for [http://nagoya.apache.org/bugzilla/show\\_bug.cgi?id=27644](http://nagoya.apache.org/bugzilla/show_bug.cgi?id=27644) Is related to file lenya/xslt/navigation/sitetree2nav.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=42753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42753&view=rev>) (roku)
- [1.4] prevent collapsing of script tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=42752&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42752&view=rev>) (gregor)
- [1.4] fix ns problem with imported js [Diff](http://svn.apache.org/viewcvs.cgi?rev=42751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42751&view=rev>) (gregor)
- [1.4] we don't need axis. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42750&view=rev>) (gregor)
- [1.4] make sitemaps more readable xslt transformer was defined twice, go figure remove wsproxy (unneeded) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42749&view=rev>) (gregor)
- [1.4] updated requirements [Diff](http://svn.apache.org/viewcvs.cgi?rev=42747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42747&view=rev>) (gregor)
- [1.4] build system updated to use the ant 1.6 import task -> you need ant 1.6 or higher applied ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42746&view=rev>) (gregor)
- [1.4] calculate size for an asset correctly. thanks to trapo. we will have to revisit this once we tackle #26576 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42744&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42744&view=rev>) (gregor)
- [1.4] added support for h1, asset and object to forms editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=42743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42743&view=rev>) (gregor)
- [1.4] make one form editor utilize the whole screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42742&view=rev>) (gregor)
- [1.4] typo fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42741&view=rev>) (gregor)
- [1.4] ASL 2.0 removed use of DateUtil (thanks to Dale Christ) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42740&view=rev>) (gregor)
- [1.4] ASL 2.0 @author removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42739&view=rev>) (gregor)
- [1.4] obsolete variables removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42737&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42737&view=rev>) (michi)
- [1.4] zip target added in order to deploy webapp [Diff](http://svn.apache.org/viewcvs.cgi?rev=42736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42736&view=rev>) (michi)
- [1.4] encoding fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42734&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42734&view=rev>) (michi)
- [1.4] we now use nice error screens. converted from deprecated type=500 error handling to new handling with exception selector this means you should never ever get ugly stack traces again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42733&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42733&view=rev>) (gregor)
- [1.4] fields fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42731&view=rev>) (michi)
- [1.4] contents field as default [Diff](http://svn.apache.org/viewcvs.cgi?rev=42730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42730&view=rev>) (michi)
- [1.4] Pipeline split which allows better customizing [Diff](http://svn.apache.org/viewcvs.cgi?rev=42729&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42729&view=rev>) (michi)
- [1.4] re-enable resourcenotfound exception [Diff](http://svn.apache.org/viewcvs.cgi?rev=42728&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42728&view=rev>) (gregor)
- [1.4] The previous checkin broke the validatorAction. This change makes it work again and does an attempt at some

- clean-up. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42727&view=rev>) (egli)
- [1.4] copyright statement removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42726&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42726&view=rev>) (michi)
- [1.4] 24 hours fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42725&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42725&view=rev>) (michi)
- [1.4] move license inside root element to make source writing transformer happy #27650 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42724&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42724&view=rev>) (gregor)
- [1.4] check if directory exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=42723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42723&view=rev>) (michi)
- [1.4] validateaction didnt take encoding into account. #27262 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42722&view=rev>) (gregor)
- [1.4] logging added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42721&view=rev>) (michi)
- [1.4] Note about potential xmldb conflict [Diff](http://svn.apache.org/viewcvs.cgi?rev=42719&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42719&view=rev>) (michi)
- [1.4] typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=42718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42718&view=rev>) (gregor)
- [1.4] beginning of SSL Encryption documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42717&view=rev>) (gregor)
- [1.4] first cut of SSL support. the SimpleLinkTransformer now checks if a link is protected by SSL (has the SSL property set in its policy) and prepends a SSL prefix. this allows you to selectively serve pages of your site through SSL. i'll write some documentation to outline the setup with mod\_proxy and friends. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42716&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42716&view=rev>) (gregor)
- [1.4] Comment placed and logging fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42715&view=rev>) (michi)
- [1.4] Make the search button look more like the rest of the navigation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42713&view=rev>) (egli)
- [1.4] Fixed path for an epoz xsl. The file epozcontent-xhrml.xsl is included in epoz release. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42712&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42712&view=rev>) (roku)
- [1.4] Fixed a small typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=42711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42711&view=rev>) (roku)
- [1.4] A forgotten commit :) Sorry for any incovinience. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42710&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42710&view=rev>) (roku)
- [1.4] update to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42708&view=rev>) (gregor)
- [1.4] update to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42706&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42706&view=rev>) (gregor)
- [1.4] update to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42705&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42705&view=rev>) (gregor)
- [1.4] update to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42704&view=rev>) (gregor)
- [1.4] update to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42703&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42703&view=rev>) (gregor)
- [1.4] update to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42702&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42702&view=rev>) (gregor)
- [1.4] Minor fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42701&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42701&view=rev>) (roku)
- [1.4] completed i18n for create doc and create language screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42700&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42700&view=rev>) (roku)
- [1.4] i18n support for client side javascript popup messages. This should all be done with woody aka cforms in the future. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42699&view=rev>) (roku)
- [1.4] Some i18n pipeline fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42698&view=rev>) (roku)
- [1.4] Some i18n pipeline fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42697&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42697&view=rev>) (roku)
- [1.4] Started i18n'ing [Diff](http://svn.apache.org/viewcvs.cgi?rev=42696&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42696&view=rev>) (roku)
- [1.4] Fixed test if pub local cat exists. Using Source.exists(String) now [Diff](http://svn.apache.org/viewcvs.cgi?rev=42694&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42694&view=rev>) (roku)
- [1.4] Added messages. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42693&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42693&view=rev>) (roku)
- [1.4] - Moved XInclude transformer to sitemap.xmap, because I need to use it there for i18n catalogue merging - Added support for the i18-catalogue pipeline to merge local with global i18n catalogue [Diff](http://svn.apache.org/viewcvs.cgi?rev=42692&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42692&view=rev>) (roku)
- [1.4] Removed useless char. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42688&view=rev>) (roku)
- [1.4] Using a pipeline to aggregate pub dicts with global dicts:) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42687&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42687&view=rev>) (roku)
- [1.4] Removed all I18nTransfomer decls. We can use the global one. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42686&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42686&view=rev>) (roku)
- [1.4] Applied sitemap refactoring: Extract resource i18n. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42684&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42684&view=rev>) (roku)

- [1.4] Added i18n for info sidetree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42683&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42683&view=rev>) (roku)
- [1.4] - Moved i18n transformation into a resource called i18n - Added i18n for info tree [Diff](http://svn.apache.org/viewcvs.cgi?rev=42682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42682&view=rev>) (roku)
- [1.4] Added the link-rewrite transformer to enable internal link rewriting in the default publication. This also entails link disabling in the live area if the link target is not in live. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42681&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42681&view=rev>) (egli)
- [1.4] Moved the SimpleLinkRewritingTransformer to the core. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42680&view=rev>) (egli)
- [1.4] If a live document contains (internal) links to another document with is not in live yet, then the link will be deactivated, i.e. the transformer will drop the <a> element and just pass the text node of the <a> element. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42679&view=rev>) (egli)
- [1.4] temporarily disable deletion of scheduler entries until we figure out the root cause. #27252 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42677&view=rev>) (gregor)
- [1.4] form editor layout improvements. thanks to jan forrer for the patch. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42676&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42676&view=rev>) (gregor)
- [1.4] well-formedness fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42675&view=rev>) (michi)
- [1.4] make warning message more legible for wrong filetype warning [Diff](http://svn.apache.org/viewcvs.cgi?rev=42674&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42674&view=rev>) (gregor)
- [1.4] highlight workflow state more prominently [Diff](http://svn.apache.org/viewcvs.cgi?rev=42673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42673&view=rev>) (gregor)
- [1.4] ie didnt like the font-size: x-small; syntax, and the css was not valid anyway. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42672&view=rev>) (gregor)
- [1.4] store image title in the title attribute, not name. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42671&view=rev>) (gregor)
- [1.4] typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=42670&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42670&view=rev>) (gregor)
- [1.4] override zhe save method, to set the xlink namespace in the xml document [Diff](http://svn.apache.org/viewcvs.cgi?rev=42669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42669&view=rev>) (edith)
- [1.4] set the attribute document id, if it already doesn't exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=42668&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42668&view=rev>) (edith)
- [1.4] Xmx added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42667&view=rev>) (michi)
- [1.4] Usability fixes to the oneform editor: \* Added i18n \* Added a box which shows the document-id and the language of the document that is currently being edited (similar to the forms editor). [Diff](http://svn.apache.org/viewcvs.cgi?rev=42666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42666&view=rev>) (egli)
- [1.4] titles improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42665&view=rev>) (michi)
- [1.4] XInclude Processor documentation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42664&view=rev>) (michi)
- [1.4] Remove the document title field to make it consistent with the create screen. It could be that this has to be added later, but it will have to be added consistently in both screens and the dc metadata handling will have to be integrated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42663&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42663&view=rev>) (egli)
- [1.4] Removed date translation due to dynamic src-formats of date. Will be fixed after 1.2. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42662&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42662&view=rev>) (roku)
- [1.4] search as text input field added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42661&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42661&view=rev>) (michi)
- [1.4] ac2 -> ac package rename [Diff](http://svn.apache.org/viewcvs.cgi?rev=42660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42660&view=rev>) (gregor)
- [1.4] typo fixes, and links to ac2 fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42659&view=rev>) (gregor)
- [1.4] Optimized the layout of the search box. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42658&view=rev>) (egli)
- [1.4] search configuration within admin [Diff](http://svn.apache.org/viewcvs.cgi?rev=42657&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42657&view=rev>) (michi)
- [1.4] XPathDirectoryGenerator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42656&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42656&view=rev>) (michi)
- [1.4] Place the search box relative to the breadcrumb path (basically to the right of the breadcrumb) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42654&view=rev>) (egli)
- [1.4] Place the search box after the breadcrumb path. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42653&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42653&view=rev>) (egli)
- [1.4] When aggregating the navigation also pull in the search box. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42652&view=rev>) (egli)
- [1.4] Reverted as the search is now in a separate xsl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42651&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42651&view=rev>) (egli)

- [1.4] adding search link to default pub layout. #26945 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42650&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42650&view=rev>) (gregor)
- [1.4] make workflow roles consistent [Diff](http://svn.apache.org/viewcvs.cgi?rev=42649&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42649&view=rev>) (gregor)
- [1.4] remove unizh references #27035 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42648&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42648&view=rev>) (gregor)
- [1.4] remove unizh references #27035 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42647&view=rev>) (gregor)
- [1.4] usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42645&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42645&view=rev>) (michi)
- [1.4] do not crawl URLs with query strings [Diff](http://svn.apache.org/viewcvs.cgi?rev=42644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42644&view=rev>) (michi)
- [1.4] IndexOutOfRange bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42643&view=rev>) (michi)
- [1.4] nasty bug re ../ fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42642&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42642&view=rev>) (michi)
- [1.4] create new doctype page added to Tutorial [Diff](http://svn.apache.org/viewcvs.cgi?rev=42641&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42641&view=rev>) (michi)
- [1.4] javascript errors due to empty values. thanks to sharon for the fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42640&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42640&view=rev>) (gregor)
- [1.4] Since the role names have changed in other places this file needs to be changed as well. Now the menus work again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42639&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42639&view=rev>) (egli)
- [1.4] xpdf into config file moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42638&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42638&view=rev>) (michi)
- [1.4] crawling documented better [Diff](http://svn.apache.org/viewcvs.cgi?rev=42637&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42637&view=rev>) (michi)
- [1.4] elementExists method added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42636&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42636&view=rev>) (michi)
- [1.4] robots.txt made configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=42635&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42635&view=rev>) (michi)
- [1.4] Usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42634&view=rev>) (michi)
- [1.4] make generic role names consistent. roles: edit, visit, admin, review groups: editor, visitor, reviewer, admin this fixes an issue reported by peter shipley (empty notification dropdowns in publish screen) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42633&view=rev>) (gregor)
- [1.4] set endorsed dir for jetty to WEB-INF/lib/endorsed it was pointing to a directory that we do not ship in the binaries.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42632&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42632&view=rev>) (gregor)
- [1.4] the lenya-util logicsheet is no more. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42630&view=rev>) (gregor)
- [1.4] Moved to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42625&view=rev>) (egli)
- [1.4] save method made public [Diff](http://svn.apache.org/viewcvs.cgi?rev=42624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42624&view=rev>) (edith)
- [1.4] was still referencing removed xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=42622&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42622&view=rev>) (gregor)
- [1.4] dict is cacheable now [Diff](http://svn.apache.org/viewcvs.cgi?rev=42621&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42621&view=rev>) (roku)
- [1.4] remove unizh reference [Diff](http://svn.apache.org/viewcvs.cgi?rev=42620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42620&view=rev>) (gregor)
- [1.4] Removed spaces after a message. Caused a weird bug. Sorry. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42618&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42618&view=rev>) (roku)
- [1.4] pass publication id to lucene stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=42617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42617&view=rev>) (gregor)
- [1.4] updated to ASL 2.0 added CVS ID where necessary [Diff](http://svn.apache.org/viewcvs.cgi?rev=42616&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42616&view=rev>) (gregor)
- [1.4] related projects updated, link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42614&view=rev>) (gregor)
- [1.4] Revert to old licenses as the jars that we include are still under the old license despite our own license change. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42613&view=rev>) (egli)
- [1.4] updated to ASL 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42612&view=rev>) (gregor)
- [1.4] documentation updated for 1form and forms editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=42611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42611&view=rev>) (gregor)
- [1.4] Added i18n support for global Create Doc screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42610&view=rev>) (roku)
- [1.4] TODO note added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42608&view=rev>) (michi)
- [1.4] better hint added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42607&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42607&view=rev>) (michi)
- [1.4] parameter names fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42606&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42606&view=rev>) (michi)
- [1.4] Fixed a typo, i.e. some missing white space. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42605&view=rev>) (egli)
- [1.4] author removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42604&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42604&view=rev>) (michi)
- [1.4] version moved and author added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42603&view=rev>) (michi)
- [1.4] Archive links added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42602&view=rev>) (michi)
- [1.4] If the sitetree node already specifies a href attribute copy this into the href attribute of the navigation node verbatim.

- [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42601&view=rev>) (egli)
  - [1.4] \* changed to ASL 2.0 \* moved attributions from CREDITS to NOTICE [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42600&view=rev>) (gregor)
  - [1.4] using generic pattern for copying Xerces [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42599&view=rev>) (andreas)
  - [1.4] \* ASL 2.0 applied \* CVS ID added where it was missing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42598&view=rev>) (gregor)
  - [1.4] When creating a new document redirect to it after creating it and make sure you take the language into account. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42596&view=rev>) (egli)
  - [1.4] Restrict language selection to the languages specified for this publication using a html form select. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42595&view=rev>) (egli)
  - [1.4] Remove last traces of university of zuerich. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42594&view=rev>) (egli)
  - [1.4] added javadocs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42589&view=rev>) (andreas)
  - [1.4] added javadocs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42588&view=rev>) (andreas)
  - [1.4] Added some fixmes. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42587&view=rev>) (egli)
  - [1.4] Crawler and Indexer added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42586&view=rev>) (michi)
  - [1.4] logging and output modified [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42585&view=rev>) (michi)

## 30. Version 2004-02 ()

### 30.1. 1.4

- [1.4] configuration improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42535&view=rev>) (michi)
- [1.4] added dublin core module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42480&view=rev>) (andreas)
- [1.4] added xopus config module [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42470&view=rev>) (andreas)
- [1.4] adding edit entry [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42443&view=rev>) (michi)
- [1.4] utility methods for String manipulation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42408&view=rev>) (michi)
- [1.4] spanish translation courtesy of jorge gutierrez [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42406&view=rev>) (gregor)
- [1.4] Dictionary files for Lenya CMS screens. Languages de,en with en as default dict. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42358&view=rev>) (roku)
- [1.4] move image / asset upload screens for bxeng to the core [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42292&view=rev>) (gregor)
- [1.4] bxeng support for default pub improved \* image upload \* asset upload [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42275&view=rev>) (gregor)
- [1.4] This class has overstayed its welcome and is replaced by jakarta commons StringUtils. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42561&view=rev>) (egli)
- [1.4] no longer needed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42548&view=rev>) (gregor)
- [1.4] removed Sitemap class (no references in core) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42528&view=rev>) (andreas)
- [1.4] we no longer use our own forrestbot and therefore do not need these libraries. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42491&view=rev>) (gregor)
- [1.4] reducing docs-new to xdoc serving [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42490&view=rev>) (gregor)
- [1.4] log4j is provided by the deli block [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42488&view=rev>) (gregor)
- [1.4] removed obsolete RequestParamAction [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42484&view=rev>) (andreas)
- [1.4] replaced XopusModule with DefaultsMetaModule [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42476&view=rev>) (andreas)
- [1.4] obsolete sample [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42439&view=rev>) (gregor)
- [1.4] removed windows file [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42407&view=rev>) (gregor)
- [1.4] no longer needed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42336&view=rev>) (gregor)
- [1.4] no longer needed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42330&view=rev>) (gregor)
- [1.4] removed forrest publication template [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42314&view=rev>) (andreas)

- [1.4] these parameters are now in the core. i wonder why they were duplicated in the first place? [Diff](http://svn.apache.org/viewcvs.cgi?rev=42312&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42312&view=rev>) (gregor)
- [1.4] no longer needed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42311&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42311&view=rev>) (gregor)
- [1.4] moved obsolete creators directly into the oscom publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=42303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42303&view=rev>) (gregor)
- [1.4] moved obsolete publishing screens out of the core and into the oscom publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42302&view=rev>) (gregor)
- [1.4] this was never used [Diff](http://svn.apache.org/viewcvs.cgi?rev=42301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42301&view=rev>) (gregor)
- [1.4] removed deprecated and unsupported menu XSLTs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42296&view=rev>) (andreas)
- [1.4] removed deprecated and unsupported menu resources [Diff](http://svn.apache.org/viewcvs.cgi?rev=42295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42295&view=rev>) (andreas)
- [1.4] no longer needed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42294&view=rev>) (gregor)
- [1.4] moved bxeng asset and image upload callbacks to the core [Diff](http://svn.apache.org/viewcvs.cgi?rev=42287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42287&view=rev>) (gregor)
- [1.4] check if sample file exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=42584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42584&view=rev>) (michi)
- [1.4] version moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42583&view=rev>) (michi)
- [1.4] Usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42582&view=rev>) (michi)
- [1.4] Mailing Lists link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42581&view=rev>) (michi)
- [1.4] restored xslt as default transformer (sorry) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42580&view=rev>) (andreas)
- [1.4] typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=42579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42579&view=rev>) (gregor)
- [1.4] typo (yeah hit me) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42578&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42578&view=rev>) (gregor)
- [1.4] typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=42577&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42577&view=rev>) (gregor)
- [1.4] stylesheet for object tag was missing... [Diff](http://svn.apache.org/viewcvs.cgi?rev=42576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42576&view=rev>) (gregor)
- [1.4] pass in context prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42575&view=rev>) (gregor)
- [1.4] the blog publication was using a deprecated resource matcher... [Diff](http://svn.apache.org/viewcvs.cgi?rev=42574&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42574&view=rev>) (gregor)
- [1.4] remove unizh reference [Diff](http://svn.apache.org/viewcvs.cgi?rev=42573&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42573&view=rev>) (gregor)
- [1.4] remove outdated information [Diff](http://svn.apache.org/viewcvs.cgi?rev=42572&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42572&view=rev>) (gregor)
- [1.4] removed JXTemplateGenerator declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=42571&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42571&view=rev>) (andreas)
- [1.4] fixed some layout issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=42570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42570&view=rev>) (andreas)
- [1.4] Add a default value for the event (in some cases the request parameter doesn't seem to be passed in). [Diff](http://svn.apache.org/viewcvs.cgi?rev=42569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42569&view=rev>) (egli)
- [1.4] doh. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42568&view=rev>) (gregor)
- [1.4] NullPointerException fixed and logging improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42567&view=rev>) (michi)
- [1.4] RobotExclusion patched such that also local robots.txt are possible [Diff](http://svn.apache.org/viewcvs.cgi?rev=42566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42566&view=rev>) (michi)
- [1.4] class name fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42565&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42565&view=rev>) (michi)
- [1.4] Small i18n fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42564&view=rev>) (roku)
- [1.4] Added translation for time. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42563&view=rev>) (roku)
- [1.4] Added i18n support for scheduler usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42562&view=rev>) (roku)
- [1.4] Use the StringUtils class from jakarta commons to reverse strings rather than the class from lenya.util. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42560&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42560&view=rev>) (egli)
- [1.4] note about StringUtils within commons [Diff](http://svn.apache.org/viewcvs.cgi?rev=42559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42559&view=rev>) (michi)
- [1.4] embarrassing: the tree in the site tab was hard coded to show en and de. It now uses gets the languages info for the current publication from the page-envelope and builds the tabs dynamically. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42558&view=rev>) (egli)
- [1.4] redirect to shell script because of linkage error [Diff](http://svn.apache.org/viewcvs.cgi?rev=42557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42557&view=rev>) (michi)
- [1.4] crawl target added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42556&view=rev>) (michi)

- [1.4] domain updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42555&view=rev>) (michi)
- [1.4] logging improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42554&view=rev>) (michi)
- [1.4] Added code to return a csv list of the publication languages. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42553&view=rev>) (egli)
- [1.4] \* Added code to return a csv list of the publication languages \* Refactored some code to use StringUtils from jakarta commons to create csv strings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42552&view=rev>) (egli)
- [1.4] prepend hostname only for internal links [Diff](http://svn.apache.org/viewcvs.cgi?rev=42551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42551&view=rev>) (gregor)
- [1.4] when collection is saved, additional XML is preserved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42550&view=rev>) (edith)
- [1.4] Usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42549&view=rev>) (michi)
- [1.4] changed encoding to utf-8 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42547&view=rev>) (roku)
- [1.4] asset mgmt doc update [Diff](http://svn.apache.org/viewcvs.cgi?rev=42546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42546&view=rev>) (gregor)
- [1.4] i18n stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=42545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42545&view=rev>) (roku)
- [1.4] refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=42544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42544&view=rev>) (andreas)
- [1.4] improved javadocs, some refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=42543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42543&view=rev>) (andreas)
- [1.4] i18n fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42542&view=rev>) (roku)
- [1.4] i18n stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=42541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42541&view=rev>) (roku)
- [1.4] Cocoon 2.1.5-dev mentioned [Diff](http://svn.apache.org/viewcvs.cgi?rev=42540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42540&view=rev>) (michi)
- [1.4] Added i18n support on copy doc screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42539&view=rev>) (roku)
- [1.4] disable-output-escaping was illegal on the <stylesheet> element [Diff](http://svn.apache.org/viewcvs.cgi?rev=42538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42538&view=rev>) (gregor)
- [1.4] no such schema modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=42537&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42537&view=rev>) (michi)
- [1.4] configuration improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42536&view=rev>) (michi)
- [1.4] - Parametrized translations - Small text changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42534&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42534&view=rev>) (roku)
- [1.4] Parametrized some translations. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42533&view=rev>) (roku)
- [1.4] i18n support for archive screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42532&view=rev>) (roku)
- [1.4] - Added translations (useless) for move down. - Small fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42531&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42531&view=rev>) (roku)
- [1.4] Added i18n support. Is this file really used? if not, we could remove it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42530&view=rev>) (roku)
- [1.4] added getRequest() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=42529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42529&view=rev>) (andreas)
- [1.4] i18n support for deactivate and delete screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42527&view=rev>) (roku)
- [1.4] Added i18n support for info/scheduler screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42526&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42526&view=rev>) (roku)
- [1.4] I did it again: More i18n for info screens. ( This is shit boring work :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42525&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42525&view=rev>) (roku)
- [1.4] Added date-i18n with iso format as proposed by nobby in lenya-dev. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42524&view=rev>) (roku)
- [1.4] i18n stuff. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42523&view=rev>) (roku)
- [1.4] Small i18n fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42522&view=rev>) (roku)
- [1.4] Small i18n fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42521&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42521&view=rev>) (roku)
- [1.4] Added i18n support for info screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42520&view=rev>) (roku)
- [1.4] Small i18n fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42519&view=rev>) (roku)
- [1.4] Added i18n support/transformation for info screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=42518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42518&view=rev>) (roku)
- [1.4] Minor i18n key fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42517&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42517&view=rev>) (roku)
- [1.4] Uups. Added "mit" again : ) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42516&view=rev>) (roku)
- [1.4] Added i18n support for admin sitetree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42515&view=rev>) (roku)
- [1.4] Reverting: To many problems with normal language selection scheme. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42514&view=rev>) (roku)
- [1.4] Using request:locale as default language for sitetree2nav in lenya/xslt\*\*. Language selection admin navigation works

- now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42513&view=rev>) (roku)
- [1.4] lenya prefix added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42512&view=rev>) (michi)
- [1.4] validation before saving tmp version [Diff](http://svn.apache.org/viewcvs.cgi?rev=42511&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42511&view=rev>) (michi)
- [1.4] warn by info category replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=42510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42510&view=rev>) (michi)
- [1.4] attributes bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42509&view=rev>) (michi)
- [1.4] unnecessary variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=42508&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42508&view=rev>) (gregor)
- [1.4] escaping of special characters of attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42507&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42507&view=rev>) (michi)
- [1.4] attack the class from hell and remove unnecessary fields and methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42506&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42506&view=rev>) (gregor)
- [1.4] configurationfile was never read [Diff](http://svn.apache.org/viewcvs.cgi?rev=42505&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42505&view=rev>) (gregor)
- [1.4] private main() is never used [Diff](http://svn.apache.org/viewcvs.cgi?rev=42504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42504&view=rev>) (gregor)
- [1.4] fix dc deprecation warning [Diff](http://svn.apache.org/viewcvs.cgi?rev=42503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42503&view=rev>) (gregor)
- [1.4] unnecessary ; according to eclipse [Diff](http://svn.apache.org/viewcvs.cgi?rev=42502&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42502&view=rev>) (gregor)
- [1.4] current working versions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42501&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42501&view=rev>) (michi)
- [1.4] fix deprecation warnings with httpclient 2.0 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42500&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42500&view=rev>) (gregor)
- [1.4] removed unused field [Diff](http://svn.apache.org/viewcvs.cgi?rev=42499&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42499&view=rev>) (andreas)
- [1.4] remove unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=42498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42498&view=rev>) (gregor)
- [1.4] remove unnecessary casts [Diff](http://svn.apache.org/viewcvs.cgi?rev=42497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42497&view=rev>) (gregor)
- [1.4] Comment out the example. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42496&view=rev>) (egli)
- [1.4] enable the pipeline that takes the css from an xml and does some context-prefix transformation on it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42495&view=rev>) (egli)
- [1.4] remove unused private field [Diff](http://svn.apache.org/viewcvs.cgi?rev=42494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42494&view=rev>) (andreas)
- [1.4] changed prereqs to Cocoon 2.1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42493&view=rev>) (andreas)
- [1.4] further docs-new cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=42492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42492&view=rev>) (gregor)
- [1.4] bye bye xopus [Diff](http://svn.apache.org/viewcvs.cgi?rev=42489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42489&view=rev>) (gregor)
- [1.4] also exclude obj and repository blocks [Diff](http://svn.apache.org/viewcvs.cgi?rev=42487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42487&view=rev>) (gregor)
- [1.4] synched with 2.1.5-dev we now exclude the linotype, jms, mail, paranoid, portal-fw, precept, slide and webdav blocks [Diff](http://svn.apache.org/viewcvs.cgi?rev=42486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42486&view=rev>) (gregor)
- [1.4] removed reference to patched RequestParamAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=42485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42485&view=rev>) (andreas)
- [1.4] added dublin core module declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=42483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42483&view=rev>) (andreas)
- [1.4] using dublin core module instead of page envelope DC attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42482&view=rev>) (andreas)
- [1.4] download link generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=42481&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42481&view=rev>) (gregor)
- [1.4] set dublin core keys to deprecated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42479&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42479&view=rev>) (andreas)
- [1.4] return terms with getFirstValue() [Diff](http://svn.apache.org/viewcvs.cgi?rev=42478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42478&view=rev>) (andreas)
- [1.4] mit added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42477&view=rev>) (michi)
- [1.4] reduce verbosity [Diff](http://svn.apache.org/viewcvs.cgi?rev=42475&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42475&view=rev>) (gregor)
- [1.4] added xopus context configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=42474&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42474&view=rev>) (andreas)
- [1.4] removed commented-out code [Diff](http://svn.apache.org/viewcvs.cgi?rev=42473&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42473&view=rev>) (andreas)
- [1.4] configuring xopus using input module [Diff](http://svn.apache.org/viewcvs.cgi?rev=42472&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42472&view=rev>) (andreas)
- [1.4] patching cocoon.xconf with xopus module [Diff](http://svn.apache.org/viewcvs.cgi?rev=42471&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42471&view=rev>) (andreas)
- [1.4] removed usage of deprecated code [Diff](http://svn.apache.org/viewcvs.cgi?rev=42469&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42469&view=rev>) (andreas)
- [1.4] don't copy the files [Diff](http://svn.apache.org/viewcvs.cgi?rev=42468&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42468&view=rev>) (michi)
- [1.4] debugging query string re encoding [Diff](http://svn.apache.org/viewcvs.cgi?rev=42467&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42467&view=rev>) (michi)
- [1.4] removed usage of deprecated methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=42466&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42466&view=rev>) (andreas)
- [1.4] removed usage of deprecated methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=42465&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42465&view=rev>) (andreas)
- [1.4] set specific dublin core methods to @deprecated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42464&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42464&view=rev>) (andreas)
- [1.4] don't show inherited rights for top-level URLs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42463&view=rev>) (andreas)

- [1.4] specific AC handling for archive and trash [Diff](http://svn.apache.org/viewcvs.cgi?rev=42462&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42462&view=rev>) (andreas)
- [1.4] removed unused private field [Diff](http://svn.apache.org/viewcvs.cgi?rev=42461&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42461&view=rev>) (andreas)
- [1.4] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=42460&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42460&view=rev>) (andreas)
- [1.4] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42459&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42459&view=rev>) (andreas)
- [1.4] removed usage of deprecated Avalon components [Diff](http://svn.apache.org/viewcvs.cgi?rev=42458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42458&view=rev>) (andreas)
- [1.4] fixed xlink namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=42457&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42457&view=rev>) (andreas)
- [1.4] fixed xlink namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=42456&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42456&view=rev>) (andreas)
- [1.4] fixed XLink namespace handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=42455&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42455&view=rev>) (andreas)
- [1.4] fixed XLink namespace handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=42454&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42454&view=rev>) (andreas)
- [1.4] - refactoring - removed some premature methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=42453&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42453&view=rev>) (andreas)
- [1.4] search target added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42452&view=rev>) (michi)
- [1.4] search moved into own method [Diff](http://svn.apache.org/viewcvs.cgi?rev=42451&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42451&view=rev>) (michi)
- [1.4] libraries updated and debug argument removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42450&view=rev>) (michi)
- [1.4] better introspection support added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42449&view=rev>) (michi)
- [1.4] Indexer added and forum Creator removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42448&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42448&view=rev>) (michi)
- [1.4] Indexing improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42447&view=rev>) (michi)
- [1.4] Tomcat binary installation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42446&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42446&view=rev>) (michi)
- [1.4] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42445&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42445&view=rev>) (michi)
- [1.4] removed edit entry [Diff](http://svn.apache.org/viewcvs.cgi?rev=42444&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42444&view=rev>) (michi)
- [1.4] Added i18n support for IP Range admin screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42442&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42442&view=rev>) (roku)
- [1.4] added DocumentSetVisitor [Diff](http://svn.apache.org/viewcvs.cgi?rev=42441&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42441&view=rev>) (andreas)
- [1.4] some little refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=42440&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42440&view=rev>) (andreas)
- [1.4] Completed i18n of user admin screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42438&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42438&view=rev>) (roku)
- [1.4] update TODO [Diff](http://svn.apache.org/viewcvs.cgi?rev=42437&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42437&view=rev>) (gregor)
- [1.4] upgrade to Cocoon 2.1.4: ResourceExistsSelector [Diff](http://svn.apache.org/viewcvs.cgi?rev=42436&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42436&view=rev>) (andreas)
- [1.4] switched to xerces jar of Cocoon 2.1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42435&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42435&view=rev>) (andreas)
- [1.4] casting manager to object to avoid clash [Diff](http://svn.apache.org/viewcvs.cgi?rev=42434&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42434&view=rev>) (andreas)
- [1.4] added cast for component/service manager [Diff](http://svn.apache.org/viewcvs.cgi?rev=42433&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42433&view=rev>) (andreas)
- [1.4] create and edit entry added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42432&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42432&view=rev>) (michi)
- [1.4] ...more i18n for user admin screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42431&view=rev>) (roku)
- [1.4] More i18n for user admin screens and a fix for group admin screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42430&view=rev>) (roku)
- [1.4] Added more i18n for group admin screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42429&view=rev>) (roku)
- [1.4] made it compatible with Cocoon 2.1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42428&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42428&view=rev>) (andreas)
- [1.4] Clean up the Dublin Core interface: \* The instance() is protected again (as in the GoF proxy pattern) \* The refresh() method is gone and is replaced by the replaceBy() method \* There is a new method replaceBy() which lets you replace the content of a dublin core by another. \* The FilePublication class now uses the replaceBy() method and no longer requires internal knowledge of the dublin core implementation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42427&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42427&view=rev>) (egli)
- [1.4] reverting changes (didn't work with 2.1.2) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42426&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42426&view=rev>) (andreas)
- [1.4] - replaced deprecated ConfigurableComposerAction by ConfigurableServicableAction - added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42425&view=rev>) (andreas)
- [1.4] replaced commandlinelogger by log4j [Diff](http://svn.apache.org/viewcvs.cgi?rev=42424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42424&view=rev>) (andreas)
- [1.4] prettified javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42423&view=rev>) (andreas)
- [1.4] completed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42422&view=rev>) (andreas)
- [1.4] Minor i18n fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42421&view=rev>) (roku)

- [1.4] Added i18n support for group administration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42420&view=rev>) (roku)
- [1.4] Added i18n support. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42419&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42419&view=rev>) (roku)
- [1.4] Did german translation for sitetree nodes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42418&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42418&view=rev>) (roku)
- [1.4] Fixed small "typo" when calling confirm-delete.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=42417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42417&view=rev>) (roku)
- [1.4] Small i18n fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42416&view=rev>) (roku)
- [1.4] Added i18n support for admin trash screen and menubar [Diff](http://svn.apache.org/viewcvs.cgi?rev=42415&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42415&view=rev>) (roku)
- [1.4] Added i18n support [Diff](http://svn.apache.org/viewcvs.cgi?rev=42414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42414&view=rev>) (roku)
- [1.4] Added translations for admin screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=42413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42413&view=rev>) (roku)
- [1.4] Added i18n transformation to admin screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=42412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42412&view=rev>) (roku)
- [1.4] added xinclude preparation step [Diff](http://svn.apache.org/viewcvs.cgi?rev=42411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42411&view=rev>) (andreas)
- [1.4] replace only latest transformation source [Diff](http://svn.apache.org/viewcvs.cgi?rev=42410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42410&view=rev>) (andreas)
- [1.4] parent element bug fixed whereas attributes need to be fixed as well [Diff](http://svn.apache.org/viewcvs.cgi?rev=42409&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42409&view=rev>) (michi)
- [1.4] formatting and comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=42405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42405&view=rev>) (gregor)
- [1.4] formatting and comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=42404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42404&view=rev>) (gregor)
- [1.4] editing attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42403&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42403&view=rev>) (michi)
- [1.4] formatting and comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=42402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42402&view=rev>) (gregor)
- [1.4] attributes can also be updated now [Diff](http://svn.apache.org/viewcvs.cgi?rev=42401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42401&view=rev>) (michi)
- [1.4] improved documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42400&view=rev>) (gregor)
- [1.4] cleaned up version [Diff](http://svn.apache.org/viewcvs.cgi?rev=42399&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42399&view=rev>) (michi)
- [1.4] restored tree view pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=42398&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42398&view=rev>) (andreas)
- [1.4] i thought i had fixed that already? xsl:text cannot have mixed content of course [Diff](http://svn.apache.org/viewcvs.cgi?rev=42397&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42397&view=rev>) (gregor)
- [1.4] some usability renames [Diff](http://svn.apache.org/viewcvs.cgi?rev=42396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42396&view=rev>) (gregor)
- [1.4] Added translation for workflow states [Diff](http://svn.apache.org/viewcvs.cgi?rev=42395&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42395&view=rev>) (roku)
- [1.4] Pass the document-type to the page2xhtml transformer. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42394&view=rev>) (egli)
- [1.4] disallow \_ in document ids. was leading to problems with the language delimiter [Diff](http://svn.apache.org/viewcvs.cgi?rev=42393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42393&view=rev>) (gregor)
- [1.4] usability: adjust assets list [Diff](http://svn.apache.org/viewcvs.cgi?rev=42392&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42392&view=rev>) (gregor)
- [1.4] prepend contextprefix publication and area [Diff](http://svn.apache.org/viewcvs.cgi?rev=42391&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42391&view=rev>) (gregor)
- [1.4] disallow the caption element in bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=42390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42390&view=rev>) (gregor)
- [1.4] bxe now has a popup for links that lets you select an internal link from the sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=42389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42389&view=rev>) (gregor)
- [1.4] for some strange reason, xhtml strict did not allow a as a child of p and other problems. this made bxe pretty useless. fixed to use xhtml transitional [Diff](http://svn.apache.org/viewcvs.cgi?rev=42388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42388&view=rev>) (gregor)
- [1.4] Removed "Back to Page" button. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42387&view=rev>) (roku)
- [1.4] the bxe image / asset upload screens were not getting the user name and current date correctly [Diff](http://svn.apache.org/viewcvs.cgi?rev=42386&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42386&view=rev>) (gregor)
- [1.4] Completed translations. TODO: Translate images for Live,Admin,Site etc. tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42385&view=rev>) (roku)
- [1.4] overwritten title has precedence over dc:title for an asset [Diff](http://svn.apache.org/viewcvs.cgi?rev=42384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42384&view=rev>) (gregor)
- [1.4] Fixed a small bug I introduced earlier with i18n [Diff](http://svn.apache.org/viewcvs.cgi?rev=42383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42383&view=rev>) (roku)
- [1.4] default for dc:rights added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42382&view=rev>) (gregor)
- [1.4] Added i18n support for cms tabs (incomplete). TODO: We need to translate the tab images! [Diff](http://svn.apache.org/viewcvs.cgi?rev=42381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42381&view=rev>) (roku)
- [1.4] - Finished cms menu translations - Fixed translations in logout screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42380&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42380&view=rev>) (roku)

- (<http://svn.apache.org/viewcvs.cgi?rev=42380&view=rev>) (roku)
- [1.4] Fixed a translation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42379&view=rev>) (roku)
- [1.4] Added i18n support for cms menu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42378&view=rev>) (roku)
- [1.4] Moved i18n transformer to usecase.xmap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42377&view=rev>) (roku)
- [1.4] Removed useless cvs keyword [Diff](http://svn.apache.org/viewcvs.cgi?rev=42376&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42376&view=rev>) (roku)
- [1.4] Added support for i18n on reject screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42375&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42375&view=rev>) (roku)
- [1.4] Removed spaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=42374&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42374&view=rev>) (roku)
- [1.4] Fixed copyright. It's called The Apache Software Foundation and not Apache Software Foundation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42373&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42373&view=rev>) (roku)
- [1.4] usability: remove url printout in info area [Diff](http://svn.apache.org/viewcvs.cgi?rev=42372&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42372&view=rev>) (gregor)
- [1.4] Added a translation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42371&view=rev>) (roku)
- [1.4] Added i18n support for logout screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42370&view=rev>) (roku)
- [1.4] Added i18n support. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42369&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42369&view=rev>) (roku)
- [1.4] Added translations for login screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42368&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42368&view=rev>) (roku)
- [1.4] Added i18n transformation for login screen. Also see [http://nagoya.apache.org/bugzilla/show\\_bug.cgi?id=26933](http://nagoya.apache.org/bugzilla/show_bug.cgi?id=26933) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42367&view=rev>) (roku)
- [1.4] Now page:title is translated as well. Now the 18n transformation is done first. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42366&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42366&view=rev>) (roku)
- [1.4] Fixed a translation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42365&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42365&view=rev>) (roku)
- [1.4] Started with i18n. Still the problem that text within <page:title> is not translated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42364&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42364&view=rev>) (roku)
- [1.4] Added some translations for publish screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42363&view=rev>) (roku)
- [1.4] Using utf codes for umlauts now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42362&view=rev>) (roku)
- [1.4] Added ASF license info and more translations [Diff](http://svn.apache.org/viewcvs.cgi?rev=42361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42361&view=rev>) (roku)
- [1.4] Initial i18n [Diff](http://svn.apache.org/viewcvs.cgi?rev=42360&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42360&view=rev>) (roku)
- [1.4] Added use of i18n transformer for cms pages/screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=42359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42359&view=rev>) (roku)
- [1.4] Added i18n Transformer called i18n with initial catalogues. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42357&view=rev>) (roku)
- [1.4] usability: don't mix read-only with writable form fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=42356&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42356&view=rev>) (gregor)
- [1.4] usability: use textarea for dc description [Diff](http://svn.apache.org/viewcvs.cgi?rev=42355&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42355&view=rev>) (gregor)
- [1.4] refreshing dublin core after coping a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=42354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42354&view=rev>) (andreas)
- [1.4] now compatible with Cocoon 2.1.2 and Cocoon 2.1.4 (fix) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42353&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42353&view=rev>) (andreas)
- [1.4] now compatible with Cocoon 2.1.2 and Cocoon 2.1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42352&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42352&view=rev>) (andreas)
- [1.4] now compatible with Cocoon 2.1.2 and Cocoon 2.1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42351&view=rev>) (andreas)
- [1.4] factored out Cocoon-related methods to cocoon package [Diff](http://svn.apache.org/viewcvs.cgi?rev=42350&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42350&view=rev>) (andreas)
- [1.4] explicitly specify the ns for the script tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=42349&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42349&view=rev>) (gregor)
- [1.4] for some reason, assets are sorted differently depending on the platform (due to the ResourceManager) added a sort statement to keep them consistent [Diff](http://svn.apache.org/viewcvs.cgi?rev=42348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42348&view=rev>) (gregor)
- [1.4] added deleteHistory() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=42347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42347&view=rev>) (andreas)
- [1.4] make workflow history sort order consistent with revision sort order [Diff](http://svn.apache.org/viewcvs.cgi?rev=42346&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42346&view=rev>) (gregor)
- [1.4] restricted access to the admin area to members of the admin group. thanks to doug chestnut for the suggestion [Diff](http://svn.apache.org/viewcvs.cgi?rev=42345&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42345&view=rev>) (gregor)
- [1.4] remove unused multiparthttprequestaction fixes #26830 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42344&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42344&view=rev>) (andreas)

- (<http://svn.apache.org/viewcvs.cgi?rev=42344&view=rev>) (gregor)
- [1.4] added revision control for xopus [Diff](http://svn.apache.org/viewcvs.cgi?rev=42343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42343&view=rev>) (andreas)
- [1.4] removed some useless lines [Diff](http://svn.apache.org/viewcvs.cgi?rev=42342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42342&view=rev>) (andreas)
- [1.4] improved javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42341&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42341&view=rev>) (andreas)
- [1.4] formatted [Diff](http://svn.apache.org/viewcvs.cgi?rev=42340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42340&view=rev>) (andreas)
- [1.4] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=42339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42339&view=rev>) (andreas)
- [1.4] made some methods public [Diff](http://svn.apache.org/viewcvs.cgi?rev=42338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42338&view=rev>) (andreas)
- [1.4] refactored revision controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=42337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42337&view=rev>) (andreas)
- [1.4] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=42335&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42335&view=rev>) (andreas)
- [1.4] replaced DOM4j + deprecated lenya.xml stuff by JAXP [Diff](http://svn.apache.org/viewcvs.cgi?rev=42334&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42334&view=rev>) (andreas)
- [1.4] deprecated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42333&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42333&view=rev>) (gregor)
- [1.4] hide obscure html attributes in bxe [Diff](http://svn.apache.org/viewcvs.cgi?rev=42332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42332&view=rev>) (gregor)
- [1.4] crap removal [Diff](http://svn.apache.org/viewcvs.cgi?rev=42331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42331&view=rev>) (gregor)
- [1.4] this should be the last of the ugly screens. the next person who fails to use the proper design elements will be shot.  
[Diff](http://svn.apache.org/viewcvs.cgi?rev=42329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42329&view=rev>) (gregor)
- [1.4] crap removal [Diff](http://svn.apache.org/viewcvs.cgi?rev=42328&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42328&view=rev>) (gregor)
- [1.4] added lucene index creation gui (was hidden in the lucene sitemap) it is not working yet [Diff](http://svn.apache.org/viewcvs.cgi?rev=42327&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42327&view=rev>) (gregor)
- [1.4] Passing variables root, document-id, url from publication-sitemap to page2xhtml [Diff](http://svn.apache.org/viewcvs.cgi?rev=42326&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42326&view=rev>) (roku)
- [1.4] improved javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=42325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42325&view=rev>) (andreas)
- [1.4] added some linebreaks (too wide in browser) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42324&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42324&view=rev>) (andreas)
- [1.4] now show assets correctly [Diff](http://svn.apache.org/viewcvs.cgi?rev=42323&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42323&view=rev>) (gregor)
- [1.4] marked required fields (thanks to Jan Metzner) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42322&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42322&view=rev>) (andreas)
- [1.4] forgot to re-rename a method call [Diff](http://svn.apache.org/viewcvs.cgi?rev=42321&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42321&view=rev>) (andreas)
- [1.4] replaced DOMParserFactory with DocumentHelper [Diff](http://svn.apache.org/viewcvs.cgi?rev=42320&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42320&view=rev>) (andreas)
- [1.4] fixed hard-coded context prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42319&view=rev>) (andreas)
- [1.4] fixed "delete user" bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=42318&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42318&view=rev>) (andreas)
- [1.4] fixed hard-coded context prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42317&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42317&view=rev>) (andreas)
- [1.4] removed publication-build.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=42316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42316&view=rev>) (andreas)
- [1.4] - removed obsolete XSLT - removed hard-coded context prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42315&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42315&view=rev>) (andreas)
- [1.4] hide this publication by default because it perpetrates obsolete ways to set up a lenya publication and should therefore not be used as a sample to learn from. the oscom publication will be removed from lenya in the future. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42313&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42313&view=rev>) (gregor)
- [1.4] huh? the linked stylesheet never worked. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42310&view=rev>) (gregor)
- [1.4] cleanup. /me getting tired of people who do not understand CVS and abuse comments for "old code" [Diff](http://svn.apache.org/viewcvs.cgi?rev=42309&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42309&view=rev>) (gregor)
- [1.4] changed references to obsolete stuff this publication is on the way out anyway [Diff](http://svn.apache.org/viewcvs.cgi?rev=42308&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42308&view=rev>) (gregor)
- [1.4] the next person who commits new cms screens that do not use the standard layout will be shot. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42307&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42307&view=rev>) (gregor)
- [1.4] moved obsolete creators directly into the blog publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=42306&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=42306&view=rev>) (gregor)
- [1.4] cleanup: no more xsp-lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=42305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42305&view=rev>) (gregor)
- [1.4] xslt belong in the xslt dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=42304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42304&view=rev>) (gregor)
- [1.4] xslt moved to its proper place [Diff](http://svn.apache.org/viewcvs.cgi?rev=42300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42300&view=rev>) (gregor)

- [1.4] fixed http://nagoya.apache.org/bugzilla/show\_bug.cgi?id=26710 [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42299&view=rev) (andreas)
- [1.4] added login link to logout screen [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42298&view=rev) (andreas)
- [1.4] FIXME added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42297&view=rev) (michi)
- [1.4] while this xsp should probably die, i fixed a bug anyway. the method to get the user name changed [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42293&view=rev) (gregor)
- [1.4] non-breaking space added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42291&view=rev) (michi)
- [1.4] In order to avoid a problem with publication specific css for td I added a class for the td which holds the leftmost part of the lenya menu. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42290&view=rev) (egli)
- [1.4] exclude BXE and Epoz [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42289&view=rev) (michi)
- [1.4] BXE loading fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42288&view=rev) (michi)
- [1.4] added prerequisites [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42286&view=rev) (andreas)
- [1.4] fixed <ul> processing [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42285&view=rev) (andreas)
- [1.4] using generated installation instructions [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42284&view=rev) (andreas)
- [1.4] - added note to txt stylesheet - added Text version link to html stylesheet [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42283&view=rev) (andreas)
- [1.4] added TXT generation [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42282&view=rev) (andreas)
- [1.4] changed info messages to debug [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42281&view=rev) (andreas)
- [1.4] Make sure the td which the server time is in has a class, so that it is not overwritten by publication specific td css definitions. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42280&view=rev) (egli)
- [1.4] oops was not well formed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42279&view=rev) (gregor)
- [1.4] moved introduction and "" matchers to the core [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42278&view=rev) (gregor)
- [1.4] make bxe\_xpath conditional [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42277&view=rev) (gregor)
- [1.4] pipeline desc improved [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42276&view=rev) (gregor)
- [1.4] should be type, not mime-type thanks to peter shipley [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42274&view=rev) (gregor)
- [1.4] reject / submit screen usability improvements thanks to trapo for the suggestions [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42273&view=rev) (gregor)
- [1.4] xml declaration was missing [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42272&view=rev) (gregor)
- [1.4] one form editor cleanup. uses correct encoding now [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42271&view=rev) (gregor)
- [1.4] checking "normal" parameter too in getImageParameterValue() [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42270&view=rev) (andreas)
- [1.4] Adapted to the new method getAbsoluteId(). [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42269&view=rev) (egli)
- [1.4] Remove read code. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42268&view=rev) (egli)
- [1.4] Removed some code smell by replacing occurrences of String parentid = node.getAbsoluteParentId(); String srcDocumentid = parentid + "/" + node.getId(); by String srcDocumentid = node.getAbsoluteId(); [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42267&view=rev) (egli)
- [1.4] Added a method getAbsoluteId() to get the absolute id of a node. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42266&view=rev) (egli)
- [1.4] \* Added a method getAbsoluteId() to get the absolute id of a node. \* Reimplemented getAbsoluteParentId with the help of above method and deprecated it (you should use getParent().getAbsoluteId() instead. \* deprecated getParentId (as you should use getParent().getId() instead. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42265&view=rev) (egli)
- [1.4] Improved the wording based on a suggestion by Peter Shipley. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42264&view=rev) (egli)
- [1.4] added support for block titles [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42263&view=rev) (andreas)
- [1.4] changed error log messages to debug [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42262&view=rev) (andreas)
- [1.4] using multiple dc:\* elements instead of dc:value elements [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=42261&view=rev) (andreas)
- [1.4] weird things going on with stray namespaces. the xhtml-strict serializer does not strip them sometimes [Diff](#)

- (<http://svn.apache.org/viewcvs.cgi?rev=42260&view=rev>) (gregor)
- [1.4] added support for multiple dublin core values [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42259&view=rev>) (andreas)
- [1.4] add support for loading of js in lenya cms screens [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42258&view=rev>) (gregor)
- [1.4] typo fix [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42257&view=rev>) (gregor)
- [1.4] were not well-formed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42256&view=rev>) (gregor)
- [1.4] set the workflow to edit, while inserting an already existing image/asset [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42255&view=rev>) (edith)
- [1.4] Prettifying [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42254&view=rev>) (stefano)
- [1.4] Organized imports [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42253&view=rev>) (stefano)
- [1.4] downgrading to servlet 2.2 calls [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42252&view=rev>) (stefano)
- [1.4] fixing license [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42251&view=rev>) (stefano)

## 31. Version 2004-01 ()

### 31.1.

- [] This commit was manufactured by cvs2svn to create tag 'RELEASE\_1\_2\_RC\_2'. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42250&view=rev>) ()

### 31.2. 1.4

- [1.4] Magnolia added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42224&view=rev>) (michi)
- [1.4] stylesheet to change the rc backup xml in the desired doctype's xml [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42219&view=rev>) (edith)
- [1.4] while we do not have bxeng and epoz in CVS, we ship our binaries with them. adding the licenses here seems prudent. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42216&view=rev>) (gregor)
- [1.4] added word 11 import, and reorganized the openoffice import [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42212&view=rev>) (gregor)
- [1.4] better upload images [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42208&view=rev>) (gregor)
- [1.4] Added licence for w3c-crypt. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42195&view=rev>) (egli)
- [1.4] Added a first cut of a credits file as suggested by Nicola. Mostly copy and paste from the credits page from the community section of the Lenya web page. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42194&view=rev>) (egli)
- [1.4] Added the license files from the xml-forrest project as they are included in the ditribution. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42193&view=rev>) (egli)
- [1.4] live updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42181&view=rev>) (michi)
- [1.4] Epoz added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42180&view=rev>) (michi)
- [1.4] replace the ant delete with own ant task [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42163&view=rev>) (edith)
- [1.4] utility class similiar to UNIX sed added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42135&view=rev>) (michi)
- [1.4] add relax ng schema for sidebar there are still some glitches in the editor.. please review this fixes #26111 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42112&view=rev>) (gregor)
- [1.4] things ought to be in different places [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42110&view=rev>) (gregor)
- [1.4] one form fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42104&view=rev>) (michi)
- [1.4] serving shared resources [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42100&view=rev>) (andreas)
- [1.4] Ant task to init the RC for the destination files (for instance while copying) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42095&view=rev>) (edith)
- [1.4] convert w3c crypt into a jar [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42086&view=rev>) (gregor)
- [1.4] improve serving of static resources: \* take area into account \* extend out of the box mime types [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42079&view=rev>) (gregor)
- [1.4] added publication test framework [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=42073&view=rev>) (andreas)

- [1.4] moved from default publication into the core [Diff](http://svn.apache.org/viewcvs.cgi?rev=42050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42050&view=rev>) (michi)
- [1.4] action to validate a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=42042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42042&view=rev>) (edith)
- [1.4] refactored scheduler, added task to move scheduler entry [Diff](http://svn.apache.org/viewcvs.cgi?rev=42041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42041&view=rev>) (andreas)
- [1.4] usecase bxeng renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42232&view=rev>) (michi)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=42201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42201&view=rev>) (michi)
- [1.4] security hole [Diff](http://svn.apache.org/viewcvs.cgi?rev=42199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42199&view=rev>) (michi)
- [1.4] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=42171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42171&view=rev>) (michi)
- [1.4] removed duplicate lib #26277 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42156&view=rev>) (gregor)
- [1.4] No more needed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42096&view=rev>) (edith)
- [1.4] moved to jar [Diff](http://svn.apache.org/viewcvs.cgi?rev=42091&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42091&view=rev>) (michi)
- [1.4] remove simple doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=42087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42087&view=rev>) (gregor)
- [1.4] remove obsolete schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=42085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42085&view=rev>) (gregor)
- [1.4] moved into core [Diff](http://svn.apache.org/viewcvs.cgi?rev=42051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42051&view=rev>) (michi)
- [1.4] midas removed. we have epoz now [Diff](http://svn.apache.org/viewcvs.cgi?rev=42030&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42030&view=rev>) (gregor)
- [1.4] also copy CREDITS [Diff](http://svn.apache.org/viewcvs.cgi?rev=42249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42249&view=rev>) (gregor)
- [1.4] target was out of sync with root-level contents [Diff](http://svn.apache.org/viewcvs.cgi?rev=42248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42248&view=rev>) (gregor)
- [1.4] cannot have mixed content in xsl:text [Diff](http://svn.apache.org/viewcvs.cgi?rev=42247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42247&view=rev>) (gregor)
- [1.4] oops had old copyright [Diff](http://svn.apache.org/viewcvs.cgi?rev=42246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42246&view=rev>) (gregor)
- [1.4] hide image upload with dots until someone ports the rest of the pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=42245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42245&view=rev>) (gregor)
- [1.4] for some reason, xsltc craps out on jetty. jalani-j works though. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42244&view=rev>) (gregor)
- [1.4] eliminate the "text before root element" warning [Diff](http://svn.apache.org/viewcvs.cgi?rev=42243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42243&view=rev>) (gregor)
- [1.4] use cvs as it is intended [Diff](http://svn.apache.org/viewcvs.cgi?rev=42242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42242&view=rev>) (gregor)
- [1.4] remove superflous buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=42241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42241&view=rev>) (gregor)
- [1.4] there was a namespace problem that broke the transform [Diff](http://svn.apache.org/viewcvs.cgi?rev=42240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42240&view=rev>) (gregor)
- [1.4] export support added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42239&view=rev>) (gregor)
- [1.4] remove empty DC elements when saving [Diff](http://svn.apache.org/viewcvs.cgi?rev=42238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42238&view=rev>) (andreas)
- [1.4] container-independent epoz. epozmacros.html still to do [Diff](http://svn.apache.org/viewcvs.cgi?rev=42237&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42237&view=rev>) (gregor)
- [1.4] updated instructions. simplified [Diff](http://svn.apache.org/viewcvs.cgi?rev=42236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42236&view=rev>) (gregor)
- [1.4] Epoz pipeline added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42235&view=rev>) (michi)
- [1.4] BXE interface independent of contextPath [Diff](http://svn.apache.org/viewcvs.cgi?rev=42234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42234&view=rev>) (michi)
- [1.4] bxe replaced by bxeng [Diff](http://svn.apache.org/viewcvs.cgi?rev=42233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42233&view=rev>) (michi)
- [1.4] some were binary [Diff](http://svn.apache.org/viewcvs.cgi?rev=42231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42231&view=rev>) (gregor)
- [1.4] \*\*\* keyword substitution change \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=42230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42230&view=rev>) (gregor)
- [1.4] Hartman CMS Matrix added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42229&view=rev>) (michi)
- [1.4] reinstate the scheduler.. WOHOOO [Diff](http://svn.apache.org/viewcvs.cgi?rev=42228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42228&view=rev>) (gregor)
- [1.4] doh, was not well-formed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42227&view=rev>) (gregor)
- [1.4] content updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42226&view=rev>) (michi)
- [1.4] links updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42225&view=rev>) (michi)
- [1.4] NOTE about dist and snapshot added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42223&view=rev>) (michi)
- [1.4] debug text removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42222&view=rev>) (michi)
- [1.4] identities should not be deleted or overwritten during reset or install [Diff](http://svn.apache.org/viewcvs.cgi?rev=42221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42221&view=rev>) (michi)
- [1.4] Publishing all fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42220&view=rev>) (michi)
- [1.4] rc view for the doctype entry [Diff](http://svn.apache.org/viewcvs.cgi?rev=42218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42218&view=rev>) (edith)

- [1.4] introduced rc-revisions in menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=42217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42217&view=rev>) (edith)
- [1.4] bitflux, epoz credits added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42215&view=rev>) (gregor)
- [1.4] readme updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42214&view=rev>) (gregor)
- [1.4] wording improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42213&view=rev>) (gregor)
- [1.4] change to usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=42211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42211&view=rev>) (gregor)
- [1.4] XOPUS\_PREFIX added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42210&view=rev>) (michi)
- [1.4] Xopus area generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=42209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42209&view=rev>) (michi)
- [1.4] replace the ant delete by own delete ant tasks. (For windows problem) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42207&view=rev>) (edith)
- [1.4] change the layout to this of a lenya screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=42206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42206&view=rev>) (edith)
- [1.4] fix the redirect for the rename. Redirect to the parent [Diff](http://svn.apache.org/viewcvs.cgi?rev=42205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42205&view=rev>) (edith)
- [1.4] redirect fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42204&view=rev>) (michi)
- [1.4] document name added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42203&view=rev>) (michi)
- [1.4] document name added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42202&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42202&view=rev>) (michi)
- [1.4] w3c MD5 replaced by java.security.MessageDigest [Diff](http://svn.apache.org/viewcvs.cgi?rev=42200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42200&view=rev>) (michi)
- [1.4] Edit link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42198&view=rev>) (michi)
- [1.4] editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42197&view=rev>) (michi)
- [1.4] parameter bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42196&view=rev>) (michi)
- [1.4] Planet OSCOM link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42192&view=rev>) (michi)
- [1.4] Navigation fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42191&view=rev>) (michi)
- [1.4] Epoz integration updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42190&view=rev>) (michi)
- [1.4] installation instructions updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42189&view=rev>) (michi)
- [1.4] remove scheduler from default publication menu #26339 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42188&view=rev>) (gregor)
- [1.4] simplified the installation instructions for the binary version. #26348 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42187&view=rev>) (gregor)
- [1.4] redirect-to added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42186&view=rev>) (michi)
- [1.4] redirect-to [Diff](http://svn.apache.org/viewcvs.cgi?rev=42185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42185&view=rev>) (michi)
- [1.4] Save and Exit implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=42184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42184&view=rev>) (michi)
- [1.4] Layout fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42183&view=rev>) (michi)
- [1.4] FIXME added re reloadsrc attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=42182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42182&view=rev>) (michi)
- [1.4] proxy enabling for Apache 2 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42179&view=rev>) (michi)
- [1.4] extended logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=42178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42178&view=rev>) (andreas)
- [1.4] fixed publish & deactivate [Diff](http://svn.apache.org/viewcvs.cgi?rev=42177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42177&view=rev>) (andreas)
- [1.4] FIXME added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42176&view=rev>) (michi)
- [1.4] XHTML and Epoz readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=42175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42175&view=rev>) (michi)
- [1.4] reverting accidental changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=42174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42174&view=rev>) (andreas)
- [1.4] passing default parameters to Xopus stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=42173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42173&view=rev>) (andreas)
- [1.4] xhtml XSLTs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42172&view=rev>) (michi)
- [1.4] publish task fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42170&view=rev>) (michi)
- [1.4] version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42169&view=rev>) (michi)
- [1.4] revert [Diff](http://svn.apache.org/viewcvs.cgi?rev=42168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42168&view=rev>) (edith)
- [1.4] delete history file by move workflow history [Diff](http://svn.apache.org/viewcvs.cgi?rev=42167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42167&view=rev>) (edith)
- [1.4] catch delete exception, so that the move don't crash under windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=42166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42166&view=rev>) (edith)
- [1.4] acceptReserveSubtree method for the visitor pattern [Diff](http://svn.apache.org/viewcvs.cgi?rev=42165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42165&view=rev>) (edith)
- [1.4] delete meta files and resources file [Diff](http://svn.apache.org/viewcvs.cgi?rev=42164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42164&view=rev>) (edith)

- [1.4] fixed some broken links [Diff](http://svn.apache.org/viewcvs.cgi?rev=42162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42162&view=rev>) (andreas)
- [1.4] - fixed Tomcat link - removed "or later" for cocoon 2.1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42161&view=rev>) (andreas)
- [1.4] ldap works [Diff](http://svn.apache.org/viewcvs.cgi?rev=42160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42160&view=rev>) (gregor)
- [1.4] show publication name for login and logout screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=42159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42159&view=rev>) (gregor)
- [1.4] center fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42158&view=rev>) (michi)
- [1.4] also get <link> elements, such as CSS #26109 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42157&view=rev>) (gregor)
- [1.4] no more default caption [Diff](http://svn.apache.org/viewcvs.cgi?rev=42155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42155&view=rev>) (gregor)
- [1.4] only show images in the images dropdown [Diff](http://svn.apache.org/viewcvs.cgi?rev=42154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42154&view=rev>) (gregor)
- [1.4] add "all rights reserved" as default [Diff](http://svn.apache.org/viewcvs.cgi?rev=42153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42153&view=rev>) (gregor)
- [1.4] show user name instead of user id on asset screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=42152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42152&view=rev>) (gregor)
- [1.4] roundtripping was broken [Diff](http://svn.apache.org/viewcvs.cgi?rev=42151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42151&view=rev>) (gregor)
- [1.4] introduction text updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=42150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42150&view=rev>) (michi)
- [1.4] for all tomcat properties a note added re relative path [Diff](http://svn.apache.org/viewcvs.cgi?rev=42149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42149&view=rev>) (michi)
- [1.4] note about relative paths added. thanks to dale christ for the hint [Diff](http://svn.apache.org/viewcvs.cgi?rev=42148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42148&view=rev>) (gregor)
- [1.4] deleteDocument() throws exception when the document does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=42147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42147&view=rev>) (andreas)
- [1.4] added method as workaround for IE <input type="image"> bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=42146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42146&view=rev>) (andreas)
- [1.4] replaced /lenya by {request:contextPath} [Diff](http://svn.apache.org/viewcvs.cgi?rev=42145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42145&view=rev>) (andreas)
- [1.4] replaced /lenya by {request:contextPath} [Diff](http://svn.apache.org/viewcvs.cgi?rev=42144&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42144&view=rev>) (andreas)
- [1.4] type fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42143&view=rev>) (michi)
- [1.4] validation was too draconian [Diff](http://svn.apache.org/viewcvs.cgi?rev=42142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42142&view=rev>) (gregor)
- [1.4] one day, people will learn that xml comments are not a dumping ground for old crap [Diff](http://svn.apache.org/viewcvs.cgi?rev=42141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42141&view=rev>) (gregor)
- [1.4] fixed centering for Lenya cmsbody [Diff](http://svn.apache.org/viewcvs.cgi?rev=42140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42140&view=rev>) (andreas)
- [1.4] export href fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42139&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42139&view=rev>) (michi)
- [1.4] gray out info area operations for objects in the trash or in the archive. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42138&view=rev>) (gregor)
- [1.4] version and author fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42137&view=rev>) (michi)
- [1.4] sed native call by SED class replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=42136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42136&view=rev>) (michi)
- [1.4] usability improvements [Diff](http://svn.apache.org/viewcvs.cgi?rev=42134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42134&view=rev>) (gregor)
- [1.4] debugging improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=42133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42133&view=rev>) (michi)
- [1.4] redirect to the new url after a document rename [Diff](http://svn.apache.org/viewcvs.cgi?rev=42132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42132&view=rev>) (gregor)
- [1.4] export fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42131&view=rev>) (michi)
- [1.4] Sidebar fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42130&view=rev>) (michi)
- [1.4] tighten things further so that you cannot create documents with stupid ids [Diff](http://svn.apache.org/viewcvs.cgi?rev=42129&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42129&view=rev>) (gregor)
- [1.4] added method to obtain request URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=42128&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42128&view=rev>) (andreas)
- [1.4] restrict renames to a-z, A-Z, 0-9, \_ and - [Diff](http://svn.apache.org/viewcvs.cgi?rev=42127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42127&view=rev>) (gregor)
- [1.4] validate required fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=42126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42126&view=rev>) (gregor)
- [1.4] make it harder for users to shoot themselves in the foot. no more renames with spaces or / in the document id [Diff](http://svn.apache.org/viewcvs.cgi?rev=42125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42125&view=rev>) (gregor)
- [1.4] method added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42124&view=rev>) (michi)
- [1.4] these exceptions are far too verbose, scaring unsuspecting users [Diff](http://svn.apache.org/viewcvs.cgi?rev=42123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42123&view=rev>) (michi)

- (<http://svn.apache.org/viewcvs.cgi?rev=42123&view=rev>) (gregor)
- [1.4] more options for bxe toolbar [Diff](http://svn.apache.org/viewcvs.cgi?rev=42122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42122&view=rev>) (gregor)
- [1.4] was looking for the old bxe, doh! [Diff](http://svn.apache.org/viewcvs.cgi?rev=42121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42121&view=rev>) (gregor)
- [1.4] make sure admins cannot set empty passwords [Diff](http://svn.apache.org/viewcvs.cgi?rev=42120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42120&view=rev>) (gregor)
- [1.4] usability improvements. gray out inappropriate options, like move up / down for nodes in the trash. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42119&view=rev>) (gregor)
- [1.4] well-formedness fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42118&view=rev>) (gregor)
- [1.4] sync ant tasks with more recent developments [Diff](http://svn.apache.org/viewcvs.cgi?rev=42117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42117&view=rev>) (gregor)
- [1.4] typo fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42116&view=rev>) (gregor)
- [1.4] public method to get source added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42115&view=rev>) (michi)
- [1.4] removed superflous transform. view revisions should now work. fixes #25476 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42114&view=rev>) (gregor)
- [1.4] what is this crap: value="LENYA" [Diff](http://svn.apache.org/viewcvs.cgi?rev=42113&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42113&view=rev>) (gregor)
- [1.4] added dcterms ns to samples. this should fix #25570 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42111&view=rev>) (gregor)
- [1.4] \* replace ugly html with lenya cms screen \* remove platform bias where appropriate \* add jetty note heres to hoping that no one checks in any more plain html screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42109&view=rev>) (gregor)
- [1.4] add warning if bxe is missing fixes #25569 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42108&view=rev>) (gregor)
- [1.4] FIXME re updating attribute added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42107&view=rev>) (michi)
- [1.4] Note added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42106&view=rev>) (michi)
- [1.4] changed to UTF-8 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42105&view=rev>) (michi)
- [1.4] reset the encoding for resource "style-cms-page" to iso-8859-1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42103&view=rev>) (edith)
- [1.4] sometimes, i am anal retentive. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42102&view=rev>) (gregor)
- [1.4] create file with IOUtils.createFile instead of file.createNewFile because of unix problems [Diff](http://svn.apache.org/viewcvs.cgi?rev=42101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42101&view=rev>) (edith)
- [1.4] RC for assets and images [Diff](http://svn.apache.org/viewcvs.cgi?rev=42099&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42099&view=rev>) (edith)
- [1.4] RC build in for the images and assets [Diff](http://svn.apache.org/viewcvs.cgi?rev=42098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42098&view=rev>) (edith)
- [1.4] fix the path for bootombg.gif [Diff](http://svn.apache.org/viewcvs.cgi?rev=42097&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42097&view=rev>) (edith)
- [1.4] w3c-crypt jar added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42094&view=rev>) (michi)
- [1.4] michi removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42093&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42093&view=rev>) (michi)
- [1.4] FIXMEs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42092&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42092&view=rev>) (michi)
- [1.4] directory structure updated and source added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42090&view=rev>) (michi)
- [1.4] improve form editor for xhtml doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=42089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42089&view=rev>) (gregor)
- [1.4] remove unizh references [Diff](http://svn.apache.org/viewcvs.cgi?rev=42088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42088&view=rev>) (gregor)
- [1.4] add support for editing of sidebar. thanks to dale christ [Diff](http://svn.apache.org/viewcvs.cgi?rev=42084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42084&view=rev>) (gregor)
- [1.4] remove non existing xml upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=42083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42083&view=rev>) (gregor)
- [1.4] removed doctype declaration to avoid nasty entity resolver issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=42082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42082&view=rev>) (gregor)
- [1.4] added validation of required fields improved wording [Diff](http://svn.apache.org/viewcvs.cgi?rev=42081&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42081&view=rev>) (gregor)
- [1.4] enable archive and delete for default publication. thanks to doug chestnut [Diff](http://svn.apache.org/viewcvs.cgi?rev=42080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42080&view=rev>) (gregor)
- [1.4] a doc type was mispelt [Diff](http://svn.apache.org/viewcvs.cgi?rev=42078&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42078&view=rev>) (gregor)
- [1.4] Warning prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=42077&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42077&view=rev>) (michi)
- [1.4] utility method added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42076&view=rev>) (michi)
- [1.4] add pdf to allowed upload types [Diff](http://svn.apache.org/viewcvs.cgi?rev=42075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42075&view=rev>) (gregor)
- [1.4] using template for publications test buildfile (avoid multiple patching) [Diff](http://svn.apache.org/viewcvs.cgi?rev=42074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42074&view=rev>) (gregor)

- (http://svn.apache.org/viewcvs.cgi?rev=42074&view=rev) (andreas)
- [1.4] CMFS updated [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42072&view=rev) (michi)
- [1.4] no need to leave debug statements in [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42071&view=rev) (gregor)
- [1.4] whitespace [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42070&view=rev) (gregor)
- [1.4] the validation action was validating an empty file for some reason. edith, please double-check. should fix #622 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42069&view=rev) (gregor)
- [1.4] index iterator had a wrong comparison. works again now. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42068&view=rev) (gregor)
- [1.4] lenya version updated [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42067&view=rev) (gregor)
- [1.4] PDF docu added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42066&view=rev) (michi)
- [1.4] deleting scheduler entry when document is moved [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42065&view=rev) (andreas)
- [1.4] make xpdf path independent of version changes [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42064&view=rev) (gregor)
- [1.4] upgrade to lucene 1.3 final [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42063&view=rev) (gregor)
- [1.4] crawl removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42062&view=rev) (michi)
- [1.4] Adobe PDF conversion target added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42061&view=rev) (michi)
- [1.4] cleaned [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42060&view=rev) (michi)
- [1.4] xpdf implemented [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42059&view=rev) (michi)
- [1.4] xpdf as target added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42058&view=rev) (michi)
- [1.4] remove unused ant task [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42057&view=rev) (gregor)
- [1.4] asset button [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42056&view=rev) (gregor)
- [1.4] element is now called children, was index. this fixes #593 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42055&view=rev) (gregor)
- [1.4] dtd troubles if offline [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42054&view=rev) (michi)
- [1.4] call default.xsp from core [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42053&view=rev) (michi)
- [1.4] text/xhtml replaced by application/xhtml+xml [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42052&view=rev) (michi)
- [1.4] Fixed a bug that shows up in some corner cases: When deactivating a document the references used to be checked in a language agnostic way, i.e. you would get warnings that were not true. This is fixed so that the document bar [en] only invokes a warning when deactivating iff 1. the link is to bar\_en 2. or the link is to bar and en is the default language. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42049&view=rev) (egli)
- [1.4] working dir for jetty was wrong (in the start menu shortcut) this fixes #25565 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42048&view=rev) (gregor)
- [1.4] get rid of 1.2-dev label fixes #25682 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42047&view=rev) (gregor)
- [1.4] Factored out the constants for file name "index" and suffix ".xml". [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42046&view=rev) (egli)
- [1.4] Removed unused variable. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42045&view=rev) (egli)
- [1.4] The validation for 1form editor built [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42044&view=rev) (edith)
- [1.4] representation of error messages [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42043&view=rev) (edith)
- [1.4] Under winblows the backslashes in the filename have to be replaced with '/' to make up a decent documentId. This should really fix #472. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42040&view=rev) (egli)
- [1.4] Fixed a Unixism (using File.separator instead of "/"). This fixes #472. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42039&view=rev) (egli)
- [1.4] fix the the parent id, computed from the dc:identifier [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42038&view=rev) (edith)
- [1.4] Make sure the doctype is passed through to the error screen. This fixes #606 [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42037&view=rev) (egli)
- [1.4] haunted by phantom loop [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42036&view=rev) (michi)
- [1.4] fix the bug for the destination id "//bar" [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42035&view=rev) (edith)
- [1.4] removed unused imports. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42034&view=rev) (egli)
- [1.4] set the backup parameter for the checkin [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=42033&view=rev) (edith)

- [1.4] introduction of backup parameter in the checkin pipeline; fix the checkin for the Forms editors; fix the cancel for the 1 form editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=42032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42032&view=rev>) (edith)
- [1.4] cvs tags added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42031&view=rev>) (gregor)
- [1.4] If the internal reference does not specify a language use the default language (with the help of the document builder). [Diff](http://svn.apache.org/viewcvs.cgi?rev=42029&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42029&view=rev>) (egli)
- [1.4] Simplified the code and fixed a bug in getLanguage. Fixes #562. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42028&view=rev>) (egli)
- [1.4] Added a fixme about simplyfying the boolean expression that is used in getLabel. This can be simplyfied since the language of a label should now never be null. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42027&view=rev>) (egli)
- [1.4] DC Term isReferencedBy added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42026&view=rev>) (michi)
- [1.4] added extension check for file uploads. currently configurable through xsl parameter. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42025&view=rev>) (gregor)
- [1.4] FIXME re NullPointerException [Diff](http://svn.apache.org/viewcvs.cgi?rev=42024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42024&view=rev>) (michi)
- [1.4] improve wording to fix #602 [Diff](http://svn.apache.org/viewcvs.cgi?rev=42023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42023&view=rev>) (gregor)
- [1.4] updated method signature [Diff](http://svn.apache.org/viewcvs.cgi?rev=42022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42022&view=rev>) (andreas)

## 32. Version 2003-12 ()

### 32.1. 1.0

- [1.0] docu on Epoz and Xopus started [Diff](http://svn.apache.org/viewcvs.cgi?rev=42009&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42009&view=rev>) (michi)
- [1.0] Xalan 2.5.0 works fine [Diff](http://svn.apache.org/viewcvs.cgi?rev=41997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41997&view=rev>) (michi)
- [1.0] actual layout readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=41993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41993&view=rev>) (michi)
- [1.0] navigation readded, else it's hard to navigate [Diff](http://svn.apache.org/viewcvs.cgi?rev=41989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41989&view=rev>) (michi)
- [1.0] Matrix entry editable with Xopus [Diff](http://svn.apache.org/viewcvs.cgi?rev=41985&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41985&view=rev>) (michi)
- [1.0] Xopus example within Blog publication added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41981&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41981&view=rev>) (michi)
- [1.0] Xopus interface refactored [Diff](http://svn.apache.org/viewcvs.cgi?rev=41980&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41980&view=rev>) (michi)
- [1.0] allow formatting of CMS screens using cocoon://lenya-screen.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=41977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41977&view=rev>) (andreas)
- [1.0] Epoz save added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41972&view=rev>) (michi)
- [1.0] Epoz added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41967&view=rev>) (michi)
- [1.0] Moved the publication specific publication screen from xslt/publishing to lenya/xslt/publishing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41931&view=rev>) (egli)
- [1.0] Add an error screen for the sax-parsing exception which can happen in the one form editor if non-validating xml is entered. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41929&view=rev>) (egli)
- [1.0] Added a specific publishing screen to the blog pub which does not have the scheduler stuff in it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41928&view=rev>) (egli)
- [1.0] stray xsl is back where it belongs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41914&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41914&view=rev>) (gregor)
- [1.0] added collections [Diff](http://svn.apache.org/viewcvs.cgi?rev=41906&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41906&view=rev>) (andreas)
- [1.0] start with a white sheet of paper [Diff](http://svn.apache.org/viewcvs.cgi?rev=42003&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42003&view=rev>) (michi)
- [1.0] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=41994&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41994&view=rev>) (michi)
- [1.0] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=41992&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41992&view=rev>) (michi)
- [1.0] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=41987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41987&view=rev>) (michi)
- [1.0] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=41963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41963&view=rev>) (michi)
- [1.0] oscom pub now mirrors what is in use at oscom.org/matrix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41949&view=rev>) (gregor)
- [1.0] old bxe removed more old crap removed <!-- is not a CVS replacement.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41924&view=rev>) (gregor)
- [1.0] public constructors else one needs to extend this class always [Diff](http://svn.apache.org/viewcvs.cgi?rev=42021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42021&view=rev>) (michi)

- [1.0] add workflow transition. an image upload puts a document back into authoring. [Diff](http://svn.apache.org/viewcvs.cgi?rev=42020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42020&view=rev>) (gregor)
- [1.0] javadoc fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=42019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42019&view=rev>) (gregor)
- [1.0] make sure temporary files are created in the work directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=42018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42018&view=rev>) (gregor)
- [1.0] search link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42017&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42017&view=rev>) (michi)
- [1.0] introspection added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42016&view=rev>) (michi)
- [1.0] setup info added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42015&view=rev>) (michi)
- [1.0] Xopus menu item added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42014&view=rev>) (michi)
- [1.0] save and exit implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=42013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42013&view=rev>) (michi)
- [1.0] saving for Xopus implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=42012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42012&view=rev>) (michi)
- [1.0] save and configuration added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42011&view=rev>) (michi)
- [1.0] Epoz and Xopus docu added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42010&view=rev>) (michi)
- [1.0] version and acknowledgements fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42008&view=rev>) (michi)
- [1.0] Rollback view added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42007&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42007&view=rev>) (michi)
- [1.0] logging fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=42006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42006&view=rev>) (michi)
- [1.0] backup flag added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42005&view=rev>) (michi)
- [1.0] archives hidden [Diff](http://svn.apache.org/viewcvs.cgi?rev=42004&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42004&view=rev>) (michi)
- [1.0] the document is checked in and backed up after its creation [Diff](http://svn.apache.org/viewcvs.cgi?rev=42002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42002&view=rev>) (edith)
- [1.0] fixed the backup: -in the revision view appears only the existing versions -time version [Diff](http://svn.apache.org/viewcvs.cgi?rev=42001&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42001&view=rev>) (edith)
- [1.0] build process simplified and endorsed libraries added [Diff](http://svn.apache.org/viewcvs.cgi?rev=42000&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=42000&view=rev>) (michi)
- [1.0] fixed redirect to javadoc error file [Diff](http://svn.apache.org/viewcvs.cgi?rev=41999&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41999&view=rev>) (edith)
- [1.0] href fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41998&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41998&view=rev>) (gregor)
- [1.0] redirects and banner fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41996&view=rev>) (michi)
- [1.0] image path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41995&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41995&view=rev>) (michi)
- [1.0] authoring and live area merged [Diff](http://svn.apache.org/viewcvs.cgi?rev=41991&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41991&view=rev>) (michi)
- [1.0] authoring sitemap cleaned and fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41990&view=rev>) (michi)
- [1.0] hide documentation publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=41988&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41988&view=rev>) (gregor)
- [1.0] Xopus items added (hidden) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41986&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41986&view=rev>) (michi)
- [1.0] group editormetric doesn't exist anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=41984&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41984&view=rev>) (michi)
- [1.0] refactored version of Xopus interface added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41983&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41983&view=rev>) (michi)
- [1.0] html serializer without adding DTD [Diff](http://svn.apache.org/viewcvs.cgi?rev=41982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41982&view=rev>) (michi)
- [1.0] copy also xml files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41979&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41979&view=rev>) (michi)
- [1.0] debugging fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41978&view=rev>) (michi)
- [1.0] michi deleted [Diff](http://svn.apache.org/viewcvs.cgi?rev=41976&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41976&view=rev>) (michi)
- [1.0] version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41975&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41975&view=rev>) (michi)
- [1.0] Epoz should only be available for xhtml doctypes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41974&view=rev>) (michi)
- [1.0] FIXME re text/html added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41973&view=rev>) (michi)
- [1.0] fixed download link to use mirrors [Diff](http://svn.apache.org/viewcvs.cgi?rev=41971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41971&view=rev>) (gregor)
- [1.0] replaced FOM\_Cocoon methods with FlowHelper (SoC) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41970&view=rev>) (andreas)
- [1.0] - removed buildCollection() from DocumentBuilder - added lazy loading to CollectionImpl [Diff](http://svn.apache.org/viewcvs.cgi?rev=41969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41969&view=rev>) (andreas)
- [1.0] title updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41968&view=rev>) (michi)
- [1.0] download page prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=41966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41966&view=rev>) (michi)
- [1.0] michi removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41965&view=rev>) (michi)
- [1.0] namespace fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41964&view=rev>) (michi)

- [1.0] This commit was manufactured by cvs2svn to create tag 'RELEASE\_1\_2\_RC\_1'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41962&view=rev>) ()
- [1.0] bump version up to 1.2-rc1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41961&view=rev>) (gregor)
- [1.0] fix the pipeline for the rng [Diff](http://svn.apache.org/viewcvs.cgi?rev=41960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41960&view=rev>) (edith)
- [1.0] relax ng schema generated with trang to be able to save with bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=41959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41959&view=rev>) (edith)
- [1.0] close the outputstream change renameTo which doesn't work for windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=41958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41958&view=rev>) (edith)
- [1.0] added flowscript methods to factories [Diff](http://svn.apache.org/viewcvs.cgi?rev=41957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41957&view=rev>) (andreas)
- [1.0] added getFirstPosition() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41956&view=rev>) (andreas)
- [1.0] removed the finally because eclipse complains [Diff](http://svn.apache.org/viewcvs.cgi?rev=41955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41955&view=rev>) (stefano)
- [1.0] \* moved a test to test dir \* replaced some hardcoded /home/ values [Diff](http://svn.apache.org/viewcvs.cgi?rev=41954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41954&view=rev>) (gregor)
- [1.0] cancel bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41953&view=rev>) (michi)
- [1.0] archive fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41952&view=rev>) (michi)
- [1.0] not entries yet [Diff](http://svn.apache.org/viewcvs.cgi?rev=41951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41951&view=rev>) (michi)
- [1.0] no entries directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=41950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41950&view=rev>) (michi)
- [1.0] double escaping fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41948&view=rev>) (michi)
- [1.0] further cleanup \* changed to xalan \* cleaned menus \* cleaned lucene sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41947&view=rev>) (gregor)
- [1.0] sitemap is well-formed again [Diff](http://svn.apache.org/viewcvs.cgi?rev=41946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41946&view=rev>) (michi)
- [1.0] PathMapper replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=41945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41945&view=rev>) (michi)
- [1.0] namespaces fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41944&view=rev>) (michi)
- [1.0] namespace xinclude bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41943&view=rev>) (michi)
- [1.0] Added a note about the fact that you have to use the local.\*.properties from ./src/cocoon to build your cocoon. Otherwise you'll get problems with the cron block. This fixes #24738. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41942&view=rev>) (egli)
- [1.0] Merged some usability fixes from the unicomp pub over: \* required fields \* note about allowed values \* warning about duplicate document-ids [Diff](http://svn.apache.org/viewcvs.cgi?rev=41941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41941&view=rev>) (egli)
- [1.0] Added a warning in the screen that no special chars are allowed when renaming a document ( a '/' in the new document-id will lead to an exception). This is a workaround for bug #24610 which is non-trivial to fix and will therefore be punted to 1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41940&view=rev>) (egli)
- [1.0] Rename the submit menu to "Submit for review". [Diff](http://svn.apache.org/viewcvs.cgi?rev=41939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41939&view=rev>) (egli)
- [1.0] using DOMSource and DocumentBuilder with EntityResolver to avoid external HTTP lookup [Diff](http://svn.apache.org/viewcvs.cgi?rev=41938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41938&view=rev>) (andreas)
- [1.0] checking if visitor role exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=41937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41937&view=rev>) (andreas)
- [1.0] Added dcterms to exclude-result-prefixes so that it is no longer zealous with namespaces. Fixes #24618 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41936&view=rev>) (egli)
- [1.0] Adapted the tutorial to the new menu structure and added a user alice as an reviewer. This will give a nice balance as we have a man (lenya) doing the authoring and a woman doing the reviewing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41935&view=rev>) (egli)
- [1.0] Remove the scheduler menu entry from the Help section since the functionality is now in the scheduler tab in the site area and since a click on the menu causes an exception. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41934&view=rev>) (egli)
- [1.0] The publishing usecase now uses the fallback module to find the xslt. This allows for publication specific publishing xslts. This is used e.g. in the blogging pub to remove the scheduling parts of the screen. Fixes #24857 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41933&view=rev>) (egli)
- [1.0] Adapted a relative path to make sure it also works in the context of a publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41932&view=rev>) (egli)

- [1.0] Moved the one-form editor to a separate pipeline so we can do specific error handling for it. The sax-parsing exception (that can occur if you enter non-validating xml in the one-form editor) is now handled and a nice error screen is rendered. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41930&view=rev>) (egli)
- [1.0] Replace "/home/username" by "\$HOME" and "username" by "\$USER". [Diff](http://svn.apache.org/viewcvs.cgi?rev=41927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41927&view=rev>) (egli)
- [1.0] Removed the obsolete usecase upload (which is only used in unipublic), updated the usecase docu and updated the default pub to refer to the asset upload usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41926&view=rev>) (egli)
- [1.0] Some prettyfication (indented, etc.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41925&view=rev>) (egli)
- [1.0] improve compliance with html 4 transitional for output. still a long way before our menu validates. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41923&view=rev>) (gregor)
- [1.0] typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=41922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41922&view=rev>) (gregor)
- [1.0] reverting changes (event has to be supplied) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41921&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41921&view=rev>) (andreas)
- [1.0] using authoring workflow history also for staging and live documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=41920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41920&view=rev>) (andreas)
- [1.0] invoking workflow only if event name is provided [Diff](http://svn.apache.org/viewcvs.cgi?rev=41919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41919&view=rev>) (andreas)
- [1.0] added clear() to Collection [Diff](http://svn.apache.org/viewcvs.cgi?rev=41918&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41918&view=rev>) (andreas)
- [1.0] added moveDocument() to publication API [Diff](http://svn.apache.org/viewcvs.cgi?rev=41917&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41917&view=rev>) (andreas)
- [1.0] slightly rearrange things [Diff](http://svn.apache.org/viewcvs.cgi?rev=41916&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41916&view=rev>) (gregor)
- [1.0] sitetree is now optional [Diff](http://svn.apache.org/viewcvs.cgi?rev=41915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41915&view=rev>) (andreas)
- [1.0] removed obsolete iframe [Diff](http://svn.apache.org/viewcvs.cgi?rev=41913&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41913&view=rev>) (gregor)
- [1.0] document-node-id added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41912&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41912&view=rev>) (gregor)
- [1.0] playing janitor this publication is still way sub par. \* does not use lenya screens \* does not use sitemap structure \* is a big XSLT mess etc [Diff](http://svn.apache.org/viewcvs.cgi?rev=41911&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41911&view=rev>) (gregor)
- [1.0] BXE seems to have problems with optional elements [Diff](http://svn.apache.org/viewcvs.cgi?rev=41910&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41910&view=rev>) (michi)
- [1.0] Error handling improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=41909&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41909&view=rev>) (michi)
- [1.0] don't load XML document again before saving [Diff](http://svn.apache.org/viewcvs.cgi?rev=41908&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41908&view=rev>) (andreas)
- [1.0] looking if file exists in Document.exists() (FIXME) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41907&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41907&view=rev>) (andreas)
- [1.0] added namespace support for elements [Diff](http://svn.apache.org/viewcvs.cgi?rev=41905&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41905&view=rev>) (andreas)
- [1.0] changed <super> to <sup> [Diff](http://svn.apache.org/viewcvs.cgi?rev=41904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41904&view=rev>) (andreas)
- [1.0] related projects moved. this fixes #25081 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41903&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41903&view=rev>) (gregor)
- [1.0] insert-before and schema fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41902&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41902&view=rev>) (michi)
- [1.0] logging fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41901&view=rev>) (michi)
- [1.0] AbsolutePath replaced by CanonicalPath because of Softlink problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=41900&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41900&view=rev>) (michi)
- [1.0] logging fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41899&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41899&view=rev>) (michi)
- [1.0] sample and schema fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41898&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41898&view=rev>) (michi)
- [1.0] rollback added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41897&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41897&view=rev>) (michi)
- [1.0] applying Sandra's patch [Diff](http://svn.apache.org/viewcvs.cgi?rev=41896&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41896&view=rev>) (andreas)
- [1.0] add a Catalog Resolver to the parser [Diff](http://svn.apache.org/viewcvs.cgi?rev=41895&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41895&view=rev>) (edith)
- [1.0] keywords added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41894&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41894&view=rev>) (michi)
- [1.0] args added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41893&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41893&view=rev>) (michi)
- [1.0] shell script added because of linkage error [Diff](http://svn.apache.org/viewcvs.cgi?rev=41892&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41892&view=rev>) (michi)
- [1.0] error replaced by debug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41891&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41891&view=rev>) (michi)
- [1.0] keywords added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41890&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41890&view=rev>) (michi)
- [1.0] updated scheduler screen pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=41889&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41889&view=rev>) (andreas)
- [1.0] implementing useful toString() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41888&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41888&view=rev>) (andreas)
- [1.0] added log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=41887&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41887&view=rev>) (andreas)

- [1.0] applied chregus patch again ("Damit sollte dann man tabellen #ber das context men# mit "Append Table" einf#gen k#nnen.") [Diff](http://svn.apache.org/viewcvs.cgi?rev=41886&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41886&view=rev>) (andreas)
- [1.0] make DocumentBuilder configuration optional [Diff](http://svn.apache.org/viewcvs.cgi?rev=41885&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41885&view=rev>) (andreas)
- [1.0] summary as optional [Diff](http://svn.apache.org/viewcvs.cgi?rev=41884&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41884&view=rev>) (michi)
- [1.0] IE Bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41883&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41883&view=rev>) (michi)
- [1.0] applied chregus patch (tabellen #ber das context men# mit "Append Table") [Diff](http://svn.apache.org/viewcvs.cgi?rev=41882&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41882&view=rev>) (andreas)
- [1.0] fixed labels assignment bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41881&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41881&view=rev>) (andreas)
- [1.0] checking if directory exists before trying to resolve file list [Diff](http://svn.apache.org/viewcvs.cgi?rev=41880&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41880&view=rev>) (andreas)
- [1.0] using fallback for "deactivate" files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41879&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41879&view=rev>) (andreas)
- [1.0] added "role-ids" attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=41878&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41878&view=rev>) (andreas)
- [1.0] - extended publication API - deleting resources by ResourceManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=41877&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41877&view=rev>) (andreas)
- [1.0] version control implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=41876&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41876&view=rev>) (michi)
- [1.0] group admin instead of user lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=41875&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41875&view=rev>) (michi)

## 33. Version 2003-11 ()

### 33.1. 1.0

- [1.0] add recent version of Jing because Cocoon 2.1.2 is missing it [Diff](http://svn.apache.org/viewcvs.cgi?rev=41866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41866&view=rev>) (michi)
- [1.0] implemented document transfer in site tree test [Diff](http://svn.apache.org/viewcvs.cgi?rev=41865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41865&view=rev>) (andreas)
- [1.0] refactoring publication API [Diff](http://svn.apache.org/viewcvs.cgi?rev=41846&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41846&view=rev>) (andreas)
- [1.0] adding checkstyle config file [Diff](http://svn.apache.org/viewcvs.cgi?rev=41845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41845&view=rev>) (andreas)
- [1.0] Added license file for bitflux editor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41837&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41837&view=rev>) (egli)
- [1.0] adding staging tab images [Diff](http://svn.apache.org/viewcvs.cgi?rev=41832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41832&view=rev>) (andreas)
- [1.0] Ported the remaining dependencies from unizh to the core: \* add meta data \* link rewriting [Diff](http://svn.apache.org/viewcvs.cgi?rev=41824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41824&view=rev>) (egli)
- [1.0] Added LICENCE files for all jars which are included in the ./lib dir. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41823&view=rev>) (egli)
- [1.0] adding canoo webtest files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41820&view=rev>) (andreas)
- [1.0] starting anteater tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=41818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41818&view=rev>) (andreas)
- [1.0] index moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=41797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41797&view=rev>) (michi)
- [1.0] Config of configurable indexer added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41783&view=rev>) (michi)
- [1.0] added editor buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=41761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41761&view=rev>) (andreas)
- [1.0] more licenses added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41753&view=rev>) (gregor)
- [1.0] have fun, kids jetty support for linux [Diff](http://svn.apache.org/viewcvs.cgi?rev=41743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41743&view=rev>) (gregor)
- [1.0] relaxng added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41742&view=rev>) (michi)
- [1.0] dynamic CSS generation to include context prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41728&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41728&view=rev>) (andreas)
- [1.0] jetty support [Diff](http://svn.apache.org/viewcvs.cgi?rev=41725&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41725&view=rev>) (gregor)
- [1.0] added some workflow documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=41722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41722&view=rev>) (andreas)
- [1.0] adding xpatch task [Diff](http://svn.apache.org/viewcvs.cgi?rev=41716&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41716&view=rev>) (andreas)
- [1.0] typo and bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41711&view=rev>) (michi)
- [1.0] begin work on windows installer for lenya, starting from the tomcat 5.0 installer code [Diff](http://svn.apache.org/viewcvs.cgi?rev=41699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41699&view=rev>) (gregor)
- [1.0] added missing sitetree to make life easier for first time users [Diff](http://svn.apache.org/viewcvs.cgi?rev=41698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41698&view=rev>) (gregor)

- (<http://svn.apache.org/viewcvs.cgi?rev=41698&view=rev>) (gregor)
- [1.0] Completed the multilingual docu. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41694&view=rev>) (egli)
- [1.0] Completed the meta data docu. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41689&view=rev>) (egli)
- [1.0] Completed the link management docu. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41685&view=rev>) (egli)
- [1.0] moved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41855&view=rev>) (michi)
- [1.0] Removed bitflux license and bitflux credit. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41839&view=rev>) (egli)
- [1.0] Added a new version of xml-forrest-components.jar (plus License file) which contains the SourceTypeAction, which is needed to determine the document-type. Also removed the old version of xml-forrest-components.jar in the docs-new/WEB-INF directory. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41833&view=rev>) (egli)
- [1.0] Removed as we cannot legally redistribute and there is a free (as in speech) replacement included in Cocoon. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41831&view=rev>) (egli)
- [1.0] moving publication tests to publication directory [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41819&view=rev>) (andreas)
- [1.0] obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41809&view=rev>) (michi)
- [1.0] obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41800&view=rev>) (michi)
- [1.0] obsolete [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41779&view=rev>) (michi)
- [1.0] renamed and typo fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41709&view=rev>) (michi)
- [1.0] schema validation implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41874&view=rev>) (michi)
- [1.0] make bxe work in default publication. thanks to thomas wasserberg for the hint. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41873&view=rev>) (gregor)
- [1.0] introspection link added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41872&view=rev>) (michi)
- [1.0] validation added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41871&view=rev>) (michi)
- [1.0] date type modified [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41870&view=rev>) (michi)
- [1.0] FIXME re Jing added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41869&view=rev>) (michi)
- [1.0] validation added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41868&view=rev>) (michi)
- [1.0] cleanup stylesheet [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41867&view=rev>) (michi)
- [1.0] implemented document transfer in site tree [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41864&view=rev>) (andreas)
- [1.0] handle only document source in repository-specific publication class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41863&view=rev>) (andreas)
- [1.0] Make sure the tag at the specified xpath is replaced if insertReplace is true. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41862&view=rev>) (egli)
- [1.0] Pass the insertTemplate and the insertReplace request parameters on to the ant insert task. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41861&view=rev>) (egli)
- [1.0] timezone fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41860&view=rev>) (michi)
- [1.0] feedvalidator added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41859&view=rev>) (michi)
- [1.0] schema updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41858&view=rev>) (michi)
- [1.0] entry fixed according to schema [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41857&view=rev>) (michi)
- [1.0] feedvalidator URL added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41856&view=rev>) (michi)
- [1.0] relax ng for entry moved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41854&view=rev>) (michi)
- [1.0] eat lenya tags. fixes #24895 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41853&view=rev>) (gregor)
- [1.0] Make sure internal calls comming from the usecase sitemap are directly handled by the publication sitemap. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41852&view=rev>) (egli)
- [1.0] There is now an additional step in the asset usecase (called "showdots") which does an internal call to cocoon://{{publication-id}}/lenya-image-upload/{{area}}/{{uri}}. This internal (and publication specific) pipeline is then responsible for displaying the image upload dots. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41851&view=rev>) (egli)
- [1.0] added document dependency methods [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41850&view=rev>) (andreas)
- [1.0] added the notion of task success or failure [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41849&view=rev>) (andreas)
- [1.0] made block visibility more generic [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41848&view=rev>) (andreas)
- [1.0] change the image / asset upload usecases [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41847&view=rev>) (gregor)
- [1.0] The exception handling is now merged from the unicomp publication, i.e. you'll get a nice error page if a document has not been published yet and you'll get the normal exception stack trace in all other cases (where we are looking at real bugs).

- Fixes #24224. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41844&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41844&view=rev>) (egli)
- [1.0] check if href attribute exists before manipulating it [Diff](http://svn.apache.org/viewcvs.cgi?rev=41843&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41843&view=rev>) (andreas)
- [1.0] making <sub> and <super> tags work [Diff](http://svn.apache.org/viewcvs.cgi?rev=41842&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41842&view=rev>) (andreas)
- [1.0] commented out strikethrough and underline buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=41841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41841&view=rev>) (andreas)
- [1.0] added some isDebugEnabled() statements [Diff](http://svn.apache.org/viewcvs.cgi?rev=41840&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41840&view=rev>) (andreas)
- [1.0] Added statements like "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).". as we are required to do so by the license requirements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41838&view=rev>) (egli)
- [1.0] extensions are now configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41836&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41836&view=rev>) (michi)
- [1.0] more fields to Matrix search added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41835&view=rev>) (michi)
- [1.0] Use the namespace of the document-element instead of the document-declaration (which is removed by the addMetaData xslt). This fixes bug #24617. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41834&view=rev>) (egli)
- [1.0] adding staging tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=41830&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41830&view=rev>) (andreas)
- [1.0] Added some more information to the asset screen such as file size and creation date. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41829&view=rev>) (egli)
- [1.0] multiple fields added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41828&view=rev>) (michi)
- [1.0] multiple fields as checkboxes added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41827&view=rev>) (michi)
- [1.0] license as another field added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41826&view=rev>) (michi)
- [1.0] method and line number added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41825&view=rev>) (michi)
- [1.0] authorization can fail now [Diff](http://svn.apache.org/viewcvs.cgi?rev=41822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41822&view=rev>) (andreas)
- [1.0] Made the shell script independent of anyone users home dir. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41821&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41821&view=rev>) (egli)
- [1.0] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=41817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41817&view=rev>) (andreas)
- [1.0] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=41816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41816&view=rev>) (andreas)
- [1.0] Changed the dc title to make it more palatable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41815&view=rev>) (egli)
- [1.0] multiple search fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=41814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41814&view=rev>) (michi)
- [1.0] admin and live tabs are now configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41813&view=rev>) (michi)
- [1.0] content dir is kind of configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41812&view=rev>) (michi)
- [1.0] mixed content with better namespace support [Diff](http://svn.apache.org/viewcvs.cgi?rev=41811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41811&view=rev>) (michi)
- [1.0] about page added link to start page added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41810&view=rev>) (gregor)
- [1.0] OSCOM cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=41808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41808&view=rev>) (michi)
- [1.0] break and valign fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41807&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41807&view=rev>) (michi)
- [1.0] start page cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=41806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41806&view=rev>) (gregor)
- [1.0] more gump descriptor tweaks [Diff](http://svn.apache.org/viewcvs.cgi?rev=41805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41805&view=rev>) (gregor)
- [1.0] removed some commented-out lines that were superfluous [Diff](http://svn.apache.org/viewcvs.cgi?rev=41804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41804&view=rev>) (gregor)
- [1.0] de-uglified one form editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=41803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41803&view=rev>) (gregor)
- [1.0] NullPointerException fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41802&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41802&view=rev>) (michi)
- [1.0] added advanced matrix search [Diff](http://svn.apache.org/viewcvs.cgi?rev=41801&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41801&view=rev>) (michi)
- [1.0] images path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41799&view=rev>) (michi)
- [1.0] cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=41798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41798&view=rev>) (michi)
- [1.0] license field added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41796&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41796&view=rev>) (michi)
- [1.0] as alternative to the ant which seems to have a class loading problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=41795&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41795&view=rev>) (michi)
- [1.0] search fields depending on the index added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41794&view=rev>) (michi)
- [1.0] also copy properties files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41793&view=rev>) (michi)
- [1.0] reload java classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41792&view=rev>) (michi)
- [1.0] index of Matrix added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41791&view=rev>) (michi)
- [1.0] search fields added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41790&view=rev>) (michi)

- [1.0] Fields parameter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41789&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41789&view=rev>) (michi)
- [1.0] hardcoded filename fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41788&view=rev>) (michi)
- [1.0] filename fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41787&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41787&view=rev>) (michi)
- [1.0] another command line usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=41786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41786&view=rev>) (michi)
- [1.0] namespace fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41785&view=rev>) (michi)
- [1.0] namespace fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41784&view=rev>) (michi)
- [1.0] NullPointerException fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41782&view=rev>) (michi)
- [1.0] michi removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41781&view=rev>) (michi)
- [1.0] configurable document creator fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41780&view=rev>) (michi)
- [1.0] - refactoring access control - removed obsolete file [Diff](http://svn.apache.org/viewcvs.cgi?rev=41778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41778&view=rev>) (andreas)
- [1.0] refactoring access control package structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=41777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41777&view=rev>) (andreas)
- [1.0] getParentDocument() returns ProcessingException [Diff](http://svn.apache.org/viewcvs.cgi?rev=41776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41776&view=rev>) (andreas)
- [1.0] - refactoring access control package structure - removed obsolete actions [Diff](http://svn.apache.org/viewcvs.cgi?rev=41775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41775&view=rev>) (andreas)
- [1.0] removed some unused code [Diff](http://svn.apache.org/viewcvs.cgi?rev=41774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41774&view=rev>) (andreas)
- [1.0] URL fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41773&view=rev>) (michi)
- [1.0] upper to lower case for migration of legacy HTML [Diff](http://svn.apache.org/viewcvs.cgi?rev=41772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41772&view=rev>) (michi)
- [1.0] updated the requirements, strengthened the language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41771&view=rev>) (gregor)
- [1.0] added image and asset hooks. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41770&view=rev>) (gregor)
- [1.0] corrected a javadoc comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=41769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41769&view=rev>) (andreas)
- [1.0] fixed "back to page" button for IE [Diff](http://svn.apache.org/viewcvs.cgi?rev=41768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41768&view=rev>) (andreas)
- [1.0] lucene sitemap cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=41767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41767&view=rev>) (michi)
- [1.0] lucene moved into overwriting sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41766&view=rev>) (michi)
- [1.0] lucene mounting fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41765&view=rev>) (michi)
- [1.0] lucene mounting generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=41764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41764&view=rev>) (michi)
- [1.0] fixed file path regexp bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41763&view=rev>) (andreas)
- [1.0] changed editor buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=41762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41762&view=rev>) (andreas)
- [1.0] BXE bypass pipeline added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41760&view=rev>) (michi)
- [1.0] fixed the form editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=41759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41759&view=rev>) (gregor)
- [1.0] One form editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41758&view=rev>) (michi)
- [1.0] lenya servlet is now the default action. a double click will now launch lenya properly [Diff](http://svn.apache.org/viewcvs.cgi?rev=41757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41757&view=rev>) (gregor)
- [1.0] installer now shows license instead of readme [Diff](http://svn.apache.org/viewcvs.cgi?rev=41756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41756&view=rev>) (gregor)
- [1.0] clarified install instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=41755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41755&view=rev>) (gregor)
- [1.0] updated gump descriptor [Diff](http://svn.apache.org/viewcvs.cgi?rev=41754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41754&view=rev>) (gregor)
- [1.0] added multilingual features to menu sanitized menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=41752&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41752&view=rev>) (gregor)
- [1.0] insert via select option added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41751&view=rev>) (michi)
- [1.0] select and option added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41750&view=rev>) (michi)
- [1.0] FIXME re CDATA added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41749&view=rev>) (michi)
- [1.0] context prefix fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41748&view=rev>) (michi)
- [1.0] standalone path added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41747&view=rev>) (michi)
- [1.0] do not show exception re prune [Diff](http://svn.apache.org/viewcvs.cgi?rev=41746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41746&view=rev>) (michi)
- [1.0] when compiled with http://nsis.sf.net, this now creates a working installer for windows. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41745&view=rev>) (gregor)
- [1.0] the repository name is still cocoon-2.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41744&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41744&view=rev>) (gregor)

- [1.0] Cocoon version updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41741&view=rev>) (michi)
- [1.0] renamed cocoon dir parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41740&view=rev>) (michi)
- [1.0] replaced hard-coded context prefix by parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41739&view=rev>) (andreas)
- [1.0] added cancel button [Diff](http://svn.apache.org/viewcvs.cgi?rev=41738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41738&view=rev>) (andreas)
- [1.0] reinstated text/css mime type [Diff](http://svn.apache.org/viewcvs.cgi?rev=41737&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41737&view=rev>) (gregor)
- [1.0] add support for insert asset hook [Diff](http://svn.apache.org/viewcvs.cgi?rev=41736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41736&view=rev>) (gregor)
- [1.0] layout fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41735&view=rev>) (michi)
- [1.0] namespace workaround added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41734&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41734&view=rev>) (michi)
- [1.0] select added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41733&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41733&view=rev>) (michi)
- [1.0] select added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41732&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41732&view=rev>) (michi)
- [1.0] special characters added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41731&view=rev>) (michi)
- [1.0] copy-mixed-content moved to a later stage [Diff](http://svn.apache.org/viewcvs.cgi?rev=41730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41730&view=rev>) (michi)
- [1.0] fixed missing decrement bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41729&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41729&view=rev>) (andreas)
- [1.0] removed hard-coded context prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41727&view=rev>) (andreas)
- [1.0] using CMS screen layout for form editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=41726&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41726&view=rev>) (andreas)
- [1.0] we will use jetty for the installer, this simplifies things a lot [Diff](http://svn.apache.org/viewcvs.cgi?rev=41724&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41724&view=rev>) (gregor)
- [1.0] edit only one field [Diff](http://svn.apache.org/viewcvs.cgi?rev=41723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41723&view=rev>) (michi)
- [1.0] namespace workaround for formeditor fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41721&view=rev>) (michi)
- [1.0] layout layer introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=41720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41720&view=rev>) (michi)
- [1.0] added some menubar documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=41719&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41719&view=rev>) (andreas)
- [1.0] added getExistingLanguageVersion(document) method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41718&view=rev>) (andreas)
- [1.0] patching cocoon.xconf for publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=41717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41717&view=rev>) (andreas)
- [1.0] version added and updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41715&view=rev>) (michi)
- [1.0] fixed lenya.xtest fixed DocumentDeactivateTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=41714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41714&view=rev>) (andreas)
- [1.0] setting context-prefix parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41713&view=rev>) (andreas)
- [1.0] - using namespace - some code simplifications [Diff](http://svn.apache.org/viewcvs.cgi?rev=41712&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41712&view=rev>) (andreas)
- [1.0] renamed and typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41710&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41710&view=rev>) (michi)
- [1.0] edit items fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41708&view=rev>) (michi)
- [1.0] FIXME added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41707&view=rev>) (michi)
- [1.0] xalan-2.5.1 workaround [Diff](http://svn.apache.org/viewcvs.cgi?rev=41706&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41706&view=rev>) (michi)
- [1.0] throwing Exception when context directory is invalid [Diff](http://svn.apache.org/viewcvs.cgi?rev=41705&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41705&view=rev>) (andreas)
- [1.0] added some access control documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=41704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41704&view=rev>) (andreas)
- [1.0] removed unused code [Diff](http://svn.apache.org/viewcvs.cgi?rev=41703&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41703&view=rev>) (andreas)
- [1.0] fixed live-sites link [Diff](http://svn.apache.org/viewcvs.cgi?rev=41702&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41702&view=rev>) (andreas)
- [1.0] don't insert bxe\_xpath attributes when page is not edited [Diff](http://svn.apache.org/viewcvs.cgi?rev=41701&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41701&view=rev>) (andreas)
- [1.0] don't apply empty dc:\* tags [Diff](http://svn.apache.org/viewcvs.cgi?rev=41700&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41700&view=rev>) (andreas)
- [1.0] namespace bug fixed and indenting [Diff](http://svn.apache.org/viewcvs.cgi?rev=41697&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41697&view=rev>) (michi)
- [1.0] namespace bug and indenting fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41696&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41696&view=rev>) (michi)
- [1.0] Make sure the case where there is no language specified in the reference is handled correctly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41695&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41695&view=rev>) (egli)
- [1.0] Prevent a NullPointerException in the case where the link has no language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41693&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41693&view=rev>) (egli)
- [1.0] Added some punctuation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41692&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41692&view=rev>) (egli)
- [1.0] Adapted to new DocumentReferencesHelper interface. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41691&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41691&view=rev>) (egli)

- (<http://svn.apache.org/viewcvs.cgi?rev=41691&view=rev>) (egli)
- [1.0] Added links to meta data and to multilingual document handling. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41690&view=rev>) (egli)
- [1.0] Fixed a typo and added some FIXME:s about stuff that has to be migrated from unizh to the core. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41688&view=rev>) (egli)
- [1.0] added some policy documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41687&view=rev>) (andreas)
- [1.0] Added link management. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41686&view=rev>) (egli)
- [1.0] Completed the asset management docu. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41684&view=rev>) (egli)
- [1.0] Fixed a typo in the java doc. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41683&view=rev>) (egli)
- [1.0] fixed sources parameter for publish [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41682&view=rev>) (andreas)
- [1.0] description fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41681&view=rev>) (michi)

## 34. Version 2003-10 ()

### 34.1. 1.0

- [1.0] added simple doctype schema placeholder [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41676&view=rev>) (andreas)
- [1.0] tests separated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41663&view=rev>) (michi)
- [1.0] Test added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41657&view=rev>) (michi)
- [1.0] added redirect-document XSP and XSLT [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41649&view=rev>) (andreas)
- [1.0] moved DocumentHelper [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41645&view=rev>) (andreas)
- [1.0] Docu for the site management [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41642&view=rev>) (edith)
- [1.0] This commit was manufactured by cvs2svn to create tag 'V\_2003-10-28'. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41637&view=rev>) ()
- [1.0] Added first draft of asset management docu. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41626&view=rev>) (egli)
- [1.0] added DocumentHelper [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41602&view=rev>) (andreas)
- [1.0] - improved logging - don't throw exception when TaskJob execution fails [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41596&view=rev>) (andreas)
- [1.0] Cocoon build properties files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41589&view=rev>) (michi)
- [1.0] - implemented BXE as usecase - added XHTML handling for BXE [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41586&view=rev>) (andreas)
- [1.0] adding workflow history files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41584&view=rev>) (andreas)
- [1.0] added XHTML 1.1 DTD [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41583&view=rev>) (andreas)
- [1.0] Added a task that takes care of internal link rewriting upon cut'n'paste. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41570&view=rev>) (egli)
- [1.0] migrated to new menu generation method [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41568&view=rev>) (michi)
- [1.0] Documentation for the RC [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41566&view=rev>) (edith)
- [1.0] added page processing diagram [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41559&view=rev>) (andreas)
- [1.0] redirecting to new language version after create-language [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41551&view=rev>) (andreas)
- [1.0] make upload action more generic [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41540&view=rev>) (gregor)
- [1.0] This simple link rewriting transformer is used for Link Management. Links that look like internal links (currently http://\$hostname:\$portname/\$context-prefix/\$publication-id/authoring/\$document-id are rewritten for the appropriate area. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41521&view=rev>) (egli)
- [1.0] continued docs restructuring [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41513&view=rev>) (gregor)
- [1.0] adding first workflow documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41501&view=rev>) (andreas)
- [1.0] xupdate bugs re mixed content fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41493&view=rev>) (michi)
- [1.0] mixed content enabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41489&view=rev>) (michi)
- [1.0] index configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41445&view=rev>) (michi)
- [1.0] sample file [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41444&view=rev>) (michi)
- [1.0] minimal index added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41442&view=rev>) (michi)

- [1.0] adding xhtml relax ng schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=41424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41424&view=rev>) (andreas)
- [1.0] re-adding navigation sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41423&view=rev>) (andreas)
- [1.0] CSS and namespace file for BXENG [Diff](http://svn.apache.org/viewcvs.cgi?rev=41416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41416&view=rev>) (michi)
- [1.0] BXENG documentation started [Diff](http://svn.apache.org/viewcvs.cgi?rev=41414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41414&view=rev>) (michi)
- [1.0] added DocumentSet and LanguageVersions [Diff](http://svn.apache.org/viewcvs.cgi?rev=41392&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41392&view=rev>) (andreas)
- [1.0] - added policy clean-up when accreditables are removed - improved PolicyManager type hierarchy [Diff](http://svn.apache.org/viewcvs.cgi?rev=41660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41660&view=rev>) (andreas)
- [1.0] replaced redirect-language with redirect-document [Diff](http://svn.apache.org/viewcvs.cgi?rev=41650&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41650&view=rev>) (andreas)
- [1.0] obsolete and replaced by util.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=41556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41556&view=rev>) (michi)
- [1.0] backup removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41553&view=rev>) (michi)
- [1.0] remove old bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=41544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41544&view=rev>) (gregor)
- [1.0] remove old image upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=41541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41541&view=rev>) (gregor)
- [1.0] remove unipublic from lenya cvs because it is legacy code it will be available from wyona.org from now on [Diff](http://svn.apache.org/viewcvs.cgi?rev=41539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41539&view=rev>) (gregor)
- [1.0] remove xopus and old bitflux from docs publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=41538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41538&view=rev>) (gregor)
- [1.0] reorganized doc structure (now mirrors the actual components within lenya) got rid of documentation dead ends consolidated structure added live sites document improved website update documentation removed some xopus references made mod\_proxy text less cryptic [Diff](http://svn.apache.org/viewcvs.cgi?rev=41511&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41511&view=rev>) (gregor)
- [1.0] replaced by 2003-10-14 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41494&view=rev>) (michi)
- [1.0] removed old bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=41453&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41453&view=rev>) (andreas)
- [1.0] Has been superceded by the SingleLanguageIdentityMapper. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41402&view=rev>) (egli)
- [1.0] image upload callback added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41680&view=rev>) (gregor)
- [1.0] fixed bxeng css [Diff](http://svn.apache.org/viewcvs.cgi?rev=41679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41679&view=rev>) (andreas)
- [1.0] added bxe css handler [Diff](http://svn.apache.org/viewcvs.cgi?rev=41678&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41678&view=rev>) (andreas)
- [1.0] added xhtml css [Diff](http://svn.apache.org/viewcvs.cgi?rev=41677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41677&view=rev>) (andreas)
- [1.0] added BXE for XHTML [Diff](http://svn.apache.org/viewcvs.cgi?rev=41675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41675&view=rev>) (andreas)
- [1.0] made document builder configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41674&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41674&view=rev>) (andreas)
- [1.0] added document builder configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=41673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41673&view=rev>) (andreas)
- [1.0] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=41672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41672&view=rev>) (andreas)
- [1.0] build document only as it was requested [Diff](http://svn.apache.org/viewcvs.cgi?rev=41671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41671&view=rev>) (andreas)
- [1.0] tests fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41670&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41670&view=rev>) (michi)
- [1.0] logout fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41669&view=rev>) (michi)
- [1.0] reflecting changes to access control [Diff](http://svn.apache.org/viewcvs.cgi?rev=41668&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41668&view=rev>) (andreas)
- [1.0] AC configuration updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41667&view=rev>) (michi)
- [1.0] Properly build the document if the language is null. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41666&view=rev>) (egli)
- [1.0] Adapted to the changed interface in DocumentReferencesHelper. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41665&view=rev>) (egli)
- [1.0] The DocumentReferencesHelper now correctly handles multilingual documents when trying to find out an internal link is not published yet and when a referenced document is deactivated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41664&view=rev>) (egli)
- [1.0] Added more javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41662&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41662&view=rev>) (egli)
- [1.0] reflecting changes to access control [Diff](http://svn.apache.org/viewcvs.cgi?rev=41661&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41661&view=rev>) (andreas)
- [1.0] Added a getLanguage method which allows you to query the language of a given document file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41659&view=rev>) (egli)
- [1.0] Make sure the language part of the URL is not simply swallowed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41658&view=rev>) (egli)
- [1.0] version moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=41656&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41656&view=rev>) (michi)

- [1.0] Fixed the regular expression so that link checking on publishing and deactivate actually works. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41655&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41655&view=rev>) (egli)
- [1.0] Removed an unused import. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41654&view=rev>) (egli)
- [1.0] mixed content generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=41653&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41653&view=rev>) (michi)
- [1.0] mixed content fixed and generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=41652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41652&view=rev>) (michi)
- [1.0] invoking workflow on rollback [Diff](http://svn.apache.org/viewcvs.cgi?rev=41651&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41651&view=rev>) (andreas)
- [1.0] redirecting to new document after "create" [Diff](http://svn.apache.org/viewcvs.cgi?rev=41648&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41648&view=rev>) (andreas)
- [1.0] added getDocumentUrl() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41647&view=rev>) (andreas)
- [1.0] moved DocumentHelper to publication package [Diff](http://svn.apache.org/viewcvs.cgi?rev=41646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41646&view=rev>) (andreas)
- [1.0] simplified getLanguageVersion() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41644&view=rev>) (andreas)
- [1.0] - fixed some javadocs - obtaining correct parent in DocumentHelper - moving DocumentHelper to publication package [Diff](http://svn.apache.org/viewcvs.cgi?rev=41643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41643&view=rev>) (andreas)
- [1.0] remove the resource dir property [Diff](http://svn.apache.org/viewcvs.cgi?rev=41641&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41641&view=rev>) (edith)
- [1.0] java doc [Diff](http://svn.apache.org/viewcvs.cgi?rev=41640&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41640&view=rev>) (edith)
- [1.0] check style and java doc [Diff](http://svn.apache.org/viewcvs.cgi?rev=41639&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41639&view=rev>) (edith)
- [1.0] make it compile against the latest excalibur-xmlutil shipped in cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=41638&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41638&view=rev>) (stefano)
- [1.0] webdav and slide and linotype included [Diff](http://svn.apache.org/viewcvs.cgi?rev=41636&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41636&view=rev>) (michi)
- [1.0] IP address check fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41635&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41635&view=rev>) (michi)
- [1.0] IP address check fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41634&view=rev>) (michi)
- [1.0] One Form Editor integrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41633&view=rev>) (michi)
- [1.0] empty tag problem fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41632&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41632&view=rev>) (michi)
- [1.0] fixed deactivate scheduler form [Diff](http://svn.apache.org/viewcvs.cgi?rev=41631&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41631&view=rev>) (andreas)
- [1.0] increasing part in loop [Diff](http://svn.apache.org/viewcvs.cgi?rev=41630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41630&view=rev>) (andreas)
- [1.0] added javadocs and fixme [Diff](http://svn.apache.org/viewcvs.cgi?rev=41629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41629&view=rev>) (andreas)
- [1.0] commented out LDAP user check [Diff](http://svn.apache.org/viewcvs.cgi?rev=41628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41628&view=rev>) (andreas)
- [1.0] Added link to asset management. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41627&view=rev>) (egli)
- [1.0] converting configDir to File [Diff](http://svn.apache.org/viewcvs.cgi?rev=41625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41625&view=rev>) (andreas)
- [1.0] converting configDir to File [Diff](http://svn.apache.org/viewcvs.cgi?rev=41624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41624&view=rev>) (andreas)
- [1.0] converting configDir to String [Diff](http://svn.apache.org/viewcvs.cgi?rev=41623&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41623&view=rev>) (andreas)
- [1.0] added ctor with configuration directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=41622&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41622&view=rev>) (andreas)
- [1.0] configuring LDAP user [Diff](http://svn.apache.org/viewcvs.cgi?rev=41621&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41621&view=rev>) (andreas)
- [1.0] checking if context is null [Diff](http://svn.apache.org/viewcvs.cgi?rev=41620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41620&view=rev>) (andreas)
- [1.0] added Packages statement for LDAP user [Diff](http://svn.apache.org/viewcvs.cgi?rev=41619&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41619&view=rev>) (andreas)
- [1.0] Added a hint as to how the external and the internal links have to look like. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41618&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41618&view=rev>) (egli)
- [1.0] fixed unterminated string literal [Diff](http://svn.apache.org/viewcvs.cgi?rev=41617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41617&view=rev>) (andreas)
- [1.0] escaping dot in regexp [Diff](http://svn.apache.org/viewcvs.cgi?rev=41616&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41616&view=rev>) (andreas)
- [1.0] checking if LDAP user exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=41615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41615&view=rev>) (andreas)
- [1.0] added existsUser() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41614&view=rev>) (andreas)
- [1.0] Fixed the problem in the resource publisher that it would only publish resources without the associated meta data files. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41613&view=rev>) (egli)
- [1.0] Fixed the redirection for asset upload in the usecase sitemap so that it redirects back to the asset screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41612&view=rev>) (egli)
- [1.0] forwarding lenya.event for rename-label [Diff](http://svn.apache.org/viewcvs.cgi?rev=41611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41611&view=rev>) (andreas)
- [1.0] Fixed a spelling problem in the "Default Caption". [Diff](http://svn.apache.org/viewcvs.cgi?rev=41610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41610&view=rev>) (egli)
- [1.0] checking all address parts [Diff](http://svn.apache.org/viewcvs.cgi?rev=41609&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41609&view=rev>) (andreas)
- [1.0] one form editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41608&view=rev>) (michi)
- [1.0] class cleaned up [Diff](http://svn.apache.org/viewcvs.cgi?rev=41607&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41607&view=rev>) (michi)

- [1.0] using lenya.event request parameter if workflow.event was not found [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41606&view=rev>) (andreas)
- [1.0] using complete area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41605&view=rev>) (andreas)
- [1.0] redirecting to parent URL after delete and archive [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41604&view=rev>) (andreas)
- [1.0] added getCompleteArea() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41603&view=rev>) (andreas)
- [1.0] redirecting to parent URL after delete and archive [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41601&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41600&view=rev>) (andreas)
- [1.0] removing empty credential from policy [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41599&view=rev>) (andreas)
- [1.0] redesigned scheduler interface [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41598&view=rev>) (andreas)
- [1.0] improved logging [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41597&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41595&view=rev>) (andreas)
- [1.0] checking if <user> element exists when restoring version [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41594&view=rev>) (andreas)
- [1.0] author link fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41593&view=rev>) (michi)
- [1.0] more meaning-full data added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41592&view=rev>) (michi)
- [1.0] some meaningful data added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41591&view=rev>) (michi)
- [1.0] author link fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41590&view=rev>) (michi)
- [1.0] request parameter renamed to form [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41588&view=rev>) (michi)
- [1.0] also export feed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41587&view=rev>) (michi)
- [1.0] renamed state "redaktion" to "authoring" [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41585&view=rev>) (andreas)
- [1.0] michi removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41582&view=rev>) (michi)
- [1.0] michi and michiii removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41581&view=rev>) (michi)
- [1.0] network address and mask added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41580&view=rev>) (michi)
- [1.0] cleaning up unused imports [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41579&view=rev>) (stefano)
- [1.0] remove uneccesary function [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41578&view=rev>) (gregor)
- [1.0] made content upload work for different path mappings [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41577&view=rev>) (gregor)
- [1.0] migrated to new menu generation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41576&view=rev>) (michi)
- [1.0] info/site tab is now configurable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41575&view=rev>) (michi)
- [1.0] copy meta [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41574&view=rev>) (edith)
- [1.0] Internal link now by definition no longer contain the http://serverName:serverPort part, but simply /\$context-prefix/\$publication-id/.... [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41573&view=rev>) (egli)
- [1.0] Make sure the context-prefix that is returned by the DefaultTaskWrapper is the same as the context-prefix that is returned by the PageEnvelope. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41572&view=rev>) (egli)
- [1.0] Pass the context-prefix to the PublicationTask. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41571&view=rev>) (egli)
- [1.0] Documentation fixes. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41569&view=rev>) (egli)
- [1.0] RC documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41567&view=rev>) (edith)
- [1.0] Java doc call of pruneEntities(rcbackDirectory) after checkin [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41565&view=rev>) (edith)
- [1.0] Java doc pruneEntities(String rcbackDirectory) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41564&view=rev>) (edith)
- [1.0] added error handling [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41563&view=rev>) (andreas)
- [1.0] added ExceptionSelector declaration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41562&view=rev>) (andreas)
- [1.0] changed info line font, factored out to CSS [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41561&view=rev>) (andreas)
- [1.0] added myself as author [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41560&view=rev>) (andreas)
- [1.0] added some menubar documentation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41558&view=rev>) (andreas)
- [1.0] removed initialization of DocumentIdToPathMapper [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41557&view=rev>) (andreas)
- [1.0] lenya menubar docu added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41555&view=rev>) (michi)

- [1.0] note about endorsed libraries added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41554&view=rev>) (michi)
- [1.0] redirecting to same area after removing language version [Diff](http://svn.apache.org/viewcvs.cgi?rev=41552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41552&view=rev>) (andreas)
- [1.0] removed unnecessary casts/variables [Diff](http://svn.apache.org/viewcvs.cgi?rev=41550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41550&view=rev>) (andreas)
- [1.0] fixed buildCanonicalUrl() and buildLanguageVersion() bugs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41549&view=rev>) (andreas)
- [1.0] instructions for binary installation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41548&view=rev>) (michi)
- [1.0] made logging less verbose by default added some more comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=41547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41547&view=rev>) (gregor)
- [1.0] message of exception slightly improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=41546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41546&view=rev>) (michi)
- [1.0] install instructions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41545&view=rev>) (michi)
- [1.0] added sample configuration for windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=41543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41543&view=rev>) (gregor)
- [1.0] removed obsolete docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41542&view=rev>) (gregor)
- [1.0] made getInstance() public again [Diff](http://svn.apache.org/viewcvs.cgi?rev=41537&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41537&view=rev>) (andreas)
- [1.0] replacing DefaultDocumentbuilder with publication.getDocumentBuilder() [Diff](http://svn.apache.org/viewcvs.cgi?rev=41536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41536&view=rev>) (andreas)
- [1.0] saving & loading IP ranges [Diff](http://svn.apache.org/viewcvs.cgi?rev=41535&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41535&view=rev>) (andreas)
- [1.0] added log4j logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=41534&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41534&view=rev>) (andreas)
- [1.0] all fields added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41533&view=rev>) (michi)
- [1.0] mixed content to sidebar added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41532&view=rev>) (michi)
- [1.0] proper name for cocooncenter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41531&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41531&view=rev>) (andreas)
- [1.0] summary and xhtml content fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41530&view=rev>) (michi)
- [1.0] XHTML content field added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41529&view=rev>) (michi)
- [1.0] XUpdateUpdate workaround fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41528&view=rev>) (michi)
- [1.0] subtitle removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41527&view=rev>) (michi)
- [1.0] footer added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41526&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41526&view=rev>) (michi)
- [1.0] Java Docs howto added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41525&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41525&view=rev>) (michi)
- [1.0] domain suffix fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41524&view=rev>) (michi)
- [1.0] moved choice of existing language label to sitetree2nav.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=41523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41523&view=rev>) (andreas)
- [1.0] echo statement fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41522&view=rev>) (michi)
- [1.0] server port and context path added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41520&view=rev>) (michi)
- [1.0] checking if messages list is null (not used in "change profile" screen) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41519&view=rev>) (andreas)
- [1.0] add missing trailing slashes. should fix the navigation for the docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41518&view=rev>) (gregor)
- [1.0] set hover style only for <a> items [Diff](http://svn.apache.org/viewcvs.cgi?rev=41517&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41517&view=rev>) (andreas)
- [1.0] Added more docu to the FIXME: [Diff](http://svn.apache.org/viewcvs.cgi?rev=41516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41516&view=rev>) (egli)
- [1.0] Link Management now assumes that internal links are of the form href="http://\$SERVER\_NAME:\$SERVER\_PORT/\$CONTEXT\_PREFIX/\$PUBLICATION\_ID/\$AREA\$DOCUMENT\_ID". If there is a match in a document file it is assumed that this is an internal link and is treated as such (warning if publish with unpublished internal links and warning if deactivate with internal references). However this is not coordinated with the DocumentToPathMapper and will probably fail if the URL looks different. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41515&view=rev>) (egli)
- [1.0] Javadoc fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41514&view=rev>) (egli)
- [1.0] removed xopus removed old bitflux editor removed obsolete stylesheets other cleanups [Diff](http://svn.apache.org/viewcvs.cgi?rev=41512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41512&view=rev>) (gregor)
- [1.0] new layout for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=41510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41510&view=rev>) (andreas)
- [1.0] renamed workflow variable to is\_live added deactivate menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=41509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41509&view=rev>) (andreas)
- [1.0] added initworkflow usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=41508&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41508&view=rev>) (andreas)

- [1.0] - added initworkflow task - removed broken task definitions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41507&view=rev>) (andreas)
- [1.0] added initworkflow menu item [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41506&view=rev>) (andreas)
- [1.0] throwing exception when attribute is not supported [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41505&view=rev>) (andreas)
- [1.0] throwing exception when attribute is not supported [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41504&view=rev>) (andreas)
- [1.0] - using authorizers in declared order - added some log messages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41503&view=rev>) (andreas)
- [1.0] removed "experimental version" text [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41502&view=rev>) (andreas)
- [1.0] commenting out forrest template configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41500&view=rev>) (andreas)
- [1.0] Refined exception message for "Request does not contain roles" [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41499&view=rev>) (andreas)
- [1.0] argument added to jtidy target [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41498&view=rev>) (michi)
- [1.0] The creation of the meta data files now no longer uses dom4j but NameSpaceHelper instead. The meta files are now properly wrapped in the dc namespace. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41497&view=rev>) (egli)
- [1.0] version replaced by CVS instruction [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41496&view=rev>) (michi)
- [1.0] workaround for mixed content [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41495&view=rev>) (michi)
- [1.0] mixed content added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41492&view=rev>) (michi)
- [1.0] classes added to import and NullPointerException message fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41491&view=rev>) (michi)
- [1.0] replace predefined entities also during loop [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41490&view=rev>) (michi)
- [1.0] method names to log statements added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41488&view=rev>) (michi)
- [1.0] error replaced by warn [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41487&view=rev>) (michi)
- [1.0] Deactivation of children is only necessary when no more parent version is live [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41486&view=rev>) (edith)
- [1.0] add language in the description of document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41485&view=rev>) (edith)
- [1.0] Deactivate only one language version of a document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41484&view=rev>) (edith)
- [1.0] mixed content added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41483&view=rev>) (michi)
- [1.0] copying mixed content [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41482&view=rev>) (michi)
- [1.0] Added back a line that was deleted inadvertently in version 1.15 and caused a lot of grief (the asset upload would simply not work anymore). [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41481&view=rev>) (egli)
- [1.0] ahem [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41480&view=rev>) (gregor)
- [1.0] fixed some errors and obsolete instructions in the install docs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41479&view=rev>) (gregor)
- [1.0] editing replaced by editors [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41478&view=rev>) (michi)
- [1.0] adding AccessControlSitetreeTransformer [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41477&view=rev>) (andreas)
- [1.0] BXENG renamed to BXE [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41476&view=rev>) (michi)
- [1.0] Check if the file that is being uploaded has no extension. If yes do not upload and present the upload screen again with a warning. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41475&view=rev>) (egli)
- [1.0] crawling instruction added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41474&view=rev>) (michi)
- [1.0] Added a little note to the file upload file saying that files should not have whitespace and weird punctuation (#@! etc.) in their names. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41473&view=rev>) (egli)
- [1.0] Go back to the asset upload screen if the upload action failed. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41472&view=rev>) (egli)
- [1.0] Pass original request params such as 'insert' or 'insertImage' along so that an error screen can reproduce the upload screen as if it was directly invoked. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41471&view=rev>) (egli)
- [1.0] Display an error message if the error param is true. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41470&view=rev>) (egli)

- [1.0] changed password parameter name to avoid browser auto-fill-in [Diff](http://svn.apache.org/viewcvs.cgi?rev=41469&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41469&view=rev>) (andreas)
- [1.0] Added a test that makes sure the filename does not contain any characters outside the range of "a-zA-Z0-9.\_" [Diff](http://svn.apache.org/viewcvs.cgi?rev=41468&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41468&view=rev>) (egli)
- [1.0] The caption of abstract should be 'description' as in the meta data screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41467&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41467&view=rev>) (egli)
- [1.0] added option [no notification] for combobox [Diff](http://svn.apache.org/viewcvs.cgi?rev=41466&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41466&view=rev>) (andreas)
- [1.0] validating password only for non-ldap users [Diff](http://svn.apache.org/viewcvs.cgi?rev=41465&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41465&view=rev>) (andreas)
- [1.0] - checking if password and email comply certain conditions [Diff](http://svn.apache.org/viewcvs.cgi?rev=41464&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41464&view=rev>) (andreas)
- [1.0] Before deactivating, look if all children's versions are no more live [Diff](http://svn.apache.org/viewcvs.cgi?rev=41463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41463&view=rev>) (edith)
- [1.0] added fallback to existing language version if default language version is not present [Diff](http://svn.apache.org/viewcvs.cgi?rev=41462&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41462&view=rev>) (andreas)
- [1.0] prettified "remove language version" screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=41461&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41461&view=rev>) (andreas)
- [1.0] added draft for asset upload error screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=41460&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41460&view=rev>) (andreas)
- [1.0] - escaping quotation marks in strings - fixed color values [Diff](http://svn.apache.org/viewcvs.cgi?rev=41459&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41459&view=rev>) (andreas)
- [1.0] creating doctype only when document exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=41458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41458&view=rev>) (andreas)
- [1.0] [add user] checking password only for non-ldap user [Diff](http://svn.apache.org/viewcvs.cgi?rev=41457&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41457&view=rev>) (andreas)
- [1.0] Note in incubation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41456&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41456&view=rev>) (michi)
- [1.0] added note on incubation [Diff](http://svn.apache.org/viewcvs.cgi?rev=41455&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41455&view=rev>) (michi)
- [1.0] added "submit" menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=41454&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41454&view=rev>) (andreas)
- [1.0] added FallbackModule declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=41452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41452&view=rev>) (andreas)
- [1.0] extracted interface from SynchronizedWorkflowInstances [Diff](http://svn.apache.org/viewcvs.cgi?rev=41451&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41451&view=rev>) (andreas)
- [1.0] introducing AbstractPageEnvelopeModule and FallbackModule [Diff](http://svn.apache.org/viewcvs.cgi?rev=41450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41450&view=rev>) (andreas)
- [1.0] Cocoon Gmane added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41449&view=rev>) (michi)
- [1.0] Xopus removed and HTML Form editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41448&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41448&view=rev>) (michi)
- [1.0] removing assertions from test (we should aim at 1.3 compatibility) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41447&view=rev>) (stefano)
- [1.0] cleaning up unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=41446&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41446&view=rev>) (stefano)
- [1.0] libraries updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41443&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41443&view=rev>) (michi)
- [1.0] ant target documented [Diff](http://svn.apache.org/viewcvs.cgi?rev=41441&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41441&view=rev>) (michi)
- [1.0] search area added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41440&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41440&view=rev>) (michi)
- [1.0] search added to tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=41439&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41439&view=rev>) (michi)
- [1.0] search authoring and live introduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=41438&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41438&view=rev>) (michi)
- [1.0] Search with Lucene docu started [Diff](http://svn.apache.org/viewcvs.cgi?rev=41437&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41437&view=rev>) (michi)
- [1.0] comments improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=41436&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41436&view=rev>) (michi)
- [1.0] Added a default text to the caption. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41435&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41435&view=rev>) (egli)
- [1.0] Added error handling in case of failure, i.e. when the document cannot be checked out. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41434&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41434&view=rev>) (egli)
- [1.0] Added reserved checkin and checkout to the update of meta data. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41433&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41433&view=rev>) (egli)
- [1.0] If there are no files for the children in the language of the parent document and no version in default language, then any other existent version is considered [Diff](http://svn.apache.org/viewcvs.cgi?rev=41432&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41432&view=rev>) (edith)

- [1.0] Removed unneeded import statement. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41431&view=rev>) (egli)
- [1.0] Removed the mailing-list archives as they did not properly archive the mailing-lists. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41430&view=rev>) (egli)
- [1.0] adding document by default [Diff](http://svn.apache.org/viewcvs.cgi?rev=41429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41429&view=rev>) (andreas)
- [1.0] Document Type added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41428&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41428&view=rev>) (michi)
- [1.0] xhtml doctype added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41427&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41427&view=rev>) (michi)
- [1.0] upgrading to Cocoon 2.1-Release [Diff](http://svn.apache.org/viewcvs.cgi?rev=41426&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41426&view=rev>) (andreas)
- [1.0] starting BXENG implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=41425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41425&view=rev>) (andreas)
- [1.0] fixed patch stylesheet name [Diff](http://svn.apache.org/viewcvs.cgi?rev=41422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41422&view=rev>) (andreas)
- [1.0] re-formatted document id [Diff](http://svn.apache.org/viewcvs.cgi?rev=41421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41421&view=rev>) (andreas)
- [1.0] Bug Tracker Link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41420&view=rev>) (michi)
- [1.0] path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41419&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41419&view=rev>) (michi)
- [1.0] BXENG added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41418&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41418&view=rev>) (michi)
- [1.0] inactive committers added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41417&view=rev>) (michi)
- [1.0] BXENG configured for default pub [Diff](http://svn.apache.org/viewcvs.cgi?rev=41415&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41415&view=rev>) (michi)
- [1.0] BXENG added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41413&view=rev>) (michi)
- [1.0] replaced wyona image by lenya image [Diff](http://svn.apache.org/viewcvs.cgi?rev=41412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41412&view=rev>) (andreas)
- [1.0] Error prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=41411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41411&view=rev>) (michi)
- [1.0] DC Title added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41410&view=rev>) (michi)
- [1.0] when restoring jobs, check if trigger date has expired [Diff](http://svn.apache.org/viewcvs.cgi?rev=41409&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41409&view=rev>) (andreas)
- [1.0] added label "Inherited Rights" to the inherited privileges group [Diff](http://svn.apache.org/viewcvs.cgi?rev=41408&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41408&view=rev>) (andreas)
- [1.0] setting fullname for non-LDAP user instead of LDAP user [Diff](http://svn.apache.org/viewcvs.cgi?rev=41407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41407&view=rev>) (andreas)
- [1.0] showing password fields only for non-LDAP users [Diff](http://svn.apache.org/viewcvs.cgi?rev=41406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41406&view=rev>) (andreas)
- [1.0] don't set password when creating new LDAP user [Diff](http://svn.apache.org/viewcvs.cgi?rev=41405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41405&view=rev>) (andreas)
- [1.0] fixed "cancel does not work" bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41404&view=rev>) (andreas)
- [1.0] fixed "cancel does not work" bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41403&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41403&view=rev>) (andreas)
- [1.0] Replaced the BlogDocumentIdToPathMapper by the SingleLanguageIdentityMapper (which comes with the core). [Diff](http://svn.apache.org/viewcvs.cgi?rev=41401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41401&view=rev>) (egli)
- [1.0] task id publish added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41400&view=rev>) (michi)
- [1.0] Form Editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41399&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41399&view=rev>) (michi)
- [1.0] updated roadmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41398&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41398&view=rev>) (gregor)
- [1.0] got rid of DOCTYPE to evade all sorts of catalog issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=41397&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41397&view=rev>) (gregor)
- [1.0] adding existing language to navigation tree if requested language does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=41396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41396&view=rev>) (andreas)
- [1.0] Assigning role "visit" or "visitor" when no policy is defined. This allows "protection on demand", e.g. for the live area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41395&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41395&view=rev>) (andreas)
- [1.0] added isEmpty() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41394&view=rev>) (andreas)
- [1.0] debug messages only when isDebugEnabled() [Diff](http://svn.apache.org/viewcvs.cgi?rev=41393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41393&view=rev>) (andreas)
- [1.0] using workflow synchronization [Diff](http://svn.apache.org/viewcvs.cgi?rev=41391&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41391&view=rev>) (andreas)
- [1.0] added synchronization layer to workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=41390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41390&view=rev>) (andreas)
- [1.0] Features added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41389&view=rev>) (michi)
- [1.0] lenya:show fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41388&view=rev>) (michi)
- [1.0] Display a warning if there are references to documents which have not been published yet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41387&view=rev>) (egli)

- [1.0] Use the DocumentReferencesHelper to produce a list of all non-published documents which are referenced in the current document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41386&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41386&view=rev>) (egli)
- [1.0] Added a method to find all internal references in the current document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41385&view=rev>) (egli)
- [1.0] Added a method to find all occurrences of a pattern. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41384&view=rev>) (egli)
- [1.0] Xopus removed and Form Editor fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41383&view=rev>) (michi)
- [1.0] Attribute Namespace problem fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41382&view=rev>) (michi)
- [1.0] Change the error message [Diff](http://svn.apache.org/viewcvs.cgi?rev=41381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41381&view=rev>) (edith)
- [1.0] remove the attribute (document-id) from the session after pasting in case of cut [Diff](http://svn.apache.org/viewcvs.cgi?rev=41380&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41380&view=rev>) (edith)
- [1.0] Indenting fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41379&view=rev>) (egli)
- [1.0] redirects added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41378&view=rev>) (michi)
- [1.0] replace methode renameTo with copy and delete, because renameTo fails on windows [Diff](http://svn.apache.org/viewcvs.cgi?rev=41377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41377&view=rev>) (edith)

## 35. Version 2003-09 ()

### 35.1. 1.0

- [1.0] action to test the checkOut of a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=41369&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41369&view=rev>) (edith)
- [1.0] Interface that offers a method to fetch the document-id for a given file (publication and area). [Diff](http://svn.apache.org/viewcvs.cgi?rev=41364&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41364&view=rev>) (egli)
- [1.0] added forrest build target and template [Diff](http://svn.apache.org/viewcvs.cgi?rev=41351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41351&view=rev>) (andreas)
- [1.0] first cut at a grep util [Diff](http://svn.apache.org/viewcvs.cgi?rev=41349&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41349&view=rev>) (gregor)
- [1.0] HTML Form Editor docu started [Diff](http://svn.apache.org/viewcvs.cgi?rev=41329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41329&view=rev>) (michi)
- [1.0] added WorkflowInvokerAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=41315&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41315&view=rev>) (andreas)
- [1.0] Task to copy the policies files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41303&view=rev>) (edith)
- [1.0] added SitetreeModule [Diff](http://svn.apache.org/viewcvs.cgi?rev=41302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41302&view=rev>) (andreas)
- [1.0] Added an action that checks for the existence of a document-id in the authoring site tree. This is used in the creation usecase. If a child-id is already taken redirect back to the creation screen and display an error message. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41282&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41282&view=rev>) (egli)
- [1.0] Transformer to list the children of a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=41274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41274&view=rev>) (edith)
- [1.0] Added an ant task to rename the label. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41257&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41257&view=rev>) (egli)
- [1.0] - factored out URIParameterizer from action - added document-type parameter to page envelope module [Diff](http://svn.apache.org/viewcvs.cgi?rev=41246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41246&view=rev>) (andreas)
- [1.0] Added a pipeline for renaming of labels and the corresponding xsl to create the rename label screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41236&view=rev>) (egli)
- [1.0] implemented new Lenya page processing [Diff](http://svn.apache.org/viewcvs.cgi?rev=41228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41228&view=rev>) (andreas)
- [1.0] exception message [Diff](http://svn.apache.org/viewcvs.cgi?rev=41223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41223&view=rev>) (michi)
- [1.0] added ResourcePublisher [Diff](http://svn.apache.org/viewcvs.cgi?rev=41210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41210&view=rev>) (andreas)
- [1.0] moved scheduler screen to info area [Diff](http://svn.apache.org/viewcvs.cgi?rev=41172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41172&view=rev>) (andreas)
- [1.0] converted MoveSiteTreeNodeTask to Ant task [Diff](http://svn.apache.org/viewcvs.cgi?rev=41138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41138&view=rev>) (andreas)
- [1.0] Lexus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41119&view=rev>) (michi)
- [1.0] added new logo image [Diff](http://svn.apache.org/viewcvs.cgi?rev=41117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41117&view=rev>) (andreas)
- [1.0] The missing-language screen now allows the user to directly click on one of the available languages. In order to do that the missing-language xsp uses a helper class DocumentLanguagesHelper which can compute an URL given an objectModel and a language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41113&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41113&view=rev>) (egli)
- [1.0] Build an error screen in the case when the document doesn't exist. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41109&view=rev>) (egli)

- [1.0] added WorkflowModule [Diff](http://svn.apache.org/viewcvs.cgi?rev=41075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41075&view=rev>) (andreas)
- [1.0] Copy/move generalisations (No more dependent of file structure) Work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=41065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41065&view=rev>) (edith)
- [1.0] removed unnecessary files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41356&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41356&view=rev>) (andreas)
- [1.0] - reflecting changes to lenya page processing - removed obsolete stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=41230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41230&view=rev>) (andreas)
- [1.0] removed unused tabs javascript [Diff](http://svn.apache.org/viewcvs.cgi?rev=41171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41171&view=rev>) (andreas)
- [1.0] deleted. Replace by CopyContentTask, CopyResourceTask, ... [Diff](http://svn.apache.org/viewcvs.cgi?rev=41167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41167&view=rev>) (edith)
- [1.0] Changed blue dot image [Diff](http://svn.apache.org/viewcvs.cgi?rev=41091&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41091&view=rev>) (felix)
- [1.0] Rename SiteTreeInitialisationTask to SiteTreeResetTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=41067&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41067&view=rev>) (edith)
- [1.0] While I was at it I also removed some boilerplate comments from Eclipse. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41376&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41376&view=rev>) (egli)
- [1.0] Removed unused variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41375&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41375&view=rev>) (egli)
- [1.0] Added more Javadoc and fixed existing Javadoc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41374&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41374&view=rev>) (egli)
- [1.0] Added the display of a warning if there are references to the document which is being archived/deleted. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41373&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41373&view=rev>) (egli)
- [1.0] Added the functionality to find references to the current document (which can be used to warn a user before deleting or archiving) using the DocumentReferencesHelper helper class. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41372&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41372&view=rev>) (egli)
- [1.0] Moved a lot of functionality into a helper class for easier reuse in other xsps. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41371&view=rev>) (egli)
- [1.0] Insertion of ReservedCheckoutTestAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=41370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41370&view=rev>) (edith)
- [1.0] The code that was commented out is needed when deleting a language version when we need to redirect to another language version of the document (we cannot blindly redirect to the default language as it might have been deleted as well). [Diff](http://svn.apache.org/viewcvs.cgi?rev=41368&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41368&view=rev>) (egli)
- [1.0] Make sure to check all other files in the live area for links to the current document before deactivating. Issue a warning if any other files do contain references. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41367&view=rev>) (egli)
- [1.0] The DefaultDocumentIdToPathMapper now also implements the PathToDocumentIdMapper interface, i.e. it can be used to query for a document-id given a file, an area and a publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41366&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41366&view=rev>) (egli)
- [1.0] Indenting fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41365&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41365&view=rev>) (egli)
- [1.0] Adapted to the needs of deactivate in the info area which is only interested if a file contains a certain pattern. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41363&view=rev>) (egli)
- [1.0] XInclude fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41362&view=rev>) (michi)
- [1.0] Removed unused variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41361&view=rev>) (egli)
- [1.0] Added a method to fetch the content directory. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41360&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41360&view=rev>) (egli)
- [1.0] Javadoc fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41359&view=rev>) (egli)
- [1.0] replaced "user-id" with "group-id" (fixes bug #359) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41358&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41358&view=rev>) (andreas)
- [1.0] Added the credits section which Nicola has already added to the live site. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41357&view=rev>) (egli)
- [1.0] added reference to publication buildfile [Diff](http://svn.apache.org/viewcvs.cgi?rev=41355&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41355&view=rev>) (andreas)
- [1.0] using "skin-docs" attribute for docs-new skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=41354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41354&view=rev>) (andreas)
- [1.0] removed some blank lines [Diff](http://svn.apache.org/viewcvs.cgi?rev=41353&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41353&view=rev>) (andreas)
- [1.0] using "lenya-menubar" prefix for menu CSS class [Diff](http://svn.apache.org/viewcvs.cgi?rev=41352&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41352&view=rev>) (andreas)
- [1.0] using ISO format for last-modified date [Diff](http://svn.apache.org/viewcvs.cgi?rev=41350&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41350&view=rev>) (andreas)

- [1.0] commented out breadcrumb prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41348&view=rev>) (andreas)
- [1.0] fixed link from info/authoring/ to other areas [Diff](http://svn.apache.org/viewcvs.cgi?rev=41347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41347&view=rev>) (andreas)
- [1.0] passing document id to menu2xhtml stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=41346&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41346&view=rev>) (andreas)
- [1.0] added lenya.event hidden input field to metadata form [Diff](http://svn.apache.org/viewcvs.cgi?rev=41345&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41345&view=rev>) (andreas)
- [1.0] form editor triggers workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=41344&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41344&view=rev>) (andreas)
- [1.0] removing all extensions from the URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=41343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41343&view=rev>) (andreas)
- [1.0] cvs reflects lenya 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=41342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41342&view=rev>) (gregor)
- [1.0] Remove the create-workflow usecase as all the enhancements have been ported back to the create usecase, so it was basically a duplicate of the create workflow. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41341&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41341&view=rev>) (egli)
- [1.0] Midas fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41340&view=rev>) (michi)
- [1.0] mentioning CDATA [Diff](http://svn.apache.org/viewcvs.cgi?rev=41339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41339&view=rev>) (michi)
- [1.0] note re predefined entities added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41338&view=rev>) (michi)
- [1.0] logging improved and unnecessary method removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41337&view=rev>) (michi)
- [1.0] add a property for the reference node, so that the node is no more moved while renaming [Diff](http://svn.apache.org/viewcvs.cgi?rev=41336&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41336&view=rev>) (edith)
- [1.0] add a refDocumentId to the method importSubtree [Diff](http://svn.apache.org/viewcvs.cgi?rev=41335&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41335&view=rev>) (edith)
- [1.0] fixed problem with the suffix - [Diff](http://svn.apache.org/viewcvs.cgi?rev=41334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41334&view=rev>) (edith)
- [1.0] added method getNextSiblinDocumentId [Diff](http://svn.apache.org/viewcvs.cgi?rev=41333&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41333&view=rev>) (edith)
- [1.0] change log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=41332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41332&view=rev>) (edith)
- [1.0] change the logs messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=41331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41331&view=rev>) (edith)
- [1.0] checking if sitetree node exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=41330&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41330&view=rev>) (andreas)
- [1.0] This commit was manufactured by cvs2svn to create tag 'V\_2003-09-23'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41328&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41328&view=rev>) ()
- [1.0] going to index.html after delete trash [Diff](http://svn.apache.org/viewcvs.cgi?rev=41327&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41327&view=rev>) (andreas)
- [1.0] added cancel button [Diff](http://svn.apache.org/viewcvs.cgi?rev=41326&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41326&view=rev>) (andreas)
- [1.0] forwarding lenya.event request parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41325&view=rev>) (andreas)
- [1.0] fixing language [Diff](http://svn.apache.org/viewcvs.cgi?rev=41324&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41324&view=rev>) (gregor)
- [1.0] This commit was manufactured by cvs2svn to create tag 'V\_2003-09-22'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41323&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41323&view=rev>) ()
- [1.0] checking if event is not null in workflow history loop [Diff](http://svn.apache.org/viewcvs.cgi?rev=41322&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41322&view=rev>) (andreas)
- [1.0] allowing multiple role IDs in RoleCondition [Diff](http://svn.apache.org/viewcvs.cgi?rev=41321&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41321&view=rev>) (andreas)
- [1.0] added password fields to "add user" screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=41320&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41320&view=rev>) (andreas)
- [1.0] checking for BXENG [Diff](http://svn.apache.org/viewcvs.cgi?rev=41319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41319&view=rev>) (michi)
- [1.0] BXENG added to the File menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=41318&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41318&view=rev>) (michi)
- [1.0] changed constructor to static extractParameters method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41317&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41317&view=rev>) (andreas)
- [1.0] always creating workflow invoker [Diff](http://svn.apache.org/viewcvs.cgi?rev=41316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41316&view=rev>) (andreas)
- [1.0] declaring workflow invoker action [Diff](http://svn.apache.org/viewcvs.cgi?rev=41314&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41314&view=rev>) (andreas)
- [1.0] - using SitetreeModule to obtain sitetree node - fixed version loop bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41313&view=rev>) (andreas)
- [1.0] fixed password template bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41312&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41312&view=rev>) (felix)
- [1.0] passing "ldap" variable from flowscript to xsp [Diff](http://svn.apache.org/viewcvs.cgi?rev=41311&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41311&view=rev>) (felix)
- [1.0] applying scheduler stylesheet to deactivate screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=41310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41310&view=rev>) (andreas)
- [1.0] - adapted layout to publish screen - including scheduler form [Diff](http://svn.apache.org/viewcvs.cgi?rev=41309&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41309&view=rev>) ()

- (<http://svn.apache.org/viewcvs.cgi?rev=41309&view=rev>) (andreas)
- [1.0] using SitetreeModule to obtain live tree [Diff](http://svn.apache.org/viewcvs.cgi?rev=41308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41308&view=rev>) (andreas)
- [1.0] commented out alert box [Diff](http://svn.apache.org/viewcvs.cgi?rev=41307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41307&view=rev>) (andreas)
- [1.0] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=41306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41306&view=rev>) (andreas)
- [1.0] fixed empty expression bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41305&view=rev>) (andreas)
- [1.0] added language-suffix attribute to navigation tree nodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41304&view=rev>) (andreas)
- [1.0] simplified some code snippets [Diff](http://svn.apache.org/viewcvs.cgi?rev=41301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41301&view=rev>) (andreas)
- [1.0] showing password form only for non-LDAP users [Diff](http://svn.apache.org/viewcvs.cgi?rev=41300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41300&view=rev>) (andreas)
- [1.0] added ldap attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=41299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41299&view=rev>) (andreas)
- [1.0] - fixed user id bug - showing name only for non-LDAP users [Diff](http://svn.apache.org/viewcvs.cgi?rev=41298&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41298&view=rev>) (andreas)
- [1.0] changed live role from "visitor" to "visit" [Diff](http://svn.apache.org/viewcvs.cgi?rev=41297&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41297&view=rev>) (andreas)
- [1.0] atom api debugging added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41296&view=rev>) (michi)
- [1.0] CDATA works now [Diff](http://svn.apache.org/viewcvs.cgi?rev=41295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41295&view=rev>) (michi)
- [1.0] link pointing from publishing screen to scheduler info tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=41294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41294&view=rev>) (andreas)
- [1.0] showing error message when publishing is not possible [Diff](http://svn.apache.org/viewcvs.cgi?rev=41293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41293&view=rev>) (andreas)
- [1.0] added getParent() and getParent(language) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41292&view=rev>) (andreas)
- [1.0] fixed links to groups [Diff](http://svn.apache.org/viewcvs.cgi?rev=41291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41291&view=rev>) (andreas)
- [1.0] removed <em> tags for groups list [Diff](http://svn.apache.org/viewcvs.cgi?rev=41290&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41290&view=rev>) (andreas)
- [1.0] fixed linebreaks in members list [Diff](http://svn.apache.org/viewcvs.cgi?rev=41289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41289&view=rev>) (andreas)
- [1.0] showing error message if child documents are live [Diff](http://svn.apache.org/viewcvs.cgi?rev=41288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41288&view=rev>) (andreas)
- [1.0] added method to obtain webapp URL based on context and request URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=41287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41287&view=rev>) (andreas)
- [1.0] added method to obtain only the children for a certain language [Diff](http://svn.apache.org/viewcvs.cgi?rev=41286&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41286&view=rev>) (andreas)
- [1.0] The ldapid was hard coded when doing the ldap lookup. This is fixed now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41285&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41285&view=rev>) (egli)
- [1.0] - added setLabel() method to sitetree and sitetreenode - fixed label publishing bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41284&view=rev>) (andreas)
- [1.0] Make sure the overwrite-uploads parameter is set to allow so that repeated uploads are not renamed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41283&view=rev>) (egli)
- [1.0] the node is inserted in the live tree at the right place call method addNode with the document id corresponding to the next sibling node [Diff](http://svn.apache.org/viewcvs.cgi?rev=41281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41281&view=rev>) (edith)
- [1.0] method getNextSiblings added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41280&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41280&view=rev>) (edith)
- [1.0] added methods to insert a node before another reference node [Diff](http://svn.apache.org/viewcvs.cgi?rev=41279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41279&view=rev>) (edith)
- [1.0] returning null when requested variable does not exist (not throwing exception) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41278&view=rev>) (andreas)
- [1.0] replaced feather with "admin" text [Diff](http://svn.apache.org/viewcvs.cgi?rev=41277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41277&view=rev>) (andreas)
- [1.0] language bug fixed which occurred during workflow initialization [Diff](http://svn.apache.org/viewcvs.cgi?rev=41276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41276&view=rev>) (michi)
- [1.0] Declaration of the DocumentIndexTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=41275&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41275&view=rev>) (edith)
- [1.0] is\_live is not really necessary [Diff](http://svn.apache.org/viewcvs.cgi?rev=41273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41273&view=rev>) (michi)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41272&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41272&view=rev>) (andreas)
- [1.0] removed items from unused menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=41271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41271&view=rev>) (andreas)

- [1.0] disabling empty menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=41270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41270&view=rev>) (andreas)
- [1.0] removed tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41269&view=rev>) (andreas)
- [1.0] open new browser window for live tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=41268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41268&view=rev>) (andreas)
- [1.0] using @current = 'true' attribute to check for currently selected node [Diff](http://svn.apache.org/viewcvs.cgi?rev=41267&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41267&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41266&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41266&view=rev>) (andreas)
- [1.0] changed output method to XML (otherwise a comments/CDATA problem occurs) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41265&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41265&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41264&view=rev>) (andreas)
- [1.0] Make sure the cancel button works. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41263&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41263&view=rev>) (egli)
- [1.0] reverting accidental commit [Diff](http://svn.apache.org/viewcvs.cgi?rev=41262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41262&view=rev>) (andreas)
- [1.0] Added a FIXME about the fact that it would be nicer if the rename of a label would not first remove and then readd the label. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41261&view=rev>) (egli)
- [1.0] Fixed the Cancel button. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41260&view=rev>) (egli)
- [1.0] Added referer to be used in case of a 'Cancel' [Diff](http://svn.apache.org/viewcvs.cgi?rev=41259&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41259&view=rev>) (egli)
- [1.0] fixed links from admin to other areas [Diff](http://svn.apache.org/viewcvs.cgi?rev=41258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41258&view=rev>) (andreas)
- [1.0] \* "Fixed" the param names to contain no '-'. Apparently this still causes problems under Linux with xsls. \* Pass the area from the page-envelope as the sitemap area can contain "info-". [Diff](http://svn.apache.org/viewcvs.cgi?rev=41256&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41256&view=rev>) (egli)
- [1.0] \* Changed the name of the screen to match the menu entry. \* "Fixed" the param names to contain no '-'. Apparently this still causes problems under Linux with xsls. \* Added a param for the language of the label that is to be changed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41255&view=rev>) (egli)
- [1.0] Fixed the indenting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41254&view=rev>) (egli)
- [1.0] Removed an unused variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41253&view=rev>) (egli)
- [1.0] Added some more documentation to a docstring. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41252&view=rev>) (egli)
- [1.0] Added a method to set (i.e. change) the label. Completed all the doc strings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41251&view=rev>) (egli)
- [1.0] getting doctype from page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=41250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41250&view=rev>) (andreas)
- [1.0] added URIParameterizer component [Diff](http://svn.apache.org/viewcvs.cgi?rev=41249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41249&view=rev>) (andreas)
- [1.0] added URIParameterizer role [Diff](http://svn.apache.org/viewcvs.cgi?rev=41248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41248&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41247&view=rev>) (andreas)
- [1.0] added Atom as name [Diff](http://svn.apache.org/viewcvs.cgi?rev=41245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41245&view=rev>) (michi)
- [1.0] added the legal directory to the build process [Diff](http://svn.apache.org/viewcvs.cgi?rev=41244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41244&view=rev>) (michi)
- [1.0] replaced "Info" with "Site" [Diff](http://svn.apache.org/viewcvs.cgi?rev=41243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41243&view=rev>) (andreas)
- [1.0] - removed obsolete tags - pretty printing [Diff](http://svn.apache.org/viewcvs.cgi?rev=41242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41242&view=rev>) (andreas)
- [1.0] moved workflow handling to core [Diff](http://svn.apache.org/viewcvs.cgi?rev=41241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41241&view=rev>) (andreas)
- [1.0] - simplified some pipelines - workaround for xslt param hyphen bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41240&view=rev>) (andreas)
- [1.0] implementing new menu handling in admin area [Diff](http://svn.apache.org/viewcvs.cgi?rev=41239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41239&view=rev>) (andreas)
- [1.0] fixed admin area CSS problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=41238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41238&view=rev>) (andreas)
- [1.0] - repaired some URLs - commented out handle-errors (we can remove the comment in the release) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41237&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41237&view=rev>) (andreas)
- [1.0] Fix typo in documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41235&view=rev>) (egli)
- [1.0] Export the getLabel method of the document through the page envelope module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41234&view=rev>) (egli)
- [1.0] Added a method to query the associated label of a document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41233&view=rev>) (egli)
- [1.0] Implemented a method to query the associated label of a document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41232&view=rev>) (egli)

- [1.0] pretty printing [Diff](http://svn.apache.org/viewcvs.cgi?rev=41231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41231&view=rev>) (andreas)
- [1.0] - enabling assertions - disabling mime-type check [Diff](http://svn.apache.org/viewcvs.cgi?rev=41229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41229&view=rev>) (andreas)
- [1.0] added style information for lenya-menubar and lenya-cmsbody [Diff](http://svn.apache.org/viewcvs.cgi?rev=41227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41227&view=rev>) (andreas)
- [1.0] reflecting changes to lenya page processing [Diff](http://svn.apache.org/viewcvs.cgi?rev=41226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41226&view=rev>) (andreas)
- [1.0] - added menu namespace - removed url-info - removed lenya util logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=41225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41225&view=rev>) (andreas)
- [1.0] Testing website added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41224&view=rev>) (michi)
- [1.0] search-results on the fly [Diff](http://svn.apache.org/viewcvs.cgi?rev=41222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41222&view=rev>) (michi)
- [1.0] wsproxy added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41221&view=rev>) (michi)
- [1.0] more work on the atom api [Diff](http://svn.apache.org/viewcvs.cgi?rev=41220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41220&view=rev>) (gregor)
- [1.0] PUT for updating added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41219&view=rev>) (michi)
- [1.0] some debugging instructions added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41218&view=rev>) (michi)
- [1.0] avoiding exception when no resource files exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=41217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41217&view=rev>) (andreas)
- [1.0] Adapting changes in BXENG [Diff](http://svn.apache.org/viewcvs.cgi?rev=41216&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41216&view=rev>) (felix)
- [1.0] removed unnecessary task action parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=41215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41215&view=rev>) (andreas)
- [1.0] getHistoryPath() bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41214&view=rev>) (andreas)
- [1.0] Code cleanup: \* Use document-node-id from the page envelope input module instead of splitting the document-id manually. \* Renamed the ill-named first- and lastDocumentId to source- and destinationDocumentId. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41213&view=rev>) (egli)
- [1.0] including only menu.css [Diff](http://svn.apache.org/viewcvs.cgi?rev=41212&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41212&view=rev>) (andreas)
- [1.0] removed FIXME comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=41211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41211&view=rev>) (andreas)
- [1.0] added getPathFromPublication() [Diff](http://svn.apache.org/viewcvs.cgi?rev=41209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41209&view=rev>) (andreas)
- [1.0] webdav Test added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41208&view=rev>) (michi)
- [1.0] Entries added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41207&view=rev>) (michi)
- [1.0] sidebar archive fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41206&view=rev>) (michi)
- [1.0] namespaces fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41205&view=rev>) (michi)
- [1.0] replaced old atom namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=41204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41204&view=rev>) (gregor)
- [1.0] Page XML View added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41203&view=rev>) (michi)
- [1.0] search-entries and introspection implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=41202&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41202&view=rev>) (michi)
- [1.0] tests and spec links added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41201&view=rev>) (michi)
- [1.0] Use the html-iso-8859-1 serializer to ensure the forms are in iso-8859-1 so that there are no problems with umlauts. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41200&view=rev>) (egli)
- [1.0] set log to debug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41199&view=rev>) (edith)
- [1.0] RC exception with new layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=41198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41198&view=rev>) (edith)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41197&view=rev>) (andreas)
- [1.0] different navigation stylesheets for admin area [Diff](http://svn.apache.org/viewcvs.cgi?rev=41196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41196&view=rev>) (andreas)
- [1.0] fix the redirect for the revision's view because of the info-authoring area [Diff](http://svn.apache.org/viewcvs.cgi?rev=41195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41195&view=rev>) (edith)
- [1.0] Fix the view and the rollback version for the revisions [Diff](http://svn.apache.org/viewcvs.cgi?rev=41194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41194&view=rev>) (edith)
- [1.0] pipeline simplified [Diff](http://svn.apache.org/viewcvs.cgi?rev=41193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41193&view=rev>) (michi)
- [1.0] atomapi implementation started [Diff](http://svn.apache.org/viewcvs.cgi?rev=41192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41192&view=rev>) (michi)
- [1.0] subtitle bar added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41191&view=rev>) (michi)
- [1.0] namespace problem fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41190&view=rev>) (michi)
- [1.0] workflowmenu transformation added but did not solve the menu item problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=41189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41189&view=rev>) (michi)

- [1.0] version to feed added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41188&view=rev>) (michi)
- [1.0] remove obsolete elements [Diff](http://svn.apache.org/viewcvs.cgi?rev=41187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41187&view=rev>) (gregor)
- [1.0] Atom Software Links added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41186&view=rev>) (michi)
- [1.0] fixes to make the blog feed comply with atom 0.2 as per feedvalidator.org [Diff](http://svn.apache.org/viewcvs.cgi?rev=41185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41185&view=rev>) (gregor)
- [1.0] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=41184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41184&view=rev>) (andreas)
- [1.0] Renamed the xsls not\_published\_yet and parent\_node\_not\_found to not-published-yet and parent-node-not-found respectively according to naming convection discussions in the mailing list. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41183&view=rev>) (egli)
- [1.0] adding document URL to notification message [Diff](http://svn.apache.org/viewcvs.cgi?rev=41182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41182&view=rev>) (andreas)
- [1.0] removed policies sitemap added menu sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41181&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41180&view=rev>) (andreas)
- [1.0] Instead of having a boolean variable 'insertBefore' there is now a variable 'insertWhere' which can be 'before', 'after' or 'inside'. For the values 'before' and 'after' the tags are added before or after the original tag. For the value inside the new tag is inserted inside the original tag. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41179&view=rev>) (egli)
- [1.0] Instead of having a boolean variable 'insertBefore' there is now a variable 'insertWhere' which can be 'before', 'after' or 'inside'. This variable is passed to the ant task which acts accordingly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41178&view=rev>) (egli)
- [1.0] Use the text-iso-8859-1 serializer when returning the navigation for the info area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41177&view=rev>) (egli)
- [1.0] Added a text serializer that uses iso-8859-1 as encoding. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41176&view=rev>) (egli)
- [1.0] extends from TwoDoucmentOperationTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=41175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41175&view=rev>) (edith)
- [1.0] extends from TwoDocumentsOperationTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=41174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41174&view=rev>) (edith)
- [1.0] added scheduler pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=41173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41173&view=rev>) (andreas)
- [1.0] added some log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=41170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41170&view=rev>) (andreas)
- [1.0] introduction of the parameters user-id and ipaddress needed by the initialisation of the workflow in case of copying [Diff](http://svn.apache.org/viewcvs.cgi?rev=41169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41169&view=rev>) (edith)
- [1.0] Give the situation to the initHistory method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41168&view=rev>) (edith)
- [1.0] Fix the workflow task for copy and move [Diff](http://svn.apache.org/viewcvs.cgi?rev=41166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41166&view=rev>) (edith)
- [1.0] added request parameter forwarding to delete usecase stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=41165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41165&view=rev>) (andreas)
- [1.0] fixed link from admin to info [Diff](http://svn.apache.org/viewcvs.cgi?rev=41164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41164&view=rev>) (andreas)
- [1.0] forwarding request parameters for deactivate screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=41163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41163&view=rev>) (andreas)
- [1.0] forwarding lenya.step parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41162&view=rev>) (andreas)
- [1.0] changed role ID (manager -> review) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41161&view=rev>) (andreas)
- [1.0] added logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=41160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41160&view=rev>) (andreas)
- [1.0] hack for the filename for the bitflux editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=41159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41159&view=rev>) (edith)
- [1.0] switched to global menu handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41158&view=rev>) (andreas)
- [1.0] added menu pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=41157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41157&view=rev>) (andreas)
- [1.0] added area handling for blocks and items [Diff](http://svn.apache.org/viewcvs.cgi?rev=41156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41156&view=rev>) (andreas)
- [1.0] Make sure the caption field is not displayed in the case of asset upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41155&view=rev>) (egli)
- [1.0] The serializer xhtml-bxeng has been renamed to xhtml-iso-8859-1. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41154&view=rev>) (egli)
- [1.0] Make sure the { xhtml|html}-iso-8859-1 serializers are used to produce the info and use case forms so that the form data is sent correctly to the server. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41153&view=rev>) (egli)
- [1.0] Added a new serializer for html which uses the ISO-8859-1 encoding Renamed the xhtml-bxeng serializer to

- xhtml-iso-8859-1. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41152&view=rev>) (egli)
- [1.0] Remove the xsl:output statement. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41151&view=rev>) (egli)
- [1.0] showing item "Paste" only when clipboard is not empty [Diff](http://svn.apache.org/viewcvs.cgi?rev=41150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41150&view=rev>) (andreas)
- [1.0] fixed archive usecase redirect [Diff](http://svn.apache.org/viewcvs.cgi?rev=41149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41149&view=rev>) (andreas)
- [1.0] redirecting to area URL after rename [Diff](http://svn.apache.org/viewcvs.cgi?rev=41148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41148&view=rev>) (andreas)
- [1.0] redirecting to area URL after restore [Diff](http://svn.apache.org/viewcvs.cgi?rev=41147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41147&view=rev>) (andreas)
- [1.0] bugfix for area URL handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41146&view=rev>) (andreas)
- [1.0] - layout changes - reflecting changes to XSPs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41145&view=rev>) (andreas)
- [1.0] - different style for cutted sitetree node - bugfixes for area nodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41144&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41144&view=rev>) (andreas)
- [1.0] added style for cutted sitetree node [Diff](http://svn.apache.org/viewcvs.cgi?rev=41143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41143&view=rev>) (andreas)
- [1.0] reflecting changes: converted MoveSiteTreeNodeTask to Ant task [Diff](http://svn.apache.org/viewcvs.cgi?rev=41142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41142&view=rev>) (andreas)
- [1.0] removed session usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=41141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41141&view=rev>) (andreas)
- [1.0] fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41140&view=rev>) (andreas)
- [1.0] added getInfoUrl() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=41139&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41139&view=rev>) (andreas)
- [1.0] - using existsInAnyLanguage() to check for document - improved logging performance [Diff](http://svn.apache.org/viewcvs.cgi?rev=41137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41137&view=rev>) (andreas)
- [1.0] added nbsp for AC-\* tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41136&view=rev>) (andreas)
- [1.0] introduced "info-" prefix for info area [Diff](http://svn.apache.org/viewcvs.cgi?rev=41135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41135&view=rev>) (andreas)
- [1.0] prettified workflow handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41134&view=rev>) (andreas)
- [1.0] commented-out overview/current-language [Diff](http://svn.apache.org/viewcvs.cgi?rev=41133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41133&view=rev>) (andreas)
- [1.0] replaced inline style with CSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=41132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41132&view=rev>) (andreas)
- [1.0] implemented missing language and area handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41131&view=rev>) (andreas)
- [1.0] implemented missing language handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41130&view=rev>) (andreas)
- [1.0] checking id attribute for "" [Diff](http://svn.apache.org/viewcvs.cgi?rev=41129&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41129&view=rev>) (andreas)
- [1.0] Migrated to the new way of fetching the site tree by way of asking the Publication for it instead of creating one by passing in the path to the xml tree file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41128&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41128&view=rev>) (egli)
- [1.0] fixed "update metadata" bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=41127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41127&view=rev>) (andreas)
- [1.0] fixed menu style [Diff](http://svn.apache.org/viewcvs.cgi?rev=41126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41126&view=rev>) (andreas)
- [1.0] Make sure the update step matcher has a chance to get matched. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41125&view=rev>) (egli)
- [1.0] Fixed the redirect after language removal. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41124&view=rev>) (egli)
- [1.0] prettified images [Diff](http://svn.apache.org/viewcvs.cgi?rev=41123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41123&view=rev>) (andreas)
- [1.0] FIXME added for XUpdate [Diff](http://svn.apache.org/viewcvs.cgi?rev=41122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41122&view=rev>) (michi)
- [1.0] Lexus XUpdate integrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=41121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41121&view=rev>) (michi)
- [1.0] Make sure no spurious namespaces are inserted. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41120&view=rev>) (egli)
- [1.0] Fix the getNodeID method. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41118&view=rev>) (egli)
- [1.0] prettified menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=41116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41116&view=rev>) (andreas)
- [1.0] changed menu separators [Diff](http://svn.apache.org/viewcvs.cgi?rev=41115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41115&view=rev>) (andreas)
- [1.0] updated menu layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=41114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41114&view=rev>) (andreas)
- [1.0] displaying is\_live variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41112&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41112&view=rev>) (andreas)
- [1.0] fixed info area tab highlighting [Diff](http://svn.apache.org/viewcvs.cgi?rev=41111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41111&view=rev>) (andreas)
- [1.0] Removed a serialize that was never reached. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41110&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41110&view=rev>) (egli)
- [1.0] Export the nodeId of a document or the basename of the document-id through the Document interface and through the page-envelope module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41108&view=rev>) (egli)
- [1.0] If the document does not exist throw a DocumentDoesNotExist exception instead of just returning null. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41107&view=rev>) (egli)

- [1.0] Remove unused imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41106&view=rev>) (egli)
- [1.0] - corporate design for sitetree - fixed language links - added document URL above tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41105&view=rev>) (andreas)
- [1.0] improved tab styling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41104&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41104&view=rev>) (andreas)
- [1.0] fixed check if workflow exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=41103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41103&view=rev>) (andreas)
- [1.0] corporate design for tree [Diff](http://svn.apache.org/viewcvs.cgi?rev=41102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41102&view=rev>) (andreas)
- [1.0] getting chosenlanguage from page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=41101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41101&view=rev>) (andreas)
- [1.0] javascript bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41100&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41100&view=rev>) (andreas)
- [1.0] - changed sitetree css - removed interferences from Lenya menu to page [Diff](http://svn.apache.org/viewcvs.cgi?rev=41099&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41099&view=rev>) (andreas)
- [1.0] Commented out "Last edited by" on overview tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=41098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41098&view=rev>) (felix)
- [1.0] removing previous user from session when new user logs in [Diff](http://svn.apache.org/viewcvs.cgi?rev=41097&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41097&view=rev>) (andreas)
- [1.0] updated info tab URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=41096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41096&view=rev>) (andreas)
- [1.0] removed iframes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41095&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41095&view=rev>) (andreas)
- [1.0] - moved info usecases from usecase.xmap to info.xmap - restructured info sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41094&view=rev>) (andreas)
- [1.0] checking if event attribute exists (is not the empty string) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41093&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41093&view=rev>) (andreas)
- [1.0] checking if event attribute exists [Diff](http://svn.apache.org/viewcvs.cgi?rev=41092&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41092&view=rev>) (andreas)
- [1.0] Make sure the default encoding for the html serializer is UTF-8. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41090&view=rev>) (egli)
- [1.0] Make sure that if the document doesn't exist (as is the case for trash and archive nodes in site tree in info area) no attempt is made to fetch the dublin core meta data (which would lead to an exception) [Diff](http://svn.apache.org/viewcvs.cgi?rev=41089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41089&view=rev>) (egli)
- [1.0] fixed title value [Diff](http://svn.apache.org/viewcvs.cgi?rev=41088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41088&view=rev>) (andreas)
- [1.0] showing ID and name in members list [Diff](http://svn.apache.org/viewcvs.cgi?rev=41087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41087&view=rev>) (andreas)
- [1.0] using workflow input module to resolve history path [Diff](http://svn.apache.org/viewcvs.cgi?rev=41086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41086&view=rev>) (andreas)
- [1.0] reflecting changes to workflow classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41085&view=rev>) (andreas)
- [1.0] added history path attribute to workflow module [Diff](http://svn.apache.org/viewcvs.cgi?rev=41084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41084&view=rev>) (andreas)
- [1.0] updated workflow handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=41083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41083&view=rev>) (andreas)
- [1.0] showing workflow state [Diff](http://svn.apache.org/viewcvs.cgi?rev=41082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41082&view=rev>) (andreas)
- [1.0] adding workflow state [Diff](http://svn.apache.org/viewcvs.cgi?rev=41081&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41081&view=rev>) (andreas)
- [1.0] renamed "Content" to "Delete Trash" [Diff](http://svn.apache.org/viewcvs.cgi?rev=41080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41080&view=rev>) (andreas)
- [1.0] - added BooleanVariableCondition - fixed javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41079&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41079&view=rev>) (andreas)
- [1.0] catch and log exception [Diff](http://svn.apache.org/viewcvs.cgi?rev=41078&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41078&view=rev>) (andreas)
- [1.0] removed insertion of state and is\_live variable value [Diff](http://svn.apache.org/viewcvs.cgi?rev=41077&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41077&view=rev>) (andreas)
- [1.0] re-formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=41076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41076&view=rev>) (andreas)
- [1.0] added area to info-workflow ResourceExistsAction path [Diff](http://svn.apache.org/viewcvs.cgi?rev=41074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41074&view=rev>) (andreas)
- [1.0] writing initial state on history initialization [Diff](http://svn.apache.org/viewcvs.cgi?rev=41073&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41073&view=rev>) (andreas)
- [1.0] added IP\_ADDRESS parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=41072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41072&view=rev>) (andreas)
- [1.0] using meta-stylesheet for scheduler [Diff](http://svn.apache.org/viewcvs.cgi?rev=41071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41071&view=rev>) (andreas)
- [1.0] changed layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=41070&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41070&view=rev>) (andreas)
- [1.0] added scheduler css tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=41069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41069&view=rev>) (andreas)
- [1.0] factored out scheduler functionality to external XSP [Diff](http://svn.apache.org/viewcvs.cgi?rev=41068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41068&view=rev>)

- (andreas)
- [1.0] Workflow event inserted [Diff](http://svn.apache.org/viewcvs.cgi?rev=41066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41066&view=rev>) (edith)
- [1.0] relative path problem simplified [Diff](http://svn.apache.org/viewcvs.cgi?rev=41064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41064&view=rev>) (michi)

## 36. Version 2003-08 ()

### 36.1. 1.0

- [1.0] archives implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=41063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41063&view=rev>) (michi)
- [1.0] added default notification file [Diff](http://svn.apache.org/viewcvs.cgi?rev=41037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41037&view=rev>) (andreas)
- [1.0] Added an action that allows checking if a document exists in the given language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41021&view=rev>) (egli)
- [1.0] added SingleLanguageIdentityMapper [Diff](http://svn.apache.org/viewcvs.cgi?rev=41005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41005&view=rev>) (andreas)
- [1.0] Added an xsp and an xsl for the missing language screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=41001&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41001&view=rev>) (egli)
- [1.0] notification added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41000&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41000&view=rev>) (michi)
- [1.0] added IdentityDocumentIdToPathMapper [Diff](http://svn.apache.org/viewcvs.cgi?rev=40974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40974&view=rev>) (andreas)
- [1.0] JUnit class for the Dublin Core classes (Interface, Implementation and Proxy). [Diff](http://svn.apache.org/viewcvs.cgi?rev=40966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40966&view=rev>) (egli)
- [1.0] ant task for the operation move a document move workflow files [Diff](http://svn.apache.org/viewcvs.cgi?rev=40932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40932&view=rev>) (edith)
- [1.0] blue dot image for asset upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40925&view=rev>) (egli)
- [1.0] ant task to initialize the sitetree xml file (remove all children of the root node) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40922&view=rev>) (edith)
- [1.0] Meta stylesheet that generates a stylesheet which inserts asset tags in the xml documents. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40920&view=rev>) (egli)
- [1.0] added TaskWrapper classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40904&view=rev>) (andreas)
- [1.0] Simple upload action which just uploads an asset. It does not do any inserting of tags in xml files as the ImageUploadCreatorAction and is therefore more generic. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40899&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40899&view=rev>) (egli)
- [1.0] mod\_proxy docu added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40881&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40881&view=rev>) (michi)
- [1.0] added notification stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=40859&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40859&view=rev>) (andreas)
- [1.0] added reject-screen and submit-screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=40856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40856&view=rev>) (andreas)
- [1.0] directory moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=40847&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40847&view=rev>) (michi)
- [1.0] facade to get the DublinCore [Diff](http://svn.apache.org/viewcvs.cgi?rev=40844&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40844&view=rev>) (edith)
- [1.0] DocumentIdToPathMapper for OSCOM and Blog publication added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40824&view=rev>) (michi)
- [1.0] Added a screen for resource upload or selection. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40811&view=rev>) (egli)
- [1.0] Added Manager to keep track of resources for a given document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40810&view=rev>) (egli)
- [1.0] XSLT for bxeng entry [Diff](http://svn.apache.org/viewcvs.cgi?rev=40796&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40796&view=rev>) (michi)
- [1.0] Added the Exception selector to the sitemap which catches the ParentNotFoundException and returns a nice error message when a document is published whose parent doc hasn't been published. Added a nice error screen in the lenya look. Added usecase pipelines for info-meta saving. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40794&view=rev>) (egli)
- [1.0] added scheduler logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=40787&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40787&view=rev>) (andreas)
- [1.0] renamed publish-screen-usecase.xsp to screen.xsp [Diff](http://svn.apache.org/viewcvs.cgi?rev=40780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40780&view=rev>) (andreas)
- [1.0] BXENG URL config [Diff](http://svn.apache.org/viewcvs.cgi?rev=40770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40770&view=rev>) (michi)
- [1.0] implemented workflow history in info area [Diff](http://svn.apache.org/viewcvs.cgi?rev=40764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40764&view=rev>) (andreas)
- [1.0] Ant task to write the dublin core values. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40752&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40752&view=rev>) (egli)

- [1.0] using caching for usecase role configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40720&view=rev>) (andreas)
- [1.0] replaced PolicyCache by more generic SourceCache [Diff](http://svn.apache.org/viewcvs.cgi?rev=40718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40718&view=rev>) (andreas)
- [1.0] Added an Exception class for document specific exceptions. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40715&view=rev>) (egli)
- [1.0] - improved policy caching - using document-id for policy resolving [Diff](http://svn.apache.org/viewcvs.cgi?rev=40692&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40692&view=rev>) (andreas)
- [1.0] Added an Ant task and screens to allow deletion of a language node of a document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40676&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40676&view=rev>) (egli)
- [1.0] HTML Form Editor insert and delete icons added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40665&view=rev>) (michi)
- [1.0] split info tabs into separate pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40658&view=rev>) (gregor)
- [1.0] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=40635&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40635&view=rev>) (edith)
- [1.0] add delete trash to admin area [Diff](http://svn.apache.org/viewcvs.cgi?rev=40629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40629&view=rev>) (gregor)
- [1.0] Visitor interface for the operations performed on sitetreenodes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40626&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40626&view=rev>) (edith)
- [1.0] copy implemented with the Visitor pattern. copy content xml files and workflow. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40622&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40622&view=rev>) (edith)
- [1.0] Ant task to insert a label into an existing node in the sitetree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40621&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40621&view=rev>) (egli)
- [1.0] HTML Form Save Action started [Diff](http://svn.apache.org/viewcvs.cgi?rev=40616&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40616&view=rev>) (michi)
- [1.0] usecase policies added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40602&view=rev>) (michi)
- [1.0] Added the optional.jar from the ant distribution. Since it probably makes sense to have the ant.jar and the optional.jar to be from the same (nighly) snapshot and there is no way I could find out from which snapshot the old jar was I replaced the ant.jar with the jar from the same snapshot as the optional.jar. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40588&view=rev>) (egli)
- [1.0] usecase policies added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40585&view=rev>) (michi)
- [1.0] This commit was manufactured by cvs2svn to create tag 'start'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40584&view=rev>) ()
- [1.0] Initial revision [Diff](http://svn.apache.org/viewcvs.cgi?rev=40581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40581&view=rev>) (michi)
- [1.0] Ant snippet to get the filename for a particular document-id using the documentToPathmapper. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40580&view=rev>) (egli)
- [1.0] added UsecaseMenuTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=40576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40576&view=rev>) (andreas)
- [1.0] redesigned scheduler pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=41046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41046&view=rev>) (andreas)
- [1.0] removed unused files [Diff](http://svn.apache.org/viewcvs.cgi?rev=41041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41041&view=rev>) (andreas)
- [1.0] removed unused scheduler XSPs [Diff](http://svn.apache.org/viewcvs.cgi?rev=41038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41038&view=rev>) (andreas)
- [1.0] renamed to xhtml [Diff](http://svn.apache.org/viewcvs.cgi?rev=41028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41028&view=rev>) (michi)
- [1.0] replaced JobDataMapWrapper by NamespaceMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=41006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41006&view=rev>) (andreas)
- [1.0] not needed anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=40997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40997&view=rev>) (michi)
- [1.0] just for testing, not necessary anymore [Diff](http://svn.apache.org/viewcvs.cgi?rev=40901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40901&view=rev>) (michi)
- [1.0] renamed screen.xsl to publish-screen.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=40864&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40864&view=rev>) (andreas)
- [1.0] directory moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=40848&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40848&view=rev>) (michi)
- [1.0] moved scheduler.xconf from content to config [Diff](http://svn.apache.org/viewcvs.cgi?rev=40804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40804&view=rev>) (andreas)
- [1.0] old access controller policies removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40735&view=rev>) (michi)
- [1.0] usecase edit generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=40685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40685&view=rev>) (michi)
- [1.0] moved to generic location [Diff](http://svn.apache.org/viewcvs.cgi?rev=40670&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40670&view=rev>) (michi)
- [1.0] replaced by generic exception XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=40669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40669&view=rev>) (michi)
- [1.0] replaced by more generic SaveAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=40651&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40651&view=rev>) (michi)
- [1.0] go back to admin overview if cancel [Diff](http://svn.apache.org/viewcvs.cgi?rev=40637&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40637&view=rev>) (gregor)

- [1.0] removed obsolete files [Diff](http://svn.apache.org/viewcvs.cgi?rev=40601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40601&view=rev>) (andreas)
- [1.0] Replaced by a newer jar. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40589&view=rev>) (egli)
- [1.0] This commit was manufactured by cvs2svn to create branch 'michi'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40582&view=rev>) ()
- [1.0] Archives generates XML [Diff](http://svn.apache.org/viewcvs.cgi?rev=41062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41062&view=rev>) (michi)
- [1.0] - added logging - adding leading slash to webapp URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=41061&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41061&view=rev>) (andreas)
- [1.0] added mkdirs() to writeDocument() [Diff](http://svn.apache.org/viewcvs.cgi?rev=41060&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41060&view=rev>) (andreas)
- [1.0] - added logging - make use of ServletHelper [Diff](http://svn.apache.org/viewcvs.cgi?rev=41059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41059&view=rev>) (andreas)
- [1.0] using ServletHelper to compute webapp URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=41058&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41058&view=rev>) (andreas)
- [1.0] improved log messages slightly [Diff](http://svn.apache.org/viewcvs.cgi?rev=41057&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41057&view=rev>) (andreas)
- [1.0] added "export" target [Diff](http://svn.apache.org/viewcvs.cgi?rev=41056&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41056&view=rev>) (andreas)
- [1.0] added package imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=41055&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41055&view=rev>) (andreas)
- [1.0] setting workflow enabled only when access control is enabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=41054&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41054&view=rev>) (andreas)
- [1.0] Atom added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41053&view=rev>) (michi)
- [1.0] Archives started to add [Diff](http://svn.apache.org/viewcvs.cgi?rev=41052&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41052&view=rev>) (michi)
- [1.0] sidebar editable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41051&view=rev>) (michi)
- [1.0] html form editor redirect fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41050&view=rev>) (michi)
- [1.0] FIXME for HTML Form Editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41049&view=rev>) (michi)
- [1.0] Sidebar is editable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41048&view=rev>) (michi)
- [1.0] colors prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=41047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41047&view=rev>) (michi)
- [1.0] relaxng added [Diff](http://svn.apache.org/viewcvs.cgi?rev=41045&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41045&view=rev>) (michi)
- [1.0] commented out unused component declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=41044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41044&view=rev>) (andreas)
- [1.0] - reflecting scheduler changes - removed unused pipelines - notification: fallback to default config file [Diff](http://svn.apache.org/viewcvs.cgi?rev=41043&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41043&view=rev>) (andreas)
- [1.0] reflecting scheduler changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=41042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41042&view=rev>) (andreas)
- [1.0] no suffix for default language [Diff](http://svn.apache.org/viewcvs.cgi?rev=41040&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41040&view=rev>) (andreas)
- [1.0] adding notification [Diff](http://svn.apache.org/viewcvs.cgi?rev=41039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41039&view=rev>) (andreas)
- [1.0] - added modifyJob() - some refactoring and simplification [Diff](http://svn.apache.org/viewcvs.cgi?rev=41036&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41036&view=rev>) (andreas)
- [1.0] using modifyJob() instead of delete+add [Diff](http://svn.apache.org/viewcvs.cgi?rev=41035&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41035&view=rev>) (andreas)
- [1.0] config fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41034&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41034&view=rev>) (michi)
- [1.0] Adding use of xhtml instead of xslt for BXENG [Diff](http://svn.apache.org/viewcvs.cgi?rev=41033&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41033&view=rev>) (felix)
- [1.0] passing modifiable map to WorkflowInvoker [Diff](http://svn.apache.org/viewcvs.cgi?rev=41032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41032&view=rev>) (andreas)
- [1.0] copy only children [Diff](http://svn.apache.org/viewcvs.cgi?rev=41031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41031&view=rev>) (michi)
- [1.0] xhtml serializer for BXENG added because ISO-8859-1 is necessary [Diff](http://svn.apache.org/viewcvs.cgi?rev=41030&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41030&view=rev>) (michi)
- [1.0] unnecessary components removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=41029&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41029&view=rev>) (michi)
- [1.0] index.xhtml is now configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=41027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41027&view=rev>) (michi)
- [1.0] removed unused variables [Diff](http://svn.apache.org/viewcvs.cgi?rev=41026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41026&view=rev>) (andreas)
- [1.0] - changed notification prefix - getParameters() returns unmodifiable map [Diff](http://svn.apache.org/viewcvs.cgi?rev=41025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41025&view=rev>) (andreas)
- [1.0] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=41024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41024&view=rev>) (andreas)
- [1.0] log messages, small code cleanups [Diff](http://svn.apache.org/viewcvs.cgi?rev=41023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41023&view=rev>) (andreas)
- [1.0] changed notification prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=41022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=41022&view=rev>) (andreas)
- [1.0] Added two methods for checking 1. if a document exists (exists()) 2. if a document with the given document-id and

- area (regardless of the language) exists (existsInAnyLanguage()) [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41020&view=rev>) (egli)
- [1.0] Added an encoding tag. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41019&view=rev>) (egli)
- [1.0] Removed unneeded xsl:output tag. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41018&view=rev>) (egli)
- [1.0] Simplified the sitemap by introducing a resource which shares some common functionality. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41017&view=rev>) (egli)
- [1.0] PUT added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41016&view=rev>) (michi)
- [1.0] renamed target "mail" to "notification" [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41015&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41014&view=rev>) (andreas)
- [1.0] reflecting changes to other scheduler classes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41013&view=rev>) (andreas)
- [1.0] using Map instead of Parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41012&view=rev>) (andreas)
- [1.0] added setServletContextPath() method [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41011&view=rev>) (andreas)
- [1.0] checking task-id only when task is executed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41010&view=rev>) (andreas)
- [1.0] simplified parameter handling [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41009&view=rev>) (andreas)
- [1.0] using attributes instead of parameter elements to store job-specific information [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41008&view=rev>) (andreas)
- [1.0] buttons added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41007&view=rev>) (michi)
- [1.0] - using Maps instead of Parameters - changed document-url parameter prefix [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=41004&view=rev>) (andreas)
- [1.0] notification disabled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41003&view=rev>) (michi)
- [1.0] notes added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=41002&view=rev>) (michi)
- [1.0] sidebar for overview fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40999&view=rev>) (michi)
- [1.0] sidebar added to overview [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40998&view=rev>) (michi)
- [1.0] sidebar as XML instead XSLT [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40996&view=rev>) (michi)
- [1.0] Removed unused variables. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40995&view=rev>) (egli)
- [1.0] Made the class deprecated as it has been superceded by the page-envelope input module. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=40994&view=rev>) (egli)
- [1.0] Set this action to deprecated as it has been superceded by the document remove ant task. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=40993&view=rev>) (egli)
- [1.0] Remove unused variables and methods. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40992&view=rev>) (egli)
- [1.0] Exceptions in the setter methods of DublinCore are no longer silently caught, but are now passed on. [Diff](#)  
(<http://svn.apache.org/viewcvs.cgi?rev=40991&view=rev>) (egli)
- [1.0] updated scheduler usecase [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40990&view=rev>) (andreas)
- [1.0] using logicsheet-generated parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40989&view=rev>) (andreas)
- [1.0] re-arranged parameters, improved notification GUI [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40988&view=rev>) (andreas)
- [1.0] more flexible notification GUI [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40987&view=rev>) (andreas)
- [1.0] XML from webdav folder [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40986&view=rev>) (michi)
- [1.0] showing is\_live variable value [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40985&view=rev>) (andreas)
- [1.0] redirect for index.html added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40984&view=rev>) (michi)
- [1.0] changed layout [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40983&view=rev>) (andreas)
- [1.0] Lenya title linked [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40982&view=rev>) (michi)
- [1.0] added getVariableNames() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40981&view=rev>) (andreas)
- [1.0] allowing Object values [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40980&view=rev>) (andreas)
- [1.0] improved parameter handling [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40979&view=rev>) (andreas)
- [1.0] task wrapper bugfix, improved log messages [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40978&view=rev>) (andreas)
- [1.0] using webapp URL instead of document URL [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40977&view=rev>) (andreas)
- [1.0] code cleanup [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40976&view=rev>) (andreas)
- [1.0] added getDate() method [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40975&view=rev>) (andreas)

- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40973&view=rev>) (andreas)
- [1.0] adding is\_live variable to XML [Diff](http://svn.apache.org/viewcvs.cgi?rev=40972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40972&view=rev>) (andreas)
- [1.0] some bugfixes, improved log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40971&view=rev>) (andreas)
- [1.0] using SchedulerHelper to add parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=40970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40970&view=rev>) (andreas)
- [1.0] removed unused cast [Diff](http://svn.apache.org/viewcvs.cgi?rev=40969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40969&view=rev>) (andreas)
- [1.0] removed unused variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40968&view=rev>) (andreas)
- [1.0] removed unused field [Diff](http://svn.apache.org/viewcvs.cgi?rev=40967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40967&view=rev>) (andreas)
- [1.0] The Dublin Core class has been rewritten to make proper use of the GoF Proxy Pattern. The old 'clever' algorithm had severe timing flaws, whereas the new algorithm is based on tried and proven technology. So the DublinCore class has been transformed into an interface, a proxy and an actual implementation which is used by the proxy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40965&view=rev>) (egli)
- [1.0] Removed unused variables. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40964&view=rev>) (egli)
- [1.0] Make sure the parameter names match the names of the params that the ant task is expecting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40963&view=rev>) (egli)
- [1.0] PUT is handled by WebDAV sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=40962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40962&view=rev>) (michi)
- [1.0] Revoved unused variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40961&view=rev>) (egli)
- [1.0] Removed unused variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40960&view=rev>) (egli)
- [1.0] Revoved unused variable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40959&view=rev>) (egli)
- [1.0] Fixed a bug where the getResources method would also return subdirs. Added a method to fetch meta data. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40958&view=rev>) (egli)
- [1.0] PUT to WebDAV sitemap added, but there seems to be a problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=40957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40957&view=rev>) (michi)
- [1.0] Added some javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40956&view=rev>) (egli)
- [1.0] Removed unused variable and unused cast. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40955&view=rev>) (egli)
- [1.0] Removed unecessary cast. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40954&view=rev>) (egli)
- [1.0] Removed an unused variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40953&view=rev>) (egli)
- [1.0] getlastmodified and getcontentlength improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=40952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40952&view=rev>) (michi)
- [1.0] Imporved Javadoc to clarify the fact that there is one language associated with a document but there are possibly a number of languages for which there are also documents with the same document-id. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40951&view=rev>) (egli)
- [1.0] Make sure the meta data update redirects back to the info screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40950&view=rev>) (egli)
- [1.0] Link on title [Diff](http://svn.apache.org/viewcvs.cgi?rev=40949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40949&view=rev>) (michi)
- [1.0] Files im#plemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40948&view=rev>) (michi)
- [1.0] WebDAV sitemap added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40947&view=rev>) (michi)
- [1.0] fix the rollback and the view The document-id is no more necessary as a request parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=40946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40946&view=rev>) (edith)
- [1.0] fix the rollback/view get the parameters from the page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40945&view=rev>) (edith)
- [1.0] fix the Rollback [Diff](http://svn.apache.org/viewcvs.cgi?rev=40944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40944&view=rev>) (edith)
- [1.0] change file path [Diff](http://svn.apache.org/viewcvs.cgi?rev=40943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40943&view=rev>) (edith)
- [1.0] Make sure the asset remove redirects back to the info screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40942&view=rev>) (egli)
- [1.0] Make sure the asset upload redirects back to the info screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40941&view=rev>) (egli)
- [1.0] Make sure the correct usecase is sent to the server in the case when we are doing a simple upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40940&view=rev>) (egli)
- [1.0] Adapt the title of the upload screen if the upload/insert is for an image. Make sure the creator is editeable (the creator of the asset is not necessarily the person loggen in currently). [Diff](http://svn.apache.org/viewcvs.cgi?rev=40939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40939&view=rev>) (egli)

- [1.0] root path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40938&view=rev>) (michi)
- [1.0] WebDAV implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40937&view=rev>) (michi)
- [1.0] fix the rollback view [Diff](http://svn.apache.org/viewcvs.cgi?rev=40936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40936&view=rev>) (edith)
- [1.0] fix the view for rollback [Diff](http://svn.apache.org/viewcvs.cgi?rev=40935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40935&view=rev>) (edith)
- [1.0] set method moveHistory to static [Diff](http://svn.apache.org/viewcvs.cgi?rev=40934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40934&view=rev>) (edith)
- [1.0] insert the area to compute the path of the workflow history files [Diff](http://svn.apache.org/viewcvs.cgi?rev=40933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40933&view=rev>) (edith)
- [1.0] The param for the file that is to be uploaded is now called properties.asset.data [Diff](http://svn.apache.org/viewcvs.cgi?rev=40931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40931&view=rev>) (egli)
- [1.0] Add a pipeline that handles both asset upload and insert. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40930&view=rev>) (egli)
- [1.0] Make the upload and insert screen work. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40929&view=rev>) (egli)
- [1.0] removed senseless usecasemenu and workflowmenu transformations [Diff](http://svn.apache.org/viewcvs.cgi?rev=40928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40928&view=rev>) (andreas)
- [1.0] Only whitespace changes, i.e. indenting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40927&view=rev>) (egli)
- [1.0] The caption is also needed in the case where the upload is not an image. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40926&view=rev>) (egli)
- [1.0] change "\_" into "-" to have no conflict with the language suffix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40924&view=rev>) (edith)
- [1.0] method remove children [Diff](http://svn.apache.org/viewcvs.cgi?rev=40923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40923&view=rev>) (edith)
- [1.0] Only whitespace changes, i.e. indenting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40921&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40921&view=rev>) (egli)
- [1.0] Added fields for caption and link that are shown in the case of an image upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40919&view=rev>) (egli)
- [1.0] Added params like area, document-id and language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40918&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40918&view=rev>) (egli)
- [1.0] Fixed Javadoc typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40917&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40917&view=rev>) (egli)
- [1.0] Set to deprecated as it is very specific for unipublic and has been superceded by AssetUploadAction. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40916&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40916&view=rev>) (egli)
- [1.0] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=40915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40915&view=rev>) (andreas)
- [1.0] added getParameterMap() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40914&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40914&view=rev>) (andreas)
- [1.0] splitting TaskWrapperParameters into separate modules [Diff](http://svn.apache.org/viewcvs.cgi?rev=40913&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40913&view=rev>) (andreas)
- [1.0] removed configurability [Diff](http://svn.apache.org/viewcvs.cgi?rev=40912&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40912&view=rev>) (andreas)
- [1.0] added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40911&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40911&view=rev>) (andreas)
- [1.0] removed obsolete "transition-ant" pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=40910&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40910&view=rev>) (andreas)
- [1.0] improved notification handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40909&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40909&view=rev>) (andreas)
- [1.0] added putAll() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40908&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40908&view=rev>) (andreas)
- [1.0] using access control IDs instead of objects (enables scheduler job persistance) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40907&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40907&view=rev>) (andreas)
- [1.0] added namespace and parameters array [Diff](http://svn.apache.org/viewcvs.cgi?rev=40906&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40906&view=rev>) (andreas)
- [1.0] using TaskWrapper to execute task [Diff](http://svn.apache.org/viewcvs.cgi?rev=40905&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40905&view=rev>) (andreas)
- [1.0] added workflowmenu and usecasemenu transformations [Diff](http://svn.apache.org/viewcvs.cgi?rev=40903&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40903&view=rev>) (andreas)
- [1.0] unnecessary namespaces removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40902&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40902&view=rev>) (michi)
- [1.0] Fix the parameter names for asset deletion. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40900&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40900&view=rev>) (egli)
- [1.0] Send request as post request and make some fields non-editable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40898&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40898&view=rev>) (egli)
- [1.0] Fetch values for creator and referer. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40897&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40897&view=rev>) (egli)
- [1.0] Added the upload usecase matcher. Removed the pipelines for resourcenotfound and sax in the handle-error pipeline because they should not occur in the usecase macher unless there is a genuine error. In that case we want to see the stack trace. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40896&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40896&view=rev>) (egli)

- [1.0] Do not return the meta files when asked for the resources, i.e. filter out the meta files. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40895&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40895&view=rev>) (egli)
- [1.0] only whitespace change [Diff](http://svn.apache.org/viewcvs.cgi?rev=40894&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40894&view=rev>) (andreas)
- [1.0] don't add missing href attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=40893&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40893&view=rev>) (andreas)
- [1.0] CSS enhanced [Diff](http://svn.apache.org/viewcvs.cgi?rev=40892&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40892&view=rev>) (michi)
- [1.0] config made configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40891&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40891&view=rev>) (michi)
- [1.0] CSS styles need to be defined inline because the info area (or any area where the menu is shown) is tag soup. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40890&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40890&view=rev>) (gregor)
- [1.0] reflect the changes to the inline style in the info area [Diff](http://svn.apache.org/viewcvs.cgi?rev=40889&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40889&view=rev>) (gregor)
- [1.0] CSS styles need to be defined inline because the info area (or any area where the menu is shown) is tag soup. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40888&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40888&view=rev>) (gregor)
- [1.0] fix error when clicking on language tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=40887&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40887&view=rev>) (gregor)
- [1.0] save and exit added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40886&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40886&view=rev>) (michi)
- [1.0] PUT implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40885&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40885&view=rev>) (michi)
- [1.0] PUT implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40884&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40884&view=rev>) (michi)
- [1.0] CSS is path independent [Diff](http://svn.apache.org/viewcvs.cgi?rev=40883&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40883&view=rev>) (michi)
- [1.0] HTTP PUT added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40882&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40882&view=rev>) (michi)
- [1.0] #163 it is now possible to link into specific tabs in the info area from outside. append lenya.tab=meta or another suitable tab. defaults to overview -> changed to lenya.info-tab to make it more specific [Diff](http://svn.apache.org/viewcvs.cgi?rev=40880&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40880&view=rev>) (gregor)
- [1.0] #163 it is now possible to link into specific tabs in the info area from outside. append lenya.tab=meta or another suitable tab. defaults to overview [Diff](http://svn.apache.org/viewcvs.cgi?rev=40879&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40879&view=rev>) (gregor)
- [1.0] get real area. coincides with recent patch to show real area for info tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40878&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40878&view=rev>) (gregor)
- [1.0] renamed publishing/screen.xsl to publishing/publish-screen.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=40877&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40877&view=rev>) (andreas)
- [1.0] #130 details of selected pages are not visible in MSIE 6.0 turns out IE can't handle <title/> even though that is valid XHTML transitional. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40876&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40876&view=rev>) (gregor)
- [1.0] Fixed a checkstyle warning. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40875&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40875&view=rev>) (egli)
- [1.0] The document-id, the area and the language need to be passed to the task that is writting the dublin core data. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40874&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40874&view=rev>) (egli)
- [1.0] Added document extension to the exported fields. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40873&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40873&view=rev>) (egli)
- [1.0] Change confirm message to fix #186 [Diff](http://svn.apache.org/viewcvs.cgi?rev=40872&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40872&view=rev>) (egli)
- [1.0] added some log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40871&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40871&view=rev>) (andreas)
- [1.0] added DOCUMENT\_LANGUAGES\_CSV [Diff](http://svn.apache.org/viewcvs.cgi?rev=40870&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40870&view=rev>) (andreas)
- [1.0] fetching LDAP name in constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=40869&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40869&view=rev>) (andreas)
- [1.0] Some of the code reformatting to make more legible. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40868&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40868&view=rev>) (egli)
- [1.0] Javadoc fixes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40867&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40867&view=rev>) (egli)
- [1.0] clicking on folders now also rewrites the language and area tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40866&view=rev>) (gregor)
- [1.0] add archive and trash areas to the valid areas [Diff](http://svn.apache.org/viewcvs.cgi?rev=40865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40865&view=rev>) (gregor)
- [1.0] moved scheduler config file to /config [Diff](http://svn.apache.org/viewcvs.cgi?rev=40863&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40863&view=rev>) (andreas)
- [1.0] added submit, reject, and notification [Diff](http://svn.apache.org/viewcvs.cgi?rev=40862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40862&view=rev>) (andreas)
- [1.0] added print-list-simple template [Diff](http://svn.apache.org/viewcvs.cgi?rev=40861&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40861&view=rev>) (andreas)
- [1.0] using lowercase action [Diff](http://svn.apache.org/viewcvs.cgi?rev=40860&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40860&view=rev>) (andreas)
- [1.0] reflecting tab separation in access control tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40858&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40858&view=rev>) (andreas)
- [1.0] introduced uc:\* attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40857&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40857&view=rev>) (andreas)

- [1.0] removed old identity [Diff](http://svn.apache.org/viewcvs.cgi?rev=40855&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40855&view=rev>) (andreas)
- [1.0] bugfix (events were not added to workflow) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40854&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40854&view=rev>) (andreas)
- [1.0] added getVersions() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40853&view=rev>) (andreas)
- [1.0] creating href attribute if it does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=40852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40852&view=rev>) (andreas)
- [1.0] added getUsersWithRole(String) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40851&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40851&view=rev>) (andreas)
- [1.0] Changed wording of 'languages' in overview tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=40850&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40850&view=rev>) (felix)
- [1.0] workflow restore button [Diff](http://svn.apache.org/viewcvs.cgi?rev=40849&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40849&view=rev>) (edith)
- [1.0] restore usecase [Diff](http://svn.apache.org/viewcvs.cgi?rev=40846&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40846&view=rev>) (edith)
- [1.0] get the sitetree through the publication: the area is needed instead of the absolutetreepath [Diff](http://svn.apache.org/viewcvs.cgi?rev=40845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40845&view=rev>) (edith)
- [1.0] #161 preserve node when switching from info area to authoring or live [Diff](http://svn.apache.org/viewcvs.cgi?rev=40843&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40843&view=rev>) (gregor)
- [1.0] set the identifier only for the documents corresponding to the document id [Diff](http://svn.apache.org/viewcvs.cgi?rev=40842&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40842&view=rev>) (edith)
- [1.0] namespace problem workaround [Diff](http://svn.apache.org/viewcvs.cgi?rev=40841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40841&view=rev>) (michi)
- [1.0] #156 remain on same node on language change in info area #157 make authoring / archive / trash policies editable #132 load info tabs directly from authoring area various small performance improvements in info area [Diff](http://svn.apache.org/viewcvs.cgi?rev=40840&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40840&view=rev>) (gregor)
- [1.0] methods to build an url corresponding to a cms document from the parameters: publication, area, document id, language [Diff](http://svn.apache.org/viewcvs.cgi?rev=40839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40839&view=rev>) (edith)
- [1.0] FIXME for debugging messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40838&view=rev>) (michi)
- [1.0] Exception messages are being shown [Diff](http://svn.apache.org/viewcvs.cgi?rev=40837&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40837&view=rev>) (michi)
- [1.0] html form editor pipelines generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=40836&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40836&view=rev>) (michi)
- [1.0] Make sure the creator field cannot be modified. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40835&view=rev>) (egli)
- [1.0] Fixed bug #167 where the publisher was wrong in the meta data screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40834&view=rev>) (egli)
- [1.0] display blocks added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40833&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40833&view=rev>) (michi)
- [1.0] logging exception stack traces [Diff](http://svn.apache.org/viewcvs.cgi?rev=40832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40832&view=rev>) (andreas)
- [1.0] static final declaration of action commands [Diff](http://svn.apache.org/viewcvs.cgi?rev=40831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40831&view=rev>) (andreas)
- [1.0] building subtree policy when saving SSL protection [Diff](http://svn.apache.org/viewcvs.cgi?rev=40830&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40830&view=rev>) (andreas)
- [1.0] NOTE and exception handling added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40829&view=rev>) (michi)
- [1.0] CSS for BXENG entry added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40828&view=rev>) (michi)
- [1.0] Pass the insert=false parameter to the asset upload screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40827&view=rev>) (egli)
- [1.0] Add an additional request param which customizes the screen depending on whether the user is inserting an asset or just uploading one for later insertion. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40826&view=rev>) (egli)
- [1.0] old installation instruction removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40825&view=rev>) (michi)
- [1.0] Add a step to remove an asset to the asset usecase pipeline. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40823&view=rev>) (egli)
- [1.0] Make the meta data screen and the assets screen more functional and prettier. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40822&view=rev>) (egli)
- [1.0] Fetch the resources from the ResourceManager. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40821&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40821&view=rev>) (egli)
- [1.0] Make sure the area is taken into account when calculating the resource path. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40820&view=rev>) (egli)
- [1.0] propagate to the session the area parameter for copy [Diff](http://svn.apache.org/viewcvs.cgi?rev=40819&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40819&view=rev>) (edith)
- [1.0] entries bxengable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40818&view=rev>) (michi)
- [1.0] fix the area parameter (Set to trash) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40817&view=rev>) (edith)
- [1.0] Get the area parameter from the session [Diff](http://svn.apache.org/viewcvs.cgi?rev=40816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40816&view=rev>) (edith)

- [1.0] Set the area's parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=40815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40815&view=rev>) (edith)
- [1.0] Introduction of the save method in the Sitetree interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=40814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40814&view=rev>) (edith)
- [1.0] Replace the deprecated DefaultSitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=40813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40813&view=rev>) (edith)
- [1.0] Added a showscreen step to the asset usecase pipeline. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40812&view=rev>) (egli)
- [1.0] The document proper is now also exported through the PageEnvelope. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40809&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40809&view=rev>) (egli)
- [1.0] prettified scheduler XSL [Diff](http://svn.apache.org/viewcvs.cgi?rev=40808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40808&view=rev>) (andreas)
- [1.0] adding publication-id and document-url [Diff](http://svn.apache.org/viewcvs.cgi?rev=40807&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40807&view=rev>) (andreas)
- [1.0] updated scheduler logicsheet tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=40806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40806&view=rev>) (andreas)
- [1.0] GET and PUT runs through the same pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=40805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40805&view=rev>) (michi)
- [1.0] code and javadoc cleanup [Diff](http://svn.apache.org/viewcvs.cgi?rev=40803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40803&view=rev>) (andreas)
- [1.0] checking for config file in existsPublication() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40802&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40802&view=rev>) (andreas)
- [1.0] simplified obtaining config file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40801&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40801&view=rev>) (andreas)
- [1.0] ResourceNotFoundException should not occur and hence should not be caught. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40800&view=rev>) (egli)
- [1.0] Changed to make use of the page2html transformer and hence beautyfied. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40799&view=rev>) (egli)
- [1.0] cleaned up code and javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40798&view=rev>) (andreas)
- [1.0] cleaned up code and javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40797&view=rev>) (andreas)
- [1.0] BXENG get is working now [Diff](http://svn.apache.org/viewcvs.cgi?rev=40795&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40795&view=rev>) (michi)
- [1.0] The publisher now returns a special Exception if the publishing failed because the parent node could not be located in the live tree, i.e. when the user publishes a document whose parent document has not been published. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40793&view=rev>) (egli)
- [1.0] BXENG integration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40792&view=rev>) (michi)
- [1.0] Midas and BXENG out-commented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40791&view=rev>) (michi)
- [1.0] xslt as parameter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40790&view=rev>) (michi)
- [1.0] removed old CSS entries [Diff](http://svn.apache.org/viewcvs.cgi?rev=40789&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40789&view=rev>) (andreas)
- [1.0] using Lenya CSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=40788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40788&view=rev>) (andreas)
- [1.0] declaring scheduler logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=40786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40786&view=rev>) (andreas)
- [1.0] using Lenya CSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=40785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40785&view=rev>) (andreas)
- [1.0] - including scheduler CSS - using lenya prefix for scheduler CSS classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40784&view=rev>) (andreas)
- [1.0] using scheduler logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=40783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40783&view=rev>) (andreas)
- [1.0] corrected formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=40782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40782&view=rev>) (andreas)
- [1.0] using standardized resource calls for publishing and creating usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=40781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40781&view=rev>) (andreas)
- [1.0] completed workflow history presentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40779&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40779&view=rev>) (andreas)
- [1.0] showing message when document has no workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=40778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40778&view=rev>) (andreas)
- [1.0] adding date to history [Diff](http://svn.apache.org/viewcvs.cgi?rev=40777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40777&view=rev>) (andreas)
- [1.0] improved buildSituation() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40776&view=rev>) (andreas)
- [1.0] add identity to situation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40775&view=rev>) (andreas)
- [1.0] adding identity information to history [Diff](http://svn.apache.org/viewcvs.cgi?rev=40774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40774&view=rev>) (andreas)
- [1.0] using WorkflowFactory to obtain roles from request [Diff](http://svn.apache.org/viewcvs.cgi?rev=40773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40773&view=rev>) (andreas)
- [1.0] added method for session access [Diff](http://svn.apache.org/viewcvs.cgi?rev=40772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40772&view=rev>) (andreas)
- [1.0] improved getIp() and toString() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40771&view=rev>) (andreas)
- [1.0] started to implement BXENG [Diff](http://svn.apache.org/viewcvs.cgi?rev=40769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40769&view=rev>) (michi)

- [1.0] improved logging messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40768&view=rev>) (andreas)
- [1.0] fixed path splitting bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=40767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40767&view=rev>) (andreas)
- [1.0] removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=40766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40766&view=rev>) (andreas)
- [1.0] formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=40765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40765&view=rev>) (andreas)
- [1.0] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40763&view=rev>) (michi)
- [1.0] Add the publisher to the screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40762&view=rev>) (egli)
- [1.0] Fetch meta data from page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40761&view=rev>) (egli)
- [1.0] Added support for publisher and date created. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40760&view=rev>) (egli)
- [1.0] Added constants for publisher and date created. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40759&view=rev>) (egli)
- [1.0] get and set datePublished is gone, since it is not in the dublin core standard. Instead we should use dateIssued instead. Also added dateCreated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40758&view=rev>) (egli)
- [1.0] Provide a better message in the Exception. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40757&view=rev>) (egli)
- [1.0] Dont allow setting any of the dates as they are set by internal processes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40756&view=rev>) (egli)
- [1.0] - don't copy logkit.xconf - don't copy patch stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=40755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40755&view=rev>) (andreas)
- [1.0] added terms handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40754&view=rev>) (andreas)
- [1.0] added namespace fields [Diff](http://svn.apache.org/viewcvs.cgi?rev=40753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40753&view=rev>) (andreas)
- [1.0] The dublic core class has been changed to be more efficient. It no longer parses the document xml for each query. Due to the change some different Exceptions are thrown and this made a change to some other classes and interfaces necessary. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40751&view=rev>) (egli)
- [1.0] changed links from admin tab to other tabs to /index.html [Diff](http://svn.apache.org/viewcvs.cgi?rev=40750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40750&view=rev>) (andreas)
- [1.0] made navigation elements pick up the right language [Diff](http://svn.apache.org/viewcvs.cgi?rev=40749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40749&view=rev>) (gregor)
- [1.0] fixed hidden parameter links [Diff](http://svn.apache.org/viewcvs.cgi?rev=40748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40748&view=rev>) (andreas)
- [1.0] Added some more logging info. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40747&view=rev>) (egli)
- [1.0] The actual creation of the new language version needs to pass the doctype to the task which can only be queried with the uriparametrizer. So added the uriparametrizer to the step "create" of the "create-language" usecase. create-language should properly initialize the workflow now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40746&view=rev>) (egli)
- [1.0] changed path computation for better performance [Diff](http://svn.apache.org/viewcvs.cgi?rev=40745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40745&view=rev>) (andreas)
- [1.0] changed path computation for better performance [Diff](http://svn.apache.org/viewcvs.cgi?rev=40744&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40744&view=rev>) (andreas)
- [1.0] factored out getPublicationId() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40743&view=rev>) (andreas)
- [1.0] The init-history task now also takes the language as an argument. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40742&view=rev>) (egli)
- [1.0] moved session initialization from revisions to overview tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=40741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40741&view=rev>) (andreas)
- [1.0] The init workflow task now also accepts the langauge as a parameter. So it can initialize different workflows for the same document with different languages. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40740&view=rev>) (egli)
- [1.0] Javadoc fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40739&view=rev>) (egli)
- [1.0] simplified existsPublication() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40738&view=rev>) (andreas)
- [1.0] - initializing context file only once - resolving publication ID as key instead of building publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=40737&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40737&view=rev>) (andreas)
- [1.0] policies fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40736&view=rev>) (michi)
- [1.0] CDATA section of sample improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=40734&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40734&view=rev>) (michi)
- [1.0] CDATA implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40733&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40733&view=rev>) (michi)
- [1.0] added 1.0rc1 release to download section removed misleading text in recommended software [Diff](http://svn.apache.org/viewcvs.cgi?rev=40732&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40732&view=rev>) (gregor)
- [1.0] replaced info.xsp by overview.xsp [Diff](http://svn.apache.org/viewcvs.cgi?rev=40731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40731&view=rev>) (gregor)

- [1.0] adding parent and required children started to implement [Diff](http://svn.apache.org/viewcvs.cgi?rev=40730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40730&view=rev>) (michi)
- [1.0] made navigation elements pick up the right language [Diff](http://svn.apache.org/viewcvs.cgi?rev=40729&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40729&view=rev>) (gregor)
- [1.0] Fix a nullPointerException by querying the node for != null before asking it for it's languages. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40728&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40728&view=rev>) (egli)
- [1.0] delete and add implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40727&view=rev>) (michi)
- [1.0] fixed links from usecase=info to usecase=info-overview [Diff](http://svn.apache.org/viewcvs.cgi?rev=40726&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40726&view=rev>) (andreas)
- [1.0] adding SourceCache declarations [Diff](http://svn.apache.org/viewcvs.cgi?rev=40725&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40725&view=rev>) (andreas)
- [1.0] javadocs, formatting [Diff](http://svn.apache.org/viewcvs.cgi?rev=40724&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40724&view=rev>) (andreas)
- [1.0] - using AC resolver to get authorizer - reflecting changes to usecase authorizer [Diff](http://svn.apache.org/viewcvs.cgi?rev=40723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40723&view=rev>) (andreas)
- [1.0] not releasing access controller (cached by ac resolver) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40722&view=rev>) (andreas)
- [1.0] making getAuthorizers() public [Diff](http://svn.apache.org/viewcvs.cgi?rev=40721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40721&view=rev>) (andreas)
- [1.0] making PolicyBuilder dynamic (needed for SourceCache) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40719&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40719&view=rev>) (andreas)
- [1.0] Be a little bit more clever when it comes to picking a language if none is specified. It used to simply choose the default language, but that might not exist for this document. So check if the document has a version in the default lang, if not pick the first one from the list of langs that the document has. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40717&view=rev>) (egli)
- [1.0] The implementation of getLanguages now checks the site tree instead of the file system and should therefore be much faster. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40716&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40716&view=rev>) (egli)
- [1.0] delete started to implement [Diff](http://svn.apache.org/viewcvs.cgi?rev=40714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40714&view=rev>) (michi)
- [1.0] version and author fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40713&view=rev>) (michi)
- [1.0] not deprecated because certain methods are missing from alternative versions [Diff](http://svn.apache.org/viewcvs.cgi?rev=40712&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40712&view=rev>) (michi)
- [1.0] The setter for the area should of course be called setArea (as opposed to setAbsolutetreepath :-(). [Diff](http://svn.apache.org/viewcvs.cgi?rev=40711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40711&view=rev>) (egli)
- [1.0] insert and delete added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40710&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40710&view=rev>) (michi)
- [1.0] only insert for the moment [Diff](http://svn.apache.org/viewcvs.cgi?rev=40709&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40709&view=rev>) (michi)
- [1.0] update cycle fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40708&view=rev>) (michi)
- [1.0] update cycle implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40707&view=rev>) (michi)
- [1.0] not touching original categories [Diff](http://svn.apache.org/viewcvs.cgi?rev=40706&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40706&view=rev>) (andreas)
- [1.0] attribute value template bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40705&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40705&view=rev>) (andreas)
- [1.0] changed log level to INFO [Diff](http://svn.apache.org/viewcvs.cgi?rev=40704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40704&view=rev>) (andreas)
- [1.0] bugfix in isDocument() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40703&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40703&view=rev>) (andreas)
- [1.0] patching logkit.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=40702&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40702&view=rev>) (andreas)
- [1.0] fixed bug (used wrong URL policy path) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40701&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40701&view=rev>) (andreas)
- [1.0] checking if URL represents document [Diff](http://svn.apache.org/viewcvs.cgi?rev=40700&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40700&view=rev>) (andreas)
- [1.0] editor form generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=40699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40699&view=rev>) (michi)
- [1.0] added new TestSet, bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40698&view=rev>) (andreas)
- [1.0] using DEFAULT\_RESOLVER from AccessControllerResolver [Diff](http://svn.apache.org/viewcvs.cgi?rev=40697&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40697&view=rev>) (andreas)
- [1.0] using excalibur.SourceUtil instead of java.net.URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=40696&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40696&view=rev>) (andreas)
- [1.0] fixed singleton bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=40695&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40695&view=rev>) (andreas)
- [1.0] switched from files to input streams [Diff](http://svn.apache.org/viewcvs.cgi?rev=40694&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40694&view=rev>) (andreas)
- [1.0] added access controller caching [Diff](http://svn.apache.org/viewcvs.cgi?rev=40693&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40693&view=rev>) (andreas)
- [1.0] added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40691&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40691&view=rev>) (andreas)

- [1.0] delete Feature added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40690&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40690&view=rev>) (michi)
- [1.0] When creating the task-id should be "create" instead of "create-workflow". [Diff](http://svn.apache.org/viewcvs.cgi?rev=40689&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40689&view=rev>) (egli)
- [1.0] Add asterix to the mandatory fields. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40688&view=rev>) (egli)
- [1.0] Make sure the current date is passed through. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40687&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40687&view=rev>) (egli)
- [1.0] Added the missing workflow definition. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40686&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40686&view=rev>) (egli)
- [1.0] When successfully removing a label do not redirect to the original page anymore (because it doesn't exist anymore). Instead redirect to the URL without the language (which is now exported by the page envelope module). [Diff](http://svn.apache.org/viewcvs.cgi?rev=40684&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40684&view=rev>) (egli)
- [1.0] Fix the task id. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40683&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40683&view=rev>) (egli)
- [1.0] Fix the parameter names to match the names in the ant file and make the user question more verbose. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40682&view=rev>) (egli)
- [1.0] Make sure the documents comleteURLWithoutLanguage is exported via the page envelope module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40681&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40681&view=rev>) (egli)
- [1.0] Added a method to query the complete URL without the language suffix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40680&view=rev>) (egli)
- [1.0] Added a setter for the area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40679&view=rev>) (egli)
- [1.0] Removed an unused import. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40678&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40678&view=rev>) (egli)
- [1.0] Added usecase for removeLabel. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40677&view=rev>) (egli)
- [1.0] Adapted to the new interface of DeleteNodeTask. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40675&view=rev>) (egli)
- [1.0] Removed the deprecated usage of the DefaultSiteTree constructor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40674&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40674&view=rev>) (egli)
- [1.0] Added javadoc fixes and fixed some checkstyle warnings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40673&view=rev>) (egli)
- [1.0] Date created added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40672&view=rev>) (michi)
- [1.0] datelin added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40671&view=rev>) (michi)
- [1.0] issued prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=40668&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40668&view=rev>) (michi)
- [1.0] javadoc / removed unused import [Diff](http://svn.apache.org/viewcvs.cgi?rev=40667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40667&view=rev>) (andreas)
- [1.0] formatting (tabs to spaces) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40666&view=rev>) (andreas)
- [1.0] insert and delete started [Diff](http://svn.apache.org/viewcvs.cgi?rev=40664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40664&view=rev>) (michi)
- [1.0] - declaring AbstractAccessControllerResolver as ThreadSafe - using AccessController caching [Diff](http://svn.apache.org/viewcvs.cgi?rev=40663&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40663&view=rev>) (andreas)
- [1.0] CDATA started to implement [Diff](http://svn.apache.org/viewcvs.cgi?rev=40662&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40662&view=rev>) (michi)
- [1.0] html form editor generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=40661&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40661&view=rev>) (michi)
- [1.0] html form editor generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=40660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40660&view=rev>) (michi)
- [1.0] started breadcrumb-prefix support this allows to have a prefix per publication that gets prepended to the breadcrumb path. useful for publications that are part of a larger site [Diff](http://svn.apache.org/viewcvs.cgi?rev=40659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40659&view=rev>) (gregor)
- [1.0] Pass the language along the request. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40657&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40657&view=rev>) (egli)
- [1.0] Adapted to the new TreePublisher interface where you no longer have to specify the path to the site trees and now have to specify the language that you want to publish. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40656&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40656&view=rev>) (egli)
- [1.0] The source to be published is actually the document-path as returned by the page envelope input module. No more fiddling with the URL (which had assumptions that no longer where true with multilingual URLs). [Diff](http://svn.apache.org/viewcvs.cgi?rev=40655&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40655&view=rev>) (egli)
- [1.0] The TreePublisher no longer needs the path to the authoring and the live trees. It simply asks the publication for the site trees for the authoring and the live area. It also now takes the language into account when publishing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40654&view=rev>) (egli)
- [1.0] optional elements [Diff](http://svn.apache.org/viewcvs.cgi?rev=40653&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40653&view=rev>) (michi)
- [1.0] not published yet exception added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40652&view=rev>) (michi)

- [1.0] Removed the deprecated usage of the SiteTree constructors. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40650&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40650&view=rev>) (egli)
- [1.0] Fixed Javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40649&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40649&view=rev>) (egli)
- [1.0] The unit test case for the publisher had many things hard coded and above all did not work anymore. Made it more general (with the path mapper) and made it works again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40648&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40648&view=rev>) (egli)
- [1.0] use default language from page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40647&view=rev>) (gregor)
- [1.0] use default language from page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40646&view=rev>) (gregor)
- [1.0] expose default language through page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40645&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40645&view=rev>) (gregor)
- [1.0] blog edit generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=40644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40644&view=rev>) (michi)
- [1.0] editing cycle implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40643&view=rev>) (michi)
- [1.0] This task is now derived from PublicationTask and no longer needs the path of the site tree. Instead you can pass the area in and it will find the associated site tree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40642&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40642&view=rev>) (egli)
- [1.0] Added Javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40641&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40641&view=rev>) (egli)
- [1.0] remove forum publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=40640&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40640&view=rev>) (gregor)
- [1.0] unique numbering and temporary source writing implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40639&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40639&view=rev>) (michi)
- [1.0] The interface to the creator has changed so the unit test needs to adapt. Also since the language is appended now to the xml file the assumption on the file has change and so this assertion needed to be changed. The creator test works again. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40638&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40638&view=rev>) (egli)
- [1.0] method to set and get the identifier [Diff](http://svn.apache.org/viewcvs.cgi?rev=40636&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40636&view=rev>) (edith)
- [1.0] doctype parameter remove for copying [Diff](http://svn.apache.org/viewcvs.cgi?rev=40634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40634&view=rev>) (edith)
- [1.0] Javadoc fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40633&view=rev>) (egli)
- [1.0] Instead of hardcoding it use the CONTENT\_PATH from the Publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40632&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40632&view=rev>) (egli)
- [1.0] CONTENT\_PATH (= "content") is now a constant of the publication. Initialize the siteTrees statically instead of dynamically. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40631&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40631&view=rev>) (egli)
- [1.0] go back to admin overview if cancel [Diff](http://svn.apache.org/viewcvs.cgi?rev=40630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40630&view=rev>) (gregor)
- [1.0] we need to set the area before we call the DublinCore constructor or we'll get a NPE [Diff](http://svn.apache.org/viewcvs.cgi?rev=40628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40628&view=rev>) (gregor)
- [1.0] change the initialisation of workflow in case of copying, so remove the uriparametrizer [Diff](http://svn.apache.org/viewcvs.cgi?rev=40627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40627&view=rev>) (edith)
- [1.0] accpet method for the visitable sitetreenode (Visitor pattern) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40625&view=rev>) (edith)
- [1.0] instancierung of the sitetree HashMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=40624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40624&view=rev>) (edith)
- [1.0] added content in the sitetree path [Diff](http://svn.apache.org/viewcvs.cgi?rev=40623&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40623&view=rev>) (edith)
- [1.0] Adapted to the new interface of DocumentCreatorTask (which no longer uses the deprecated SiteTree constructor) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40620&view=rev>) (egli)
- [1.0] Added the create-language usecase. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40619&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40619&view=rev>) (egli)
- [1.0] Changed the interface to no longer use the deprecated interface of SiteTree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40618&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40618&view=rev>) (egli)
- [1.0] Form Editor implemented into OSCOM pub [Diff](http://svn.apache.org/viewcvs.cgi?rev=40617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40617&view=rev>) (michi)
- [1.0] redirecting "" to "index.html" [Diff](http://svn.apache.org/viewcvs.cgi?rev=40615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40615&view=rev>) (andreas)
- [1.0] Adapted to the changes in the SiteTree constructor signature. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40614&view=rev>) (egli)
- [1.0] Adapted to the changes in the SiteTree constructor signature. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40613&view=rev>) (egli)
- [1.0] Added a new constructor to DefaultSiteTree which doesn't require you to specify a filename. Instead it asks for a pub dir and an area. The other constructors are deprecated. Also the publication now has a getter method which allows you to request the sitetree for a specific area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40612&view=rev>) (egli)

- [1.0]sitemap access controller bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40611&view=rev>) (michi)
- [1.0]per-publication override was using wrong path [Diff](http://svn.apache.org/viewcvs.cgi?rev=40610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40610&view=rev>) (gregor)
- [1.0]saving members after deleting group [Diff](http://svn.apache.org/viewcvs.cgi?rev=40609&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40609&view=rev>) (andreas)
- [1.0]"delete user" bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40608&view=rev>) (andreas)
- [1.0]only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40607&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40607&view=rev>) (andreas)
- [1.0]checking if identity contains user before adding [Diff](http://svn.apache.org/viewcvs.cgi?rev=40606&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40606&view=rev>) (andreas)
- [1.0]added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40605&view=rev>) (andreas)
- [1.0]empty string as default e-mail address when loading [Diff](http://svn.apache.org/viewcvs.cgi?rev=40604&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40604&view=rev>) (andreas)
- [1.0]moved identity initialization to AccessControlAction this means that also the authenticator initializes the identity (no crash when trying to login without authorization after a Tomcat restart) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40603&view=rev>) (andreas)
- [1.0]checking if ID is valid [Diff](http://svn.apache.org/viewcvs.cgi?rev=40600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40600&view=rev>) (andreas)
- [1.0]made isValidId() static and removed it from the Item interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=40599&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40599&view=rev>) (andreas)
- [1.0]added media attribute [Diff](http://svn.apache.org/viewcvs.cgi?rev=40598&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40598&view=rev>) (gregor)
- [1.0]added SSL protection handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40597&view=rev>) (andreas)
- [1.0]added some debug messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40596&view=rev>) (andreas)
- [1.0]make the log instance variable private to satisfy checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40595&view=rev>) (egli)
- [1.0]Fixed a bug in the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40594&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40594&view=rev>) (egli)
- [1.0]Copying publication specific Java classes fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40593&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40593&view=rev>) (michi)
- [1.0]usecase policies fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40592&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40592&view=rev>) (michi)
- [1.0]added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40591&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40591&view=rev>) (andreas)
- [1.0]fixed loop variable bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=40590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40590&view=rev>) (andreas)
- [1.0]javadoc fixes to make checkstyle happy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40587&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40587&view=rev>) (egli)
- [1.0]javadoc fixes to make checkstyle happy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40586&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40586&view=rev>) (egli)
- [1.0]javadoc fixes to make checkstyle happy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40579&view=rev>) (egli)
- [1.0]changed some logger IDs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40578&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40578&view=rev>) (andreas)
- [1.0]changed href and uc:\* attribute handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40577&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40577&view=rev>) (andreas)
- [1.0]added configurable AccessControllerResolver [Diff](http://svn.apache.org/viewcvs.cgi?rev=40575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40575&view=rev>) (andreas)
- [1.0]- added method to move history file - using PolicyAuthorizer to obtain roles from request [Diff](http://svn.apache.org/viewcvs.cgi?rev=40574&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40574&view=rev>) (andreas)
- [1.0]added PUBLICATION\_PREFIX\_URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=40573&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40573&view=rev>) (andreas)
- [1.0]simplified authorizer interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=40572&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40572&view=rev>) (andreas)
- [1.0]moved DEFAULT\_RESOLVER to AccessControllerResolver [Diff](http://svn.apache.org/viewcvs.cgi?rev=40571&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40571&view=rev>) (andreas)
- [1.0]abandoned usecase policy file configurability [Diff](http://svn.apache.org/viewcvs.cgi?rev=40570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40570&view=rev>) (andreas)
- [1.0]using only 2 last letters for language suffix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40569&view=rev>) (andreas)
- [1.0]added getWorkflowId() methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=40568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40568&view=rev>) (andreas)
- [1.0]added method to initialize a workflow history based on an existing document [Diff](http://svn.apache.org/viewcvs.cgi?rev=40567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40567&view=rev>) (andreas)
- [1.0]releasing source [Diff](http://svn.apache.org/viewcvs.cgi?rev=40566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40566&view=rev>) (andreas)
- [1.0]added some javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40565&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40565&view=rev>) (andreas)
- [1.0]new method in PublicationFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=40564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40564&view=rev>) (andreas)
- [1.0]re enabled all tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40563&view=rev>) (gregor)

- [1.0] Fixed Javadoc typos. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40562&view=rev>) (egli)
- [1.0] Javadoc fixes to satisfy checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40561&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40561&view=rev>) (egli)
- [1.0] replace JavaFilenameFilter with RegexFilenameFilter [Diff](http://svn.apache.org/viewcvs.cgi?rev=40560&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40560&view=rev>) (gregor)
- [1.0] Added appropriate import statements to make it compile. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40559&view=rev>) (egli)

## 37. Version 2003-07 ()

### 37.1. 1.0

- [1.0] initial checkin of access control documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40551&view=rev>) (andreas)
- [1.0] - removed old access control actions - added ac.xconf and authoring policy (using accreditables from default publication) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40519&view=rev>) (andreas)
- [1.0] added german sample documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=40476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40476&view=rev>) (gregor)
- [1.0] ant task to set in the project the area properties dependent of the area [Diff](http://svn.apache.org/viewcvs.cgi?rev=40473&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40473&view=rev>) (edith)
- [1.0] Task delete Trash [Diff](http://svn.apache.org/viewcvs.cgi?rev=40462&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40462&view=rev>) (edith)
- [1.0] compute the id for the destination node in case of archiving [Diff](http://svn.apache.org/viewcvs.cgi?rev=40441&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40441&view=rev>) (edith)
- [1.0] Policies for info and admin area added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40433&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40433&view=rev>) (michi)
- [1.0] policies fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40423&view=rev>) (michi)
- [1.0] contains implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40420&view=rev>) (michi)
- [1.0] Login and Logout info [Diff](http://svn.apache.org/viewcvs.cgi?rev=40415&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40415&view=rev>) (michi)
- [1.0] policy fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40408&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40408&view=rev>) (michi)
- [1.0] adding usecase policy file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40405&view=rev>) (andreas)
- [1.0] skeleton for building the catalog during install. needs to be adapted to xcat [Diff](http://svn.apache.org/viewcvs.cgi?rev=40395&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40395&view=rev>) (gregor)
- [1.0] adopted docs-new to new access control framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=40391&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40391&view=rev>) (gregor)
- [1.0] Junit test for the "Deactivate a document" task [Diff](http://svn.apache.org/viewcvs.cgi?rev=40385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40385&view=rev>) (edith)
- [1.0] Ant task to delete a node of a tree [Diff](http://svn.apache.org/viewcvs.cgi?rev=40384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40384&view=rev>) (edith)
- [1.0] added publication.xconf to various publications and removed workaround to go on even if there was no publication.xconf [Diff](http://svn.apache.org/viewcvs.cgi?rev=40383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40383&view=rev>) (gregor)
- [1.0] When overriding xslts that are defined also globally the overriding files should be in {publication-id}/lenya/xslt/... [Diff](http://svn.apache.org/viewcvs.cgi?rev=40343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40343&view=rev>) (egli)
- [1.0] Added a publication.xconf. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40335&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40335&view=rev>) (egli)
- [1.0] added excalibur test library [Diff](http://svn.apache.org/viewcvs.cgi?rev=40329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40329&view=rev>) (andreas)
- [1.0] - added Authenticator - added authenticator action [Diff](http://svn.apache.org/viewcvs.cgi?rev=40324&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40324&view=rev>) (andreas)
- [1.0] adding access control config file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40312&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40312&view=rev>) (andreas)
- [1.0] - added accesscontroller resolver - drafts for several accesscontroller and ac-resolver types [Diff](http://svn.apache.org/viewcvs.cgi?rev=40308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40308&view=rev>) (andreas)
- [1.0] added PublicationFilePolicyManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=40306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40306&view=rev>) (andreas)
- [1.0] Task to move up and move down a node under its siblings [Diff](http://svn.apache.org/viewcvs.cgi?rev=40287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40287&view=rev>) (edith)
- [1.0] added sitemap policy manager (work in progress) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40281&view=rev>) (andreas)
- [1.0] added access control script [Diff](http://svn.apache.org/viewcvs.cgi?rev=40240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40240&view=rev>) (andreas)
- [1.0] added Avalon role definition file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40231&view=rev>) (andreas)

- [1.0] added Machine class [Diff](http://svn.apache.org/viewcvs.cgi?rev=40230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40230&view=rev>) (andreas)
- [1.0] Added test cases for DefaultSiteTree and SiteTreeNodeImpl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40209&view=rev>) (egli)
- [1.0] re-designed ac objects (id+name+description for all objects) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40193&view=rev>) (andreas)
- [1.0] Junit test for move a document and rename a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=40168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40168&view=rev>) (edith)
- [1.0] - added groups overview - sorting users by id [Diff](http://svn.apache.org/viewcvs.cgi?rev=40163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40163&view=rev>) (andreas)
- [1.0] moved user-admin files from ac to admin [Diff](http://svn.apache.org/viewcvs.cgi?rev=40161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40161&view=rev>) (andreas)
- [1.0] added common creator stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=40159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40159&view=rev>) (andreas)
- [1.0] renamed page.xsl to page2xhtml.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=40158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40158&view=rev>) (andreas)
- [1.0] ant task to get the path of a file from the document id [Diff](http://svn.apache.org/viewcvs.cgi?rev=40150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40150&view=rev>) (edith)
- [1.0] added navigation CSS (used for admin area menu) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40141&view=rev>) (andreas)
- [1.0] added admin area sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=40140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40140&view=rev>) (andreas)
- [1.0] added admin area navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40132&view=rev>) (andreas)
- [1.0] added admin area homepage [Diff](http://svn.apache.org/viewcvs.cgi?rev=40130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40130&view=rev>) (andreas)
- [1.0] redesigned user administration with flow [Diff](http://svn.apache.org/viewcvs.cgi?rev=40127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40127&view=rev>) (andreas)
- [1.0] renamed DocumentUrl to DocumentURL [Diff](http://svn.apache.org/viewcvs.cgi?rev=40532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40532&view=rev>) (gregor)
- [1.0] added language label to all documents added archive and trash areas / sitetrees [Diff](http://svn.apache.org/viewcvs.cgi?rev=40471&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40471&view=rev>) (gregor)
- [1.0] change name [Diff](http://svn.apache.org/viewcvs.cgi?rev=40466&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40466&view=rev>) (edith)
- [1.0] deprecated [Diff](http://svn.apache.org/viewcvs.cgi?rev=40422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40422&view=rev>) (michi)
- [1.0] not necessary [Diff](http://svn.apache.org/viewcvs.cgi?rev=40410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40410&view=rev>) (michi)
- [1.0] old replaced by new [Diff](http://svn.apache.org/viewcvs.cgi?rev=40409&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40409&view=rev>) (michi)
- [1.0] replaced ant 1.5.3 with ant 1.6a [Diff](http://svn.apache.org/viewcvs.cgi?rev=40396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40396&view=rev>) (gregor)
- [1.0] When overriding serverpages that are defined also globally the overriding files should be in {publication-id}/lenya/content/... [Diff](http://svn.apache.org/viewcvs.cgi?rev=40342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40342&view=rev>) (egli)
- [1.0] removed generic-workflow menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=40282&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40282&view=rev>) (andreas)
- [1.0] hook up language display to info tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=40226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40226&view=rev>) (gregor)
- [1.0] Has been superceded by DefaultSiteTreeTest. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40214&view=rev>) (egli)
- [1.0] removed user admin actions [Diff](http://svn.apache.org/viewcvs.cgi?rev=40189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40189&view=rev>) (andreas)
- [1.0] removed obsolete files [Diff](http://svn.apache.org/viewcvs.cgi?rev=40131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40131&view=rev>) (andreas)
- [1.0] Added a method (getLanguageSuffix) to calculate the language suffix. If the language is null it returns an empty string. This method is used in subclasses when calculating the file name of the new document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40558&view=rev>) (egli)
- [1.0] Only add the language suffix if the language string is not equal null. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40557&view=rev>) (egli)
- [1.0] added some docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40556&view=rev>) (andreas)
- [1.0] commented out non-existing groups [Diff](http://svn.apache.org/viewcvs.cgi?rev=40555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40555&view=rev>) (andreas)
- [1.0] added some docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40554&view=rev>) (andreas)
- [1.0] added some docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40553&view=rev>) (andreas)
- [1.0] implemented writable metadata [Diff](http://svn.apache.org/viewcvs.cgi?rev=40552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40552&view=rev>) (gregor)
- [1.0] removed cookie additions [Diff](http://svn.apache.org/viewcvs.cgi?rev=40550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40550&view=rev>) (gregor)
- [1.0] synchronizing tree widgets with the entered URL should now work again [Diff](http://svn.apache.org/viewcvs.cgi?rev=40549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40549&view=rev>) (gregor)
- [1.0] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=40548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40548&view=rev>) (andreas)
- [1.0] clarified group test [Diff](http://svn.apache.org/viewcvs.cgi?rev=40547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40547&view=rev>) (andreas)
- [1.0] saving member instead of group (affiliation is stored in member) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40546&view=rev>) (andreas)

- (<http://svn.apache.org/viewcvs.cgi?rev=40546&view=rev>) (andreas)
- [1.0] removing members before deleting group [Diff](http://svn.apache.org/viewcvs.cgi?rev=40545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40545&view=rev>) (andreas)
- [1.0] update tree isolated [Diff](http://svn.apache.org/viewcvs.cgi?rev=40544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40544&view=rev>) (michi)
- [1.0] publish screen prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=40543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40543&view=rev>) (michi)
- [1.0] commented out non-working items [Diff](http://svn.apache.org/viewcvs.cgi?rev=40542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40542&view=rev>) (andreas)
- [1.0] one more defaultlanguage = de [Diff](http://svn.apache.org/viewcvs.cgi?rev=40541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40541&view=rev>) (gregor)
- [1.0] show "id (name)" in selection boxes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40540&view=rev>) (andreas)
- [1.0] fixed new-password forwarding [Diff](http://svn.apache.org/viewcvs.cgi?rev=40539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40539&view=rev>) (andreas)
- [1.0] fixed links [Diff](http://svn.apache.org/viewcvs.cgi?rev=40538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40538&view=rev>) (andreas)
- [1.0] API fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40537&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40537&view=rev>) (michi)
- [1.0] added pipeline for item editing flow pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40536&view=rev>) (andreas)
- [1.0] fixed links [Diff](http://svn.apache.org/viewcvs.cgi?rev=40535&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40535&view=rev>) (andreas)
- [1.0] putting workflow history files in content/workflow/history [Diff](http://svn.apache.org/viewcvs.cgi?rev=40534&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40534&view=rev>) (andreas)
- [1.0] add delete Trash to info menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=40533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40533&view=rev>) (gregor)
- [1.0] get sources and uris from menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=40531&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40531&view=rev>) (michi)
- [1.0] renamed DocumentUrl to DocumentURL [Diff](http://svn.apache.org/viewcvs.cgi?rev=40530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40530&view=rev>) (gregor)
- [1.0] indenting fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40529&view=rev>) (egli)
- [1.0] Added provisions so that the create process now creates files with a language suffix according to the language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40528&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40528&view=rev>) (egli)
- [1.0] node is needed after all [Diff](http://svn.apache.org/viewcvs.cgi?rev=40527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40527&view=rev>) (gregor)
- [1.0] granting access for localhost [Diff](http://svn.apache.org/viewcvs.cgi?rev=40526&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40526&view=rev>) (andreas)
- [1.0] Fixed checkstyle warnings by removing redundant "public" statements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40525&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40525&view=rev>) (egli)
- [1.0] - removed group roles - added localhost IPRange [Diff](http://svn.apache.org/viewcvs.cgi?rev=40524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40524&view=rev>)  
(andreas)
- [1.0] Removed unused imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40523&view=rev>) (egli)
- [1.0] using IPRange instead of Machine [Diff](http://svn.apache.org/viewcvs.cgi?rev=40522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40522&view=rev>) (andreas)
- [1.0] added RegexFilter to filter files in a directory implemented lookup for other languages in info tab refactored page envelope (removed redundant method definitions) renamed DocumentUrl to DocumentURL [Diff](http://svn.apache.org/viewcvs.cgi?rev=40521&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40521&view=rev>) (gregor)
- [1.0] removed superflous metatags [Diff](http://svn.apache.org/viewcvs.cgi?rev=40520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40520&view=rev>) (gregor)
- [1.0] beginning of linkmanagement. ant task to search / replace [Diff](http://svn.apache.org/viewcvs.cgi?rev=40518&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40518&view=rev>) (gregor)
- [1.0] clean up ant target [Diff](http://svn.apache.org/viewcvs.cgi?rev=40517&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40517&view=rev>) (gregor)
- [1.0] added usecase authorizer configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40516&view=rev>) (andreas)
- [1.0] showing "id (name)" for members [Diff](http://svn.apache.org/viewcvs.cgi?rev=40515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40515&view=rev>) (andreas)
- [1.0] - usecaseauthorizer bugfixes - accesscontroller configures authorizers [Diff](http://svn.apache.org/viewcvs.cgi?rev=40514&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40514&view=rev>) (andreas)
- [1.0] using documentId to save policy file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40513&view=rev>) (andreas)
- [1.0] separated templates for users + machines [Diff](http://svn.apache.org/viewcvs.cgi?rev=40512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40512&view=rev>) (andreas)
- [1.0] not using @href as base-url for children [Diff](http://svn.apache.org/viewcvs.cgi?rev=40511&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40511&view=rev>) (andreas)
- [1.0] get the doctype for copying [Diff](http://svn.apache.org/viewcvs.cgi?rev=40510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40510&view=rev>) (edith)
- [1.0] using href attributes to avoid language problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=40509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40509&view=rev>)  
(andreas)
- [1.0] get the doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=40508&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40508&view=rev>) (edith)
- [1.0] get the area parameter to call the same ant task like for moving [Diff](http://svn.apache.org/viewcvs.cgi?rev=40507&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40507&view=rev>) (edith)
- [1.0] New path for the workflow history files [Diff](http://svn.apache.org/viewcvs.cgi?rev=40506&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40506&view=rev>) (edith)
- [1.0] Write in the workflow history before the transaction is finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=40505&view=rev)  
(<http://svn.apache.org/viewcvs.cgi?rev=40505&view=rev>) (edith)

- [1.0] give the part of directory from the pub No time to fix it totally : Java docs, area is no more needed , .... [Diff](http://svn.apache.org/viewcvs.cgi?rev=40504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40504&view=rev>) (edith)
- [1.0] changed "Machines" to "IP ranges" [Diff](http://svn.apache.org/viewcvs.cgi?rev=40503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40503&view=rev>) (andreas)
- [1.0] moved machine setup to access controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=40502&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40502&view=rev>) (andreas)
- [1.0] separate template for group box [Diff](http://svn.apache.org/viewcvs.cgi?rev=40501&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40501&view=rev>) (andreas)
- [1.0] disabling "add" button if selection box is empty [Diff](http://svn.apache.org/viewcvs.cgi?rev=40500&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40500&view=rev>) (andreas)
- [1.0] fixed IP range ID forwarding [Diff](http://svn.apache.org/viewcvs.cgi?rev=40499&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40499&view=rev>) (andreas)
- [1.0] change default language to german for now [Diff](http://svn.apache.org/viewcvs.cgi?rev=40498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40498&view=rev>) (gregor)
- [1.0] default language changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40497&view=rev>) (michi)
- [1.0] using original URL as document-url [Diff](http://svn.apache.org/viewcvs.cgi?rev=40496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40496&view=rev>) (andreas)
- [1.0] add xml:lang to admin sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=40495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40495&view=rev>) (gregor)
- [1.0] disable some of the not yet finished tabs. at some later date, the # of tabs should be made into an argument, not hardcoded into this file.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40494&view=rev>) (gregor)
- [1.0] add missing document-url to admin area menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=40493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40493&view=rev>) (gregor)
- [1.0] display proper label in tabs, breadcrumbs depending on language [Diff](http://svn.apache.org/viewcvs.cgi?rev=40492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40492&view=rev>) (gregor)
- [1.0] added LDAP ID handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40491&view=rev>) (andreas)
- [1.0] using document-path instead of document-id for sourcetype action [Diff](http://svn.apache.org/viewcvs.cgi?rev=40490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40490&view=rev>) (andreas)
- [1.0] added UsecaseAuthorizer role [Diff](http://svn.apache.org/viewcvs.cgi?rev=40489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40489&view=rev>) (andreas)
- [1.0] using ac.Machine instead of ac2.Machine [Diff](http://svn.apache.org/viewcvs.cgi?rev=40488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40488&view=rev>) (andreas)
- [1.0] implemented authorize() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40487&view=rev>) (andreas)
- [1.0] authorizing machine [Diff](http://svn.apache.org/viewcvs.cgi?rev=40486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40486&view=rev>) (andreas)
- [1.0] added getMachine() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40485&view=rev>) (andreas)
- [1.0] removed ac2.Machine added IPRange handling to ac.Machine [Diff](http://svn.apache.org/viewcvs.cgi?rev=40484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40484&view=rev>) (andreas)
- [1.0] don't inherit from PolicyAuthorizer [Diff](http://svn.apache.org/viewcvs.cgi?rev=40483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40483&view=rev>) (andreas)
- [1.0] getting roles from request instead of from session [Diff](http://svn.apache.org/viewcvs.cgi?rev=40482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40482&view=rev>) (andreas)
- [1.0] using default language for document if URI contains no language [Diff](http://svn.apache.org/viewcvs.cgi?rev=40481&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40481&view=rev>) (andreas)
- [1.0] fixed menu urls [Diff](http://svn.apache.org/viewcvs.cgi?rev=40480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40480&view=rev>) (gregor)
- [1.0] adapted sitetree to show language fallback for the concept node [Diff](http://svn.apache.org/viewcvs.cgi?rev=40479&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40479&view=rev>) (gregor)
- [1.0] fixed DTD declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40478&view=rev>) (gregor)
- [1.0] made revisions work for info area tabs fixed sitetree2nav.xsl to take the correct xml:lang values into account added new constructor to DefaultDocument to correctly pass language at creation time disabled unfinished tabs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40477&view=rev>) (gregor)
- [1.0] that made it much worse. reverted. this code should be taken behind the barn and shot [Diff](http://svn.apache.org/viewcvs.cgi?rev=40475&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40475&view=rev>) (gregor)
- [1.0] the move ant task requires two trees, which can belong to different areas [Diff](http://svn.apache.org/viewcvs.cgi?rev=40474&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40474&view=rev>) (edith)
- [1.0] somewhere in the lizard brain of lenya, it keeps accessing this file.. uncommented a line so that it doesnt shower log4j.log with crap [Diff](http://svn.apache.org/viewcvs.cgi?rev=40472&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40472&view=rev>) (gregor)
- [1.0] add delete trash function to admin area (needs to be hooked up still) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40470&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40470&view=rev>) (gregor)
- [1.0] add lenya.area to indicate the area of an item in the sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=40469&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40469&view=rev>) (gregor)
- [1.0] increase free memory directive to prevent out of memory errors [Diff](http://svn.apache.org/viewcvs.cgi?rev=40468&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40468&view=rev>) (gregor)

- (http://svn.apache.org/viewcvs.cgi?rev=40468&view=rev) (gregor)
- [1.0] Representation of the archive and trash tree on info page [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40467&view=rev) (edith)
- [1.0] README copy fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40465&view=rev) (michi)
- [1.0] session NullPointerException fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40464&view=rev) (michi)
- [1.0] fixed sitetree links (using sitetree2nav.xsl) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40463&view=rev) (andreas)
- [1.0] The parameter document-id is get from the session (for copy, move ,..) call of the task deleteDocument call of the task deleteTrash [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40461&view=rev) (edith)
- [1.0] fix the copy task call the move task with two different trees [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40460&view=rev) (edith)
- [1.0] insert of task rename Document [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40459&view=rev) (edith)
- [1.0] get parameter document-id from the session instead from a cookie [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40458&view=rev) (edith)
- [1.0] Delete Document Task [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40457&view=rev) (edith)
- [1.0] call of method importSubtree to copy a node and its children [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40456&view=rev) (edith)
- [1.0] tcpmon documentation improved [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40455&view=rev) (michi)
- [1.0] typo fixes [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40454&view=rev) (gregor)
- [1.0] typo fixes [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40453&view=rev) (gregor)
- [1.0] started to factor out rc unit tests [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40452&view=rev) (gregor)
- [1.0] OSCOM info and admin area protected [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40451&view=rev) (michi)
- [1.0] Unknown Publication removed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40450&view=rev) (michi)
- [1.0] logicsheet to info menu added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40449&view=rev) (michi)
- [1.0] servlet\_context\_path fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40448&view=rev) (michi)
- [1.0] call of ant task archive [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40447&view=rev) (edith)
- [1.0] \*\*\* empty log message \*\*\* [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40446&view=rev) (edith)
- [1.0] archiving works [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40445&view=rev) (edith)
- [1.0] Junit test case for archiving [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40444&view=rev) (edith)
- [1.0] method getChildren() [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40443&view=rev) (edith)
- [1.0] method importSubtree [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40442&view=rev) (edith)
- [1.0] Change File.separator into / [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40440&view=rev) (edith)
- [1.0] Introduction of a second tree (ex archiv) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40439&view=rev) (edith)
- [1.0] status added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40438&view=rev) (michi)
- [1.0] Publishing fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40437&view=rev) (michi)
- [1.0] added abstract to page envelope and info area [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40436&view=rev) (gregor)
- [1.0] updated sample documents with DC metadata [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40435&view=rev) (gregor)
- [1.0] Documentation links updated [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40434&view=rev) (michi)
- [1.0] Atom/Echo mailing list added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40432&view=rev) (michi)
- [1.0] store document id in session for later retrieval by info menu items [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40431&view=rev) (gregor)
- [1.0] live links fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40430&view=rev) (michi)
- [1.0] NullPointerException fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40429&view=rev) (michi)
- [1.0] added policy GUI [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40428&view=rev) (andreas)
- [1.0] un-commented out info area transformation [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40427&view=rev) (andreas)
- [1.0] made overview and meta tabs functional. need to deal with empty values better. [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40426&view=rev) (gregor)
- [1.0] added some classes and methods needed for policy GUI [Diff](#)  
(http://svn.apache.org/viewcvs.cgi?rev=40425&view=rev) (andreas)
- [1.0] File menu items re-grouped [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40424&view=rev) (michi)

- [1.0] testing ... [Diff](http://svn.apache.org/viewcvs.cgi?rev=40421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40421&view=rev>) (michi)
- [1.0] No such user implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40419&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40419&view=rev>) (michi)
- [1.0] initial checkin of policy GUI [Diff](http://svn.apache.org/viewcvs.cgi?rev=40418&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40418&view=rev>) (andreas)
- [1.0] reading document from authoring directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=40417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40417&view=rev>) (andreas)
- [1.0] Roles removed from group [Diff](http://svn.apache.org/viewcvs.cgi?rev=40416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40416&view=rev>) (michi)
- [1.0] User Guide added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40414&view=rev>) (michi)
- [1.0] Logout link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40413&view=rev>) (michi)
- [1.0] classes removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40412&view=rev>) (michi)
- [1.0] more details added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40411&view=rev>) (michi)
- [1.0] log4j configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40407&view=rev>) (michi)
- [1.0] added skeleton for isValidSubnet() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40406&view=rev>) (andreas)
- [1.0] added net-address + subnet-mask editing [Diff](http://svn.apache.org/viewcvs.cgi?rev=40404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40404&view=rev>) (andreas)
- [1.0] corrected document path handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40403&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40403&view=rev>) (andreas)
- [1.0] extended IP ranges [Diff](http://svn.apache.org/viewcvs.cgi?rev=40402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40402&view=rev>) (andreas)
- [1.0] corrected incompatible exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=40401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40401&view=rev>) (andreas)
- [1.0] ac2.Identity implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40400&view=rev>) (michi)
- [1.0] ac2.Identity implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40399&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40399&view=rev>) (michi)
- [1.0] use canonical dublin core namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=40398&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40398&view=rev>) (gregor)
- [1.0] - performed namespace surgery [Diff](http://svn.apache.org/viewcvs.cgi?rev=40397&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40397&view=rev>) (gregor)
- [1.0] binary to ascii [Diff](http://svn.apache.org/viewcvs.cgi?rev=40394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40394&view=rev>) (gregor)
- [1.0] - performed namespace surgery - fixed headers to report correct CVS ID tag - started dublin core implementation - fixed broken matchers in info sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=40393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40393&view=rev>) (gregor)
- [1.0] added getDocumentFile() to pageenvelope and -module changed getDocumentPath() to path instead of file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40392&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40392&view=rev>) (andreas)
- [1.0] refined logger [Diff](http://svn.apache.org/viewcvs.cgi?rev=40390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40390&view=rev>) (andreas)
- [1.0] added IP ranges + management [Diff](http://svn.apache.org/viewcvs.cgi?rev=40389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40389&view=rev>) (andreas)
- [1.0] Call of the ant Task for deactivate a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=40388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40388&view=rev>) (edith)
- [1.0] Deactivate a document [Diff](http://svn.apache.org/viewcvs.cgi?rev=40387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40387&view=rev>) (edith)
- [1.0] Deactivate Document test [Diff](http://svn.apache.org/viewcvs.cgi?rev=40386&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40386&view=rev>) (edith)
- [1.0] enable uploads implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=40382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40382&view=rev>) (michi)
- [1.0] enable uploads made configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40381&view=rev>) (michi)
- [1.0] deprecated some xml classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40380&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40380&view=rev>) (gregor)
- [1.0] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=40379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40379&view=rev>) (andreas)
- [1.0] added / corrected delete methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=40378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40378&view=rev>) (andreas)
- [1.0] Publication get from page-envelope input module [Diff](http://svn.apache.org/viewcvs.cgi?rev=40377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40377&view=rev>) (edith)
- [1.0] removed lenya-util usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=40376&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40376&view=rev>) (andreas)
- [1.0] fixed getUser() bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=40375&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40375&view=rev>) (andreas)
- [1.0] bugfix for WorkflowAuthorizer - don't check authorization if the url does not correspond to a CMS document [Diff](http://svn.apache.org/viewcvs.cgi?rev=40374&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40374&view=rev>) (andreas)
- [1.0] added context path to history URLs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40373&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40373&view=rev>) (andreas)
- [1.0] using lenya page for logout screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=40372&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40372&view=rev>) (andreas)
- [1.0] login screened prettified [Diff](http://svn.apache.org/viewcvs.cgi?rev=40371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40371&view=rev>) (michi)
- [1.0] current username fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40370&view=rev>) (michi)
- [1.0] - removed reference to ac.Identity - removed lenya util logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=40369&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40369&view=rev>) (andreas)
- [1.0] - removed forrest publication catalog entry - using docs-new catalog with relative path [Diff](http://svn.apache.org/viewcvs.cgi?rev=40368&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40368&view=rev>) (andreas)
- [1.0] - removed unused DefaultAuthenticatorAction - marked old access control actions as deprecated [Diff](http://svn.apache.org/viewcvs.cgi?rev=40367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40367&view=rev>) (andreas)
- [1.0] removed lenya-util usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=40366&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40366&view=rev>) (andreas)

- [1.0] removed publication-id parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=40365&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40365&view=rev>) (andreas)
- [1.0] - introducing global access control sitemap - reflecting access control changes in default and oscom publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=40364&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40364&view=rev>) (andreas)
- [1.0] reflecting access control changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40363&view=rev>) (andreas)
- [1.0] added some readDocument(...) methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=40362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40362&view=rev>) (andreas)
- [1.0] - refactored policy manager - introduced InheritingPolicyManager - various bugfixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40361&view=rev>) (andreas)
- [1.0] username / userid bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40360&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40360&view=rev>) (andreas)
- [1.0] last modified added to page envelope and to document class [Diff](http://svn.apache.org/viewcvs.cgi?rev=40359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40359&view=rev>) (gregor)
- [1.0] extend page envelope with metadata [Diff](http://svn.apache.org/viewcvs.cgi?rev=40358&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40358&view=rev>) (gregor)
- [1.0] synchronize node highlighting in tree widget with URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=40357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40357&view=rev>) (gregor)
- [1.0] Added an getter method to fetch all languages for this publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40356&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40356&view=rev>) (egli)
- [1.0] The creator for the default publication is obviously not the Uni Zuerich. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40355&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40355&view=rev>) (egli)
- [1.0] Transform the data from the xsp regarding the dublin core fields. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40354&view=rev>) (egli)
- [1.0] Fetch the user-name instead of the user-id. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40353&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40353&view=rev>) (egli)
- [1.0] Set the default language to "en". [Diff](http://svn.apache.org/viewcvs.cgi?rev=40352&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40352&view=rev>) (egli)
- [1.0] Since getName() returns the same as getFullName() and getFullName() has been deprecated it is no longer returned by the access-control input module [Diff](http://svn.apache.org/viewcvs.cgi?rev=40351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40351&view=rev>) (egli)
- [1.0] Removed an unused import. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40350&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40350&view=rev>) (egli)
- [1.0] Since getFullName simply returns getName() the getFullName method has been deprecated in favour of the getName method. This of course implies changes in the LDAPUser where getFullname was overwritten and in the unit test cases. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40349&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40349&view=rev>) (egli)
- [1.0] Deprecated since all of this can be done better with java.text.DateFormat and java.text.SimpleDateFormat. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40348&view=rev>) (egli)
- [1.0] Added more fields to the module, i.e. user-name, user-fullname, user-email. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40347&view=rev>) (egli)
- [1.0] Fixed checkstyle warnings by making instance vars private and adding protected getters. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40346&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40346&view=rev>) (egli)
- [1.0] Added javadocs to fix checkstyle warnings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40345&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40345&view=rev>) (egli)
- [1.0] Use the create-workflow usecase for creating documents. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40344&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40344&view=rev>) (egli)
- [1.0] The publication-specific serverpages should be in lenya/pubs/{publication-id}/lenya/content/{serverpage}. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40341&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40341&view=rev>) (egli)
- [1.0] Remove the creation of a publication (which was throwing a uncaught exception) because it is never used after. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40340&view=rev>) (egli)
- [1.0] Added an input module that allows access to access-control information such as user-id, user-name, etc. Currently implemented is user-id. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40339&view=rev>) (egli)
- [1.0] Added a FIXME: comment to some code that is commented out intentionally. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40338&view=rev>) (egli)
- [1.0] catching PublicationException [Diff](http://svn.apache.org/viewcvs.cgi?rev=40337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40337&view=rev>) (andreas)
- [1.0] load info pane concurrently with tree widget upon page load [Diff](http://svn.apache.org/viewcvs.cgi?rev=40336&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40336&view=rev>) (gregor)
- [1.0] Added a constant to point to the config directory Fixed a bug with reading the default language from the config. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40334&view=rev>) (egli)
- [1.0] Added a FIXME: comment about the fact that the init method could be moved back to the constructor if the deprecated method was removed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40333&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40333&view=rev>) (egli)

- [1.0] The publication now (optionally for backwards compatibility) looks for a config file named publication.xconf and fetches the languages, the default language and the DocumentToPathMapper from it. Since the Constructor of Publication can throw an PublicationException now a lot of files have to be adapted. In order to handle that the constructor functionality needed to be factored out into the init method. This is possibly not needed anymore if the deprecated constructor is removed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40332&view=rev>) (egli)
- [1.0] The publication now (optionally for backwards compatibility) looks for a config file named publication.xconf and fetches the languages, the default language and the DocumentToPathMapper from it. Since the Constructor of Publication can throw an PublicationException now a lot of files have to be adapted. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40331&view=rev>) (egli)
- [1.0] Fixed a typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40330&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40330&view=rev>) (egli)
- [1.0] Enhanced the creator tool chain (java, xsp and xslt) to be able to handle multi-lingual creates. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40328&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40328&view=rev>) (egli)
- [1.0] added javadocs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40327&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40327&view=rev>) (andreas)
- [1.0] added authenticator [Diff](http://svn.apache.org/viewcvs.cgi?rev=40326&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40326&view=rev>) (andreas)
- [1.0] reflecting changes to access controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=40325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40325&view=rev>) (andreas)
- [1.0] added existsPublication() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40323&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40323&view=rev>) (andreas)
- [1.0] The document creator can now handle multi-lingual documents. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40322&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40322&view=rev>) (egli)
- [1.0] Removed the publication as it was never used. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40321&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40321&view=rev>) (egli)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40320&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40320&view=rev>) (egli)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40319&view=rev>) (egli)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40318&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40318&view=rev>) (egli)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40317&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40317&view=rev>) (egli)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40316&view=rev>) (egli)
- [1.0] Fixed checkstyle warnings [Diff](http://svn.apache.org/viewcvs.cgi?rev=40315&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40315&view=rev>) (egli)
- [1.0] Fixed checkstyle warnings [Diff](http://svn.apache.org/viewcvs.cgi?rev=40314&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40314&view=rev>) (egli)
- [1.0] added Dublin Core Class to document class [Diff](http://svn.apache.org/viewcvs.cgi?rev=40313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40313&view=rev>) (gregor)
- [1.0] reflecting access control changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40311&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40311&view=rev>) (andreas)
- [1.0] using excalibur test for access control components [Diff](http://svn.apache.org/viewcvs.cgi?rev=40310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40310&view=rev>) (andreas)
- [1.0] introduced access controller resolver [Diff](http://svn.apache.org/viewcvs.cgi?rev=40309&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40309&view=rev>) (andreas)
- [1.0] reflecting policymanager changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40307&view=rev>) (andreas)
- [1.0] improved SourceResolver handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=40305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40305&view=rev>) (andreas)
- [1.0] return added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40304&view=rev>) (michi)
- [1.0] addded empty methods to sync with interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=40303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40303&view=rev>) (gregor)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40302&view=rev>) (egli)
- [1.0] Fixed checkstyle warnings by making instance vars private and adding accessor methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40301&view=rev>) (egli)
- [1.0] extend document interface with getters for the dc metadata properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=40300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40300&view=rev>) (gregor)
- [1.0] Workflow History Pipeline added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40299&view=rev>) (michi)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40298&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40298&view=rev>) (egli)
- [1.0] Fixed Javadoc problems that were indicated by checkstyle. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40297&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40297&view=rev>) (egli)

- [1.0] language switching now works in the sitetree. if the chosen language is not found, the default language is taken. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40296&view=rev>) (gregor)
- [1.0] corrected license headers [Diff](http://svn.apache.org/viewcvs.cgi?rev=40295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40295&view=rev>) (andreas)
- [1.0] using default access controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=40294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40294&view=rev>) (andreas)
- [1.0] reflecting access control changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40293&view=rev>) (andreas)
- [1.0] only whitespace changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40292&view=rev>) (andreas)
- [1.0] checking if identity belongs to correct AccreditableManager [Diff](http://svn.apache.org/viewcvs.cgi?rev=40291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40291&view=rev>) (andreas)
- [1.0] - added belongsTo(AccreditableManager) method - removed code smell from getUser() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40290&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40290&view=rev>) (andreas)
- [1.0] method getUser added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40289&view=rev>) (michi)
- [1.0] fix the path of the stylesheet for checkin/out errors [Diff](http://svn.apache.org/viewcvs.cgi?rev=40288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40288&view=rev>) (edith)
- [1.0] Copy, Move and Rename [Diff](http://svn.apache.org/viewcvs.cgi?rev=40286&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40286&view=rev>) (edith)
- [1.0] test for moveUp and moveDown [Diff](http://svn.apache.org/viewcvs.cgi?rev=40285&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40285&view=rev>) (edith)
- [1.0] Method MoveUp and MoveDown [Diff](http://svn.apache.org/viewcvs.cgi?rev=40284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40284&view=rev>) (edith)
- [1.0] reflecting access control changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40283&view=rev>) (andreas)
- [1.0] redesigned access control: - Access controller is the main component - AccreditableManager is former AccessController [Diff](http://svn.apache.org/viewcvs.cgi?rev=40280&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40280&view=rev>) (andreas)
- [1.0] parameter fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40279&view=rev>) (michi)
- [1.0] demo commented out from navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40278&view=rev>) (michi)
- [1.0] first pass at language switching via tab in the info area. still has a little bug that makes highlighting fail after a couple clicks back and forth. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40277&view=rev>) (gregor)
- [1.0] binary to ascii [Diff](http://svn.apache.org/viewcvs.cgi?rev=40276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40276&view=rev>) (andreas)
- [1.0] begin multilanguage support in sitetree and info area - sitetree sample with mulilingual labels - concepts of defaultlanguage / language - highlight the proper language tab in info [Diff](http://svn.apache.org/viewcvs.cgi?rev=40275&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40275&view=rev>) (gregor)
- [1.0] enable-uploads added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40274&view=rev>) (michi)
- [1.0] initializing workflow history in creator task [Diff](http://svn.apache.org/viewcvs.cgi?rev=40273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40273&view=rev>) (andreas)
- [1.0] removing ac2.Identity from session [Diff](http://svn.apache.org/viewcvs.cgi?rev=40272&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40272&view=rev>) (andreas)
- [1.0] corrected uri prefix for mounting [Diff](http://svn.apache.org/viewcvs.cgi?rev=40271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40271&view=rev>) (andreas)
- [1.0] added authorizers initialization [Diff](http://svn.apache.org/viewcvs.cgi?rev=40270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40270&view=rev>) (andreas)
- [1.0] using fallback for xsp + xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=40269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40269&view=rev>) (andreas)
- [1.0] mounting only usecase-specific sitemaps (moint = point of no return) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40268&view=rev>) (andreas)
- [1.0] added authorizer roles [Diff](http://svn.apache.org/viewcvs.cgi?rev=40267&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40267&view=rev>) (andreas)
- [1.0] allowing missing tasks.xml file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40266&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40266&view=rev>) (andreas)
- [1.0] catching TaskManager exceptions [Diff](http://svn.apache.org/viewcvs.cgi?rev=40265&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40265&view=rev>) (andreas)
- [1.0] checking for workflow history before executing task [Diff](http://svn.apache.org/viewcvs.cgi?rev=40264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40264&view=rev>) (andreas)
- [1.0] - authorizer is avalon component [Diff](http://svn.apache.org/viewcvs.cgi?rev=40263&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40263&view=rev>) (andreas)
- [1.0] - authorizer is avalon component - putting roles in session (TODO: only until usecase.xmap is under access control!) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40262&view=rev>) (andreas)
- [1.0] publication path get from the Publication through the page-envelope module [Diff](http://svn.apache.org/viewcvs.cgi?rev=40261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40261&view=rev>) (edith)
- [1.0] multipart requests instruction added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40260&view=rev>) (michi)
- [1.0] Fixed more javadocs to get rid of the checkstyle warnings. 2045 to go... [Diff](http://svn.apache.org/viewcvs.cgi?rev=40259&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40259&view=rev>) (egli)
- [1.0] authoring tab fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40258&view=rev>) (michi)
- [1.0] live link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40257&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40257&view=rev>) (michi)
- [1.0] live readded to URI space [Diff](http://svn.apache.org/viewcvs.cgi?rev=40256&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40256&view=rev>) (michi)

- [1.0] Publish should now correctly handle the multilingual case, i.e. only the requested label is published from the authoring to the live tree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40255&view=rev>) (egli)
- [1.0] Make sure getLabel can also handle "" as a xmlLanguage when in reality it is null. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40254&view=rev>) (egli)
- [1.0] tabs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40253&view=rev>) (michi)
- [1.0] was binary.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40252&view=rev>) (gregor)
- [1.0] now forwards sitemap parameters to task [Diff](http://svn.apache.org/viewcvs.cgi?rev=40251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40251&view=rev>) (gregor)
- [1.0] tabs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40250&view=rev>) (michi)
- [1.0] Revision Controller to top level sitemap moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=40249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40249&view=rev>) (michi)
- [1.0] Added more javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40248&view=rev>) (egli)
- [1.0] Removed unused import. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40247&view=rev>) (egli)
- [1.0] The filename to pass to the Revision Controller should be : content/authoring/....index.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=40246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40246&view=rev>) (edith)
- [1.0] added removeAllMembers() test [Diff](http://svn.apache.org/viewcvs.cgi?rev=40245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40245&view=rev>) (andreas)
- [1.0] next version of user + group administration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40244&view=rev>) (andreas)
- [1.0] Added workflow events to the menu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40243&view=rev>) (egli)
- [1.0] updated access control files [Diff](http://svn.apache.org/viewcvs.cgi?rev=40242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40242&view=rev>) (andreas)
- [1.0] Fixed the parameter names for the creator so that creation actually works. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40241&view=rev>) (egli)
- [1.0] Added more javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40239&view=rev>) (egli)
- [1.0] added group + access-control scripts [Diff](http://svn.apache.org/viewcvs.cgi?rev=40238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40238&view=rev>) (andreas)
- [1.0] next version of user + group administration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40237&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40237&view=rev>) (andreas)
- [1.0] - added reference to roles file - added access controller component declaration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40236&view=rev>) (andreas)
- [1.0] redesigned AccessController as Avalon component [Diff](http://svn.apache.org/viewcvs.cgi?rev=40235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40235&view=rev>) (andreas)
- [1.0] copying Avalon roles file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40234&view=rev>) (andreas)
- [1.0] Use the creator ant task instead of the DefaultCreator. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40233&view=rev>) (egli)
- [1.0] added publication test [Diff](http://svn.apache.org/viewcvs.cgi?rev=40232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40232&view=rev>) (andreas)
- [1.0] redesigned AccessController as Avalon component [Diff](http://svn.apache.org/viewcvs.cgi?rev=40229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40229&view=rev>) (andreas)
- [1.0] throwing exception when configuration directory is not valid [Diff](http://svn.apache.org/viewcvs.cgi?rev=40228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40228&view=rev>) (andreas)
- [1.0] added removeAllMembers() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40227&view=rev>) (andreas)
- [1.0] hook up language display to info tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=40225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40225&view=rev>) (gregor)
- [1.0] Fixed a bug in the parameter passing to the usecase-create resource. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40224&view=rev>) (egli)
- [1.0] Proper indenting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40223&view=rev>) (egli)
- [1.0] Added documentation for document-path and document-language. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40222&view=rev>) (egli)
- [1.0] - improved tree widget to save state - fixed bug where tree widget was unable to reopen subtrees - added hover effect to tree widget - added language tabs to tree widget - consolidated menu.css, info.css and default.css - fixed CSS validation errors - improved breadcrumb generation in html title - fixed typo in introduction [Diff](http://svn.apache.org/viewcvs.cgi?rev=40221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40221&view=rev>) (gregor)
- [1.0] login screen de-uglyfication [Diff](http://svn.apache.org/viewcvs.cgi?rev=40220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40220&view=rev>) (gregor)
- [1.0] Added language tag. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40219&view=rev>) (egli)
- [1.0] Added a comment to notify that this xsp has been deprecated. Replaced usage of xsp-lenya logic sheet with xsp-request, xsp-session and page envelope input module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40218&view=rev>) (egli)

- [1.0] Added the document language to the pageenvelope and to the page envelope input module. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40217&view=rev>) (egli)
- [1.0] xpath bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40216&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40216&view=rev>) (michi)
- [1.0] error handling improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=40215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40215&view=rev>) (michi)
- [1.0] Added more javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40213&view=rev>) (egli)
- [1.0] Added more javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40212&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40212&view=rev>) (egli)
- [1.0] Added more test cases. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40211&view=rev>) (egli)
- [1.0] Added more test cases. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40210&view=rev>) (egli)
- [1.0] Added more javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40208&view=rev>) (egli)
- [1.0] Added methods to allow adding and removing labels to existing nodes. This is needed for handling of multilingual documents. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40207&view=rev>) (egli)
- [1.0] Added methods to add and remove a label to a siteTree node. This is in preparation for the multilingual stuff. Also added complete java docs and fixed a problem in getLabel where it would not correctly handle empty language attributes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40206&view=rev>) (egli)
- [1.0] Added toString, equals and hashCode methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40205&view=rev>) (egli)
- [1.0] - made CSS valid - simplified menu code - added breadcrumb in title - removed legacy javascript [Diff](http://svn.apache.org/viewcvs.cgi?rev=40204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40204&view=rev>) (gregor)
- [1.0] - made CSS valid - simplified menu code - added breadcrumb in title - removed legacy javascript [Diff](http://svn.apache.org/viewcvs.cgi?rev=40203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40203&view=rev>) (gregor)
- [1.0] tabs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40202&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40202&view=rev>) (michi)
- [1.0] live reintroduced [Diff](http://svn.apache.org/viewcvs.cgi?rev=40201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40201&view=rev>) (michi)
- [1.0] Authoring and Live URL fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40200&view=rev>) (michi)
- [1.0] bumped version to 1.0 added entities properties wyona -> lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=40199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40199&view=rev>) (gregor)
- [1.0] bumped version to 1.0 added entities copy task (disabled for now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40198&view=rev>) (gregor)
- [1.0] reflected proper filename extension in build file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40197&view=rev>) (gregor)
- [1.0] changed "build.compiler" from classic to modern. this uses the 1.3 javac instead of the 1.2 one. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40196&view=rev>) (gregor)
- [1.0] adapted tests to new access control design [Diff](http://svn.apache.org/viewcvs.cgi?rev=40195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40195&view=rev>) (andreas)
- [1.0] some id/name-related bugfixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40194&view=rev>) (andreas)
- [1.0] The publisher classes have been superceded by the publish ant task and are now deprecated. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40192&view=rev>) (egli)
- [1.0] Fixed checkstyle warnings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40191&view=rev>) (egli)
- [1.0] changes due to abstract Role class [Diff](http://svn.apache.org/viewcvs.cgi?rev=40190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40190&view=rev>) (andreas)
- [1.0] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40188&view=rev>) (michi)
- [1.0] tabs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40187&view=rev>) (michi)
- [1.0] Addde Javadocs and fixed checkstyle warnings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40186&view=rev>) (egli)
- [1.0] Fixed checkstyle warnings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40185&view=rev>) (egli)
- [1.0] Make sure the handle-errors contains a serialize so that exception stack traces are shown. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40184&view=rev>) (egli)
- [1.0] Image upload for uni public works again. The following changes had to be applied: The sitemap path was not pointing at the publication sitemap anymore since the usecase stuff has been moved to the root sitemap. So the PageEnvelope is used to find the publication directory. In the olden days (when uni public was created) the document-id used to contain the suffix of the document as well. This is no longer the case, so the image upload had to be adjusted. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40183&view=rev>) (egli)
- [1.0] Added complete Javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40182&view=rev>) (egli)
- [1.0] Added complete Javadocs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40181&view=rev>) (egli)
- [1.0] - corrected pipeline order in admin.xmap - removed user admin from usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=40180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40180&view=rev>) (andreas)

- [1.0] insertion of the page tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=40179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40179&view=rev>) (edith)
- [1.0] get the directory for a given documentid for copy/move [Diff](http://svn.apache.org/viewcvs.cgi?rev=40178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40178&view=rev>) (edith)
- [1.0] Added the upload usecase matchers. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40177&view=rev>) (egli)
- [1.0] implemented add/delete users [Diff](http://svn.apache.org/viewcvs.cgi?rev=40176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40176&view=rev>) (andreas)
- [1.0] - added user/group add/delete usecase - using \*\* for matching all non-existent pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=40175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40175&view=rev>) (andreas)
- [1.0] Added more Javadocs. With up-to-date Cocoon the request is no longer a multipart request, so checking for multipart request is no longer needed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40174&view=rev>) (egli)
- [1.0] The uploadimage usecase has been renamed to upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40173&view=rev>) (egli)
- [1.0] Make sure the document-id is wrapped tightly in the surrounding tags. Otherwise whitespace seems to be passed along and confuse the image upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40172&view=rev>) (egli)
- [1.0] Adapted to the new interface of DocumentIdToPathMapper (with the language) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40171&view=rev>) (egli)
- [1.0] Complete Javadocs and removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40170&view=rev>) (egli)
- [1.0] Added complete Javadocs and in the course got rid of about 30 checkstyle warnings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40169&view=rev>) (egli)
- [1.0] delete rcm1/rcbak test [Diff](http://svn.apache.org/viewcvs.cgi?rev=40167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40167&view=rev>) (edith)
- [1.0] added user description [Diff](http://svn.apache.org/viewcvs.cgi?rev=40166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40166&view=rev>) (andreas)
- [1.0] added user description field [Diff](http://svn.apache.org/viewcvs.cgi?rev=40165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40165&view=rev>) (andreas)
- [1.0] added description field [Diff](http://svn.apache.org/viewcvs.cgi?rev=40164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40164&view=rev>) (andreas)
- [1.0] generalized user admin pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=40162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40162&view=rev>) (andreas)
- [1.0] removed user admin pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=40160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40160&view=rev>) (andreas)
- [1.0] bold font for selected menublocks [Diff](http://svn.apache.org/viewcvs.cgi?rev=40157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40157&view=rev>) (andreas)
- [1.0] using /users/ step in flow URIs to enable menu item highlighting [Diff](http://svn.apache.org/viewcvs.cgi?rev=40156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40156&view=rev>) (andreas)
- [1.0] restructured user administration [Diff](http://svn.apache.org/viewcvs.cgi?rev=40155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40155&view=rev>) (andreas)
- [1.0] tree nodes below the top level ones were not matched properly. this should fix the wierd layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=40154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40154&view=rev>) (gregor)
- [1.0] fixed small issue where sometimes // was generated instead of / [Diff](http://svn.apache.org/viewcvs.cgi?rev=40153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40153&view=rev>) (gregor)
- [1.0] added permissions tab styled tabs with css classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40152&view=rev>) (gregor)
- [1.0] absolute path for resource-exists selector [Diff](http://svn.apache.org/viewcvs.cgi?rev=40151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40151&view=rev>) (andreas)
- [1.0] rename works [Diff](http://svn.apache.org/viewcvs.cgi?rev=40149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40149&view=rev>) (edith)
- [1.0] change the cancel button [Diff](http://svn.apache.org/viewcvs.cgi?rev=40148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40148&view=rev>) (edith)
- [1.0] put <page> tag to have so beautiful form also [Diff](http://svn.apache.org/viewcvs.cgi?rev=40147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40147&view=rev>) (edith)
- [1.0] allowing pub-independent sitetrees (used for admin area) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40146&view=rev>) (andreas)
- [1.0] changed page aggregation structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=40145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40145&view=rev>) (andreas)
- [1.0] bugfix for <div> copying [Diff](http://svn.apache.org/viewcvs.cgi?rev=40144&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40144&view=rev>) (andreas)
- [1.0] changed page structure (menu inside lenya-sidebar) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40143&view=rev>) (andreas)
- [1.0] using xhtml namespace inside cmsbody [Diff](http://svn.apache.org/viewcvs.cgi?rev=40142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40142&view=rev>) (andreas)
- [1.0] from for rename works [Diff](http://svn.apache.org/viewcvs.cgi?rev=40139&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40139&view=rev>) (edith)
- [1.0] get the document id of the parent of the destination in the cookie [Diff](http://svn.apache.org/viewcvs.cgi?rev=40138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40138&view=rev>) (edith)
- [1.0] get the document id of the file to rename in the session [Diff](http://svn.apache.org/viewcvs.cgi?rev=40137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40137&view=rev>) (edith)
- [1.0] ant task to compute the different document ids of the destination in case of copy, move and rename [Diff](http://svn.apache.org/viewcvs.cgi?rev=40136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40136&view=rev>) (edith)

- (<http://svn.apache.org/viewcvs.cgi?rev=40136&view=rev>) (edith)
  - [1.0] added homepage pipeline [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40135&view=rev>) (andreas)
  - [1.0] fixed lenya-sidebar column width [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40134&view=rev>) (andreas)
  - [1.0] changed admin area link [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40133&view=rev>) (andreas)
  - [1.0] Replaced the util logicsheet with an invocation of the page envelope input module. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40129&view=rev>) (egli)
- [1.0] libraries updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40128&view=rev>) (michi)
- [1.0] using CMS screen concept [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40126&view=rev>) (andreas)
- [1.0] some layout additions [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40125&view=rev>) (andreas)
- [1.0] changed user administration links [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40124&view=rev>) (andreas)
- [1.0] added ac configuration files [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40123&view=rev>) (andreas)
- [1.0] added method getPublication(request, context) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40122&view=rev>) (andreas)
- [1.0] added admin area [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40121&view=rev>) (andreas)
- [1.0] made contains() public [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40120&view=rev>) (andreas)
- [1.0] titles fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40119&view=rev>) (michi)
- [1.0] Get parameters from GUI through cookies and session [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40118&view=rev>) (edith)
- [1.0] added full document id to tree fixed layout for large trees stripped request parameters from document id for the cookie [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40117&view=rev>) (gregor)
- [1.0] do not throw exception [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40116&view=rev>) (michi)
- [1.0] apparently not all xslt processors are alike.. should now work with xalan too. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40115&view=rev>) (gregor)
- [1.0] made sitetree work properly. thanks to michi for the hint [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40114&view=rev>) (gregor)
- [1.0] javadoc added and exception thrown in case of error [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40113&view=rev>) (michi)
- [1.0] added info area to valid areas [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40112&view=rev>) (andreas)
- [1.0] using cache for policies and URI parameters [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40111&view=rev>) (andreas)

## 38. Version 2003-06 ()

### 38.1. 1.0

- [1.0] Utility to run processes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40110&view=rev>) (michi)
- [1.0] added document tests [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40099&view=rev>) (andreas)
- [1.0] added access controller test [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40098&view=rev>) (andreas)
- [1.0] added ac2-specific access control test base class [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40097&view=rev>) (andreas)
- [1.0] added DocumentBuilder [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40092&view=rev>) (andreas)
- [1.0] Status Page added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40074&view=rev>) (michi)
- [1.0] test class for the copying of a document [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40070&view=rev>) (edith)
- [1.0] ant task to compute the document id of the copy file [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40067&view=rev>) (edith)
- [1.0] initial checkin of new access control implementation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40061&view=rev>) (andreas)
- [1.0] added class for constructing test page envelopes [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40058&view=rev>) (andreas)
- [1.0] initial checkin of new access control implementation [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=40056&view=rev>) (andreas)

- [1.0] initial checkin of new access control implementation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40054&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40054&view=rev>) (andreas)
- [1.0] added Groupable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40053&view=rev>) (andreas)
- [1.0] added AbstractGroupable [Diff](http://svn.apache.org/viewcvs.cgi?rev=40051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40051&view=rev>) (andreas)
- [1.0] added page envelope factory [Diff](http://svn.apache.org/viewcvs.cgi?rev=40049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40049&view=rev>) (andreas)
- [1.0] added start page to live area by default to prevent errors. other pages need to be published of course. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40044&view=rev>) (gregor)
- [1.0] check only file and not directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=40022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40022&view=rev>) (michi)
- [1.0] Licenses added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40019&view=rev>) (michi)
- [1.0] Authenticator which delegates the authentication to the User class. The user class knows how to authenticate, e.g. FileUser compares with encrypted string in file, LDAPUser makes a request to an ldap server. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40014&view=rev>) (egli)
- [1.0] Unit tests for LDAPUser [Diff](http://svn.apache.org/viewcvs.cgi?rev=40012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40012&view=rev>) (egli)
- [1.0] compute a new id for a document if there is already a node for a document with this id [Diff](http://svn.apache.org/viewcvs.cgi?rev=40004&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40004&view=rev>) (edith)
- [1.0] added publisher test [Diff](http://svn.apache.org/viewcvs.cgi?rev=39996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39996&view=rev>) (andreas)
- [1.0] - added creator test - using property for test classpath [Diff](http://svn.apache.org/viewcvs.cgi?rev=39969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39969&view=rev>) (andreas)
- [1.0] Added a class to handle LDAP users. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39966&view=rev>) (egli)
- [1.0] - added form css - added table css - factored some things out of default.css [Diff](http://svn.apache.org/viewcvs.cgi?rev=39959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39959&view=rev>) (andreas)
- [1.0] Copy/Move a node in the sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=39944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39944&view=rev>) (edith)
- [1.0] Added the document-path to the PageEnvelope and to the PageEnvelopeModule. The document-path is calculated by a class that implements the interface DocumentIdToPathMapper. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39943&view=rev>) (egli)
- [1.0] added menu to admin area [Diff](http://svn.apache.org/viewcvs.cgi?rev=39942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39942&view=rev>) (gregor)
- [1.0] added unit tests docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39918&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39918&view=rev>) (andreas)
- [1.0] added better feather icon to menu (thanks diana) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39891&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39891&view=rev>) (gregor)
- [1.0] Added actions for user administration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39866&view=rev>) (egli)
- [1.0] wired up admin area in the menu bar. excuse the butt-ugly icon, a skillfully crafted one has been comissioned. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39865&view=rev>) (gregor)
- [1.0] added history [Diff](http://svn.apache.org/viewcvs.cgi?rev=39858&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39858&view=rev>) (andreas)
- [1.0] added DocumentCreator as AntTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=39853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39853&view=rev>) (andreas)
- [1.0] Renamed from user-edit.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=39852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39852&view=rev>) (egli)
- [1.0] xsl for the user delete confirmation screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39851&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39851&view=rev>) (egli)
- [1.0] xsl for the user add screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39850&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39850&view=rev>) (egli)
- [1.0] Added screen for modifying an existing user. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39847&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39847&view=rev>) (egli)
- [1.0] Added screen for adding a new user. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39846&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39846&view=rev>) (egli)
- [1.0] Added xsp and xsl for user admin. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39839&view=rev>) (egli)
- [1.0] xsl stubs for Info Area screens XSL stubs for workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=39838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39838&view=rev>) (gregor)
- [1.0] xsp stubs for Info Area screens xsp stubs for workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=39837&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39837&view=rev>) (gregor)
- [1.0] started work on Info Area (sitemaps, menu tab, menu definition) moved site dir to info dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=39830&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39830&view=rev>) (gregor)
- [1.0] Added Tree Widget (Javascript, Images, CSS) and a XSL to convert a sitetree to a Javascript array suitable for the tree widget. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39827&view=rev>) (gregor)
- [1.0] Added Site / Meta area screen, CSS and Javascript [Diff](http://svn.apache.org/viewcvs.cgi?rev=39826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39826&view=rev>) (gregor)
- [1.0] started work on Site / Meta area [Diff](http://svn.apache.org/viewcvs.cgi?rev=39825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39825&view=rev>) (gregor)

- [1.0] Added tests for the fileUser class [Diff](http://svn.apache.org/viewcvs.cgi?rev=39824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39824&view=rev>) (egli)
- [1.0] Added test cases for FileGroup, FileRole, GroupManager and RoleManager. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39808&view=rev>) (egli)
- [1.0] added BooleanVariableAssignment [Diff](http://svn.apache.org/viewcvs.cgi?rev=39791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39791&view=rev>) (andreas)
- [1.0] added WorkflowFactory [Diff](http://svn.apache.org/viewcvs.cgi?rev=39787&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39787&view=rev>) (andreas)
- [1.0] Added skeletal versions of Unit Test cases. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39774&view=rev>) (egli)
- [1.0] Added a subclass to Group which handles loading and saving to xml file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39771&view=rev>) (egli)
- [1.0] Add a subclass to Role which handles saving and loading from xml file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39770&view=rev>) (egli)
- [1.0] Added a common superclass ItemManager which implements the singleton for all the other manager classes (UserManager, GroupManager and RoleManager) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39768&view=rev>) (egli)
- [1.0] removed senseless class [Diff](http://svn.apache.org/viewcvs.cgi?rev=40094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40094&view=rev>) (andreas)
- [1.0] replace by ComputeCopyDocumentId [Diff](http://svn.apache.org/viewcvs.cgi?rev=40066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40066&view=rev>) (edith)
- [1.0] deprecated wyona documentation moved to wiki to allow for easier refactoring. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40027&view=rev>) (gregor)
- [1.0] deprecated the computerworld publication. it will be available from wyona.org (unmaintained) in the future. (as well as in the CVS history here) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40026&view=rev>) (gregor)
- [1.0] removed cocoonsamples dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=39977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39977&view=rev>) (gregor)
- [1.0] removed workflow history [Diff](http://svn.apache.org/viewcvs.cgi?rev=39862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39862&view=rev>) (andreas)
- [1.0] Renamed to user-modify.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=39845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39845&view=rev>) (egli)
- [1.0] Removed as it had no tests in it and no plan to where it would be going. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39823&view=rev>) (egli)
- [1.0] removed WorkflowFactory and WorkflowBuildException [Diff](http://svn.apache.org/viewcvs.cgi?rev=39788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39788&view=rev>) (andreas)
- [1.0] removing CommandFilter and WorkflowFactoryImpl [Diff](http://svn.apache.org/viewcvs.cgi?rev=39785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39785&view=rev>) (andreas)
- [1.0] Added complete java docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=40109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40109&view=rev>) (egli)
- [1.0] caching URI parameters (performance improvement) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40108&view=rev>) (andreas)
- [1.0] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=40107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40107&view=rev>) (andreas)
- [1.0] RC environment created only once for every context [Diff](http://svn.apache.org/viewcvs.cgi?rev=40106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40106&view=rev>) (andreas)
- [1.0] added cocoon license header [Diff](http://svn.apache.org/viewcvs.cgi?rev=40105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40105&view=rev>) (andreas)
- [1.0] added cocoon license header [Diff](http://svn.apache.org/viewcvs.cgi?rev=40104&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40104&view=rev>) (andreas)
- [1.0] - jalopy formatting - using Cocoon license header [Diff](http://svn.apache.org/viewcvs.cgi?rev=40103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40103&view=rev>) (andreas)
- [1.0] added language suffix to history file [Diff](http://svn.apache.org/viewcvs.cgi?rev=40102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40102&view=rev>) (andreas)
- [1.0] using documentbuilder instead of document ctor [Diff](http://svn.apache.org/viewcvs.cgi?rev=40101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40101&view=rev>) (andreas)
- [1.0] reflected changes to PageEnvelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40100&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40100&view=rev>) (andreas)
- [1.0] extended policy test [Diff](http://svn.apache.org/viewcvs.cgi?rev=40096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40096&view=rev>) (andreas)
- [1.0] corrected exception message [Diff](http://svn.apache.org/viewcvs.cgi?rev=40095&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40095&view=rev>) (andreas)
- [1.0] - using document instead of several attributes - removed deprecated ctor [Diff](http://svn.apache.org/viewcvs.cgi?rev=40093&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40093&view=rev>) (andreas)
- [1.0] added new methods to document interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=40091&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40091&view=rev>) (andreas)
- [1.0] using factory instead of pageenvelope ctor [Diff](http://svn.apache.org/viewcvs.cgi?rev=40090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40090&view=rev>) (andreas)
- [1.0] using publication+url instead of page envelope (allows AC for non-document pages, images etc.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40089&view=rev>) (andreas)
- [1.0] using DefaultDocumentBuilder instead of DefaultDocument ctor [Diff](http://svn.apache.org/viewcvs.cgi?rev=40088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40088&view=rev>) (andreas)

- [1.0] using publication+url instead of page envelope (allows AC for non-document pages, images etc.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40087&view=rev>) (andreas)
- [1.0] completed policy computation [Diff](http://svn.apache.org/viewcvs.cgi?rev=40086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40086&view=rev>) (andreas)
- [1.0] - javadocs completed - assertion added for url "/" [Diff](http://svn.apache.org/viewcvs.cgi?rev=40085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40085&view=rev>) (andreas)
- [1.0] pretty printed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40084&view=rev>) (andreas)
- [1.0] storing roles in request, not in session (they change with the URI) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40083&view=rev>) (andreas)
- [1.0] getting roles from session [Diff](http://svn.apache.org/viewcvs.cgi?rev=40082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40082&view=rev>) (andreas)
- [1.0] using factory to get page envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=40081&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40081&view=rev>) (andreas)
- [1.0] whitespace removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=40080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40080&view=rev>) (andreas)
- [1.0] storing roles in session [Diff](http://svn.apache.org/viewcvs.cgi?rev=40079&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40079&view=rev>) (andreas)
- [1.0] fixed getInstance() bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=40078&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40078&view=rev>) (andreas)
- [1.0] forwarding request parameters to CMS screen stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=40077&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40077&view=rev>) (andreas)
- [1.0] removed commented-out parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=40076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40076&view=rev>) (andreas)
- [1.0] using ResourceExistsSelector for CMS screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=40075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40075&view=rev>) (andreas)
- [1.0] copy/cut/rename/paste usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=40073&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40073&view=rev>) (edith)
- [1.0] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=40072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40072&view=rev>) (edith)
- [1.0] declaration of the SessionPropagatorAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=40071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40071&view=rev>) (edith)
- [1.0] introduction of a prepareTest() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=40069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40069&view=rev>) (edith)
- [1.0] fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=40068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40068&view=rev>) (edith)
- [1.0] usecase sitemap moved below midas pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=40065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40065&view=rev>) (michi)
- [1.0] too tired to make this work [Diff](http://svn.apache.org/viewcvs.cgi?rev=40064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40064&view=rev>) (gregor)
- [1.0] added access control tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=40063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40063&view=rev>) (andreas)
- [1.0] - coupling access control tests with AccessControlTest clas - reflecting changes to access control API [Diff](http://svn.apache.org/viewcvs.cgi?rev=40062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40062&view=rev>) (andreas)
- [1.0] reflecting access controller changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=40060&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40060&view=rev>) (andreas)
- [1.0] completed javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=40059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40059&view=rev>) (andreas)
- [1.0] empty diff (?) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40057&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40057&view=rev>) (andreas)
- [1.0] using configuration directory instead of publication (changed access controller API) [Diff](http://svn.apache.org/viewcvs.cgi?rev=40055&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40055&view=rev>) (andreas)
- [1.0] changed contract: items must not have a (publication, configuration) constructor, but implement the Item interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=40052&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40052&view=rev>) (andreas)
- [1.0] - areas as constants - added docIdToPathMapper [Diff](http://svn.apache.org/viewcvs.cgi?rev=40050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40050&view=rev>) (andreas)
- [1.0] - deprecated public ctors - added setters to be used by subclasses [Diff](http://svn.apache.org/viewcvs.cgi?rev=40048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40048&view=rev>) (andreas)
- [1.0] implemented getFile() [Diff](http://svn.apache.org/viewcvs.cgi?rev=40047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40047&view=rev>) (andreas)
- [1.0] added file getters [Diff](http://svn.apache.org/viewcvs.cgi?rev=40046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40046&view=rev>) (andreas)
- [1.0] link to Wiki added [Diff](http://svn.apache.org/viewcvs.cgi?rev=40045&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40045&view=rev>) (michi)
- [1.0] made info sitetree publication-independant [Diff](http://svn.apache.org/viewcvs.cgi?rev=40043&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40043&view=rev>) (gregor)
- [1.0] Throw an exception instead of just silently ignoring it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40042&view=rev>) (egli)
- [1.0] Added complete javadoc to all methods to make checkstule happy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40041&view=rev>) (egli)
- [1.0] Added some javadoc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40040&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40040&view=rev>) (egli)
- [1.0] Added complete javadoc to all methods to make checkstule happy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40039&view=rev>) (egli)
- [1.0] Added javadoc to all methods to make checkstule happy. [Diff](http://svn.apache.org/viewcvs.cgi?rev=40038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=40038&view=rev>) (egli)

- (http://svn.apache.org/viewcvs.cgi?rev=40038&view=rev) (egli)
  - [1.0] Added the .checkstyle file to the list of files that are to be ignored by CVS. [Diff](#)
- (http://svn.apache.org/viewcvs.cgi?rev=40037&view=rev) (egli)
  - [1.0] Added javadoc to all methods to make checkstule happy. [Diff](#)
- (http://svn.apache.org/viewcvs.cgi?rev=40036&view=rev) (egli)
  - [1.0] HSQLDB port bug fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40035&view=rev) (michi)
- [1.0] made info sitetree publication-independant [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40034&view=rev) (gregor)
- [1.0] Added a method to test getFullName(). [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40033&view=rev) (felix)
- [1.0] When fetching the fullname we need to query the attribute with the get() method (not the getId() method). That's why the LDAPUser consistently claimed that its fullname was "gecos" :-). [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40032&view=rev) (felix)
- [1.0] menubar fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40031&view=rev) (michi)
- [1.0] docs removed from build [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40030&view=rev) (michi)
- [1.0] ResourceExistsAction patched [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40029&view=rev) (michi)
- [1.0] deprecated wyona documentation moved to wiki to allow for easier refactoring. [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40028&view=rev) (gregor)
- [1.0] store the url of the clicked node in the treeview in a cookie var: org.apache.lenya.cms.info.target [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40025&view=rev) (gregor)
- [1.0] fix quirky wording [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40024&view=rev) (gregor)
- [1.0] check only files and not directories [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40023&view=rev) (michi)
- [1.0] completed javadocs [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40021&view=rev) (andreas)
- [1.0] declared as final [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40020&view=rev) (andreas)
- [1.0] showing error page when javadocs are not yet generated [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40018&view=rev) (andreas)
- [1.0] javadoc added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40017&view=rev) (michi)
- [1.0] user administration to admin area added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40016&view=rev) (michi)
- [1.0] Made it well formed by removing a spurious </map:act> [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40015&view=rev) (egli)
- [1.0] Need to access the identity doc from the subclass. Made getter protected. [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40013&view=rev) (egli)
- [1.0] Read the ldap properties from a file. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40011&view=rev) (egli)
- [1.0] Make the publication private and add a protected getter. [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40010&view=rev) (egli)
- [1.0] The publication needs to be protected so the SubClasses can access it. Some of the config fields need to be optional (i.e. with default params). The subclass might not provide it. [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40009&view=rev) (egli)
- [1.0] moved sidebar to the left side [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40008&view=rev) (andreas)
- [1.0] The ldap user now actually authenticates via LDAP and also fetches the fullName from the LDAP directory. [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40007&view=rev) (egli)
- [1.0] call of the ant task for the paste case [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40006&view=rev) (edith)
- [1.0] a prepareTest method to fix some conditions before running the test [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40005&view=rev) (edith)
- [1.0] changed javadocs destination to docs-new [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40003&view=rev) (andreas)
- [1.0] - added javadocs menu item - added javadocs pipeline [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40002&view=rev) (andreas)
- [1.0] moved NAMESPACE and DEFAULT\_PREFIX from WorkflowBuilder to Workflow [Diff](#)
  - (http://svn.apache.org/viewcvs.cgi?rev=40001&view=rev) (andreas)
- [1.0] added publisher test [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=40000&view=rev) (andreas)
- [1.0] Completed JavaDoc. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39999&view=rev) (andreas)
- [1.0] added default AntTask [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39998&view=rev) (andreas)
- [1.0] - improved reusability - using target instead of task ID for configuration [Diff](#)

- (http://svn.apache.org/viewcvs.cgi?rev=39997&view=rev) (andreas)
- [1.0] added correct licence header [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39995&view=rev) (andreas)
- [1.0] allowing to pass the task ID as a command-line parameter [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39994&view=rev) (andreas)
- [1.0] allowing evaluateTest() to throw any exception [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39993&view=rev) (andreas)
- [1.0] using template method to simplify reuse [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39992&view=rev) (andreas)
- [1.0] The interface for querying the document-path has to be enhanced to be able to handle languages. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39991&view=rev) (egli)
- [1.0] reversed to previous version [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39990&view=rev) (michi)
- [1.0] more detail##ls added [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39989&view=rev) (michi)
- [1.0] old domain replaced by new domain [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39988&view=rev) (michi)
- [1.0] old domain by new domain replaced [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39987&view=rev) (michi)
- [1.0] fixed several small issues with the info area pane - javascript now loads on every URI - pane is not passed through style-cms-page [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39986&view=rev) (gregor)
- [1.0] xml.apache.org replaced by cocoon.apache.org [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39985&view=rev) (michi)
- [1.0] apply style-cms-page to info area screens http://wiki.cocoonderv.org/Wiki.jsp?page=LenyaCMSScreens [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39984&view=rev) (gregor)
- [1.0] adjusted screens to comply with Lenya screen layouts http://wiki.cocoonderv.org/Wiki.jsp?page=LenyaCMSScreens [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39983&view=rev) (gregor)
- [1.0] made tree images show up again [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39982&view=rev) (gregor)
- [1.0] changed style of navigation + content <div>s [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39981&view=rev) (andreas)
- [1.0] using className instead of color (changing CSS class) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39980&view=rev) (andreas)
- [1.0] updated tab styles [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39979&view=rev) (andreas)
- [1.0] removed class lenya-pad [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39978&view=rev) (andreas)
- [1.0] moved info and admin sitemaps after usecase sitemap. they were before which prevented usecases from being matched [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39976&view=rev) (gregor)
- [1.0] moved info and admin sitemaps after usecase sitemap. they were before which prevented usecases from being matched [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39975&view=rev) (gregor)
- [1.0] changed CMS screen namespace URI [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39974&view=rev) (andreas)
- [1.0] Added a TODO item. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39973&view=rev) (egli)
- [1.0] Fixed a problem with a nullpointerexception in getLabel and fixed the indenting. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39972&view=rev) (egli)
- [1.0] added incubator message [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39971&view=rev) (andreas)
- [1.0] removed <p> outside of <source> [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39970&view=rev) (andreas)
- [1.0] corrected th bug [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39968&view=rev) (andreas)
- [1.0] The authentication in the IMLAuthenticator is now done with the help of the User class. That way we can transparently authenticate LDAP users. For that to work I had to change the interfaces and pass the publication trough from the top Authenticator action. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39967&view=rev) (egli)
- [1.0] Set the encrypted password directly. Otherwise the encrypted password from the configuration will be encrypted again. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39965&view=rev) (egli)
- [1.0] Add an authenticate method. Add a method that allows subclasses to set the encrypted password directly. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39964&view=rev) (egli)
- [1.0] Added a test for authenticate [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39963&view=rev) (egli)
- [1.0] using lenya CMS screens for user admin usecases [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39962&view=rev) (andreas)
- [1.0] simplified structure (all body contents are forwarded) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39961&view=rev) (andreas)

- [1.0] using lenya css [Diff](http://svn.apache.org/viewcvs.cgi?rev=39960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39960&view=rev>) (andreas)
- [1.0] hooked up new IDE targets. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39958&view=rev>) (gregor)
- [1.0] extended workflow version [Diff](http://svn.apache.org/viewcvs.cgi?rev=39957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39957&view=rev>) (andreas)
- [1.0] reloading instance for every transition [Diff](http://svn.apache.org/viewcvs.cgi?rev=39956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39956&view=rev>) (andreas)
- [1.0] using PublicationHelper for identity test [Diff](http://svn.apache.org/viewcvs.cgi?rev=39955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39955&view=rev>) (andreas)
- [1.0] using PublicationHelper [Diff](http://svn.apache.org/viewcvs.cgi?rev=39954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39954&view=rev>) (andreas)
- [1.0] using properties for publication ids [Diff](http://svn.apache.org/viewcvs.cgi?rev=39953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39953&view=rev>) (andreas)
- [1.0] added PublicationHelper [Diff](http://svn.apache.org/viewcvs.cgi?rev=39952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39952&view=rev>) (andreas)
- [1.0] refactored test buildfile: - added target test.pub.prepare - single targets for tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=39951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39951&view=rev>) (andreas)
- [1.0] wrestled with css to bring it closer to being valid [Diff](http://svn.apache.org/viewcvs.cgi?rev=39950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39950&view=rev>) (gregor)
- [1.0] info usecase added (for info tab panes) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39949&view=rev>) (gregor)
- [1.0] appended use cases to links in tree widget [Diff](http://svn.apache.org/viewcvs.cgi?rev=39948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39948&view=rev>) (gregor)
- [1.0] made tab switching work in the menubar. i didnt fuss around with the icons too much, im sure someone else can do better [Diff](http://svn.apache.org/viewcvs.cgi?rev=39947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39947&view=rev>) (gregor)
- [1.0] Indenting fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39946&view=rev>) (egli)
- [1.0] add method to remove a node add a method to add the node by its document id [Diff](http://svn.apache.org/viewcvs.cgi?rev=39945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39945&view=rev>) (edith)
- [1.0] one more exception added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39941&view=rev>) (michi)
- [1.0] TCPMonitor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39940&view=rev>) (michi)
- [1.0] Make sure these files are not treated as binary files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39939&view=rev>) (egli)
- [1.0] Make sure the new groups have read access. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39938&view=rev>) (egli)
- [1.0] Indenting fix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39937&view=rev>) (egli)
- [1.0] Created Group and Role files to go with the User (iml) files. Also adapted the user files to be in groups for which there is a group file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39936&view=rev>) (egli)
- [1.0] Because the parial constructors for User are gone now, we have to provide all the info when creating a new User. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39935&view=rev>) (egli)
- [1.0] Removed the constructor which only provides partial information. Use the constructor from the super class to assign the values from the configuration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39934&view=rev>) (egli)
- [1.0] Removed the constructors which only provide part of all the information. Also make sure that the constructor uses setPassword so that only the encrypted passwd is stored. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39933&view=rev>) (egli)
- [1.0] added usecase "transition" for transitions without actions [Diff](http://svn.apache.org/viewcvs.cgi?rev=39932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39932&view=rev>) (andreas)
- [1.0] disabled items are grey [Diff](http://svn.apache.org/viewcvs.cgi?rev=39931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39931&view=rev>) (andreas)
- [1.0] added EmptyTask (used to trigger transitions without actions) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39930&view=rev>) (andreas)
- [1.0] implemented toString() [Diff](http://svn.apache.org/viewcvs.cgi?rev=39929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39929&view=rev>) (andreas)
- [1.0] - invocation check bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39928&view=rev>) (andreas)
- [1.0] adding variable elements only when transition fired [Diff](http://svn.apache.org/viewcvs.cgi?rev=39927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39927&view=rev>) (andreas)
- [1.0] xsl now sucessfully populates the tree widget [Diff](http://svn.apache.org/viewcvs.cgi?rev=39926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39926&view=rev>) (gregor)
- [1.0] Make the comment field optional. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39925&view=rev>) (egli)
- [1.0] Fixed a problem in a test case. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39924&view=rev>) (egli)
- [1.0] Removed a throws declaration where it wasn't needed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39923&view=rev>) (egli)
- [1.0] Fixed a typo in the xml generation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39922&view=rev>) (egli)
- [1.0] - added /lenya resource matcher - added area wildcard to publication resource pattern [Diff](http://svn.apache.org/viewcvs.cgi?rev=39921&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39921&view=rev>) (andreas)

- [1.0] - added /lenya matchers - added area wildcard to publication patterns [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39920&view=rev>) (andreas)
- [1.0] renamed context to contextprefix [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39919&view=rev>) (andreas)
- [1.0] added creator task [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39917&view=rev>) (andreas)
- [1.0] added creator target [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39916&view=rev>) (andreas)
- [1.0] - added menu filter - added area to page2xhtml root [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39915&view=rev>) (andreas)
- [1.0] added setValue(variableName, value) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39914&view=rev>) (andreas)
- [1.0] added state variable persistence [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39913&view=rev>) (andreas)
- [1.0] The password is now stored only in encrypted form. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39912&view=rev>) (egli)
- [1.0] Make sure the user id can't be changed when modifying user data. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39911&view=rev>) (egli)
- [1.0] When modifying a user the option shoud show all possible groups, not just the ones that the user already has. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39910&view=rev>) (egli)
- [1.0] made the tabs in the info area work [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39909&view=rev>) (gregor)
- [1.0] Added some consistency checks. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39908&view=rev>) (egli)
- [1.0] default css added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39907&view=rev>) (michi)
- [1.0] renamed context-prefix to contextprefix (some hyphen bug) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39906&view=rev>) (andreas)
- [1.0] wired up the menu bar for the info area. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39905&view=rev>) (gregor)
- [1.0] un-commented info.xml [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39904&view=rev>) (andreas)
- [1.0] removed logicsheet usage [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39903&view=rev>) (andreas)
- [1.0] - simplified publication id resolving - null contextPath is handled [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39902&view=rev>) (andreas)
- [1.0] - better exception messages - plausibility check [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39901&view=rev>) (andreas)
- [1.0] When initialized (in the constructor) with a publication, do try to remember it, i.e. forgot to store the publication, so when trying to delete later it failed with NullPointerException. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39900&view=rev>) (egli)
- [1.0] In case of failure of the delete usecase, redirect back to the delete usecase not to the add usecase. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39899&view=rev>) (egli)
- [1.0] Make sure the user-id is actually passed as a hidden field. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39898&view=rev>) (egli)
- [1.0] Handle the case where the request tries to delete a non-existing user. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39897&view=rev>) (egli)
- [1.0] POST in forms seems to be a problem with the usecase matcher even for Cocoon-2.1 M2. So use GET instead. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39896&view=rev>) (egli)
- [1.0] Add separate forms to each button so that the appropriate usecase values can be passed for each user. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39895&view=rev>) (egli)
- [1.0] When looking for a specific user stop looking once you found it. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39894&view=rev>) (egli)
- [1.0] Added a test for deletion and fixed a bug in the setup method createAndSaveUser. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39893&view=rev>) (egli)
- [1.0] first cut of info area screens first cut of xsp for info area screens [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39892&view=rev>) (gregor)
- [1.0] \*\*\* keyword substitution change \*\*\* [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39890&view=rev>) (gregor)
- [1.0] integrated property tabs into info area. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39889&view=rev>) (gregor)
- [1.0] Using the PublicationFactory to get the publication instead of the PageEnvelope as it's not used otherwise. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39888&view=rev>) (egli)
- [1.0] Fixed a problem with the redirect in the user admin pipelines [Diff](#)

- (http://svn.apache.org/viewcvs.cgi?rev=39887&view=rev) (egli)
- [1.0] - marked resolver constructor as deprecated - provided objectmodel constructor [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39886&view=rev) (andreas)
- [1.0] removed deprecated PageEnvelope constructor [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39885&view=rev) (andreas)
- [1.0] \*\*\* keyword substitution change \*\*\* [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39884&view=rev) (gregor)
- [1.0] all usecases redirected to usecase.xmap [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39883&view=rev) (andreas)
- [1.0] - only one usecase pipeline - using request parameters for creator XSLT - added create-workflow usecase [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39882&view=rev) (andreas)
- [1.0] creating directory when initializing history file [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39881&view=rev) (andreas)
- [1.0] TaskManager throws exception when task not found [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39880&view=rev) (andreas)
- [1.0] throwing exception when no task ID is set (instead of logging) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39879&view=rev) (andreas)
- [1.0] The usecase matcher doesn't seem to work with a post request. So pass the arguments in a GET request. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39878&view=rev) (egli)
- [1.0] Remove empty tests. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39877&view=rev) (egli)
- [1.0] Renamed the request parameter for groups to GROUPS. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39876&view=rev) (egli)
- [1.0] Fetch the publication with the help of a PublicationFactory, i.e. no longer with a PageEnvelope as this doesn't seem to work in a global sitemap. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39875&view=rev) (egli)
- [1.0] Add the user to the UserManager when saving. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39874&view=rev) (egli)
- [1.0] \*\*\* keyword substitution change \*\*\* [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39873&view=rev) (gregor)
- [1.0] starting to beat the info area into shape. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39872&view=rev) (gregor)
- [1.0] pretty printed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39871&view=rev) (andreas)
- [1.0] removed document type [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39870&view=rev) (andreas)
- [1.0] Add the action components for the user admin actions and incorporate them in the pipelines. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39869&view=rev) (egli)
- [1.0] Added the hidden fields that are needed for the action (lenya.usecase and lenya.step) [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39868&view=rev) (egli)
- [1.0] Added delete method to delete a user and a method to remove all groups. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39867&view=rev) (egli)
- [1.0] showing workflow state [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39864&view=rev) (andreas)
- [1.0] added default namespace scheme [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39863&view=rev) (andreas)
- [1.0] added transition [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39861&view=rev) (andreas)
- [1.0] moved workflow definition from single doctype files to doctypes.xconf [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39860&view=rev) (andreas)
- [1.0] added workflow history handling [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39859&view=rev) (andreas)
- [1.0] added workflow and creator handling [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39857&view=rev) (andreas)
- [1.0] only whitespace [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39856&view=rev) (andreas)
- [1.0] added workflow transition handling [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39855&view=rev) (andreas)
- [1.0] added getPublication() added assertString() [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39854&view=rev) (andreas)
- [1.0] Removed a fixme which is no longer relevant. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39849&view=rev) (egli)
- [1.0] Remove unnecessary imports. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39848&view=rev) (egli)
- [1.0] The user-admin usecase has been split into several usecases Added the mount statements for them. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39844&view=rev) (egli)
- [1.0] Added the missing close tags for map:match Added more pipelines for user admin [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39843&view=rev) (egli)
- [1.0] Added the user admin usecases. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=39842&view=rev) (egli)
- [1.0] For now the comment field needs to go back in. Otherwise the login process fails. Need to change the Identity class

- first. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39841&view=rev>) (egli)
- [1.0] Added pipelines for user admin. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39840&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39840&view=rev>) (egli)
- [1.0] - defined use cases for Info area - updated documentation to reflect new use cases - added new use cases to usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39836&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39836&view=rev>) (gregor)
- [1.0] Added a mount for user admin. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39835&view=rev>) (egli)
- [1.0] Fixed a problem where fullName, email and password wouldn't be read properly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39834&view=rev>) (egli)
- [1.0] The tests didn't cover the case where the data is saved and read back from the file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39833&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39833&view=rev>) (egli)
- [1.0] Added new elements such as fullname and email. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39832&view=rev>) (egli)
- [1.0] Replaced usage of deprecated org.apache.cocoon.environment.Source [Diff](http://svn.apache.org/viewcvs.cgi?rev=39831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39831&view=rev>) (egli)
- [1.0] The PageEnvelopeModule also provides the publication. Somehow this never made it into the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39829&view=rev>) (egli)
- [1.0] Slight optimization: replaced a consecutive series of if with else if. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39828&view=rev>) (egli)
- [1.0] Remove an unused instance variable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39822&view=rev>) (egli)
- [1.0] Make the PATH constant public (so it can be used in the UnitTests). [Diff](http://svn.apache.org/viewcvs.cgi?rev=39821&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39821&view=rev>) (egli)
- [1.0] Added constructor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39820&view=rev>) (egli)
- [1.0] .project and .classpath files that are generated by Eclipse can be ignored. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39819&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39819&view=rev>) (egli)
- [1.0] - added hasWorkflow() - added buildSituation(ObjectModel) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39818&view=rev>) (andreas)
- [1.0] throwing appropriate exception when history file is missing [Diff](http://svn.apache.org/viewcvs.cgi?rev=39817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39817&view=rev>) (andreas)
- [1.0] - added workflow-state element - checking if document has workflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=39816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39816&view=rev>) (andreas)
- [1.0] Need to keep the publication so it can be passed to the Group, User and Role constructors. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39815&view=rev>) (egli)
- [1.0] \* Factor out the fetching of the publication \* Add more testcases (e.g. for loading) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39814&view=rev>) (egli)
- [1.0] The constructor for FileUser now requires a publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39813&view=rev>) (egli)
- [1.0] Add equals and hashCode methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39812&view=rev>) (egli)
- [1.0] Use getters when accessing private vars. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39811&view=rev>) (egli)
- [1.0] Log an error if the configuration which the FileUser is constructed with has missing groups or roles respectively. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39810&view=rev>) (egli)
- [1.0] - adding new CMS screen handling - adding CSS, project logos [Diff](http://svn.apache.org/viewcvs.cgi?rev=39809&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39809&view=rev>) (andreas)
- [1.0] The Group constructor now takes for a name of the Group. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39807&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39807&view=rev>) (egli)
- [1.0] Added a constructor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39806&view=rev>) (egli)
- [1.0] The constructor for the classes has changed as you now have to pass the Publication and the Configuration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39805&view=rev>) (egli)
- [1.0] The Publication needs to be passed in in the constructor in order for the constructor to be able to find the other ItemManagers. That is required so that subitems (i.e. Roles for Groups) can be found. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39804&view=rev>) (egli)
- [1.0] removed WorkflowFactory.buildEvent() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39803&view=rev>) (andreas)

- [1.0] removed buildEvent() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39802&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39802&view=rev>) (andreas)
- [1.0] added variable + assignment [Diff](http://svn.apache.org/viewcvs.cgi?rev=39801&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39801&view=rev>) (andreas)
- [1.0] added namespace prefix [Diff](http://svn.apache.org/viewcvs.cgi?rev=39800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39800&view=rev>) (andreas)
- [1.0] extended test to complete workflow sequence [Diff](http://svn.apache.org/viewcvs.cgi?rev=39799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39799&view=rev>) (andreas)
- [1.0] using PublicationFactory instead of Publication constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=39798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39798&view=rev>) (andreas)
- [1.0] added event + variable handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=39797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39797&view=rev>) (andreas)
- [1.0] added variables + assignment handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=39796&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39796&view=rev>) (andreas)
- [1.0] changed WorkflowBuildException to WorkflowException [Diff](http://svn.apache.org/viewcvs.cgi?rev=39795&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39795&view=rev>) (andreas)
- [1.0] - changed getExecutableTransitions() to getExecutableEvents() - added getValue(variable) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39794&view=rev>) (andreas)
- [1.0] using StateImpl instead of State [Diff](http://svn.apache.org/viewcvs.cgi?rev=39793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39793&view=rev>) (andreas)
- [1.0] renamed getCommand() to getName() (more general) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39792&view=rev>) (andreas)
- [1.0] added execute() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39790&view=rev>) (andreas)
- [1.0] added getInitialValue() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39789&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39789&view=rev>) (andreas)
- [1.0] - corrected workflow creation - completed transaction invocation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39786&view=rev>) (andreas)
- [1.0] using PublicationFactory instead of Publication constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=39784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39784&view=rev>) (andreas)
- [1.0] removed CommandFilter usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=39783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39783&view=rev>) (andreas)
- [1.0] throwing ConfigurationException instead of logging [Diff](http://svn.apache.org/viewcvs.cgi?rev=39782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39782&view=rev>) (andreas)
- [1.0] - using HashMap to store publications - added getPublication(String, String) method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39781&view=rev>) (andreas)
- [1.0] changed constructor from public to protected (use PublicationFactory instead) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39780&view=rev>) (andreas)
- [1.0] added some assertions [Diff](http://svn.apache.org/viewcvs.cgi?rev=39779&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39779&view=rev>) (andreas)
- [1.0] The save method needs to be passed the publication so it can ask the Manager for the path where the files are supposed to be saved. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39778&view=rev>) (egli)
- [1.0] Reorganize the instantiation of the classes so that the proper instances are created and the right files are fetched. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39777&view=rev>) (egli)
- [1.0] added "Website Update" documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39776&view=rev>) (andreas)
- [1.0] The iml files now need to know which class needs to be instantiated. This is added as an additional attribute class. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39775&view=rev>) (egli)
- [1.0] Removed the configuration method. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39773&view=rev>) (egli)
- [1.0] Replaced the configuration method with a constructor that accepts a configuration. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39772&view=rev>) (egli)
- [1.0] Make the name instance var protected again so that it is visible in the derived class. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39769&view=rev>) (egli)
- [1.0] fixed document structure (didn't validate) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39767&view=rev>) (andreas)
- [1.0] link to installation modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=39766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39766&view=rev>) (michi)
- [1.0] release candidate added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39765&view=rev>) (michi)
- [1.0] typo michiii fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39764&view=rev>) (michi)
- [1.0] Apache 2 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39763&view=rev>) (michi)
- [1.0] MediaSelector has changed its package name [Diff](http://svn.apache.org/viewcvs.cgi?rev=39762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39762&view=rev>) (michi)
- [1.0] Apache 2 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39761&view=rev>) (michi)

## 39. Version 2003-05 ()

## 39.1. 1.0

- [1.0] webdav doc added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39760&view=rev>) (michi)
- [1.0] refactored workflow package structure (better Soc) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39753&view=rev>) (andreas)
- [1.0] Added press release for 1.0rc1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39746&view=rev>) (felix)
- [1.0] added workflow-enabled menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=39745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39745&view=rev>) (andreas)
- [1.0] added WorkflowTest [Diff](http://svn.apache.org/viewcvs.cgi?rev=39740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39740&view=rev>) (andreas)
- [1.0] added WorkflowMenuTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=39738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39738&view=rev>) (andreas)
- [1.0] added Workflowable [Diff](http://svn.apache.org/viewcvs.cgi?rev=39736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39736&view=rev>) (andreas)
- [1.0] added WorkflowDocument [Diff](http://svn.apache.org/viewcvs.cgi?rev=39735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39735&view=rev>) (andreas)
- [1.0] added WorkflowException [Diff](http://svn.apache.org/viewcvs.cgi?rev=39732&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39732&view=rev>) (andreas)
- [1.0] added workflow definition and history test files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39726&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39726&view=rev>) (andreas)
- [1.0] added simple-document doctype definition file [Diff](http://svn.apache.org/viewcvs.cgi?rev=39725&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39725&view=rev>) (andreas)
- [1.0] First cut at UserManager. Still missing some crucial methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39719&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39719&view=rev>) (egli)
- [1.0] added some new workflow implementation classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39705&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39705&view=rev>) (andreas)
- [1.0] added workflow UI classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39703&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39703&view=rev>) (andreas)
- [1.0] added some new workflow classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39702&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39702&view=rev>) (andreas)
- [1.0] Added the new User framework. This allows for adding and deleting users. There is a class which maps the users to the identity xml files format. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39694&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39694&view=rev>) (egli)
- [1.0] content creator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39681&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39681&view=rev>) (michi)
- [1.0] xhtml dtd added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39659&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39659&view=rev>) (michi)
- [1.0] Second user [Diff](http://svn.apache.org/viewcvs.cgi?rev=39652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39652&view=rev>) (edith)
- [1.0] Mozilla Midas added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39642&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39642&view=rev>) (michi)
- [1.0] added generic publishing XSP [Diff](http://svn.apache.org/viewcvs.cgi?rev=39630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39630&view=rev>) (andreas)
- [1.0] added publication-dependent publishing XSP [Diff](http://svn.apache.org/viewcvs.cgi?rev=39629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39629&view=rev>) (andreas)
- [1.0] added redirect page stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=39628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39628&view=rev>) (andreas)
- [1.0] added separate usecase documentation file [Diff](http://svn.apache.org/viewcvs.cgi?rev=39620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39620&view=rev>) (andreas)
- [1.0] - added PageEnvelopeModule - PublicationFactory for creating Publication objects [Diff](http://svn.apache.org/viewcvs.cgi?rev=39601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39601&view=rev>) (andreas)
- [1.0] toc readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=39581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39581&view=rev>) (michi)
- [1.0] Ant Task Publisher for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39572&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39572&view=rev>) (edith)
- [1.0] Added stylesheet for xhtml in the live area. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39570&view=rev>) (egli)
- [1.0] css for bitflux editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=39563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39563&view=rev>) (gregor)
- [1.0] bitflux stylesheets for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39561&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39561&view=rev>) (gregor)
- [1.0] bitflux sitemap for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39560&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39560&view=rev>) (gregor)
- [1.0] added antlog CSS file [Diff](http://svn.apache.org/viewcvs.cgi?rev=39555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39555&view=rev>) (andreas)
- [1.0] Added an Exception to the SiteTree that is thrown if the addNode method fails, usually because the parent node doesn't exist. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39549&view=rev>) (egli)
- [1.0] added new stylesheet for CMS screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=39546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39546&view=rev>) (andreas)
- [1.0] scheduler: - added sitemap, new XSP, new XSLTs - changed CSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=39545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39545&view=rev>) (andreas)
- [1.0] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=39537&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39537&view=rev>) (gregor)
- [1.0] Added an Interface and Implementation for SiteTreeNodes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39532&view=rev>) (egli)
- [1.0] added namespaces specs document [Diff](http://svn.apache.org/viewcvs.cgi?rev=39528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39528&view=rev>) (andreas)

- [1.0] added static HTML export buildfile [Diff](http://svn.apache.org/viewcvs.cgi?rev=39523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39523&view=rev>) (andreas)
- [1.0] support for more doctypes in the default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39509&view=rev>) (gregor)
- [1.0] added book.xml again [Diff](http://svn.apache.org/viewcvs.cgi?rev=39504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39504&view=rev>) (andreas)
- [1.0] added forrest properties file (needed for static export) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39500&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39500&view=rev>) (andreas)
- [1.0] - removed special menu pipeline - added book.xml for homepage [Diff](http://svn.apache.org/viewcvs.cgi?rev=39498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39498&view=rev>) (andreas)
- [1.0] added lenya logo with light "apache" font [Diff](http://svn.apache.org/viewcvs.cgi?rev=39492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39492&view=rev>) (andreas)
- [1.0] added ant library [Diff](http://svn.apache.org/viewcvs.cgi?rev=39489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39489&view=rev>) (andreas)
- [1.0] - added logos - added tab corner images - layout changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39471&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39471&view=rev>) (andreas)
- [1.0] added community tab [Diff](http://svn.apache.org/viewcvs.cgi?rev=39470&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39470&view=rev>) (andreas)
- [1.0] Skeletal beginnings of a unit test for DefaultSiteTree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39465&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39465&view=rev>) (egli)
- [1.0] Added a new default creator action. Unlike the parentChildCreatorAction this action delegates the handling of the sitetree to a separate class (and can therefore work with the new sitetree format). [Diff](http://svn.apache.org/viewcvs.cgi?rev=39464&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39464&view=rev>) (egli)
- [1.0] Added xsp and xsl for DefaultCreator screen. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39463&view=rev>) (egli)
- [1.0] started sitemaps documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39458&view=rev>) (gregor)
- [1.0] Publisher for default with Anttask: work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=39456&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39456&view=rev>) (edith)
- [1.0] Added doctype samples for simple and xhtml doctype. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39453&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39453&view=rev>) (egli)
- [1.0] Added doctypes configuration for default publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39452&view=rev>) (egli)
- [1.0] - added "Apache cocoon project" logo - removed author names from lenya-site skin - changed logo spacing in css - added new lenya logo - removed font size buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=39447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39447&view=rev>) (andreas)
- [1.0] - added cocoon logo - moved group-logo.gif to apache-xml.gif - using group logo again (skinconf.xml, site2xhtml.xsl) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39445&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39445&view=rev>) (andreas)
- [1.0] Added some classes that help manipulating a sitetree. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39438&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39438&view=rev>) (egli)
- [1.0] - added task configuration files - added publishing pipeline - added publishing menu entry - changed installation instructions in sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=39435&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39435&view=rev>) (andreas)
- [1.0] - added new project parameters to AntTask - added PublicationTask and Ant-based StaticHTMLExporter [Diff](http://svn.apache.org/viewcvs.cgi?rev=39434&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39434&view=rev>) (andreas)
- [1.0] added related projects [Diff](http://svn.apache.org/viewcvs.cgi?rev=39431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39431&view=rev>) (andreas)
- [1.0] added index.xml again [Diff](http://svn.apache.org/viewcvs.cgi?rev=39430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39430&view=rev>) (andreas)
- [1.0] added installation docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39425&view=rev>) (andreas)
- [1.0] updated installation instructions [Diff](http://svn.apache.org/viewcvs.cgi?rev=39423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39423&view=rev>) (andreas)
- [1.0] - restructured documentation - new "installation" directory - new "project" directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=39417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39417&view=rev>) (andreas)
- [1.0] added installation documentation (cvs, prereqs) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39416&view=rev>) (andreas)
- [1.0] Replace the forrest jar (which contains the sourcetype action) whith a newer version which has changed its name ('cause is no longer in the scratchpad). [Diff](http://svn.apache.org/viewcvs.cgi?rev=39396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39396&view=rev>) (egli)
- [1.0] Tomcat init.d start and stop script [Diff](http://svn.apache.org/viewcvs.cgi?rev=39392&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39392&view=rev>) (michi)
- [1.0] removed unneeded engine interface [Diff](http://svn.apache.org/viewcvs.cgi?rev=39749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39749&view=rev>) (andreas)
- [1.0] removed unneeded workflow classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39704&view=rev>) (andreas)
- [1.0] Removed as it was just a file for testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=39675&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39675&view=rev>) (egli)

- [1.0] These files have been moved out of the tutorial and now have their own section. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39635&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39635&view=rev>) (egli)
- [1.0] The content of these documents has been moved to the doctype section. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39624&view=rev>) (egli)
- [1.0] The content of these documents has been moved to the doctype setcion. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39623&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39623&view=rev>) (egli)
- [1.0] This document is not needed anymore. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39622&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39622&view=rev>) (egli)
- [1.0] moved content of scheduler.xmap to usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39608&view=rev>) (andreas)
- [1.0] replaced workflow.xmap by usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39607&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39607&view=rev>) (andreas)
- [1.0] This file has been superceded by simple2xhtml.xsl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39598&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39598&view=rev>) (egli)
- [1.0] removed book.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=39503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39503&view=rev>) (andreas)
- [1.0] removed sitemap.xmap from skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39495&view=rev>) (andreas)
- [1.0] removed forrest-site skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39487&view=rev>) (andreas)
- [1.0] removed JavaScripts [Diff](http://svn.apache.org/viewcvs.cgi?rev=39486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39486&view=rev>) (andreas)
- [1.0] removed krysalis-site skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39485&view=rev>) (andreas)
- [1.0] removed avalon-tigris skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39484&view=rev>) (andreas)
- [1.0] - removed unnecessary files - renamed site-backup.xml to site.xml.backup because that causes problems when exporting the site with Forrest [Diff](http://svn.apache.org/viewcvs.cgi?rev=39483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39483&view=rev>) (andreas)
- [1.0] removed download docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39426&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39426&view=rev>) (andreas)
- [1.0] moved installation docs to ./installation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39424&view=rev>) (andreas)
- [1.0] removed deprecated libraries (Cocoon comes with more recent ones) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39408&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39408&view=rev>) (andreas)
- [1.0] removed deprecated Forrest library [Diff](http://svn.apache.org/viewcvs.cgi?rev=39406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39406&view=rev>) (andreas)
- [1.0] Remove these classes as they are shipped with the forrest jars. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39397&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39397&view=rev>) (egli)
- [1.0] corrected some coding style issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=39759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39759&view=rev>) (andreas)
- [1.0] corrected some coding style issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=39758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39758&view=rev>) (andreas)
- [1.0] removed deprecation usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=39757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39757&view=rev>) (andreas)
- [1.0] changed field modifiers from protected to private [Diff](http://svn.apache.org/viewcvs.cgi?rev=39756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39756&view=rev>) (andreas)
- [1.0] calling buildWorkflow() in a static way [Diff](http://svn.apache.org/viewcvs.cgi?rev=39755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39755&view=rev>) (andreas)
- [1.0] fixed some coding style problems [Diff](http://svn.apache.org/viewcvs.cgi?rev=39754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39754&view=rev>) (andreas)
- [1.0] added AntTaskTest(String) constructor [Diff](http://svn.apache.org/viewcvs.cgi?rev=39752&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39752&view=rev>) (andreas)
- [1.0] accessing Identity.getPassword() in a static way [Diff](http://svn.apache.org/viewcvs.cgi?rev=39751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39751&view=rev>) (andreas)
- [1.0] reducing visibility to protected to force encapsulated usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=39750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39750&view=rev>) (andreas)
- [1.0] formatting changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39748&view=rev>) (andreas)
- [1.0] Added press release and download for 1.0rc1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39747&view=rev>) (felix)
- [1.0] added WorkflowMenuTransformer [Diff](http://svn.apache.org/viewcvs.cgi?rev=39744&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39744&view=rev>) (andreas)
- [1.0] added assertion [Diff](http://svn.apache.org/viewcvs.cgi?rev=39743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39743&view=rev>) (andreas)
- [1.0] code simplification [Diff](http://svn.apache.org/viewcvs.cgi?rev=39742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39742&view=rev>) (andreas)
- [1.0] added some assertions [Diff](http://svn.apache.org/viewcvs.cgi?rev=39741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39741&view=rev>) (andreas)
- [1.0] catching SiteTreeException [Diff](http://svn.apache.org/viewcvs.cgi?rev=39739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39739&view=rev>) (andreas)
- [1.0] managing states separately [Diff](http://svn.apache.org/viewcvs.cgi?rev=39737&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39737&view=rev>) (andreas)
- [1.0] throwing WorkflowException for invoke() [Diff](http://svn.apache.org/viewcvs.cgi?rev=39734&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39734&view=rev>) (andreas)
- [1.0] added Workflowable build method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39733&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39733&view=rev>) (andreas)
- [1.0] added DOCTYPE\_DIRECTORY field [Diff](http://svn.apache.org/viewcvs.cgi?rev=39731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39731&view=rev>) (andreas)
- [1.0] document has publication + id instead of doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=39730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39730&view=rev>) (andreas)

- (andreas)
- [1.0] - commented out identity test (not working) - added parameter to AntTask test - added workflow test [Diff](http://svn.apache.org/viewcvs.cgi?rev=39729&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39729&view=rev>) (andreas)
- [1.0] using servletcontextpath parameter for testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=39728&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39728&view=rev>) (andreas)
- [1.0] added AntTask test task [Diff](http://svn.apache.org/viewcvs.cgi?rev=39727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39727&view=rev>) (andreas)
- [1.0] simplified "install" menu structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=39724&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39724&view=rev>) (andreas)
- [1.0] changed namespace URI to apache.org/cocoon/... [Diff](http://svn.apache.org/viewcvs.cgi?rev=39723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39723&view=rev>) (andreas)
- [1.0] corrected userRoles = null initialization [Diff](http://svn.apache.org/viewcvs.cgi?rev=39722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39722&view=rev>) (andreas)
- [1.0] \* Throw an exception if a user could not be instantiated. \* Add methods for adding, removing and retrieving users with a given userId. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39721&view=rev>) (egli)
- [1.0] Added equals and hashCode methods [Diff](http://svn.apache.org/viewcvs.cgi?rev=39720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39720&view=rev>) (egli)
- [1.0] Replace deprecated usage of org.apache.cocoon.environment.Source by org.apache.excalibur.source.Source [Diff](http://svn.apache.org/viewcvs.cgi?rev=39718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39718&view=rev>) (egli)
- [1.0] accessing XPathAPI method in static way [Diff](http://svn.apache.org/viewcvs.cgi?rev=39717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39717&view=rev>) (andreas)
- [1.0] accessing SUMMARY\_LENGTH in a static way [Diff](http://svn.apache.org/viewcvs.cgi?rev=39716&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39716&view=rev>) (andreas)
- [1.0] Replace deprecated usage of org.apache.cocoon.environment.Source by org.apache.excalibur.source.Source [Diff](http://svn.apache.org/viewcvs.cgi?rev=39715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39715&view=rev>) (egli)
- [1.0] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=39714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39714&view=rev>) (egli)
- [1.0] decoupled workflow from publication added assertion for setCurrentState(State) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39713&view=rev>) (andreas)
- [1.0] added containsState(State) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39712&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39712&view=rev>) (andreas)
- [1.0] formatting changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39711&view=rev>) (andreas)
- [1.0] formatting changed added toString() [Diff](http://svn.apache.org/viewcvs.cgi?rev=39710&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39710&view=rev>) (andreas)
- [1.0] formatting changed added equals() and hashCode() [Diff](http://svn.apache.org/viewcvs.cgi?rev=39709&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39709&view=rev>) (andreas)
- [1.0] formatting changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39708&view=rev>) (andreas)
- [1.0] formatting changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39707&view=rev>) (andreas)
- [1.0] added toString() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39706&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39706&view=rev>) (andreas)
- [1.0] decoupled workflow from publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39701&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39701&view=rev>) (andreas)
- [1.0] indentation change [Diff](http://svn.apache.org/viewcvs.cgi?rev=39700&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39700&view=rev>) (andreas)
- [1.0] added getCommand() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39699&view=rev>) (andreas)
- [1.0] added assertion for getTask(String) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39698&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39698&view=rev>) (andreas)
- [1.0] making date format public static final [Diff](http://svn.apache.org/viewcvs.cgi?rev=39697&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39697&view=rev>) (andreas)
- [1.0] completed Javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=39696&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39696&view=rev>) (andreas)
- [1.0] decoupled workflow from publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39695&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39695&view=rev>) (andreas)
- [1.0] completed Javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=39693&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39693&view=rev>) (andreas)
- [1.0] completed Javadoc indentation changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39692&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39692&view=rev>) (andreas)
- [1.0] completed Javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=39691&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39691&view=rev>) (andreas)
- [1.0] Fixed a typo [Diff](http://svn.apache.org/viewcvs.cgi?rev=39690&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39690&view=rev>) (egli)
- [1.0] Add JavaDoc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39689&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39689&view=rev>) (egli)
- [1.0] Add more JavaDoc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39688&view=rev>) (egli)
- [1.0] Added JavaDoc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39687&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39687&view=rev>) (egli)
- [1.0] Rename the serialize method to save (as serialize is already used in the serializable interface). [Diff](http://svn.apache.org/viewcvs.cgi?rev=39686&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39686&view=rev>) (egli)
- [1.0] Fixed a typo in the comment [Diff](http://svn.apache.org/viewcvs.cgi?rev=39685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39685&view=rev>) (egli)
- [1.0] document creator updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39684&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39684&view=rev>) (michi)
- [1.0] content creator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39683&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39683&view=rev>) (michi)
- [1.0] deprecated txts [Diff](http://svn.apache.org/viewcvs.cgi?rev=39682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39682&view=rev>) (michi)

- [1.0] CVSWeb link updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39680&view=rev>) (michi)
- [1.0] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=39679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39679&view=rev>) (egli)
- [1.0] Replace deprecated usage of org.apache.cocoon.environment.Source [Diff](http://svn.apache.org/viewcvs.cgi?rev=39678&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39678&view=rev>) (egli)
- [1.0] Removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=39677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39677&view=rev>) (egli)
- [1.0] Fixed a warning (usage of Eclipse starts to pay off :-) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39676&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39676&view=rev>) (egli)
- [1.0] OSCOM links updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39674&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39674&view=rev>) (michi)
- [1.0] Midas integration still wip [Diff](http://svn.apache.org/viewcvs.cgi?rev=39673&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39673&view=rev>) (michi)
- [1.0] CVS mailing list added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39672&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39672&view=rev>) (michi)
- [1.0] CVS instructions updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39671&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39671&view=rev>) (michi)
- [1.0] CVS instructions updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39670&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39670&view=rev>) (michi)
- [1.0] Fixed some code layout problems. CVS: ----- CVS: PR: CVS:  
If this change addresses a PR in the problem report tracking CVS: database, then enter the PR number(s) here. CVS:  
Obtained from: CVS: If this change has been taken from another system, such as NCSA, CVS: then name the system in this line, otherwise delete it. CVS: Submitted by: CVS: If this code has been contributed to Apache by someone else; i.e., CVS: they sent us a patch or a new module, then include their name/email CVS: address here. If this is your work then delete this line. CVS: Reviewed by: CVS: If we are doing pre-commit code reviews and someone else has CVS: reviewed your changes, include their name(s) here. CVS: If you have not had it reviewed then delete this line. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39669&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39669&view=rev>) (egli)
- [1.0] This commit was manufactured by cvs2svn to create branch 'RELEASE\_1\_0'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39668&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39668&view=rev>) ()
- [1.0] typo fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=39667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39667&view=rev>) (gregor)
- [1.0] added support for bullet lists [Diff](http://svn.apache.org/viewcvs.cgi?rev=39666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39666&view=rev>) (gregor)
- [1.0] recovered validity (<link> for <a>, DTD 1.2) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39665&view=rev>) (andreas)
- [1.0] made bitflux work again bitflux xslt dont need <html><head> and so on [Diff](http://svn.apache.org/viewcvs.cgi?rev=39664&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39664&view=rev>) (gregor)
- [1.0] merged in latest bitflux editor from bxe cvs this starts xs:sequence support [Diff](http://svn.apache.org/viewcvs.cgi?rev=39663&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39663&view=rev>) (gregor)
- [1.0] tidy added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39662&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39662&view=rev>) (michi)
- [1.0] Midas wip [Diff](http://svn.apache.org/viewcvs.cgi?rev=39661&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39661&view=rev>) (michi)
- [1.0] error xslt removed because it is very confusing [Diff](http://svn.apache.org/viewcvs.cgi?rev=39660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39660&view=rev>) (michi)
- [1.0] commented out scheduler in computerworld added type=500 to error handler [Diff](http://svn.apache.org/viewcvs.cgi?rev=39658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39658&view=rev>) (gregor)
- [1.0] made publication name shorter to make it fit into new layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=39657&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39657&view=rev>) (gregor)
- [1.0] made xopus work again. the notion of simple.html = simple/index.xml breaks code & assumptions in so many places its not even funny. that's why the final redirect upon saving in xopus fails. its just too much of a hack to constantly convert back and forth. alas [Diff](http://svn.apache.org/viewcvs.cgi?rev=39656&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39656&view=rev>) (gregor)
- [1.0] \* Commented some of the pipelines \* Moved transformations from main pipeline to where they belong. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39655&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39655&view=rev>) (egli)
- [1.0] Changed doctype from xhtml to simple. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39654&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39654&view=rev>) (egli)
- [1.0] \* Added Menu for Creating a simple doctype document \* Removed menu entries for deprecated documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39653&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39653&view=rev>) (egli)
- [1.0] Revision Controller for the default publication works [Diff](http://svn.apache.org/viewcvs.cgi?rev=39651&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39651&view=rev>) (edith)
- [1.0] removed dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=39650&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39650&view=rev>) (gregor)
- [1.0] rearranged menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=39649&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39649&view=rev>) (gregor)
- [1.0] Sitemap cleanup: \* Replaced page-envelope action by page-envelope input module. \* Removed unused code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39648&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39648&view=rev>) (gregor)

- (<http://svn.apache.org/viewcvs.cgi?rev=39648&view=rev>) (egli)
  - [1.0] Sitemap cleanup: removed unused code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39647&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39647&view=rev>) (egli)
  - [1.0] changed license to ASL [Diff](http://svn.apache.org/viewcvs.cgi?rev=39646&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39646&view=rev>) (andreas)
  - [1.0] Readded a step matcher that should not have been deleted in the previous checkin. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39645&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39645&view=rev>) (egli)
  - [1.0] title added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39644&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39644&view=rev>) (michi)
  - [1.0] Mozile added to menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=39643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39643&view=rev>) (michi)
  - [1.0] As this action is now invoked from the usecase sitemap the old trick to find the sitemap path doesn't work. Use a Publication and the PublicationFactory instead. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39641&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39641&view=rev>) (egli)
  - [1.0] Removed the usage of util.xsl as it didn't work when invoked from the global sitemap. Use the PageEnvelope input module instead. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39640&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39640&view=rev>) (egli)
  - [1.0] Moved the creator pipelines to the usecase sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39639&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39639&view=rev>) (egli)
  - [1.0] new documentation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39638&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39638&view=rev>) (michi)
  - [1.0] Revision Controller: work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=39637&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39637&view=rev>) (edith)
  - [1.0] Revision Controller in the usecase sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39636&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39636&view=rev>) (edith)
  - [1.0] changed references to www.lenya.org to cocoon.apache.org/lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=39634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39634&view=rev>) (andreas)
  - [1.0] Added a section about rollback. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39633&view=rev>) (egli)
  - [1.0] Simplified by using the xsp-request logic sheet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39632&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39632&view=rev>) (egli)
  - [1.0] Updated to use the SourceUtil.toSAX static method. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39631&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39631&view=rev>) (egli)
  - [1.0] changed lenya.step from showscreen to add [Diff](http://svn.apache.org/viewcvs.cgi?rev=39627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39627&view=rev>) (andreas)
  - [1.0] - corrected hard-coded servlet context - added scheduler "add job" pipeline with redirect to original page [Diff](http://svn.apache.org/viewcvs.cgi?rev=39626&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39626&view=rev>) (andreas)
  - [1.0] Added support for image upload red dots. Currently it is disabled as the image upload doesn't work because of some RequestParameterMatcher problems. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39625&view=rev>) (egli)
  - [1.0] Added the content of the default publication: \* a hands-on tutorial \* a feature list \* a list of concept \* examples of the two doctypes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39621&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39621&view=rev>) (egli)
  - [1.0] - refactored publishing pipeline for fallback - added publication usecase sitemap support [Diff](http://svn.apache.org/viewcvs.cgi?rev=39619&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39619&view=rev>) (andreas)
  - [1.0] xopus does not seem to support xsl:import. replaced by xsl:include xopus and bitflux now load. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39618&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39618&view=rev>) (gregor)
  - [1.0] bxe namespace declaration was missing.. doh [Diff](http://svn.apache.org/viewcvs.cgi?rev=39617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39617&view=rev>) (gregor)
  - [1.0] error type added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39616&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39616&view=rev>) (michi)
  - [1.0] single publications can be specified [Diff](http://svn.apache.org/viewcvs.cgi?rev=39615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39615&view=rev>) (michi)
  - [1.0] bitflux support is etching closer. more elements added to css, improved xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=39614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39614&view=rev>) (gregor)
  - [1.0] xslt for listing publications improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39613&view=rev>) (michi)
  - [1.0] - removed section tags (did not validate) - using doc-v1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39612&view=rev>) (andreas)
  - [1.0] corrected scheduler parameter handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=39611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39611&view=rev>) (andreas)
  - [1.0] - formatted TreePublisher - added assertion in DefaultSiteTree - NumberFormatException only for add/modify in LoadQuartzServlet - using Publication in TaskJob [Diff](http://svn.apache.org/viewcvs.cgi?rev=39610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39610&view=rev>) (andreas)
  - [1.0] improved language on lenya.org main page added blurb for documentation and community [Diff](http://svn.apache.org/viewcvs.cgi?rev=39609&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39609&view=rev>) (gregor)
  - [1.0] removed "task" column from "add job" table [Diff](http://svn.apache.org/viewcvs.cgi?rev=39606&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39606&view=rev>) (andreas)
  - [1.0] - updated scheduling menu entry - bugfixes in scheduler XSLTs - corrected scheduler usecase pattern in sitemap.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39605&view=rev>) (andreas)

- [1.0] - removed publishing from default/publication-sitemap.xmap - added error handling to usecase.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39604&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39604&view=rev>) (andreas)
- [1.0] - added PageEnvelopeModule docs - added PEM to cocoon.xconf - moved workflow.xmap to usecase.xmap - added common publishing pipeline + xsp + xslt - added shared scheduling XSP [Diff](http://svn.apache.org/viewcvs.cgi?rev=39603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39603&view=rev>) (andreas)
- [1.0] using PublicationFactory to resolve the publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39602&view=rev>) (andreas)
- [1.0] reworked bitflux stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=39600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39600&view=rev>) (gregor)
- [1.0] added bxe extensions to schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=39599&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39599&view=rev>) (gregor)
- [1.0] \* Simplified the publish pipeline by using the request: and the request-param: input modules. \* Added a very simple handle-errors to the \*\*.html pipeline which gives you a crude window suggesting that you might not have published the document. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39597&view=rev>) (egli)
- [1.0] url info added to default envelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=39596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39596&view=rev>) (michi)
- [1.0] The XML files in content are now stored according to the following scheme foo.html is stored in foo/index.xml, i.e. for each document a directory is created. This has the following implications: The xmlSources for publishing have to be calculated differently: replace "\\.\.html" in the xsp\_lenya\_pub\_url by File.separator + "index.xml". [Diff](http://svn.apache.org/viewcvs.cgi?rev=39595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39595&view=rev>) (egli)
- [1.0] make sure the publishing task doesn't fail if resources/images/authoring doesn't exist. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39594&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39594&view=rev>) (egli)
- [1.0] The XML files in content are now stored according to the following scheme foo.html is stored in foo/index.xml, i.e. for each document a directory is created. This has the following implications: 1. The content files themselves are moved from content/authoring/\*.xml to content/authoring/\*/index.xml. 2. The doctype sitemap now generates the content from {document-id}/index.xml. 3. The parameter-doctype.xmap checks the file in {document-id}/index.xml for its doctype. 4. The creator now uses the BranchCreator instead of the LeafCreator. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39593&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39593&view=rev>) (egli)
- [1.0] Fixed a bug in Ediths checkin where she had placed the comments wrong. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39592&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39592&view=rev>) (egli)
- [1.0] added coding guidelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=39591&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39591&view=rev>) (andreas)
- [1.0] corrected scheduling.html link [Diff](http://svn.apache.org/viewcvs.cgi?rev=39590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39590&view=rev>) (andreas)
- [1.0] just moved a space [Diff](http://svn.apache.org/viewcvs.cgi?rev=39589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39589&view=rev>) (andreas)
- [1.0] added section to scheduling.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=39588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39588&view=rev>) (andreas)
- [1.0] corrected links [Diff](http://svn.apache.org/viewcvs.cgi?rev=39587&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39587&view=rev>) (andreas)
- [1.0] Major code cleanup and bugfix with regards to xsp\_lenya\_prefix. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39586&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39586&view=rev>) (egli)
- [1.0] Handle error: work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=39585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39585&view=rev>) (edith)
- [1.0] The check whether a node already exists did not work. Using the new method getAbsoluteParentId it is fixed now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39584&view=rev>) (egli)
- [1.0] Added a new method getAbsoluteParentId which returns the entire parentId. This is used for inserting nodes into the sitetree where we have to specify the whole parentid. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39583&view=rev>) (egli)
- [1.0] Midas integration started [Diff](http://svn.apache.org/viewcvs.cgi?rev=39582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39582&view=rev>) (michi)
- [1.0] Live Tab link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39580&view=rev>) (edith)
- [1.0] - added XSLT for lenya header - inline markup for simple doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=39579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39579&view=rev>) (andreas)
- [1.0] added transaction management for R1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39578&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39578&view=rev>) (andreas)
- [1.0] Added openOffice proposal. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39577&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39577&view=rev>) (egli)
- [1.0] Ant Task Publisher for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39576&view=rev>) (edith)
- [1.0] Create the tree and add node only once [Diff](http://svn.apache.org/viewcvs.cgi?rev=39575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39575&view=rev>) (edith)
- [1.0] Parent id is / instead of null (for Ant Task Publisher) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39574&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39574&view=rev>) (edith)
- [1.0] Ant Task Publisher for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39573&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39573&view=rev>) (edith)
- [1.0] Fixed a comment. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39571&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39571&view=rev>) (egli)

- [1.0] Make sure these files have unix line endings. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39569&view=rev>) (egli)
- [1.0] editing with Xopus [Diff](http://svn.apache.org/viewcvs.cgi?rev=39568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39568&view=rev>) (michi)
- [1.0] - added new project logo - using tables instead of CSS floating divs (Mozilla problems) - completed simple-doctype XSLT - pretty-printed simple-document.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=39567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39567&view=rev>) (andreas)
- [1.0] Thanks to the fact that it is now possible to use constructs like {request:requestURI} in the sitemap and thanks to the fact that the requestURI for a creation request contains the URL of the requesting document we no longer need to put the referer into the session. When the creation was successful we simply redirect back to the requestURI. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39566&view=rev>) (egli)
- [1.0] Simplified by using request and session logicsheets. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39565&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39565&view=rev>) (egli)
- [1.0] adapted bitflux stylesheets to edit simple documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=39564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39564&view=rev>) (gregor)
- [1.0] mounted bitflux sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39562&view=rev>) (gregor)
- [1.0] No longer trim "index" from the document-id. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39559&view=rev>) (egli)
- [1.0] copyright updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39558&view=rev>) (michi)
- [1.0] link changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39557&view=rev>) (michi)
- [1.0] - replaced scheduler.xmap by workflow.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39556&view=rev>) (andreas)
- [1.0] - changed task log view handling - replaced scheduler.xmap by workflow.xmap - changed headline formatting in docs-new - added antlog css import in default.css - [Diff](http://svn.apache.org/viewcvs.cgi?rev=39554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39554&view=rev>) (andreas)
- [1.0] added new documentation menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=39553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39553&view=rev>) (andreas)
- [1.0] added scheduler pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=39552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39552&view=rev>) (andreas)
- [1.0] the menus only work if their labels are FILE SEARCH HELP DEBUG in that order. no, im not kidding. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39551&view=rev>) (gregor)
- [1.0] warning instead of exception when publishing configuration file not found [Diff](http://svn.apache.org/viewcvs.cgi?rev=39550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39550&view=rev>) (andreas)
- [1.0] removed favicon.ico [Diff](http://svn.apache.org/viewcvs.cgi?rev=39548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39548&view=rev>) (andreas)
- [1.0] logging exception stacktrace [Diff](http://svn.apache.org/viewcvs.cgi?rev=39547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39547&view=rev>) (andreas)
- [1.0] adding type=500 to error handlers [Diff](http://svn.apache.org/viewcvs.cgi?rev=39544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39544&view=rev>) (gregor)
- [1.0] getting tired of this xopus business.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39543&view=rev>) (gregor)
- [1.0] added label for publish task [Diff](http://svn.apache.org/viewcvs.cgi?rev=39542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39542&view=rev>) (andreas)
- [1.0] added scheduler menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=39541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39541&view=rev>) (andreas)
- [1.0] added exclude-result-prefixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39540&view=rev>) (andreas)
- [1.0] Add some checks to handle the case when there is no parent. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39539&view=rev>) (egli)
- [1.0] getting tired of this xopus business.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39538&view=rev>) (gregor)
- [1.0] Fixed the creator menu entry ("New Document") to invoke the creator with the usecase URI scheme and invoke it with the simple doctype. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39536&view=rev>) (egli)
- [1.0] Code cleanup. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39535&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39535&view=rev>) (egli)
- [1.0] further work on xopus support for the default publication. since our documents now contain namespaces, the matchers have to change. see xslt/authoring/xopus2-simple.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=39534&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39534&view=rev>) (gregor)
- [1.0] SiteTree interface now uses the SiteTreeNode now instead of the plain w3c.dom.Node (in the methods getNode and addNode). [Diff](http://svn.apache.org/viewcvs.cgi?rev=39533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39533&view=rev>) (egli)
- [1.0] added sitetree namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=39531&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39531&view=rev>) (andreas)
- [1.0] changed project URL to www.lenya.org [Diff](http://svn.apache.org/viewcvs.cgi?rev=39530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39530&view=rev>) (andreas)
- [1.0] link to Wyona added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39529&view=rev>) (michi)
- [1.0] un-commented some documentation pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=39527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39527&view=rev>) (andreas)
- [1.0] setting doctype to 1.2 (1.1 was not valid) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39526&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39526&view=rev>) (andreas)
- [1.0] boomtchak added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39525&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39525&view=rev>) (michi)

- [1.0] added export target buildfile [Diff](http://svn.apache.org/viewcvs.cgi?rev=39524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39524&view=rev>) (andreas)
- [1.0] FIXME added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39522&view=rev>) (michi)
- [1.0] Added just a few more outputProperties to the transformer and now finally the DTD definition is also in the output file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39521&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39521&view=rev>) (egli)
- [1.0] added \* to lenyobody matcher [Diff](http://svn.apache.org/viewcvs.cgi?rev=39520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39520&view=rev>) (andreas)
- [1.0] - changed page2xhtml to work with /lenya/cmsbody - replaced stylesheet inclusion by pipeline step [Diff](http://svn.apache.org/viewcvs.cgi?rev=39519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39519&view=rev>) (andreas)
- [1.0] downwloading and installing updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39518&view=rev>) (michi)
- [1.0] The log.error stmnts should really be log.debug. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39517&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39517&view=rev>) (egli)
- [1.0] Added two more methods to find a node given a document-id and to add a Node given an existing Node. This is usefull for publishing where you need to replicate nodes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39516&view=rev>) (egli)
- [1.0] downwloading and installing updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39515&view=rev>) (michi)
- [1.0] added task logs menu item [Diff](http://svn.apache.org/viewcvs.cgi?rev=39514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39514&view=rev>) (andreas)
- [1.0] downwloading and installing updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39513&view=rev>) (michi)
- [1.0] changed "xopus" matcher to "authoring/xopus" [Diff](http://svn.apache.org/viewcvs.cgi?rev=39512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39512&view=rev>) (andreas)
- [1.0] IRC docu added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39511&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39511&view=rev>) (michi)
- [1.0] downwloading and installing updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39510&view=rev>) (michi)
- [1.0] using light font logo [Diff](http://svn.apache.org/viewcvs.cgi?rev=39508&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39508&view=rev>) (andreas)
- [1.0] deprecated documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39507&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39507&view=rev>) (michi)
- [1.0] recommended combination updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39506&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39506&view=rev>) (michi)
- [1.0] changed encoding to UTF-8 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39505&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39505&view=rev>) (andreas)
- [1.0] added some whitespace (last commit was not recognized by CVS) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39502&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39502&view=rev>) (andreas)
- [1.0] menu for default publication, xopus work moved more stuff to root sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39501&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39501&view=rev>) (gregor)
- [1.0] added unix installation note [Diff](http://svn.apache.org/viewcvs.cgi?rev=39499&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39499&view=rev>) (andreas)
- [1.0] fixed validation bugs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39497&view=rev>) (andreas)
- [1.0] removed template skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39496&view=rev>) (andreas)
- [1.0] - formatting of roadmap changed - homepage-specific forrest pipelines - homepage-specific tab changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39494&view=rev>) (andreas)
- [1.0] - removed classpath from task definition - corrected meny layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=39493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39493&view=rev>) (andreas)
- [1.0] removed classpath from task definition [Diff](http://svn.apache.org/viewcvs.cgi?rev=39491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39491&view=rev>) (andreas)
- [1.0] creating log directory if it does not exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=39490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39490&view=rev>) (andreas)
- [1.0] Menu integrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39488&view=rev>) (michi)
- [1.0] Extended the sample file for the simple document doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=39482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39482&view=rev>) (felix)
- [1.0] using Forrest document-v12 DTD: - added DTD - updated catalog - changed doctypes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39481&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39481&view=rev>) (andreas)
- [1.0] Added doctype handling to the writer methods. The doctype is queried from the document and consequently the transformer (which is needed for writing) is configured with the doctype. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39480&view=rev>) (egli)
- [1.0] Now use DocumentHelper for writing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39479&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39479&view=rev>) (egli)
- [1.0] validated and corrected documentation XML [Diff](http://svn.apache.org/viewcvs.cgi?rev=39478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39478&view=rev>) (andreas)
- [1.0] The parenturi is normaly calculated through the PageEnvelope in the util logicsheet. However I now added the possibility to override this with a request parameter. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39477&view=rev>) (egli)
- [1.0] Added some more heuristics to the computation of the document-id: if the requestURI ends in "index" chop it of. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39476&view=rev>) (egli)

- [1.0] - node recursion bugfix in sitetree2nav - indent for menuitem3 changed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39475&view=rev>) (andreas)
- [1.0] Added the default namespace. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39474&view=rev>) (egli)
- [1.0] Added pipelines for creator (using the lenya.usecase scheme from the URI scheme standard). [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39473&view=rev>) (egli)
- [1.0] Mailing lists updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39472&view=rev>) (michi)
- [1.0] added namespace for root matcher <apply-templates> [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39469&view=rev>) (andreas)
- [1.0] email as element instead as attribute [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39468&view=rev>) (michi)
- [1.0] According to the uri scheme standard the request parameters for usecase and step are named "lenya.usecase" and "lenya.step". This is now corrected for all publications and in the root sitemap. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39467&view=rev>) (egli)
- [1.0] HTML editor comparison removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39466&view=rev>) (michi)
- [1.0] introduction updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39462&view=rev>) (michi)
- [1.0] Programming Language added to Schema [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39461&view=rev>) (michi)
- [1.0] The util.xsl now uses the PageEnvelope class the get most of its information. It could be cleaned up very much now. There are new tags that it'll recognize now. They are based on the naming for the URI scheme: xsp-lenya:context-prefix xsp-lenya:publication-id xsp-lenya:area xsp-lenya:document-id All the other stuffshould be deprecated. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39460&view=rev>) (egli)
- [1.0] Added code to return the document-id. The algorithm to calculate the document-id is based on an assumption which doesn't necessarily hold true under all circumstances. That's what the uriparametrizer was meant to solve. This code should probably be used here. It just doen's feel right to invoke another cocoon: request with every invocation of PageEnvelope (and util.xsl). [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39459&view=rev>) (egli)
- [1.0] Classpath [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39457&view=rev>) (edith)
- [1.0] - added javadocs - using J2SE 1.4 Exception constructor [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39455&view=rev>) (andreas)
- [1.0] added javadocs [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39454&view=rev>) (andreas)
- [1.0] Fixed a bug to do with empty string namespace prefixes. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39451&view=rev>) (egli)
- [1.0] Can't get dom4j to work with namespaces. For that reason dom4j is now gone, now longer is the parent node found with xpath but with a simple and straight-forward recursive traversal. All the other xml manipulations are now done with org.w3c.dom.\* and the Document- and NamespaceHelper classes. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39450&view=rev>) (egli)
- [1.0] Only act on configuration parameters which are non-null. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39449&view=rev>) (egli)
- [1.0] - moved lenya.png to apache-lenya.png - added lenya logo without "apache" - changed logo positions - removed commented-out author names [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39448&view=rev>) (andreas)
- [1.0] using lenya-site skin again [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39446&view=rev>) (andreas)
- [1.0] added Forrest hint [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39444&view=rev>) (andreas)
- [1.0] corrected tar.gz matcher [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39443&view=rev>) (andreas)
- [1.0] added .tar.gz matcher [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39442&view=rev>) (andreas)
- [1.0] corrected download links [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39441&view=rev>) (andreas)
- [1.0] added download links [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39440&view=rev>) (andreas)
- [1.0] - mounting publication sitemap for "\*/" before resources.xmap [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39439&view=rev>) (andreas)
- [1.0] removed call of getPublication() [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39437&view=rev>) (andreas)
- [1.0] added parameter forwarding for Ant-based StaticHTMLExporter [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39436&view=rev>) (andreas)
- [1.0] - added some content (about default publication) - added templates to simple doctype stylesheet - added aggregation view to sitemap.xmap - corrected indentation in simple2html.xsl [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=39433&view=rev>) (andreas)

- [1.0] Added type="500" to <map:handle-error> for backwards compatibility. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39432&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39432&view=rev>) (egli)
- [1.0] Added type="500" to <map:handle-error> for backwards compatibility. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39429&view=rev>) (egli)
- [1.0] - cocooncenter as default docs-new skin - removed "Welcome to Lenya" section title [Diff](http://svn.apache.org/viewcvs.cgi?rev=39428&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39428&view=rev>) (andreas)
- [1.0] - commented out breadcrumb path - class "wide" for u-lists [Diff](http://svn.apache.org/viewcvs.cgi?rev=39427&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39427&view=rev>) (andreas)
- [1.0] Rollback and Revision Controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=39422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39422&view=rev>) (edith)
- [1.0] Migrated docu for standard URI scheme. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39421&view=rev>) (egli)
- [1.0] commented out credits [Diff](http://svn.apache.org/viewcvs.cgi?rev=39420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39420&view=rev>) (andreas)
- [1.0] removed strange empty boxes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39419&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39419&view=rev>) (andreas)
- [1.0] sample according to XML schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=39418&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39418&view=rev>) (michi)
- [1.0] context\_prefix hardcoded [Diff](http://svn.apache.org/viewcvs.cgi?rev=39415&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39415&view=rev>) (michi)
- [1.0] menus cleaned [Diff](http://svn.apache.org/viewcvs.cgi?rev=39414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39414&view=rev>) (michi)
- [1.0] Schema modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=39413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39413&view=rev>) (michi)
- [1.0] type added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39412&view=rev>) (michi)
- [1.0] corrected indentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39411&view=rev>) (andreas)
- [1.0] corrected download+install link [Diff](http://svn.apache.org/viewcvs.cgi?rev=39410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39410&view=rev>) (andreas)
- [1.0] displaying only the logo on top of the page [Diff](http://svn.apache.org/viewcvs.cgi?rev=39409&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39409&view=rev>) (andreas)
- [1.0] not copying libs from default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39407&view=rev>) (andreas)
- [1.0] serializing as HTML (XHTML causes problems on IE) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39405&view=rev>) (andreas)
- [1.0] - spread task docs over more files - cleaned sitetree, added backup [Diff](http://svn.apache.org/viewcvs.cgi?rev=39404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39404&view=rev>) (andreas)
- [1.0] added Cocoon Milestone 1 compatible Forrest libraries [Diff](http://svn.apache.org/viewcvs.cgi?rev=39403&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39403&view=rev>) (andreas)
- [1.0] compatibility to Cocoon Milestone 1 (using Part instead of FilePart) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39402&view=rev>) (andreas)
- [1.0] Fixed the indenting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39401&view=rev>) (egli)
- [1.0] removed some dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=39400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39400&view=rev>) (michi)
- [1.0] start and stop should be working now [Diff](http://svn.apache.org/viewcvs.cgi?rev=39399&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39399&view=rev>) (michi)
- [1.0] Serializer replaced by DOMWriter [Diff](http://svn.apache.org/viewcvs.cgi?rev=39398&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39398&view=rev>) (michi)
- [1.0] default build properties added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39395&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39395&view=rev>) (michi)
- [1.0] default property set [Diff](http://svn.apache.org/viewcvs.cgi?rev=39394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39394&view=rev>) (michi)
- [1.0] matrix policies added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39393&view=rev>) (michi)

## 40. Version 2003-04 ()

### 40.1. 1.0

- [1.0] added project logo [Diff](http://svn.apache.org/viewcvs.cgi?rev=39390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39390&view=rev>) (andreas)
- [1.0] added tutorial files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39387&view=rev>) (andreas)
- [1.0] added parameter XSPs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39384&view=rev>) (andreas)
- [1.0] added document-id parameter XSP [Diff](http://svn.apache.org/viewcvs.cgi?rev=39381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39381&view=rev>) (andreas)
- [1.0] initial xopus support [Diff](http://svn.apache.org/viewcvs.cgi?rev=39376&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39376&view=rev>) (gregor)
- [1.0] initial schemas for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39375&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39375&view=rev>) (gregor)
- [1.0] added stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=39374&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39374&view=rev>) (andreas)
- [1.0] merged lenya.org and documentation publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=39362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39362&view=rev>) (gregor)
- [1.0] prettyfied new menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=39360&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39360&view=rev>) (gregor)

- [1.0] added AntTask test [Diff](http://svn.apache.org/viewcvs.cgi?rev=39355&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39355&view=rev>) (andreas)
- [1.0] started menu for default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39344&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39344&view=rev>) (gregor)
- [1.0] Added drafts for simple document and standard document [Diff](http://svn.apache.org/viewcvs.cgi?rev=39334&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39334&view=rev>) (felix)
- [1.0] moved to authoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=39322&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39322&view=rev>) (michi)
- [1.0] Exception for envelope page [Diff](http://svn.apache.org/viewcvs.cgi?rev=39320&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39320&view=rev>) (edith)
- [1.0] New Configuration for RevisionController [Diff](http://svn.apache.org/viewcvs.cgi?rev=39319&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39319&view=rev>) (edith)
- [1.0] generic sitemap for resources [Diff](http://svn.apache.org/viewcvs.cgi?rev=39315&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39315&view=rev>) (michi)
- [1.0] added sitemap for static files (images, pdf etc) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39311&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39311&view=rev>) (gregor)
- [1.0] OPML to site.xml translator useful for drafting a site structure in an outliner [Diff](http://svn.apache.org/viewcvs.cgi?rev=39301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39301&view=rev>) (gregor)
- [1.0] temporary admin welcome screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=39299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39299&view=rev>) (michi)
- [1.0] first steps with flowscript, passwd [Diff](http://svn.apache.org/viewcvs.cgi?rev=39296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39296&view=rev>) (michi)
- [1.0] shell script for building the OSCOM indices [Diff](http://svn.apache.org/viewcvs.cgi?rev=39293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39293&view=rev>) (michi)
- [1.0] PDF for testing Lucene [Diff](http://svn.apache.org/viewcvs.cgi?rev=39283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39283&view=rev>) (michi)
- [1.0] Added a publication config file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39281&view=rev>) (egli)
- [1.0] Added the source type classes from Forrest. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39275&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39275&view=rev>) (egli)
- [1.0] refactored build system. build targets now reside under src/targets and are included with XML entities. also added test targets [Diff](http://svn.apache.org/viewcvs.cgi?rev=39271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39271&view=rev>) (gregor)
- [1.0] Added a dummy content file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39270&view=rev>) (egli)
- [1.0] testing framework started [Diff](http://svn.apache.org/viewcvs.cgi?rev=39269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39269&view=rev>) (michi)
- [1.0] Added a passwd file for the lenya user. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39268&view=rev>) (egli)
- [1.0] embryonic unit testing skeleton. aka: it does nothing useful yet. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39267&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39267&view=rev>) (gregor)
- [1.0] "path" has been renamed to "document-id" and "context" is now "context-prefix" according to URI standard. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39265&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39265&view=rev>) (egli)
- [1.0] Added policy files. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39263&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39263&view=rev>) (egli)
- [1.0] added bitflux elements to xdoc schema added more bitflux-specific helper files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39260&view=rev>) (gregor)
- [1.0] Test. PR: [Diff](http://svn.apache.org/viewcvs.cgi?rev=39259&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39259&view=rev>) (pier)
- [1.0] \* Added site tree proposal to the proposal section \* Added docu for UriParameter action to components section \* moved xhtmltemplating to concepts. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39250&view=rev>) (egli)
- [1.0] Added the site tree framework proposal. The actual implementation description goes in the concept section. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39249&view=rev>) (egli)
- [1.0] Renamed xhtml documentation from \*.html to \*.xml. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39247&view=rev>) (egli)
- [1.0] next step in uri-parameters framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=39238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39238&view=rev>) (andreas)
- [1.0] First cut at URI parametrizer action. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39227&view=rev>) (egli)
- [1.0] Added sitemaps which are used for the UriParametrizer. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39225&view=rev>) (egli)
- [1.0] draft of new lenya menu. much remains to be done [Diff](http://svn.apache.org/viewcvs.cgi?rev=39222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39222&view=rev>) (gregor)
- [1.0] added sitetree schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=39221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39221&view=rev>) (andreas)
- [1.0] Server Side Include added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39220&view=rev>) (michi)
- [1.0] added stylesheets and css [Diff](http://svn.apache.org/viewcvs.cgi?rev=39218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39218&view=rev>) (andreas)
- [1.0] added util stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=39215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39215&view=rev>) (andreas)
- [1.0] added PageEnvelopeAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=39212&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39212&view=rev>) (andreas)
- [1.0] added PageEnvelope [Diff](http://svn.apache.org/viewcvs.cgi?rev=39211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39211&view=rev>) (andreas)
- [1.0] initial gump descriptor -> incomplete, needs help from knowledgeable people [Diff](http://svn.apache.org/viewcvs.cgi?rev=39209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39209&view=rev>) (gregor)

- [1.0] added navigation.xmap draft [Diff](http://svn.apache.org/viewcvs.cgi?rev=39207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39207&view=rev>) (andreas)
- [1.0] added navigation stylesheet drafts [Diff](http://svn.apache.org/viewcvs.cgi?rev=39206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39206&view=rev>) (andreas)
- [1.0] added missing images [Diff](http://svn.apache.org/viewcvs.cgi?rev=39200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39200&view=rev>) (andreas)
- [1.0] added lenya-site skin again [Diff](http://svn.apache.org/viewcvs.cgi?rev=39199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39199&view=rev>) (andreas)
- [1.0] added cocooncenter skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39198&view=rev>) (andreas)
- [1.0] added directory structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=39197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39197&view=rev>) (andreas)
- [1.0] added User and Role classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39194&view=rev>) (andreas)
- [1.0] added bitflux sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39190&view=rev>) (andreas)
- [1.0] added first workflow version [Diff](http://svn.apache.org/viewcvs.cgi?rev=39187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39187&view=rev>) (andreas)
- [1.0] added docs on XHTML templating. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39182&view=rev>) (gregor)
- [1.0] move task documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39176&view=rev>) (egli)
- [1.0] Migrated from old doc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39174&view=rev>) (egli)
- [1.0] Concept for siteTree framework. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39172&view=rev>) (egli)
- [1.0] initial support for adding new xdoc documents through lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=39165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39165&view=rev>) (gregor)
- [1.0] started new default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39161&view=rev>) (gregor)
- [1.0] added task configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39160&view=rev>) (andreas)
- [1.0] added task documentation files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39158&view=rev>) (andreas)
- [1.0] added logfile stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=39157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39157&view=rev>) (andreas)
- [1.0] Forrest publication fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39151&view=rev>) (michi)
- [1.0] added some temporary files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39148&view=rev>) (andreas)
- [1.0] added webapp DTD [Diff](http://svn.apache.org/viewcvs.cgi?rev=39146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39146&view=rev>) (andreas)
- [1.0] response.xsl moved out of publications into lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=39143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39143&view=rev>) (michi)
- [1.0] added authentication to forrest publication moved original forest sitemap to forrest-sitemap.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39139&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39139&view=rev>) (gregor)
- [1.0] authentication for forrest publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39138&view=rev>) (gregor)
- [1.0] move bitflux to root [Diff](http://svn.apache.org/viewcvs.cgi?rev=39136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39136&view=rev>) (gregor)
- [1.0] move xopus stuff to root [Diff](http://svn.apache.org/viewcvs.cgi?rev=39135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39135&view=rev>) (gregor)
- [1.0] added NamespaceMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39131&view=rev>) (andreas)
- [1.0] added log.xsl for ant log files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39126&view=rev>) (andreas)
- [1.0] AntTask outline added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39117&view=rev>) (andreas)
- [1.0] changes to make authoring menu appear [Diff](http://svn.apache.org/viewcvs.cgi?rev=39111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39111&view=rev>) (gregor)
- [1.0] passwd target [Diff](http://svn.apache.org/viewcvs.cgi?rev=39109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39109&view=rev>) (michi)
- [1.0] added pre-parser (workaround for JVM bug) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39101&view=rev>) (andreas)
- [1.0] added more forrest files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39083&view=rev>) (andreas)
- [1.0] added files I forgot [Diff](http://svn.apache.org/viewcvs.cgi?rev=39080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39080&view=rev>) (andreas)
- [1.0] initial commit of xdoc xml schemas for xopus [Diff](http://svn.apache.org/viewcvs.cgi?rev=39078&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39078&view=rev>) (gregor)
- [1.0] added Forrest libraries [Diff](http://svn.apache.org/viewcvs.cgi?rev=39075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39075&view=rev>) (andreas)
- [1.0] added Forrest files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39073&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39073&view=rev>) (andreas)
- [1.0] Declare the QuartzSchedulerServlet to be loaded in Cocoon webapp [Diff](http://svn.apache.org/viewcvs.cgi?rev=39071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39071&view=rev>) (edith)
- [1.0] Test OpenOffice document to test the OpenOffice pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=39068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39068&view=rev>) (egli)
- [1.0] Generalized pipelines for OpenOffice. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39067&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39067&view=rev>) (egli)
- [1.0] should not have been checked in [Diff](http://svn.apache.org/viewcvs.cgi?rev=39323&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39323&view=rev>) (michi)
- [1.0] replaced by resources.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39314&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39314&view=rev>) (michi)
- [1.0] The publication.xconf file has been moved to config/publishing and has been renamed to publisher.xconf. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39313&view=rev>) (egli)

- [1.0] This file has been renamed to publisher.xconf. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39312&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39312&view=rev>) (egli)
- [1.0] moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39287&view=rev>) (michi)
- [1.0] Moved the xhtml docu to a different place, so that the menu works correctly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39202&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39202&view=rev>) (egli)
- [1.0] removed accidentally added class files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39188&view=rev>) (andreas)
- [1.0] moved files to resources/entities [Diff](http://svn.apache.org/viewcvs.cgi?rev=39177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39177&view=rev>) (andreas)
- [1.0] Moved the task docu under concepts. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39170&view=rev>) (egli)
- [1.0] removed log.xls [Diff](http://svn.apache.org/viewcvs.cgi?rev=39156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39156&view=rev>) (andreas)
- [1.0] The sampleResourceName can now be specified in the doctypes resource file as <sample-name> element which is a child of the creator element. So the constructor in NewArticleCreator is not needed anymore, actually the whole class isn't needed anymore since it consists of nothing but a constructor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39100&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39100&view=rev>) (egli)
- [1.0] each project can edit its own data [Diff](http://svn.apache.org/viewcvs.cgi?rev=39391&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39391&view=rev>) (michi)
- [1.0] changed breadcrumb and menu layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=39389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39389&view=rev>) (andreas)
- [1.0] modified css [Diff](http://svn.apache.org/viewcvs.cgi?rev=39388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39388&view=rev>) (andreas)
- [1.0] Rollback generic [Diff](http://svn.apache.org/viewcvs.cgi?rev=39386&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39386&view=rev>) (edith)
- [1.0] Checkin fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39385&view=rev>) (edith)
- [1.0] - added navigation diagram - added new project logo [Diff](http://svn.apache.org/viewcvs.cgi?rev=39383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39383&view=rev>) (andreas)
- [1.0] Forum fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39382&view=rev>) (edith)
- [1.0] - index.xml content added - sitetree adapted to discussion results - layout changes in css [Diff](http://svn.apache.org/viewcvs.cgi?rev=39380&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39380&view=rev>) (andreas)
- [1.0] - introducing sitetree2nav.xsl - using separate sitetree pipeline - resource for fallback transformation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39379&view=rev>) (andreas)
- [1.0] - introducing sitetree2nav.xsl - this makes util.xsl obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=39378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39378&view=rev>) (andreas)
- [1.0] Fixed a bug where '&' was used in a expression as opposed to '&&'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39377&view=rev>) (egli)
- [1.0] various changes (layout, sitemaps) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39373&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39373&view=rev>) (andreas)
- [1.0] several changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39372&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39372&view=rev>) (andreas)
- [1.0] rollback test [Diff](http://svn.apache.org/viewcvs.cgi?rev=39371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39371&view=rev>) (edith)
- [1.0] The aggregation of the navigation is now done in the publication-sitemap.xmap and the doctypes.xmap solely takes care of rendering the body part of the page. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39370&view=rev>) (egli)
- [1.0] sitetree changed, URIParameterizerAction changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39369&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39369&view=rev>) (andreas)
- [1.0] changed sitetree [Diff](http://svn.apache.org/viewcvs.cgi?rev=39368&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39368&view=rev>) (andreas)
- [1.0] changed schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=39367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39367&view=rev>) (andreas)
- [1.0] changed URI parameter matcher [Diff](http://svn.apache.org/viewcvs.cgi?rev=39366&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39366&view=rev>) (andreas)
- [1.0] using src parameter instead of request URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=39365&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39365&view=rev>) (andreas)
- [1.0] prepared for new menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=39364&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39364&view=rev>) (gregor)
- [1.0] merged lenya.org and documentation publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=39363&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39363&view=rev>) (gregor)
- [1.0] prettyfied new menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=39361&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39361&view=rev>) (gregor)
- [1.0] Rollback to OSCOM added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39359&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39359&view=rev>) (michi)
- [1.0] Rollback generalized [Diff](http://svn.apache.org/viewcvs.cgi?rev=39358&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39358&view=rev>) (michi)
- [1.0] Removed the stale link to scratchpad. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39357&view=rev>) (egli)
- [1.0] corrected {3} parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=39356&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39356&view=rev>) (andreas)
- [1.0] Fixed bug #39 (Wrong link on "Performance" page). [Diff](http://svn.apache.org/viewcvs.cgi?rev=39354&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39354&view=rev>) (egli)
- [1.0] Changed comment: the install dir has to be an absolute path, otherwise the catalogs and hence the dtd's will not be found [Diff](http://svn.apache.org/viewcvs.cgi?rev=39353&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39353&view=rev>) (felix)

- [1.0] forwarding both sources and properties.publish.sources [Diff](http://svn.apache.org/viewcvs.cgi?rev=39352&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39352&view=rev>) (andreas)
- [1.0] renamed properties.publish.sources back to sources [Diff](http://svn.apache.org/viewcvs.cgi?rev=39351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39351&view=rev>) (andreas)
- [1.0] Scheduler new config file [Diff](http://svn.apache.org/viewcvs.cgi?rev=39350&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39350&view=rev>) (edith)
- [1.0] Added a document (with the doctype "simple document") [Diff](http://svn.apache.org/viewcvs.cgi?rev=39349&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39349&view=rev>) (egli)
- [1.0] Added temporary namespaces. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39348&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39348&view=rev>) (egli)
- [1.0] Make sure the sourcetype action can also deal with <simple-document> root elements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39347&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39347&view=rev>) (egli)
- [1.0] The name of the parameter for the sources has been changed and was defined locally. It now uses the constant definition from the DefaultFilePublisher. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39346&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39346&view=rev>) (egli)
- [1.0] Checkin fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39345&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39345&view=rev>) (michi)
- [1.0] articles are being checked out [Diff](http://svn.apache.org/viewcvs.cgi?rev=39343&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39343&view=rev>) (michi)
- [1.0] Xopus fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39342&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39342&view=rev>) (michi)
- [1.0] two more files to configure during deployment [Diff](http://svn.apache.org/viewcvs.cgi?rev=39341&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39341&view=rev>) (michi)
- [1.0] atrix policy added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39340&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39340&view=rev>) (michi)
- [1.0] config moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39339&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39339&view=rev>) (michi)
- [1.0] matrix schema fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39338&view=rev>) (michi)
- [1.0] deprecated elements removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39337&view=rev>) (michi)
- [1.0] Lenya Page updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39336&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39336&view=rev>) (michi)
- [1.0] removed some functionality from OSCOM home [Diff](http://svn.apache.org/viewcvs.cgi?rev=39335&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39335&view=rev>) (michi)
- [1.0] crawling and indexing fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39333&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39333&view=rev>) (michi)
- [1.0] moved revision controller action to root sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39332&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39332&view=rev>) (gregor)
- [1.0] generic search fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39331&view=rev>) (michi)
- [1.0] searching fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39330&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39330&view=rev>) (michi)
- [1.0] Publishing and Tasks fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39329&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39329&view=rev>) (michi)
- [1.0] moved config files out of /content into /config [Diff](http://svn.apache.org/viewcvs.cgi?rev=39328&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39328&view=rev>) (gregor)
- [1.0] moved config files out of /content into /config [Diff](http://svn.apache.org/viewcvs.cgi?rev=39327&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39327&view=rev>) (gregor)
- [1.0] replaced org.lenya with org.apache.lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=39326&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39326&view=rev>) (gregor)
- [1.0] package name fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39325&view=rev>) (michi)
- [1.0] replaced org.lenya with org.apache.lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=39324&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39324&view=rev>) (gregor)
- [1.0] new publishing XSLT added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39321&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39321&view=rev>) (michi)
- [1.0] Revision Controller new Configuration and cleaned up [Diff](http://svn.apache.org/viewcvs.cgi?rev=39318&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39318&view=rev>) (edith)
- [1.0] documented serving of static resources [Diff](http://svn.apache.org/viewcvs.cgi?rev=39317&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39317&view=rev>) (gregor)
- [1.0] generic sitemap for resource added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39316&view=rev>) (michi)
- [1.0] Handle error [Diff](http://svn.apache.org/viewcvs.cgi?rev=39310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39310&view=rev>) (edith)
- [1.0] passwd finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=39309&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39309&view=rev>) (michi)
- [1.0] passwd finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=39308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39308&view=rev>) (michi)
- [1.0] Authenticator id used [Diff](http://svn.apache.org/viewcvs.cgi?rev=39307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39307&view=rev>) (michi)
- [1.0] sitemap path is now being resolved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39306&view=rev>) (michi)
- [1.0] implementing passwd [Diff](http://svn.apache.org/viewcvs.cgi?rev=39305&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39305&view=rev>) (michi)
- [1.0] Access Controlling refactored [Diff](http://svn.apache.org/viewcvs.cgi?rev=39304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39304&view=rev>) (michi)
- [1.0] first useful junit test suite [Diff](http://svn.apache.org/viewcvs.cgi?rev=39303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39303&view=rev>) (michi)
- [1.0] username fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39302&view=rev>) (michi)

- [1.0] changePassword method added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39300&view=rev>) (michi)
- [1.0] passwd added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39298&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39298&view=rev>) (michi)
- [1.0] generic admin area added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39297&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39297&view=rev>) (michi)
- [1.0] some more typos fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39295&view=rev>) (michi)
- [1.0] some bugs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39294&view=rev>) (michi)
- [1.0] indexer added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39292&view=rev>) (michi)
- [1.0] lucene config updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39291&view=rev>) (michi)
- [1.0] crawler files updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39290&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39290&view=rev>) (michi)
- [1.0] redirect fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39289&view=rev>) (michi)
- [1.0] setup junit testing framework [Diff](http://svn.apache.org/viewcvs.cgi?rev=39288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39288&view=rev>) (michi)
- [1.0] In the default publication the tree is called "sitetree". [Diff](http://svn.apache.org/viewcvs.cgi?rev=39286&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39286&view=rev>) (egli)
- [1.0] The great "stage" to "area" renaming. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39285&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39285&view=rev>) (egli)
- [1.0] static exporter updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=39284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39284&view=rev>) (michi)
- [1.0] export of static files improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39282&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39282&view=rev>) (michi)
- [1.0] Terminology fix: "stage" is now called "area" [Diff](http://svn.apache.org/viewcvs.cgi?rev=39280&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39280&view=rev>) (egli)
- [1.0] \* Use the SourcetypeAction to determine the doctype now. \* Terminology fix: "stage" is now called "area" [Diff](http://svn.apache.org/viewcvs.cgi?rev=39279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39279&view=rev>) (egli)
- [1.0] The article "doctype" has been replaced by a "simple" doctype. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39278&view=rev>) (egli)
- [1.0] Revised the naming for the parts of a URI. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39277&view=rev>) (egli)
- [1.0] Added some information on how to find the original Forrest sources to the readme. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39276&view=rev>) (egli)
- [1.0] libraries for default publication added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39274&view=rev>) (michi)
- [1.0] project name reset and remove test dir to clean target added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39273&view=rev>) (michi)
- [1.0] \* Hacked around the "file://" vs "file://" problem \* Added some code to make sure the stage variable now actually returns the stage. This is done by taking the request URI and using some blatant assumptions (i.e. the URI is of the form /context-prefix/publication-id/stage) to extract the stage. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39272&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39272&view=rev>) (egli)
- [1.0] Fixed a typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39266&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39266&view=rev>) (egli)
- [1.0] path has been renamed to document-id according to URI standard. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39264&view=rev>) (egli)
- [1.0] Moved the doctype pipeline into a separate sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39262&view=rev>) (egli)
- [1.0] Removed the debugging pipeline and enabled access control. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39261&view=rev>) (egli)
- [1.0] Major cleanup and addition of some documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39258&view=rev>) (egli)
- [1.0] \* Enhanced to make it also work with stages (authoring, live, etc.) \* Added the body to the aggregation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39257&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39257&view=rev>) (egli)
- [1.0] Make sure the parameter sitemap only returns the path proper, i.e. without pub-id and stage. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39256&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39256&view=rev>) (egli)
- [1.0] Enhanced the sitemaps so that they now also handle stage (e.g. authoring, live, etc.) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39255&view=rev>) (egli)
- [1.0] Fixed a problem with the logging code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39254&view=rev>) (egli)
- [1.0] Added stage (e.g. "authoring", "live") as an additional parameter to the Page Envelope. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39253&view=rev>) (egli)
- [1.0] Save without checkin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39252&view=rev>) (edith)
- [1.0] The links now use semantic linking. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39251&view=rev>) (egli)
- [1.0] Added an introduction to the proposal section. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39248&view=rev>) (egli)

- [1.0] Removed the unneeded png and gif pipeline. This is taken care of already in the static pipeline. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39246&view=rev>) (egli)
- [1.0] Fixed a typo in the documentation. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39245&view=rev>) (egli)
- [1.0] Fixed indenting. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39244&view=rev>) (egli)
- [1.0] Fixed a typo. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39243&view=rev>) (egli)
- [1.0] publishing bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39242&view=rev>) (michi)
- [1.0] finishing touches for new menu (for now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39241&view=rev>) (gregor)
- [1.0] various changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39240&view=rev>) (andreas)
- [1.0] added separate sitetree pipeline (does not work yet) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39239&view=rev>) (andreas)
- [1.0] fixed uri-parameter pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=39237&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39237&view=rev>) (andreas)
- [1.0] using parameters instead of configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39236&view=rev>) (andreas)
- [1.0] disable submenus and blocks for now [Diff](http://svn.apache.org/viewcvs.cgi?rev=39235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39235&view=rev>) (gregor)
- [1.0] Added configuration parameters for URIParametrizer action. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39234&view=rev>) (egli)
- [1.0] Make the action configurable. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39233&view=rev>) (egli)
- [1.0] merged in code for menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=39232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39232&view=rev>) (gregor)
- [1.0] menu code supports menus now :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39231&view=rev>) (gregor)
- [1.0] adapted xslt to generate menu javascript array [Diff](http://svn.apache.org/viewcvs.cgi?rev=39230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39230&view=rev>) (gregor)
- [1.0] added navigation docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39229&view=rev>) (andreas)
- [1.0] more menu work [Diff](http://svn.apache.org/viewcvs.cgi?rev=39228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39228&view=rev>) (gregor)
- [1.0] Added pipelines for the URIParametrizer. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39226&view=rev>) (egli)
- [1.0] Add a mount for the uri-parameter sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39224&view=rev>) (egli)
- [1.0] removed method="html" (it is illegal with cocoon 2.1) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39223&view=rev>) (gregor)
- [1.0] Xopus2.0.0.8 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39219&view=rev>) (michi)
- [1.0] more error messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=39217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39217&view=rev>) (michi)
- [1.0] changed pipelines [Diff](http://svn.apache.org/viewcvs.cgi?rev=39216&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39216&view=rev>) (andreas)
- [1.0] added navigation framework components [Diff](http://svn.apache.org/viewcvs.cgi?rev=39214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39214&view=rev>) (andreas)
- [1.0] added navigation framework draft [Diff](http://svn.apache.org/viewcvs.cgi?rev=39213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39213&view=rev>) (andreas)
- [1.0] added resource-exists for search-and-results.xsl changed navigation pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=39210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39210&view=rev>) (andreas)
- [1.0] better error description [Diff](http://svn.apache.org/viewcvs.cgi?rev=39208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39208&view=rev>) (michi)
- [1.0] mounting navigation sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39205&view=rev>) (andreas)
- [1.0] remove legacy separator item from menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=39204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39204&view=rev>) (gregor)
- [1.0] correct handling of element order [Diff](http://svn.apache.org/viewcvs.cgi?rev=39203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39203&view=rev>) (andreas)
- [1.0] Removed "Hello World" from the debugging menu. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39201&view=rev>) (egli)
- [1.0] toString() implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=39196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39196&view=rev>) (andreas)
- [1.0] bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=39195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39195&view=rev>) (andreas)
- [1.0] using lenya SMTP instead of java.mail API [Diff](http://svn.apache.org/viewcvs.cgi?rev=39193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39193&view=rev>) (andreas)
- [1.0] changed smtp server [Diff](http://svn.apache.org/viewcvs.cgi?rev=39192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39192&view=rev>) (andreas)
- [1.0] added bitflux elements to xdoc schema added more bitflux-specific helper files [Diff](http://svn.apache.org/viewcvs.cgi?rev=39191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39191&view=rev>) (gregor)
- [1.0] started bitflux editor support [Diff](http://svn.apache.org/viewcvs.cgi?rev=39189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39189&view=rev>) (gregor)
- [1.0] added source="1.4" attributes for javac and javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=39186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39186&view=rev>) (andreas)
- [1.0] clean of frontpage [Diff](http://svn.apache.org/viewcvs.cgi?rev=39185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39185&view=rev>) (edith)
- [1.0] added windows installation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39184&view=rev>) (andreas)
- [1.0] xpushandler action is for the moment commented out [Diff](http://svn.apache.org/viewcvs.cgi?rev=39183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39183&view=rev>) (andreas)

- (<http://svn.apache.org/viewcvs.cgi?rev=39183&view=rev>) (edith)
  - [1.0] Fixed typos. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39181&view=rev>) (egli)
  - [1.0] Added warning about unipublic-specific Bitflux configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39180&view=rev>) (felix)
  - [1.0] Added commented-out unipublic-specific configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39179&view=rev>) (felix)
  - [1.0] Typo corrected with incorrect XML [Diff](http://svn.apache.org/viewcvs.cgi?rev=39178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39178&view=rev>) (alex)
  - [1.0] Added page envelope and ste tree framework. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39175&view=rev>) (egli)
  - [1.0] moved more actions into the lenya sitemap to be done: move xopusaction, rollback as soon as we settle on the final directory structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=39173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39173&view=rev>) (gregor)
  - [1.0] Added a pipeline for images. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39171&view=rev>) (egli)
  - [1.0] changed buildfile location [Diff](http://svn.apache.org/viewcvs.cgi?rev=39169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39169&view=rev>) (andreas)
  - [1.0] added xopus action to lenya sitemap visually seperated lenya insertions from cocoon stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=39168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39168&view=rev>) (gregor)
  - [1.0] fleshed out default publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39167&view=rev>) (gregor)
  - [1.0] added parent child action to lenya sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39166&view=rev>) (gregor)
  - [1.0] Fix of assignation of article to dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=39164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39164&view=rev>) (edith)
  - [1.0] changed forrest skin to lenya-site [Diff](http://svn.apache.org/viewcvs.cgi?rev=39163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39163&view=rev>) (andreas)
  - [1.0] added lenya-site skin [Diff](http://svn.apache.org/viewcvs.cgi?rev=39162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39162&view=rev>) (andreas)
  - [1.0] added logfile history [Diff](http://svn.apache.org/viewcvs.cgi?rev=39159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39159&view=rev>) (andreas)
  - [1.0] absolute paths are also possible now [Diff](http://svn.apache.org/viewcvs.cgi?rev=39155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39155&view=rev>) (michi)
  - [1.0] Clean of rollback [Diff](http://svn.apache.org/viewcvs.cgi?rev=39154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39154&view=rev>) (edith)
  - [1.0] made lenya menu stretch across whole window. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39153&view=rev>) (gregor)
  - [1.0] Redirect added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39152&view=rev>) (michi)
  - [1.0] some whitespaces added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39150&view=rev>) (michi)
  - [1.0] added HSQLDB server port property [Diff](http://svn.apache.org/viewcvs.cgi?rev=39149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39149&view=rev>) (andreas)
  - [1.0] added web.xml entity catalog [Diff](http://svn.apache.org/viewcvs.cgi?rev=39147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39147&view=rev>) (andreas)
  - [1.0] live removed from tab and publish [Diff](http://svn.apache.org/viewcvs.cgi?rev=39145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39145&view=rev>) (michi)
  - [1.0] typo fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39144&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39144&view=rev>) (michi)
  - [1.0] resolved bitflux 404 due to renaming index.html to index.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=39142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39142&view=rev>) (gregor)
  - [1.0] moved step and usecase matchers to the root sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39141&view=rev>) (gregor)
  - [1.0] wrapped publication in access control [Diff](http://svn.apache.org/viewcvs.cgi?rev=39140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39140&view=rev>) (gregor)
  - [1.0] moved xopus and bitflux response files to root context [Diff](http://svn.apache.org/viewcvs.cgi?rev=39137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39137&view=rev>) (gregor)
  - [1.0] changed ant-log.html URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=39134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39134&view=rev>) (andreas)
  - [1.0] added pub.dir property [Diff](http://svn.apache.org/viewcvs.cgi?rev=39133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39133&view=rev>) (andreas)
  - [1.0] un-commented NamespaceMap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39132&view=rev>) (andreas)
  - [1.0] catch indexOf -1 exception [Diff](http://svn.apache.org/viewcvs.cgi?rev=39130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39130&view=rev>) (michi)
  - [1.0] added debug information and made it saveable [Diff](http://svn.apache.org/viewcvs.cgi?rev=39129&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39129&view=rev>) (michi)
  - [1.0] NamespaceMap is currently missing from CVS [Diff](http://svn.apache.org/viewcvs.cgi?rev=39128&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39128&view=rev>) (michi)
  - [1.0] added ant log pipeline [Diff](http://svn.apache.org/viewcvs.cgi?rev=39127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39127&view=rev>) (andreas)
  - [1.0] changed javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=39125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39125&view=rev>) (andreas)
  - [1.0] changed to 1.4 constructors [Diff](http://svn.apache.org/viewcvs.cgi?rev=39124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39124&view=rev>) (andreas)
  - [1.0] added getPublicationDirectory() method [Diff](http://svn.apache.org/viewcvs.cgi?rev=39123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39123&view=rev>) (andreas)
  - [1.0] implemented executeAntTarget() [Diff](http://svn.apache.org/viewcvs.cgi?rev=39122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39122&view=rev>) (andreas)
  - [1.0] we now track the xdoc dtd more closely. the only difference is xml:space which led to problems, and was removed.

- [Diff](http://svn.apache.org/viewcvs.cgi?rev=39121&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39121&view=rev) (gregor)
- [1.0] more changes to get xdoc editing working in xopus [Diff](http://svn.apache.org/viewcvs.cgi?rev=39120&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39120&view=rev) (gregor)
- [1.0] XopusInterface exception handling slightly improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39119&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39119&view=rev) (michi)
- [1.0] Xopus nearly fixed for Forrest [Diff](http://svn.apache.org/viewcvs.cgi?rev=39118&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39118&view=rev) (michi)
- [1.0] Xopus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39116&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39116&view=rev) (michi)
- [1.0] editor matrix fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39115&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39115&view=rev) (michi)
- [1.0] micro steps towards xopus support [Diff](http://svn.apache.org/viewcvs.cgi?rev=39114&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39114&view=rev) (gregor)
- [1.0] more authoring changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=39113&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39113&view=rev) (gregor)
- [1.0] opensourcecms added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39112&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39112&view=rev) (michi)
- [1.0] more deploy docu added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39110&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39110&view=rev) (michi)
- [1.0] not used stuff removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39108&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39108&view=rev) (michi)
- [1.0] Apache link highlighted [Diff](http://svn.apache.org/viewcvs.cgi?rev=39107&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39107&view=rev) (michi)
- [1.0] more paths fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39106&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39106&view=rev) (michi)
- [1.0] link to authoring added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39105&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39105&view=rev) (michi)
- [1.0] crawler and indexer config fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39104&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39104&view=rev) (michi)
- [1.0] dead code removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39103&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39103&view=rev) (michi)
- [1.0] paths fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39102&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39102&view=rev) (michi)
- [1.0] The sampleResourceName can now be specified in the doctypes resource file as <sample-name> element which is a child of the creator element. So the constructor in NewArticleCreator is gone (the whole class isn't needed anymore since it consists of nothing but a constructor) and a sample-name element is added to doctypes.xconf for each doctype. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39099&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39099&view=rev) (egli)
- [1.0] using separate pipeline for http request [Diff](http://svn.apache.org/viewcvs.cgi?rev=39098&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39098&view=rev) (andreas)
- [1.0] The sampleResourceName can now be specified in the doctypes resource file as <sample-name> element which is a child of the creator element. So the constructor in CMFProjectCreator, CMSProjectCreator and EditorProjectCreator is gone and a sample-name element is added to doctypes.xconf for each doctype. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39097&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39097&view=rev) (egli)
- [1.0] Added a logger to parent-child action. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39096&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39096&view=rev) (egli)
- [1.0] The sampleResourceName can now be specified in the doctypes resource file as <sample-name> element which is a child of the creator element. So the constructor in NewArticleCreator is gone and a sample-name element is added to doctypes.xconf. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39095&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39095&view=rev) (egli)
- [1.0] The sampleResourceName can now be specified in the doctypes resource file as <sample-name> element which is a child of the creator element. So the constructor in ArticleCreator is gone and a sample-name element is added to doctypes.xconf. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39094&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39094&view=rev) (egli)
- [1.0] The DefaultCreator is now invoked properly from the ParentChildCreatorAction, i.e. the configuration is parsed from the doctypes file and passed to the Creator. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39093&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39093&view=rev) (egli)
- [1.0] editor matrix fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39092&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39092&view=rev) (michi)
- [1.0] layout fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39091&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39091&view=rev) (michi)
- [1.0] OSCOM layout problems fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39090&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39090&view=rev) (michi)
- [1.0] authoring wip [Diff](http://svn.apache.org/viewcvs.cgi?rev=39089&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39089&view=rev) (michi)
- [1.0] bugfixes in emphasizeAsXML [Diff](http://svn.apache.org/viewcvs.cgi?rev=39088&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39088&view=rev) (andreas)
- [1.0] removed commented-out forrest section [Diff](http://svn.apache.org/viewcvs.cgi?rev=39087&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39087&view=rev) (andreas)
- [1.0] added forrest publication parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=39086&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39086&view=rev) (andreas)
- [1.0] OSCOM layout fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39085&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39085&view=rev) (michi)
- [1.0] added forrest stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=39084&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39084&view=rev) (andreas)
- [1.0] more efforts to move stuff to the root sitemap: - views (not sure if this works 100%) - eventually, lenya actions [Diff](http://svn.apache.org/viewcvs.cgi?rev=39082&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39082&view=rev) (gregor)
- [1.0] this one actually builds a navigation :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39081&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39081&view=rev) (gregor)
- [1.0] changes to get authoring working with forrest [Diff](http://svn.apache.org/viewcvs.cgi?rev=39079&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=39079&view=rev) (gregor)

- [1.0] Configuration of new mail server [Diff](http://svn.apache.org/viewcvs.cgi?rev=39077&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39077&view=rev>) (edith)
- [1.0] Clean of stylesheets for new Cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=39076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39076&view=rev>) (edith)
- [1.0] added Forrest entries [Diff](http://svn.apache.org/viewcvs.cgi?rev=39074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39074&view=rev>) (andreas)
- [1.0] to build the COCOON\_HOME/WEB-INF/web.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=39072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39072&view=rev>) (edith)
- [1.0] using GET method (workaround for Cocoon bug) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39070&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39070&view=rev>) (andreas)
- [1.0] - consolidate lenya css in lenya sitemap - consolidate lenya images in lenya sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39069&view=rev>) (gregor)
- [1.0] Add pipelines for display of OpenOffice documents. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39066&view=rev>) (egli)
- [1.0] removed test logicsheet. purged dead code from menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=39065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39065&view=rev>) (gregor)

## 41. Version 2003-03 ()

### 41.1. 1.0

- [1.0] Created new publication for the new documentation (only ToC so far) [Diff](http://svn.apache.org/viewcvs.cgi?rev=39064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39064&view=rev>) (felix)
- [1.0] Added stylesheet to transform OpenOffice to html. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39061&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39061&view=rev>) (egli)
- [1.0] Added OpenOffice DTDs and catalog. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39060&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39060&view=rev>) (egli)
- [1.0] root template for Live area [Diff](http://svn.apache.org/viewcvs.cgi?rev=39037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39037&view=rev>) (michi)
- [1.0] parsing and indexing generalized by Andreas [Diff](http://svn.apache.org/viewcvs.cgi?rev=39033&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39033&view=rev>) (michi)
- [1.0] sitetree and navigation framework started [Diff](http://svn.apache.org/viewcvs.cgi?rev=39030&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39030&view=rev>) (michi)
- [1.0] default menubar added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39024&view=rev>) (michi)
- [1.0] Search for OSCOM finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=39017&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39017&view=rev>) (michi)
- [1.0] Added the description how to integrate OpenOffice and WebDAV into Lenya. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39016&view=rev>) (egli)
- [1.0] \* The publishing process now optionally also publishes resources (e.g. images) \* To this effect there are two new classes ResourceFilePublisher and ResourcePublishingEnvironment which can be used in the tasks.xconf as a publisher. \* ResourceFilePublisher is a subclass of DefaultFilePublisher which also publishes resources \* ResourcePublishingEnvironment is a subclass of PublishingEnvironment which reads additional parameters (<resource href="" />) from publication.xconf. \* The publisher interface has been extended to allow for passing of parameters related to resource publishing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39012&view=rev>) (egli)
- [1.0] docs fixed and updated to Forrest v11 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39006&view=rev>) (michi)
- [1.0] SAX based ContentHandler [Diff](http://svn.apache.org/viewcvs.cgi?rev=38999&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38999&view=rev>) (michi)
- [1.0] sample data for new cms matrix [Diff](http://svn.apache.org/viewcvs.cgi?rev=38989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38989&view=rev>) (gregor)
- [1.0] Added concept papers for page envelope and Standard URI scheme. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38972&view=rev>) (egli)
- [1.0] added tabs for forrest [Diff](http://svn.apache.org/viewcvs.cgi?rev=38957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38957&view=rev>) (gregor)
- [1.0] start the move to forrest for documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38956&view=rev>) (gregor)
- [1.0] removed single quotes from path [Diff](http://svn.apache.org/viewcvs.cgi?rev=38949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38949&view=rev>) (andreas)
- [1.0] copied from wyona [Diff](http://svn.apache.org/viewcvs.cgi?rev=38945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38945&view=rev>) (michi)
- [1.0] Added coding guidelines for the wyona/lenya project. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38926&view=rev>) (egli)
- [1.0] about publications finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38923&view=rev>) (michi)
- [1.0] publications are pulled into welcome page [Diff](http://svn.apache.org/viewcvs.cgi?rev=38920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38920&view=rev>) (michi)
- [1.0] Ant Task for Copying Java Classes from publications into build dir [Diff](http://svn.apache.org/viewcvs.cgi?rev=38919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38919&view=rev>) (michi)

- [1.0] replaced by CrawlerConfiguration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39043&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39043&view=rev>) (michi)
- [1.0] replaced by IndexConfiguration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39042&view=rev>) (michi)
- [1.0] removed for good [Diff](http://svn.apache.org/viewcvs.cgi?rev=38953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38953&view=rev>) (michi)
- [1.0] removed log4j.properties [Diff](http://svn.apache.org/viewcvs.cgi?rev=38951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38951&view=rev>) (andreas)
- [1.0] newest Cocoon CVS version integrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38948&view=rev>) (andreas)
- [1.0] renamed to lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=38944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38944&view=rev>) (michi)
- [1.0] Commenting out the draw:text-box elements because the parser seems to think there is a problem. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39063&view=rev>) (egli)
- [1.0] first steps towards a page envelope. - centralized collection of http headers - reworked xsp to make use of these system-wide variables - adapted page envelope documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39062&view=rev>) (gregor)
- [1.0] Clean of stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=39059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39059&view=rev>) (edith)
- [1.0] Clean of stylesheets for the article [Diff](http://svn.apache.org/viewcvs.cgi?rev=39058&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39058&view=rev>) (edith)
- [1.0] Namespace for Live Section [Diff](http://svn.apache.org/viewcvs.cgi?rev=39057&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39057&view=rev>) (edith)
- [1.0] Section button [Diff](http://svn.apache.org/viewcvs.cgi?rev=39056&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39056&view=rev>) (edith)
- [1.0] unused imports removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39055&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39055&view=rev>) (gregor)
- [1.0] new indexer as default [Diff](http://svn.apache.org/viewcvs.cgi?rev=39054&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39054&view=rev>) (michi)
- [1.0] incremental indexing improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39053&view=rev>) (michi)
- [1.0] hardcoded paths removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39052&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39052&view=rev>) (michi)
- [1.0] Edith has fixed the namespace problem within XSPs [Diff](http://svn.apache.org/viewcvs.cgi?rev=39051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39051&view=rev>) (michi)
- [1.0] dead code removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39050&view=rev>) (michi)
- [1.0] debugging info improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=39049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39049&view=rev>) (michi)
- [1.0] removed unused imports [Diff](http://svn.apache.org/viewcvs.cgi?rev=39048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39048&view=rev>) (gregor)
- [1.0] method html removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39047&view=rev>) (michi)
- [1.0] default html for navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=39046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39046&view=rev>) (michi)
- [1.0] It seems that I (and eclipse) was to eager when deleting unused code. Merged in some old stuff from version 1.6 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39045&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39045&view=rev>) (egli)
- [1.0] dead code removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39044&view=rev>) (michi)
- [1.0] indexer added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39041&view=rev>) (michi)
- [1.0] IndexEnvironment replaced by IndexConfiguration [Diff](http://svn.apache.org/viewcvs.cgi?rev=39040&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39040&view=rev>) (michi)
- [1.0] Change parameter id to Id [Diff](http://svn.apache.org/viewcvs.cgi?rev=39039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39039&view=rev>) (edith)
- [1.0] Added tests to unipublic [Diff](http://svn.apache.org/viewcvs.cgi?rev=39038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39038&view=rev>) (felix)
- [1.0] added Search to tests [Diff](http://svn.apache.org/viewcvs.cgi?rev=39036&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39036&view=rev>) (michi)
- [1.0] OSCOM Search Interface prefified [Diff](http://svn.apache.org/viewcvs.cgi?rev=39035&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39035&view=rev>) (michi)
- [1.0] try Andreas Indexer [Diff](http://svn.apache.org/viewcvs.cgi?rev=39034&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39034&view=rev>) (michi)
- [1.0] Usage fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=39032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39032&view=rev>) (michi)
- [1.0] problem reported by Alex concerning non-existing pubs directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=39031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39031&view=rev>) (michi)
- [1.0] indexer made configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=39029&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39029&view=rev>) (michi)
- [1.0] typo fixed and concepts to navigation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39028&view=rev>) (michi)
- [1.0] Lenya documentation will always be copied as a publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=39027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39027&view=rev>) (michi)
- [1.0] removed the dummy links [Diff](http://svn.apache.org/viewcvs.cgi?rev=39026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39026&view=rev>) (michi)
- [1.0] redirects added which need to be fixed within certain publications [Diff](http://svn.apache.org/viewcvs.cgi?rev=39025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39025&view=rev>) (michi)
- [1.0] pub\_url added [Diff](http://svn.apache.org/viewcvs.cgi?rev=39023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39023&view=rev>) (michi)
- [1.0] paths set to relative [Diff](http://svn.apache.org/viewcvs.cgi?rev=39022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39022&view=rev>) (michi)
- [1.0] Added the description on how to configure Slide to enable a basic functionality. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39021&view=rev>) (egli)

- [1.0] Conferences replaced by Cambridge [Diff](http://svn.apache.org/viewcvs.cgi?rev=39020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39020&view=rev>) (michi)
- [1.0] ant search usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=39019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39019&view=rev>) (michi)
- [1.0] index all OSCOM [Diff](http://svn.apache.org/viewcvs.cgi?rev=39018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39018&view=rev>) (michi)
- [1.0] Task-id for publishing [Diff](http://svn.apache.org/viewcvs.cgi?rev=39015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39015&view=rev>) (edith)
- [1.0] Articles and dossiers need to be published with the ResourceFilePublisher so that their resources are also published. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39014&view=rev>) (egli)
- [1.0] Added config values for resources publishing. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39013&view=rev>) (egli)
- [1.0] clean of sitemaps [Diff](http://svn.apache.org/viewcvs.cgi?rev=39011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39011&view=rev>) (edith)
- [1.0] clean of sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39010&view=rev>) (edith)
- [1.0] clean of the sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39009&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39009&view=rev>) (edith)
- [1.0] no more method=html for the output in the xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=39008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39008&view=rev>) (edith)
- [1.0] clean of the sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=39007&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39007&view=rev>) (edith)
- [1.0] set target.vm to 1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=39005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39005&view=rev>) (gregor)
- [1.0] HOSSA! we are at 0.8 now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=39004&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39004&view=rev>) (gregor)
- [1.0] crawl via ant [Diff](http://svn.apache.org/viewcvs.cgi?rev=39003&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39003&view=rev>) (michi)
- [1.0] create logs directory for log4j [Diff](http://svn.apache.org/viewcvs.cgi?rev=39002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39002&view=rev>) (michi)
- [1.0] search via ant [Diff](http://svn.apache.org/viewcvs.cgi?rev=39001&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39001&view=rev>) (michi)
- [1.0] uses currently HTMLParser [Diff](http://svn.apache.org/viewcvs.cgi?rev=39000&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=39000&view=rev>) (michi)
- [1.0] DefaultHandler added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38998&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38998&view=rev>) (michi)
- [1.0] old Parser definition removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38997&view=rev>) (michi)
- [1.0] Parser renamed to DOMParser [Diff](http://svn.apache.org/viewcvs.cgi?rev=38996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38996&view=rev>) (michi)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38995&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38995&view=rev>) (egli)
- [1.0] clean of cross include [Diff](http://svn.apache.org/viewcvs.cgi?rev=38994&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38994&view=rev>) (edith)
- [1.0] clean the sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=38993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38993&view=rev>) (edith)
- [1.0] test can be mixed content [Diff](http://svn.apache.org/viewcvs.cgi?rev=38992&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38992&view=rev>) (michi)
- [1.0] xsltc as default [Diff](http://svn.apache.org/viewcvs.cgi?rev=38991&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38991&view=rev>) (michi)
- [1.0] crawl and index fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38990&view=rev>) (michi)
- [1.0] Search index.html fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38988&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38988&view=rev>) (michi)
- [1.0] Fixed password [Diff](http://svn.apache.org/viewcvs.cgi?rev=38987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38987&view=rev>) (felix)
- [1.0] migration problems fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38986&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38986&view=rev>) (michi)
- [1.0] added namespace for welcome page [Diff](http://svn.apache.org/viewcvs.cgi?rev=38985&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38985&view=rev>) (andreas)
- [1.0] Xopus fixed for OSCOM [Diff](http://svn.apache.org/viewcvs.cgi?rev=38984&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38984&view=rev>) (michi)
- [1.0] added xhtml namespace [Diff](http://svn.apache.org/viewcvs.cgi?rev=38983&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38983&view=rev>) (andreas)
- [1.0] added namespaces [Diff](http://svn.apache.org/viewcvs.cgi?rev=38982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38982&view=rev>) (andreas)
- [1.0] Mailing Lists page fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38981&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38981&view=rev>) (michi)
- [1.0] Lenya XInclude Transformer, because xpointer works with it [Diff](http://svn.apache.org/viewcvs.cgi?rev=38980&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38980&view=rev>) (michi)
- [1.0] xsl:comment for css fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38979&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38979&view=rev>) (michi)
- [1.0] aggregate view added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38978&view=rev>) (michi)
- [1.0] lenya namespace fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38977&view=rev>) (michi)
- [1.0] Test list for OSCOM started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38976&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38976&view=rev>) (michi)
- [1.0] xsl:comment fixed for css [Diff](http://svn.apache.org/viewcvs.cgi?rev=38975&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38975&view=rev>) (michi)
- [1.0] \* Added a new section for concept papers such as "Page Envelope" and "Standard URI scheme". \* Added links to the new pages "Page Envelope" and "Standard URI scheme". \* Moved "Strange Effects" to the end of the respective section. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38974&view=rev>) (egli)
- [1.0] Added more sections for static URIs for internal pipelines, e.g. for menus, css or editor resources. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38973&view=rev>) (egli)
- [1.0] beautified screens [Diff](http://svn.apache.org/viewcvs.cgi?rev=38971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38971&view=rev>) (gregor)
- [1.0] The cocoon source is now located in ..cocoon-2.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38970&view=rev>) (egli)

- [1.0] Tests to Computerworld added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38969&view=rev>) (michi)
- [1.0] With the split of the Cocoon cvs the instructions how to get the Cocoon sources from CVS have changed. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38968&view=rev>) (egli)
- [1.0] xinclude version added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38967&view=rev>) (michi)
- [1.0] first step to dom level 2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38966&view=rev>) (michi)
- [1.0] AbstractDOMTransformer patched [Diff](http://svn.apache.org/viewcvs.cgi?rev=38965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38965&view=rev>) (michi)
- [1.0] xinclude links fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38964&view=rev>) (michi)
- [1.0] DOM package added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38963&view=rev>) (michi)
- [1.0] default cocoon webapp directory specified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38962&view=rev>) (michi)
- [1.0] tools directory moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38961&view=rev>) (michi)
- [1.0] new cocoon module name specified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38960&view=rev>) (michi)
- [1.0] sitemap from new cocoon copied [Diff](http://svn.apache.org/viewcvs.cgi?rev=38959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38959&view=rev>) (michi)
- [1.0] path to generic search xslt fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38958&view=rev>) (michi)
- [1.0] Lucene readded [Diff](http://svn.apache.org/viewcvs.cgi?rev=38955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38955&view=rev>) (michi)
- [1.0] root sitemap fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38954&view=rev>) (michi)
- [1.0] THE ROAD TO LENYA ~~~~~ Wyona -> Lenya WYONA -> LENYA fun fun fun, and nothing to do.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38952&view=rev>) (gregor)
- [1.0] creating log4j.properties automatically [Diff](http://svn.apache.org/viewcvs.cgi?rev=38950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38950&view=rev>) (andreas)
- [1.0] path fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38947&view=rev>) (michi)
- [1.0] double slashes removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38946&view=rev>) (michi)
- [1.0] Search and Result screen fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38943&view=rev>) (michi)
- [1.0] paths for TaskManager and PublishingTask fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38942&view=rev>) (michi)
- [1.0] THE ROAD TO LENYA +++++ yet more oversights. we are getting there.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38941&view=rev>) (gregor)
- [1.0] THE ROAD TO LENYA +++++ various fixes i missed last night.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38940&view=rev>) (gregor)
- [1.0] directory structure fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38939&view=rev>) (michi)
- [1.0] directory structure modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38938&view=rev>) (michi)
- [1.0] THE MOVE TO LENYA ===== various smaller cleanups.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38937&view=rev>) (gregor)
- [1.0] THE MOVE TO LENYA ===== step 14) access-control/ -> ac/ step 15) docs/publication/ -> content/ step 16) ..stylesheets/cms/menu/ -> ..xslt/menu/ step 17) ..../stylesheets/cms/ -> ../../xslt/ step 18) resources/publication/ -> resources/ [Diff](http://svn.apache.org/viewcvs.cgi?rev=38936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38936&view=rev>) (gregor)
- [1.0] THE MOVE TO LENYA ===== step 5) stylesheets/publication/ -> xslt/ step 6) Page/ -> (gone) step 7) lenya/stylesheets/cms/ -> lenya/xslt/ step 8) lenya/docs/cms/ -> lenya/content/ step 9) resources/cms/misc/ -> resources/misc/ step 10) resources/styles/ -> resources/css/ step 11) wyona.xmap -> lenya.xmap step 12) bitfluxeditor -> bitflux step 13) replace ALL occurrences of wyona with lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=38935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38935&view=rev>) (gregor)
- [1.0] THE MOVE TO LENYA ===== step 4) rename wyona/cms/ to lenya/ [Diff](http://svn.apache.org/viewcvs.cgi?rev=38934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38934&view=rev>) (gregor)
- [1.0] THE MOVE TO LENYA ===== step 3) rename wyona-cms to lenya [Diff](http://svn.apache.org/viewcvs.cgi?rev=38933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38933&view=rev>) (gregor)
- [1.0] THE MOVE TO LENYA ===== step 1) rename org.wyona to org.lenya step 2) adjust build files for new lenya root [Diff](http://svn.apache.org/viewcvs.cgi?rev=38932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38932&view=rev>) (gregor)
- [1.0] This commit was manufactured by cvs2svn to create tag 'before-lenia-rename'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38931&view=rev>) ()
- [1.0] removed deprecated doc [Diff](http://svn.apache.org/viewcvs.cgi?rev=38930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38930&view=rev>) (gregor)
- [1.0] documentation is now in valid xdoc format. next step: import into forrest [Diff](http://svn.apache.org/viewcvs.cgi?rev=38929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38929&view=rev>) (gregor)
- [1.0] Publication Page and build improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38928&view=rev>) (michi)

- [1.0] Added some java docs. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38927&view=rev>) (egli)
- [1.0] Rollback fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38925&view=rev>) (michi)
- [1.0] Revoved some spurious whitespace. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38924&view=rev>) (egli)
- [1.0] regexp replaced by custom tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=38922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38922&view=rev>) (michi)
- [1.0] translate paths to native format [Diff](http://svn.apache.org/viewcvs.cgi?rev=38921&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38921&view=rev>) (michi)

## 42. Version 2003-02 ()

### 42.1. 1.0

- [1.0] OSCOM creators moved to OSCOM publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=38890&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38890&view=rev>) (michi)
- [1.0] path refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=38886&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38886&view=rev>) (gregor)
- [1.0] even more stylesheet refactoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=38885&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38885&view=rev>) (gregor)
- [1.0] continue refactoring of stylesheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=38884&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38884&view=rev>) (gregor)
- [1.0] continue to refactor to match java package hierarchy [Diff](http://svn.apache.org/viewcvs.cgi?rev=38883&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38883&view=rev>) (gregor)
- [1.0] continued to refactor docs to have the java package hierarchy [Diff](http://svn.apache.org/viewcvs.cgi?rev=38881&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38881&view=rev>) (gregor)
- [1.0] refactored login xsp to match java package hierarchy. this is a candidate to be moved out of a publications sitemap to be handled globally. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38880&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38880&view=rev>) (gregor)
- [1.0] start refactoring global stylesheets (make them reflect the java packages) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38879&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38879&view=rev>) (gregor)
- [1.0] added publication metadata [Diff](http://svn.apache.org/viewcvs.cgi?rev=38878&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38878&view=rev>) (gregor)
- [1.0] start to implement per-publication packaging information [Diff](http://svn.apache.org/viewcvs.cgi?rev=38877&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38877&view=rev>) (gregor)
- [1.0] documentation no longer is a special publication. renaming from wyona-cms-docs to docs allows to simplify the root sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38872&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38872&view=rev>) (gregor)
- [1.0] start moving wyona menu out of ethz publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=38869&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38869&view=rev>) (gregor)
- [1.0] Multiple Indices enabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=38865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38865&view=rev>) (michi)
- [1.0] Lucene Test Files added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38850&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38850&view=rev>) (michi)
- [1.0] Search customized for OSCOM [Diff](http://svn.apache.org/viewcvs.cgi?rev=38847&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38847&view=rev>) (michi)
- [1.0] initial version [Diff](http://svn.apache.org/viewcvs.cgi?rev=38840&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38840&view=rev>) (andreas)
- [1.0] DOM4J replaced [Diff](http://svn.apache.org/viewcvs.cgi?rev=38835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38835&view=rev>) (michicms)
- [1.0] initial version [Diff](http://svn.apache.org/viewcvs.cgi?rev=38825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38825&view=rev>) (ah)
- [1.0] moved here [Diff](http://svn.apache.org/viewcvs.cgi?rev=38819&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38819&view=rev>) (michicms)
- [1.0] search layout inherited [Diff](http://svn.apache.org/viewcvs.cgi?rev=38815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38815&view=rev>) (michicms)
- [1.0] CMS and CMF Creator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38814&view=rev>) (michicms)
- [1.0] add magazine [Diff](http://svn.apache.org/viewcvs.cgi?rev=38807&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38807&view=rev>) (gregorcms)
- [1.0] add magazine [Diff](http://svn.apache.org/viewcvs.cgi?rev=38805&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38805&view=rev>) (gregorcms)
- [1.0] added missing lines [Diff](http://svn.apache.org/viewcvs.cgi?rev=38798&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38798&view=rev>) (gregorcms)
- [1.0] removed obsolete code [Diff](http://svn.apache.org/viewcvs.cgi?rev=38917&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38917&view=rev>) (gregor)
- [1.0] This file has been moved to the java dir in the forum publication. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38905&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38905&view=rev>) (egli)
- [1.0] remove dead code [Diff](http://svn.apache.org/viewcvs.cgi?rev=38904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38904&view=rev>) (gregor)
- [1.0] moved to publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=38902&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38902&view=rev>) (michi)
- [1.0] Moved to publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=38901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38901&view=rev>) (michi)
- [1.0] The creator hierarchy has been refactored. 1. There is now an interface (ParentChildCreatorInterface) which defines how creators can be invoked. 2. There is one default class (DefaultCreator) which implements the interface and implements the standard behaviour. This class replaces the classes AbstractParentChildCreator and DefaultParentChildCreator [Diff](http://svn.apache.org/viewcvs.cgi?rev=38900&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38900&view=rev>) (michi)

- (http://svn.apache.org/viewcvs.cgi?rev=38898&view=rev) (egli)
- [1.0] removed duplicate images fixed hardcoded link [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38875&view=rev) (gregor)
- [1.0] removed DOM4j from Scheduler added some methods to XML helpers [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38836&view=rev) (andreas)
- [1.0] moved to html dir [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38818&view=rev) (michicms)
- [1.0] Instead od just complaining I just fixed the problem I was complaining about: dead code. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38918&view=rev) (egli)
- [1.0] creators fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38916&view=rev) (michi)
- [1.0] parameter project\_url fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38915&view=rev) (michi)
- [1.0] removed obsolete RCServlet, removed obsolete rc configuration parameters [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38914&view=rev) (gregor)
- [1.0] Removed more dead code (on advice from Eclipse). [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38913&view=rev) (egli)
- [1.0] Changed the interface of ParentChildCreatorInterface: The create method no longer takes a Parameter argument but a more general Map. This way the action can pass in arbitrary Objects to the create method and ultimatively to the transformXML methods. The action now grabs all request, sitemap and session parameter and fills them into a map which is then passed along to the create method which hands it down to the transform method. This way the transform method can fill, e.g. the user (from the session) into a new document. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38912&view=rev) (egli)
- [1.0] test parameters [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38911&view=rev) (michi)
- [1.0] publications on welcome page [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38910&view=rev) (michi)
- [1.0] Removed dead code. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38909&view=rev) (egli)
- [1.0] Added some more debug statements. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38908&view=rev) (egli)
- [1.0] Added a logger to the action definition of ParentChildCreatorAction. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38907&view=rev) (egli)
- [1.0] The transformation for the computerworld consists of simply adding the title to the article. There was some reference to a non-existing xpath which made the transformation not work. Fixed now. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38906&view=rev) (egli)
- [1.0] The transformXML method signature has changed: We pass the parameters for childid, childname and childtype now directly and no longer via the parameters argument. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38903&view=rev) (egli)
- [1.0] File.separator fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38900&view=rev) (michi)
- [1.0] broken xopus fixed [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38899&view=rev) (michi)
- [1.0] The creator hierarchy has been refactored. There is one default class (DefaultCreator) which implements the interface and implements the standard behaviour. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38897&view=rev) (egli)
- [1.0] The creator hierarchy has been refactored. 1. There is now an interface (ParentChildCreatorInterface) which defines how creators can be invoked. 2. There is one default class (DefaultCreator) which implements the interface and implements the standard behaviour. It uses the template pattern, e.g. the create method basically just reads the template file invokes an (empty) transform method on the DOM node and finally writes it back. So subclasses can specify a transform method e.g. replace the title with the childName etc. 3. All classes make use of this and are therefore much smaller. 4. The create method now takes an additional argument 'parameters' which can be used to pass arbitrary arguments. This arg is passed to the transform method where it could be used to read things like the current user, etc. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38896&view=rev) (egli)
- [1.0] The creator hierarchy has been refactored. 1. There is now an interface (ParentChildCreatorInterface) which defines how creators can be invoked. 2. There is one default class (DefaultCreator) which implements the interface and implements the standard behaviour. It uses the template pattern, e.g. the create method basically just reads the template file invokes an (empty) transform method on the DOM node and finally writes it back. So subclasses can specify a transform method e.g. replace the title with the childName etc. 3. All classes make use of this and are therefore much smaller. 4. The create method now takes an additional argument 'parameters' which can be used to pass arbitrary arguments. This arg is passed to the transform method where it could be used to read things like the current user, etc. [Diff](#) (http://svn.apache.org/viewcvs.cgi?rev=38895&view=rev) (egli)

- [1.0] crawl and index as ant targets, but problems with jaxp [Diff](http://svn.apache.org/viewcvs.cgi?rev=38894&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38894&view=rev>) (michi)
- [1.0] Fixed (Eclipse) warnings about accessing static members in a dynamic way. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38893&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38893&view=rev>) (egli)
- [1.0] always remove leading whitespace to make the urls correct. this fixes the case where returns in the menu xsp would lead to broken urls in the output. also fixed some more ethz references. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38892&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38892&view=rev>) (gregor)
- [1.0] Fixed (Eclipse) warnings about accessing static members in a dynamic way. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38891&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38891&view=rev>) (egli)
- [1.0] directory renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38889&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38889&view=rev>) (michi)
- [1.0] publications merged with Lenya source tree during build process [Diff](http://svn.apache.org/viewcvs.cgi?rev=38888&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38888&view=rev>) (michi)
- [1.0] massive path refactoring. all paths in the root docs and stylesheets should now follow the java package hierarchy naming standards. this is a big one, expect some breakage.. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38887&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38887&view=rev>) (gregor)
- [1.0] pubs.dir parameter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38882&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38882&view=rev>) (michi)
- [1.0] javadoc moved to docs directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=38876&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38876&view=rev>) (michi)
- [1.0] further inroads on the wyona de-uglification front. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38874&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38874&view=rev>) (gregor)
- [1.0] documentation no longer is a special publication. renaming from wyona-cms-docs to docs allows to simplify the root sitemap. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38873&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38873&view=rev>) (gregor)
- [1.0] started the push for prettier GUIs by adding CSS to our screens. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38871&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38871&view=rev>) (gregor)
- [1.0] moved wyona menu out of ethz publication it now resides under /wyona-cms/wyona/menu/ (where it belongs) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38870&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38870&view=rev>) (gregor)
- [1.0] removed unused import statements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38868&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38868&view=rev>) (gregor)
- [1.0] Removed dead code or marked it with a FIXME: [Diff](http://svn.apache.org/viewcvs.cgi?rev=38867&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38867&view=rev>) (egli)
- [1.0] txt version added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38866&view=rev>) (michi)
- [1.0] Removed dead code and marked it with a fixme. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38864&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38864&view=rev>) (egli)
- [1.0] Removed read code Reenable a mapping for aacute which was commented out for unknown reasons. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38863&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38863&view=rev>) (egli)
- [1.0] Either removed dead code or tagged it with a FIXME: [Diff](http://svn.apache.org/viewcvs.cgi?rev=38862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38862&view=rev>) (egli)
- [1.0] Removed very dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38861&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38861&view=rev>) (egli)
- [1.0] Multiple indices [Diff](http://svn.apache.org/viewcvs.cgi?rev=38860&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38860&view=rev>) (michi)
- [1.0] Removed an import statement of wyona.utils.Stack since it doesn't even use it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38859&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38859&view=rev>) (egli)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38858&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38858&view=rev>) (egli)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38857&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38857&view=rev>) (egli)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38856&view=rev>) (egli)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38855&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38855&view=rev>) (egli)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38854&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38854&view=rev>) (egli)
- [1.0] Removed dead code. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38853&view=rev>) (egli)
- [1.0] Step Two Overview added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38852&view=rev>) (michi)
- [1.0] Search improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38851&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38851&view=rev>) (michi)
- [1.0] search customized for OSCOM [Diff](http://svn.apache.org/viewcvs.cgi?rev=38849&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38849&view=rev>) (michi)
- [1.0] lucene index tag implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=38848&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38848&view=rev>) (michi)
- [1.0] not using quoted printable encoding (SMTPEMessage instead of MimeMessage) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38846&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38846&view=rev>) (andreas)

- [1.0] added target "deprecation" [Diff](http://svn.apache.org/viewcvs.cgi?rev=38845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38845&view=rev>) (andreas)
- [1.0] removed deprecated API usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=38844&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38844&view=rev>) (andreas)
- [1.0] removed deprecated API usage [Diff](http://svn.apache.org/viewcvs.cgi?rev=38843&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38843&view=rev>) (andreas)
- [1.0] removed deprecated API usages [Diff](http://svn.apache.org/viewcvs.cgi?rev=38842&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38842&view=rev>) (andreas)
- [1.0] compatibility to JDK 1.3 restored [Diff](http://svn.apache.org/viewcvs.cgi?rev=38841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38841&view=rev>) (andreas)
- [1.0] - removed unused code - added exceptions for tasks [Diff](http://svn.apache.org/viewcvs.cgi?rev=38839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38839&view=rev>) (andreas)
- [1.0] get publication ID from session again [Diff](http://svn.apache.org/viewcvs.cgi?rev=38838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38838&view=rev>) (andreas)
- [1.0] getSnapshot() bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=38837&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38837&view=rev>) (andreas)
- [1.0] Removed log4j dependency. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38834&view=rev>) (egliwyona)
- [1.0] Removed log4j dependency. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38833&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38833&view=rev>) (egliwyona)
- [1.0] The signature of the create method of the parent class had changed. That's why client's would invoke the create of the parent class which does nothing. Adapted the create method to match the signature. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38832&view=rev>) (egliwyona)
- [1.0] method added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38831&view=rev>) (ah)
- [1.0] code formatted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38830&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38830&view=rev>) (ah)
- [1.0] URI replaced by URL [Diff](http://svn.apache.org/viewcvs.cgi?rev=38829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38829&view=rev>) (michicms)
- [1.0] log location added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38828&view=rev>) (michicms)
- [1.0] filepath bug hopefully fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38827&view=rev>) (michicms)
- [1.0] added method and javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=38826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38826&view=rev>) (ah)
- [1.0] java code reformatted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38824&view=rev>) (ah)
- [1.0] - Java code reformatting - added license header [Diff](http://svn.apache.org/viewcvs.cgi?rev=38823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38823&view=rev>) (ah)
- [1.0] This commit was manufactured by cvs2svn to create tag 'Before\_Java\_Reformatting'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38822&view=rev>) ()
- [1.0] catch exception [Diff](http://svn.apache.org/viewcvs.cgi?rev=38821&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38821&view=rev>) (michicms)
- [1.0] using HtmlDocument [Diff](http://svn.apache.org/viewcvs.cgi?rev=38820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38820&view=rev>) (michicms)
- [1.0] cleaned up authoring sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=38817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38817&view=rev>) (gregorcms)
- [1.0] \* Made the mkdirs invocations consistent, i.e. so they do the same thing for images and for meta files. \* Made the coding style consistent with the rest of the file. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38816&view=rev>) (egliwyona)
- [1.0] Fixed another bug within ArticleImageUploadCreatorAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=38813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38813&view=rev>) (michicms)
- [1.0] added open in new window [Diff](http://svn.apache.org/viewcvs.cgi?rev=38812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38812&view=rev>) (gregorcms)
- [1.0] Undid the last checkin as it seems to break unipublic. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38811&view=rev>) (egliwyona)
- [1.0] add hours / min to headlines [Diff](http://svn.apache.org/viewcvs.cgi?rev=38810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38810&view=rev>) (gregorcms)
- [1.0] removed img height [Diff](http://svn.apache.org/viewcvs.cgi?rev=38809&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38809&view=rev>) (gregorcms)
- [1.0] made date shorter [Diff](http://svn.apache.org/viewcvs.cgi?rev=38808&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38808&view=rev>) (gregorcms)
- [1.0] added magazine link [Diff](http://svn.apache.org/viewcvs.cgi?rev=38806&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38806&view=rev>) (gregorcms)
- [1.0] fix error page [Diff](http://svn.apache.org/viewcvs.cgi?rev=38804&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38804&view=rev>) (gregorcms)
- [1.0] fix error page [Diff](http://svn.apache.org/viewcvs.cgi?rev=38803&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38803&view=rev>) (gregorcms)
- [1.0] added 404 handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=38802&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38802&view=rev>) (gregorcms)
- [1.0] ok now [Diff](http://svn.apache.org/viewcvs.cgi?rev=38801&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38801&view=rev>) (michicms)
- [1.0] Resource Exists added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38800&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38800&view=rev>) (michicms)
- [1.0] tightened the layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=38799&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38799&view=rev>) (gregorcms)
- [1.0] add missing spacer in articles [Diff](http://svn.apache.org/viewcvs.cgi?rev=38797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38797&view=rev>) (gregorcms)
- [1.0] fix preview formatting issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=38796&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38796&view=rev>) (gregorcms)
- [1.0] fix preview formatting issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=38795&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38795&view=rev>) (gregorcms)
- [1.0] comment out weiter link [Diff](http://svn.apache.org/viewcvs.cgi?rev=38794&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38794&view=rev>) (gregorcms)
- [1.0] comment out weiter link [Diff](http://svn.apache.org/viewcvs.cgi?rev=38793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38793&view=rev>) (gregorcms)
- [1.0] add linebreak support for article image captions [Diff](http://svn.apache.org/viewcvs.cgi?rev=38792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38792&view=rev>) (gregorcms)

- [1.0] fix it-stellen double processing [Diff](http://svn.apache.org/viewcvs.cgi?rev=38791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38791&view=rev>) (gregorcms)
- [1.0] show emphasize, bold, hyperlinks etc [Diff](http://svn.apache.org/viewcvs.cgi?rev=38790&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38790&view=rev>) (gregorcms)
- [1.0] improved menu usability, first cut of error handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=38789&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38789&view=rev>) (gregorcms)
- [1.0] improved bitflux schemas, added page title to it-stellen / it-kalender [Diff](http://svn.apache.org/viewcvs.cgi?rev=38788&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38788&view=rev>) (gregorcms)
- [1.0] improved bitflux schemas, added more styles [Diff](http://svn.apache.org/viewcvs.cgi?rev=38787&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38787&view=rev>) (gregorcms)

## 43. Version 2003-01 ()

### 43.1. 1.0

- [1.0] added mediadaten [Diff](http://svn.apache.org/viewcvs.cgi?rev=38769&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38769&view=rev>) (gregorcms)
- [1.0] support account [Diff](http://svn.apache.org/viewcvs.cgi?rev=38766&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38766&view=rev>) (gregorcms)
- [1.0] further layout fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38764&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38764&view=rev>) (gregorcms)
- [1.0] layout changes, moved dossier to schwerpunkte [Diff](http://svn.apache.org/viewcvs.cgi?rev=38763&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38763&view=rev>) (gregorcms)
- [1.0] replicate script added (in publication, where it makes sense..) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38754&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38754&view=rev>) (gregorcms)
- [1.0] JTidy [Diff](http://svn.apache.org/viewcvs.cgi?rev=38747&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38747&view=rev>) (michicms)
- [1.0] New OSCOM layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=38741&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38741&view=rev>) (michicms)
- [1.0] another project [Diff](http://svn.apache.org/viewcvs.cgi?rev=38721&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38721&view=rev>) (michicms)
- [1.0] News about Revision Controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=38720&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38720&view=rev>) (michicms)
- [1.0] added wyona root matcher for img, menus etc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38704&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38704&view=rev>) (gregorcms)
- [1.0] templates added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38703&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38703&view=rev>) (gregorcms)
- [1.0] updates [Diff](http://svn.apache.org/viewcvs.cgi?rev=38697&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38697&view=rev>) (gregorcms)
- [1.0] updates [Diff](http://svn.apache.org/viewcvs.cgi?rev=38695&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38695&view=rev>) (gregorcms)
- [1.0] new users [Diff](http://svn.apache.org/viewcvs.cgi?rev=38688&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38688&view=rev>) (gregorcms)
- [1.0] ant build for crawl and search started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38685&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38685&view=rev>) (michicms)
- [1.0] New index added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38683&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38683&view=rev>) (michicms)
- [1.0] Crawler and Lucene configuration added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38681&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38681&view=rev>) (michicms)
- [1.0] new index added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38680&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38680&view=rev>) (michicms)
- [1.0] new projects added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38677&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38677&view=rev>) (michicms)
- [1.0] Added new user/policy for a guest user who is only allowed to see the pages in the authoring area, but not to edit, publish, create, etc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38667&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38667&view=rev>) (felixcms)
- [1.0] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=38666&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38666&view=rev>) (gregorcms)
- [1.0] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=38665&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38665&view=rev>) (gregorcms)
- [1.0] This commit was manufactured by cvs2svn to create tag 'MAIN'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38660&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38660&view=rev>) ()
- [1.0] Initial revision [Diff](http://svn.apache.org/viewcvs.cgi?rev=38657&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38657&view=rev>) (gregorcms)
- [1.0] Slides improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38652&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38652&view=rev>) (michicms)
- [1.0] Crawler configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=38645&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38645&view=rev>) (michicms)
- [1.0] lucene 1.3 added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38643&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38643&view=rev>) (michicms)
- [1.0] add sample index [Diff](http://svn.apache.org/viewcvs.cgi?rev=38641&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38641&view=rev>) (michicms)
- [1.0] CMS OmegaCMS added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38631&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38631&view=rev>) (michicms)
- [1.0] rm [Diff](http://svn.apache.org/viewcvs.cgi?rev=38682&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38682&view=rev>) (michicms)
- [1.0] rm [Diff](http://svn.apache.org/viewcvs.cgi?rev=38679&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38679&view=rev>) (michicms)
- [1.0] This commit was manufactured by cvs2svn to create branch 'VEND'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38658&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38658&view=rev>) ()

- [1.0] Removing white background of banner cells [Diff](http://svn.apache.org/viewcvs.cgi?rev=38786&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38786&view=rev>) (felixcms)
- [1.0] Reverting live to /wyona-cms/computerworld/ [Diff](http://svn.apache.org/viewcvs.cgi?rev=38785&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38785&view=rev>) (felixcms)
- [1.0] JTidy added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38784&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38784&view=rev>) (michicms)
- [1.0] lucene-no-index added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38783&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38783&view=rev>) (michicms)
- [1.0] changed parameter documentUri back from task.uris to documentUri [Diff](http://svn.apache.org/viewcvs.cgi?rev=38782&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38782&view=rev>) (ah)
- [1.0] removed linebreaks (cause error on Windows), added documentUri parameter to article scheduler menu entry [Diff](http://svn.apache.org/viewcvs.cgi?rev=38781&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38781&view=rev>) (ah)
- [1.0] re-added missing banner tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=38780&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38780&view=rev>) (gregorcms)
- [1.0] re-added missing banner tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=38779&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38779&view=rev>) (gregorcms)
- [1.0] removed linebreaks (caused errors under Windows) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38778&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38778&view=rev>) (ah)
- [1.0] Fixed bug: exchanging of teaser images now possible (sequence of inserting) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38777&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38777&view=rev>) (felixcms)
- [1.0] Revert commit [Diff](http://svn.apache.org/viewcvs.cgi?rev=38776&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38776&view=rev>) (felixcms)
- [1.0] Quick fix of umlauts problem in form input field of article creator: removed title field [Diff](http://svn.apache.org/viewcvs.cgi?rev=38775&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38775&view=rev>) (felixcms)
- [1.0] Rearranged menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=38774&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38774&view=rev>) (felixcms)
- [1.0] Made scheduling work for article: task configuration [Diff](http://svn.apache.org/viewcvs.cgi?rev=38773&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38773&view=rev>) (felixcms)
- [1.0] Editing of Magazine working again [Diff](http://svn.apache.org/viewcvs.cgi?rev=38772&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38772&view=rev>) (felixcms)
- [1.0] fix gilles css screwup :) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38771&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38771&view=rev>) (gregorcms)
- [1.0] css updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38770&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38770&view=rev>) (gregorcms)
- [1.0] Reverted live url back, corrected back-url param for bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=38768&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38768&view=rev>) (felixcms)
- [1.0] FIXME: unipublic-specific BXE changes reverted for computerworld [Diff](http://svn.apache.org/viewcvs.cgi?rev=38767&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38767&view=rev>) (gregorcms)
- [1.0] TEMPORARY FIX. Revision Controller needs to be fixed properly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38765&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38765&view=rev>) (gregorcms)
- [1.0] some data updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38762&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38762&view=rev>) (michicms)
- [1.0] RobotExclusion added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38761&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38761&view=rev>) (michicms)
- [1.0] Export all CMS projects [Diff](http://svn.apache.org/viewcvs.cgi?rev=38760&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38760&view=rev>) (michicms)
- [1.0] RobotExclusion added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38759&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38759&view=rev>) (michicms)
- [1.0] New OSCOM layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=38758&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38758&view=rev>) (michicms)
- [1.0] Images are displayed in Bitflux now + change of inserting order [Diff](http://svn.apache.org/viewcvs.cgi?rev=38757&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38757&view=rev>) (felixcms)
- [1.0] doh. forgot static menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=38756&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38756&view=rev>) (gregorcms)
- [1.0] slightly rearranged, changed live URI [Diff](http://svn.apache.org/viewcvs.cgi?rev=38755&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38755&view=rev>) (gregorcms)
- [1.0] adapted for live server URLs [Diff](http://svn.apache.org/viewcvs.cgi?rev=38753&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38753&view=rev>) (gregorcms)
- [1.0] Commented out StaticHTMLExporter task [Diff](http://svn.apache.org/viewcvs.cgi?rev=38752&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38752&view=rev>) (ah)
- [1.0] Included uris parameter again [Diff](http://svn.apache.org/viewcvs.cgi?rev=38751&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38751&view=rev>) (ah)
- [1.0] Workaround: using task.uris instead of documentURI, have to change that. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38750&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38750&view=rev>) (ah)
- [1.0] Quick fix of publishing problem: removed urisParameter so that there is no wget hanging [Diff](http://svn.apache.org/viewcvs.cgi?rev=38749&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38749&view=rev>) (felixcms)
- [1.0] new layout images added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38748&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38748&view=rev>) (michicms)
- [1.0] New Layout added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38746&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38746&view=rev>) (michicms)
- [1.0] new layout images added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38745&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38745&view=rev>) (michicms)
- [1.0] Crawling and indexing improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38744&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38744&view=rev>) (michicms)

- [1.0] bugfixes for it-stellen / it-kalender [Diff](http://svn.apache.org/viewcvs.cgi?rev=38743&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38743&view=rev>) (gregorcms)
- [1.0] first cut of it-stellen / it-kalender [Diff](http://svn.apache.org/viewcvs.cgi?rev=38742&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38742&view=rev>) (gregorcms)
- [1.0] Excerpts added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38740&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38740&view=rev>) (michicms)
- [1.0] Fixed bug with img URLs (inserting of news/) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38739&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38739&view=rev>) (felixcms)
- [1.0] DOH redirect actually never worked (was masked by matchers). variables in the sitemap are {var}, not {} [Diff](http://svn.apache.org/viewcvs.cgi?rev=38738&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38738&view=rev>) (gregorcms)
- [1.0] alternating colors, news/news problem fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38737&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38737&view=rev>) (gregorcms)
- [1.0] Fixed not saving of headlines bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=38736&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38736&view=rev>) (felixcms)
- [1.0] doh. fixed more image positioning problems. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38735&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38735&view=rev>) (gregorcms)
- [1.0] remove obsolete media tag [Diff](http://svn.apache.org/viewcvs.cgi?rev=38734&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38734&view=rev>) (gregorcms)
- [1.0] removed wyona account [Diff](http://svn.apache.org/viewcvs.cgi?rev=38733&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38733&view=rev>) (gregorcms)
- [1.0] added more schedulers to menu, made menus more user-friendly [Diff](http://svn.apache.org/viewcvs.cgi?rev=38732&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38732&view=rev>) (gregorcms)
- [1.0] Source Replication added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38731&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38731&view=rev>) (michicms)
- [1.0] pagening improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38730&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38730&view=rev>) (michicms)
- [1.0] static files added, img paths fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38729&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38729&view=rev>) (gregorcms)
- [1.0] added menu for static content [Diff](http://svn.apache.org/viewcvs.cgi?rev=38728&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38728&view=rev>) (gregorcms)
- [1.0] redirect fix [Diff](http://svn.apache.org/viewcvs.cgi?rev=38727&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38727&view=rev>) (gregorcms)
- [1.0] stylistic updates [Diff](http://svn.apache.org/viewcvs.cgi?rev=38726&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38726&view=rev>) (gregorcms)
- [1.0] Fields added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38725&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38725&view=rev>) (michicms)
- [1.0] crawling activated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38724&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38724&view=rev>) (michicms)
- [1.0] Bugs fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38723&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38723&view=rev>) (michicms)
- [1.0] byline added, better sort in articles overview [Diff](http://svn.apache.org/viewcvs.cgi?rev=38722&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38722&view=rev>) (gregorcms)
- [1.0] Changed size of input field [Diff](http://svn.apache.org/viewcvs.cgi?rev=38719&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38719&view=rev>) (felixcms)
- [1.0] Changed menu entries [Diff](http://svn.apache.org/viewcvs.cgi?rev=38718&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38718&view=rev>) (felixcms)
- [1.0] Changed redirects from year 2002 to year 2003 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38717&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38717&view=rev>) (felixcms)
- [1.0] wrapper added to authoring, publish navigation added, publish this page started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38716&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38716&view=rev>) (gregorcms)
- [1.0] Fixed bug with webperls/dossierkasten and revision controller [Diff](http://svn.apache.org/viewcvs.cgi?rev=38715&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38715&view=rev>) (felixcms)
- [1.0] Fixed problem with xsl:if [Diff](http://svn.apache.org/viewcvs.cgi?rev=38714&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38714&view=rev>) (felixcms)
- [1.0] navigation improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38713&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38713&view=rev>) (gregorcms)
- [1.0] beautification [Diff](http://svn.apache.org/viewcvs.cgi?rev=38712&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38712&view=rev>) (gregorcms)
- [1.0] reset headlines.xml to start empty [Diff](http://svn.apache.org/viewcvs.cgi?rev=38711&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38711&view=rev>) (gregorcms)
- [1.0] removed old files, fixed todays date, formatting issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=38710&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38710&view=rev>) (gregorcms)
- [1.0] made headlines aware of images [Diff](http://svn.apache.org/viewcvs.cgi?rev=38709&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38709&view=rev>) (gregorcms)
- [1.0] images meta directory and bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38708&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38708&view=rev>) (michicms)
- [1.0] Article publishing fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38707&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38707&view=rev>) (michicms)
- [1.0] lower case [Diff](http://svn.apache.org/viewcvs.cgi?rev=38706&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38706&view=rev>) (michicms)
- [1.0] current date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38705&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38705&view=rev>) (michicms)
- [1.0] removed obsolete xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=38702&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38702&view=rev>) (gregorcms)
- [1.0] added date generation, misc fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38701&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38701&view=rev>) (gregorcms)
- [1.0] Headlines Bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38700&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38700&view=rev>) (michicms)
- [1.0] Bug within HTMLParser fixed ... [Diff](http://svn.apache.org/viewcvs.cgi?rev=38699&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38699&view=rev>) (michicms)
- [1.0] fix various BXE bugs related to incomplete schemas and <body> elements in your xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=38698&view=rev)

- (<http://svn.apache.org/viewcvs.cgi?rev=38698&view=rev>) (gregorcms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38696&view=rev>) (gregorcms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38694&view=rev>) (gregorcms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38693&view=rev>) (gregorcms)
- [1.0] selected and all fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38692&view=rev>) (michicms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38691&view=rev>) (gregorcms)
- [1.0] updatep [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38690&view=rev>) (gregorcms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38689&view=rev>) (gregorcms)
- [1.0] PDF indexing added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38687&view=rev>) (michicms)
- [1.0] PDF indexing added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38686&view=rev>) (michicms)
- [1.0] prefix unipublic added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38684&view=rev>) (michicms)
- [1.0] configuration improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38678&view=rev>) (michicms)
- [1.0] Correct conference dates added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38676&view=rev>) (michicms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38675&view=rev>) (gregorcms)
- [1.0] updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38674&view=rev>) (gregorcms)
- [1.0] updates <ma:pi [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38673&view=rev>) (gregorcms)
- [1.0] Publisher added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38672&view=rev>) (michicms)
- [1.0] Parameter added for RCML and RCBAK [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38671&view=rev>) (michicms)
- [1.0] oscom.rdf added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38670&view=rev>) (michicms)
- [1.0] html pipeline for updated Xopus added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38669&view=rev>) (michicms)
- [1.0] Some stuff fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38668&view=rev>) (michicms)
- [1.0] <map:pi [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38664&view=rev>) (gregorcms)
- [1.0] Fixed a brown paper bag bug, i.e. sitemap path was not added to resources path. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38663&view=rev>) (egliwyona)
- [1.0] Fixed a problem with the file path computation for meta data and the image file when the documentId has no parent, i.e. is directly in the root path. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38662&view=rev>) (egliwyona)
- [1.0] computerworld updates [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38661&view=rev>) (gregorcms)
- [1.0] OSCOM Blog added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38656&view=rev>) (michicms)
- [1.0] OutOfMemoryException fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38655&view=rev>) (michicms)
- [1.0] Make the code more robust against wrong request parameters, i.e. react gracefully if the imageXpath can't be found or the imageXpath doesn't have a parent node. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38654&view=rev>) (egliwyona)
- [1.0] IndexEnvironment added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38653&view=rev>) (michicms)
- [1.0] Sort to Search added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38651&view=rev>) (michicms)
- [1.0] Fixed scheduler bug (year 2002 was hardcoded) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38650&view=rev>) (felixcms)
- [1.0] publication id added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38649&view=rev>) (michicms)
- [1.0] IP and Port removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38648&view=rev>) (michicms)
- [1.0] RCO and RCI implemented [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38647&view=rev>) (michicms)
- [1.0] Search improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38646&view=rev>) (michicms)
- [1.0] Fixing schema bug (was not working with Xopus) [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38644&view=rev>) (felixcms)
- [1.0] Improved Search [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38642&view=rev>) (michicms)
- [1.0] Search improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38640&view=rev>) (michicms)
- [1.0] hardcoded article removed, where publication is still hardcoded [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38639&view=rev>) (michicms)
- [1.0] The path to where the meta data is stored is now calculated in a similar way as the image path is calculated. This fixes #15. [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38638&view=rev>) (egliwyona)
- [1.0] Bug fixed: added year to publishing uris [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38637&view=rev>) (felixcms)
- [1.0] Revision Controller to Bitflux added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38636&view=rev>) (michicms)
- [1.0] /dossiers/index.html is exported as well when a Dossier is published [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38635&view=rev>) (felixcms)

- [1.0] nitty gritty [Diff](http://svn.apache.org/viewcvs.cgi?rev=38634&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38634&view=rev>) (michicms)
- [1.0] Revision Controller added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38633&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38633&view=rev>) (michicms)
- [1.0] Reserved CheckIn added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38632&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38632&view=rev>) (michicms)
- [1.0] Revision Controller to Xopus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38630&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38630&view=rev>) (michicms)
- [1.0] debugging improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38629&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38629&view=rev>) (michicms)
- [1.0] Paul's wishes implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=38628&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38628&view=rev>) (michicms)
- [1.0] Default values added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38627&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38627&view=rev>) (michicms)
- [1.0] String childName added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38626&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38626&view=rev>) (michicms)
- [1.0] xlink replaced by xinclude [Diff](http://svn.apache.org/viewcvs.cgi?rev=38625&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38625&view=rev>) (michicms)

## 44. Version 2002-12 ()

### 44.1. 0.8

- [0.8] Red Hat CCM added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38623&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38623&view=rev>) (michicms)
- [0.8] Editor Project Creator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38620&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38620&view=rev>) (michicms)
- [0.8] Getting excerpts [Diff](http://svn.apache.org/viewcvs.cgi?rev=38613&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38613&view=rev>) (michicms)
- [0.8] Bugzilla and cvsweb announced [Diff](http://svn.apache.org/viewcvs.cgi?rev=38612&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38612&view=rev>) (michicms)
- [0.8] Editor matrix ready for review [Diff](http://svn.apache.org/viewcvs.cgi?rev=38611&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38611&view=rev>) (michicms)
- [0.8] Fixed bug #7 (scheduler) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38606&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38606&view=rev>) (ah)
- [0.8] Editor Matrix nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38602&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38602&view=rev>) (michicms)
- [0.8] Editor Menubar added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38600&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38600&view=rev>) (michicms)
- [0.8] Editor List improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38593&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38593&view=rev>) (michicms)
- [0.8] Fixed bug #25: displaying links in related content of dossiers [Diff](http://svn.apache.org/viewcvs.cgi?rev=38592&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38592&view=rev>) (felixcms)
- [0.8] Editor Matrix started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38590&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38590&view=rev>) (michicms)
- [0.8] Fixing bug #14: renaming dir 'geist' to 'gesellschaft' and 'recht' to 'wirtschaft' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38579&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38579&view=rev>) (felixcms)
- [0.8] HTML Utility class [Diff](http://svn.apache.org/viewcvs.cgi?rev=38559&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38559&view=rev>) (michicms)
- [0.8] CMS projects access controlling [Diff](http://svn.apache.org/viewcvs.cgi?rev=38553&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38553&view=rev>) (michicms)
- [0.8] Iterative HTML Crawler [Diff](http://svn.apache.org/viewcvs.cgi?rev=38548&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38548&view=rev>) (michicms)
- [0.8] Iterative is better than Recursive [Diff](http://svn.apache.org/viewcvs.cgi?rev=38544&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38544&view=rev>) (michicms)
- [0.8] Crawler added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38543&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38543&view=rev>) (michicms)
- [0.8] Fixing bug #14: renaming dir 'geist' to 'gesellschaft' and 'recht' to 'wirtschaft' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38576&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38576&view=rev>) (felixcms)
- [0.8] maybe later [Diff](http://svn.apache.org/viewcvs.cgi?rev=38552&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38552&view=rev>) (michicms)
- [0.8] will be generated dynamically [Diff](http://svn.apache.org/viewcvs.cgi?rev=38551&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38551&view=rev>) (michicms)
- [0.8] moved to crawler and improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38547&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38547&view=rev>) (michicms)
- [0.8] removed because it does not work recursively because of Stack Overflow [Diff](http://svn.apache.org/viewcvs.cgi?rev=38546&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38546&view=rev>) (michicms)
- [0.8] moved to crawler [Diff](http://svn.apache.org/viewcvs.cgi?rev=38545&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38545&view=rev>) (michicms)
- [0.8] To fix problem [http://cvs.wyona.org/bugs/show\\_bug.cgi?id=22](http://cvs.wyona.org/bugs/show_bug.cgi?id=22) I inserted a accept-charset in the form, hoping this will fix the problem. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38624&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38624&view=rev>) (egliwyona)
- [0.8] cmswatch readded and redhat [Diff](http://svn.apache.org/viewcvs.cgi?rev=38622&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38622&view=rev>) (michicms)
- [0.8] exclude for install and reset target [Diff](http://svn.apache.org/viewcvs.cgi?rev=38621&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38621&view=rev>) (michicms)
- [0.8] New Editor Project button added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38619&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38619&view=rev>) (michicms)
- [0.8] Logging improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38618&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38618&view=rev>) (michicms)
- [0.8] Adding uri unizh-headline.txt to 'Schedule headlines' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38617&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38617&view=rev>) (felixcms)
- [0.8] ssi-include for the homepage of the University of Zurich ([www.unizh.ch](http://www.unizh.ch)) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38616&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38616&view=rev>) (felixcms)

- [0.8] some dust removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38615&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38615&view=rev>) (michicms)
- [0.8] content updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38614&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38614&view=rev>) (michicms)
- [0.8] Fixed bug #31: first-published date of article [Diff](http://svn.apache.org/viewcvs.cgi?rev=38610&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38610&view=rev>) (felixcms)
- [0.8] Fixed bug #29 (feature): Added bcc to newsletter and MailTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=38609&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38609&view=rev>) (felixcms)
- [0.8] Fixed bug #26 (size of input fields) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38608&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38608&view=rev>) (felixcms)
- [0.8] Fixed bug #26 (Campus img) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38607&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38607&view=rev>) (felixcms)
- [0.8] Fixed bug #7 (scheduler) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38605&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38605&view=rev>) (ah)
- [0.8] Going back: Umlauts should be working again [Diff](http://svn.apache.org/viewcvs.cgi?rev=38604&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38604&view=rev>) (ah)
- [0.8] ethz-mat automounted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38603&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38603&view=rev>) (michicms)
- [0.8] introduction for wyona.org publication [Diff](http://svn.apache.org/viewcvs.cgi?rev=38601&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38601&view=rev>) (michicms)
- [0.8] made all pubs equal [Diff](http://svn.apache.org/viewcvs.cgi?rev=38599&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38599&view=rev>) (michicms)
- [0.8] Bug 21 fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38598&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38598&view=rev>) (ah)
- [0.8] servlet-context not required for Scheduler any more [Diff](http://svn.apache.org/viewcvs.cgi?rev=38597&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38597&view=rev>) (michicms)
- [0.8] Commented out Hello World job [Diff](http://svn.apache.org/viewcvs.cgi?rev=38596&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38596&view=rev>) (felixcms)
- [0.8] file:// protocol added for uri reading [Diff](http://svn.apache.org/viewcvs.cgi?rev=38595&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38595&view=rev>) (ah)
- [0.8] servlet-context parameter replaced by SchedulerWrapper [Diff](http://svn.apache.org/viewcvs.cgi?rev=38594&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38594&view=rev>) (ah)
- [0.8] Added warning about filenames (bug #24) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38591&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38591&view=rev>) (felixcms)
- [0.8] Exception Handling improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38589&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38589&view=rev>) (michicms)
- [0.8] get Links and Images from HTML fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38588&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38588&view=rev>) (michicms)
- [0.8] Link to Paul Browning List [Diff](http://svn.apache.org/viewcvs.cgi?rev=38587&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38587&view=rev>) (michicms)
- [0.8] Exception caught [Diff](http://svn.apache.org/viewcvs.cgi?rev=38586&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38586&view=rev>) (michicms)
- [0.8] Fixed bug #18: Adding year 2003 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38585&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38585&view=rev>) (felixcms)
- [0.8] Fixed bug #17: HTML titles corrected [Diff](http://svn.apache.org/viewcvs.cgi?rev=38584&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38584&view=rev>) (felixcms)
- [0.8] Fixed bug #19: changed navigation links [Diff](http://svn.apache.org/viewcvs.cgi?rev=38583&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38583&view=rev>) (felixcms)
- [0.8] Fixing bug #14: renaming dir 'geist' to 'gesellschaft' and 'recht' to 'wirtschaft' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38582&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38582&view=rev>) (felixcms)
- [0.8] Download images etc [Diff](http://svn.apache.org/viewcvs.cgi?rev=38581&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38581&view=rev>) (michicms)
- [0.8] Transformer config [Diff](http://svn.apache.org/viewcvs.cgi?rev=38580&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38580&view=rev>) (ah)
- [0.8] OutputStream for getNodeValue() [Diff](http://svn.apache.org/viewcvs.cgi?rev=38578&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38578&view=rev>) (ah)
- [0.8] debug: document dump [Diff](http://svn.apache.org/viewcvs.cgi?rev=38577&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38577&view=rev>) (ah)
- [0.8] trying Writer for Text.getNodeValue() [Diff](http://svn.apache.org/viewcvs.cgi?rev=38575&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38575&view=rev>) (ah)
- [0.8] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=38574&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38574&view=rev>) (ah)
- [0.8] Links and Sources are now extracted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38573&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38573&view=rev>) (michicms)
- [0.8] Links and Sources are now extracted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38572&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38572&view=rev>) (michicms)
- [0.8] Fixed bug #13: replaced wrong 'type' attribute in xsl:output element [Diff](http://svn.apache.org/viewcvs.cgi?rev=38571&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38571&view=rev>) (felixcms)
- [0.8] Fixed bug #10: added template for <br/> [Diff](http://svn.apache.org/viewcvs.cgi?rev=38570&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38570&view=rev>) (felixcms)
- [0.8] Fixed bug #8 and #11: checking if related content is empty and links in related content [Diff](http://svn.apache.org/viewcvs.cgi?rev=38569&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38569&view=rev>) (felixcms)
- [0.8] Removed 'bold' from first row of a table - fixed bug #9 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38568&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38568&view=rev>) (felixcms)
- [0.8] validation disabled [Diff](http://svn.apache.org/viewcvs.cgi?rev=38567&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38567&view=rev>) (ah)
- [0.8] DocumentBuilderFactory debugging [Diff](http://svn.apache.org/viewcvs.cgi?rev=38566&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38566&view=rev>) (ah)
- [0.8] Cocoon Entityresolver test [Diff](http://svn.apache.org/viewcvs.cgi?rev=38565&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38565&view=rev>) (ah)
- [0.8] SFTP should be ok now [Diff](http://svn.apache.org/viewcvs.cgi?rev=38564&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38564&view=rev>) (michicms)
- [0.8] EntityResolver set to DefaultHandler [Diff](http://svn.apache.org/viewcvs.cgi?rev=38563&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38563&view=rev>) (ah)
- [0.8] Logger class changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38562&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38562&view=rev>) (ah)

- [0.8] Links and Sources are now extracted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38561&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38561&view=rev>) (michicms)
- [0.8] Fixed a bug with the live uri (newline within the element added strange characters) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38560&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38560&view=rev>) (felixcms)
- [0.8] Percent added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38558&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38558&view=rev>) (michicms)
- [0.8] Usage of netstat on Solaris [Diff](http://svn.apache.org/viewcvs.cgi?rev=38557&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38557&view=rev>) (michicms)
- [0.8] another get links method [Diff](http://svn.apache.org/viewcvs.cgi?rev=38556&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38556&view=rev>) (michicms)
- [0.8] no more page2html.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=38555&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38555&view=rev>) (michicms)
- [0.8] Output Stream closed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38554&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38554&view=rev>) (michicms)
- [0.8] content separated from layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=38550&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38550&view=rev>) (michicms)
- [0.8] title added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38549&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38549&view=rev>) (michicms)
- [0.8] one more problem [Diff](http://svn.apache.org/viewcvs.cgi?rev=38542&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38542&view=rev>) (michicms)

## 45. Version 2002-11 ()

### 45.1. 0.8

- [0.8] Better Search [Diff](http://svn.apache.org/viewcvs.cgi?rev=38533&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38533&view=rev>) (michicms)
- [0.8] Lucene Standard Search added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38532&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38532&view=rev>) (michicms)
- [0.8] Made Newsletter editable with Bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=38521&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38521&view=rev>) (felixcms)
- [0.8] sftp nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38503&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38503&view=rev>) (michicms)
- [0.8] scheduler stylesheet utility added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38501&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38501&view=rev>) (ah)
- [0.8] sftp shell script [Diff](http://svn.apache.org/viewcvs.cgi?rev=38492&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38492&view=rev>) (michicms)
- [0.8] session-attributes.xsp added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38486&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38486&view=rev>) (ah)
- [0.8] MailTask added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38485&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38485&view=rev>) (ah)
- [0.8] jaxp added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38484&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38484&view=rev>) (ah)
- [0.8] ClearNewsletterTask added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38483&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38483&view=rev>) (ah)
- [0.8] mail.jar was missing and not JDK 1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38481&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38481&view=rev>) (michicms)
- [0.8] New Publisher and Exporter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38477&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38477&view=rev>) (michicms)
- [0.8] Added: newsletter menu [Diff](http://svn.apache.org/viewcvs.cgi?rev=38476&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38476&view=rev>) (ah)
- [0.8] Added: unipublic newsletter dispatching [Diff](http://svn.apache.org/viewcvs.cgi?rev=38475&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38475&view=rev>) (ah)
- [0.8] Simple SMTP client [Diff](http://svn.apache.org/viewcvs.cgi?rev=38474&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38474&view=rev>) (michicms)
- [0.8] Newsletter: stylesheets, sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=38471&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38471&view=rev>) (ah)
- [0.8] scheduler / publisher XSLT utility added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38468&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38468&view=rev>) (ah)
- [0.8] Article Task: Title included InsertDossierTask added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38464&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38464&view=rev>) (ah)
- [0.8] Sample XML for Newsletter [Diff](http://svn.apache.org/viewcvs.cgi?rev=38463&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38463&view=rev>) (felixcms)
- [0.8] Existing job [Diff](http://svn.apache.org/viewcvs.cgi?rev=38459&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38459&view=rev>) (michicms)
- [0.8] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=38454&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38454&view=rev>) (ah)
- [0.8] updated OSCOM to task concept, adminDocument [Diff](http://svn.apache.org/viewcvs.cgi?rev=38445&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38445&view=rev>) (ah)
- [0.8] Task and Scheduler files [Diff](http://svn.apache.org/viewcvs.cgi?rev=38439&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38439&view=rev>) (ah)
- [0.8] Dossier added Publish removed (uses default publish screen now) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38438&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38438&view=rev>) (ah)
- [0.8] Added task, scheduler and publishing classes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38437&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38437&view=rev>) (ah)
- [0.8] Added Files: src/java/ch/unizh/unipublic/wyona/cms/ArticleTask.java  
src/java/ch/unizh/unipublic/wyona/cms/DossierAction.java Removed Files:  
src/java/ch/unizh/unipublic/wyona/cms/ArticlePublisherAction.java [Diff](http://svn.apache.org/viewcvs.cgi?rev=38436&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38436&view=rev>) (ah)
- [0.8] Very simple response xml that is sent to Bitflux. Bitflux only looks for '<response status='ok'/'> [Diff](http://svn.apache.org/viewcvs.cgi?rev=38433&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38433&view=rev>) (felixcms)
- [0.8] Campsite added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38422&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38422&view=rev>) (michicms)

- [0.8] generic search xslt added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38416&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38416&view=rev>) (michicms)
- [0.8] Search added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38414&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38414&view=rev>) (michicms)
- [0.8] Drupal and Bricolage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38406&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38406&view=rev>) (michicms)
- [0.8] Sample xml for doctype Dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38405&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38405&view=rev>) (felixcms)
- [0.8] directly retrieved from Wyona News and Comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=38539&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38539&view=rev>) (michicms)
- [0.8] renamed to CommandLineTask [Diff](http://svn.apache.org/viewcvs.cgi?rev=38534&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38534&view=rev>) (michicms)
- [0.8] Not needed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38523&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38523&view=rev>) (felixcms)
- [0.8] SendMailTransformer removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38482&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38482&view=rev>) (ah)
- [0.8] Needs JDK 1.4 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38480&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38480&view=rev>) (michicms)
- [0.8] Not needed any more [Diff](http://svn.apache.org/viewcvs.cgi?rev=38469&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38469&view=rev>) (felixcms)
- [0.8] renamed to body\_wyona.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=38423&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38423&view=rev>) (michicms)
- [0.8] Moved the 2002 dir one up and got rid of the articles directory [Diff](http://svn.apache.org/viewcvs.cgi?rev=38408&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38408&view=rev>) (egliwyona)
- [0.8] cron expressions modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38541&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38541&view=rev>) (michicms)
- [0.8] FUNCTION downloadRSS implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=38540&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38540&view=rev>) (michicms)
- [0.8] Deployment added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38538&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38538&view=rev>) (michicms)
- [0.8] wrong remote host fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38537&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38537&view=rev>) (michicms)
- [0.8] Cron Expression implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=38536&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38536&view=rev>) (michicms)
- [0.8] RSS Download and OSCOM Export [Diff](http://svn.apache.org/viewcvs.cgi?rev=38535&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38535&view=rev>) (michicms)
- [0.8] Removed html title [Diff](http://svn.apache.org/viewcvs.cgi?rev=38531&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38531&view=rev>) (felixcms)
- [0.8] Changed the menu structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=38530&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38530&view=rev>) (felixcms)
- [0.8] Fixed a bug (teaser image was not displayed in live) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38529&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38529&view=rev>) (felixcms)
- [0.8] Fixed the request parameters for publishing Webperlen and Dossierkasten [Diff](http://svn.apache.org/viewcvs.cgi?rev=38528&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38528&view=rev>) (felixcms)
- [0.8] Fixed a bug with the Dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38527&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38527&view=rev>) (felixcms)
- [0.8] Had to change attribute names from "dir" to "id" due to a Bitfluxeditor bug that removes the content of "dir" attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38526&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38526&view=rev>) (felixcms)
- [0.8] Had to change attribute names from "dir" to "id" due to a Bitfluxeditor bug that removes the content of "dir" attributes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38525&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38525&view=rev>) (felixcms)
- [0.8] Fixed a bug with the URL of the article [Diff](http://svn.apache.org/viewcvs.cgi?rev=38524&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38524&view=rev>) (felixcms)
- [0.8] Made Newsletter editable with Bitflux (added span tag with editable-attribute) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38522&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38522&view=rev>) (felixcms)
- [0.8] nearly finished, hopefully [Diff](http://svn.apache.org/viewcvs.cgi?rev=38520&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38520&view=rev>) (michicms)
- [0.8] ls replaced by date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38519&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38519&view=rev>) (michicms)
- [0.8] CommandLine Job added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38518&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38518&view=rev>) (michicms)
- [0.8] Made headlines, webperls, dossierkasten on the frontpage editable with bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=38517&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38517&view=rev>) (felixcms)
- [0.8] Update of Bitfluxeditor (bugfix for changing upper-case to lower-case in element names) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38516&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38516&view=rev>) (felixcms)
- [0.8] HttpClient Workaround: Passing all old request headers to new HTTP method [Diff](http://svn.apache.org/viewcvs.cgi?rev=38515&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38515&view=rev>) (ah)
- [0.8] ServletGenerator removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38514&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38514&view=rev>) (ah)
- [0.8] Trying ServletGenerator [Diff](http://svn.apache.org/viewcvs.cgi?rev=38513&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38513&view=rev>) (ah)
- [0.8] Trying ServletGenerator [Diff](http://svn.apache.org/viewcvs.cgi?rev=38512&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38512&view=rev>) (ah)
- [0.8] log messages changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38511&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38511&view=rev>) (ah)
- [0.8] log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=38510&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38510&view=rev>) (ah)
- [0.8] logging changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38509&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38509&view=rev>) (ah)
- [0.8] removed log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=38508&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38508&view=rev>) (ah)
- [0.8] log messages inserted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38507&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38507&view=rev>) (ah)

- [0.8] empty elements allowed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38506&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38506&view=rev>) (ah)
- [0.8] log message inserted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38505&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38505&view=rev>) (ah)
- [0.8] parameter name changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38504&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38504&view=rev>) (ah)
- [0.8] Empty newsletter file [Diff](http://svn.apache.org/viewcvs.cgi?rev=38502&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38502&view=rev>) (ah)
- [0.8] Parameter name changed from 'context-path' to 'servlet-context' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38500&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38500&view=rev>) (ah)
- [0.8] Scheduler Admin updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38499&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38499&view=rev>) (ah)
- [0.8] Administrator changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38498&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38498&view=rev>) (ah)
- [0.8] scheduler admin menu changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38497&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38497&view=rev>) (ah)
- [0.8] 'empty list' bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38496&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38496&view=rev>) (ah)
- [0.8] newsletter parameter (uri) changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38495&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38495&view=rev>) (ah)
- [0.8] Task: several changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38494&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38494&view=rev>) (ah)
- [0.8] sftp shell script [Diff](http://svn.apache.org/viewcvs.cgi?rev=38493&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38493&view=rev>) (michicms)
- [0.8] SMTP hostname set [Diff](http://svn.apache.org/viewcvs.cgi?rev=38491&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38491&view=rev>) (michicms)
- [0.8] Search added to unipublic [Diff](http://svn.apache.org/viewcvs.cgi?rev=38490&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38490&view=rev>) (michicms)
- [0.8] Search added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38489&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38489&view=rev>) (michicms)
- [0.8] more CMSs added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38488&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38488&view=rev>) (michicms)
- [0.8] Newsletter dispatching + clearing added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38487&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38487&view=rev>) (ah)
- [0.8] Forum fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38479&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38479&view=rev>) (michicms)
- [0.8] commit undone [Diff](http://svn.apache.org/viewcvs.cgi?rev=38478&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38478&view=rev>) (michicms)
- [0.8] Something is wrong with Lucene and RSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=38473&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38473&view=rev>) (michicms)
- [0.8] filter links added and oscom index [Diff](http://svn.apache.org/viewcvs.cgi?rev=38472&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38472&view=rev>) (michicms)
- [0.8] Example updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38470&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38470&view=rev>) (ah)
- [0.8] Publish/main: task ID as request parameter Scheduler: layout redesign [Diff](http://svn.apache.org/viewcvs.cgi?rev=38467&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38467&view=rev>) (ah)
- [0.8] Publishing: task ID as request parameter [Diff](http://svn.apache.org/viewcvs.cgi?rev=38466&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38466&view=rev>) (ah)
- [0.8] TaskAction: Bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=38465&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38465&view=rev>) (ah)
- [0.8] Added doctype Newsletter [Diff](http://svn.apache.org/viewcvs.cgi?rev=38462&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38462&view=rev>) (felixcms)
- [0.8] Publishing and Image fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38461&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38461&view=rev>) (michicms)
- [0.8] CronTrigger added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38460&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38460&view=rev>) (michicms)
- [0.8] Server Port Bug Mystery [Diff](http://svn.apache.org/viewcvs.cgi?rev=38458&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38458&view=rev>) (michicms)
- [0.8] Date fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38457&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38457&view=rev>) (michicms)
- [0.8] Update of Bitflux Editor (Bugfix removing of empty elements with attributes) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38456&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38456&view=rev>) (felixcms)
- [0.8] Added workaround for Bitflux bug of removing empty elements with no attributes: added foo attribute to articles element [Diff](http://svn.apache.org/viewcvs.cgi?rev=38455&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38455&view=rev>) (felixcms)
- [0.8] article path bugfix [Diff](http://svn.apache.org/viewcvs.cgi?rev=38453&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38453&view=rev>) (ah)
- [0.8] bugfix task-id [Diff](http://svn.apache.org/viewcvs.cgi?rev=38452&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38452&view=rev>) (ah)
- [0.8] scheduler bugfixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=38451&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38451&view=rev>) (ah)
- [0.8] publication-id fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38450&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38450&view=rev>) (ah)
- [0.8] Changed parameter handling [Diff](http://svn.apache.org/viewcvs.cgi?rev=38449&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38449&view=rev>) (ah)
- [0.8] changed TaskAction parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=38448&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38448&view=rev>) (ah)
- [0.8] Fixed some errors [Diff](http://svn.apache.org/viewcvs.cgi?rev=38447&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38447&view=rev>) (ah)
- [0.8] "Publish Dossiers" updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38446&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38446&view=rev>) (ah)
- [0.8] "unipublic" removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38444&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38444&view=rev>) (ah)
- [0.8] "Publish Webperls" updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38443&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38443&view=rev>) (ah)
- [0.8] "Publish Headlines" menu item updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38442&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38442&view=rev>) (ah)
- [0.8] String.replaceAll removed (not 1.3 compatible) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38441&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38441&view=rev>) (ah)
- [0.8] Task and Scheduler stylesheets modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38440&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38440&view=rev>) (ah)
- [0.8] live removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38435&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38435&view=rev>) (michicms)

- [0.8] Homepage updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38434&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38434&view=rev>) (michicms)
- [0.8] Bugfixing: removed unused and hardcoded attributes in the Bitflux response xml (<response id=><data id=>) and the according parameters in the action and sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=38432&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38432&view=rev>) (felixcms)
- [0.8] months and days added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38431&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38431&view=rev>) (michicms)
- [0.8] views added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38430&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38430&view=rev>) (michicms)
- [0.8] year,hour, minute added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38429&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38429&view=rev>) (michicms)
- [0.8] childname as hidden value [Diff](http://svn.apache.org/viewcvs.cgi?rev=38428&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38428&view=rev>) (michicms)
- [0.8] getChildName added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38427&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38427&view=rev>) (michicms)
- [0.8] Xopus1 removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38426&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38426&view=rev>) (michicms)
- [0.8] renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38425&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38425&view=rev>) (michicms)
- [0.8] renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38424&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38424&view=rev>) (michicms)
- [0.8] Bug fixing: Removed 'articles' from paths [Diff](http://svn.apache.org/viewcvs.cgi?rev=38421&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38421&view=rev>) (felixcms)
- [0.8] FIXME: something within RSS causes trouble for Lucene [Diff](http://svn.apache.org/viewcvs.cgi?rev=38420&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38420&view=rev>) (michicms)
- [0.8] First create and Search second [Diff](http://svn.apache.org/viewcvs.cgi?rev=38419&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38419&view=rev>) (michicms)
- [0.8] FIXME: OSCOM RSS seems to cause trouble with regard to view links [Diff](http://svn.apache.org/viewcvs.cgi?rev=38418&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38418&view=rev>) (michicms)
- [0.8] Lucene added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38417&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38417&view=rev>) (michicms)
- [0.8] search added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38415&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38415&view=rev>) (michicms)
- [0.8] init params added: scheduler configurations [Diff](http://svn.apache.org/viewcvs.cgi?rev=38413&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38413&view=rev>) (michicms)
- [0.8] The code has been simplified due to the fact that the document and resource root is now passed as configure parameters. This way we can construct the path where the image is to be stored very easily. This also obsoletes the subclass which had special knowledge where the resource root was. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38412&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38412&view=rev>) (egliwyona)
- [0.8] \* Removed the articles directory from the magazin and campus directory. The 2002 directories are now directly under geist, gesundheit, etc. This implies quite a few changes in the stylesheets. \* The image upload has changed the config params. We now need to pass the document root and the resource root. It is no longer guesstimated by the image upload. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38411&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38411&view=rev>) (egliwyona)
- [0.8] Removed the articles directory from the magazin and campus directory. The 2002 directories are now directly under geist, gesundheit, etc. This implies quite a few changes in the stylesheets. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38410&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38410&view=rev>) (egliwyona)
- [0.8] Fixed a bug where it was including a non-existing xsl. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38409&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38409&view=rev>) (egliwyona)
- [0.8] Authoring area added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38407&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38407&view=rev>) (michicms)

## 46. Version 2002-10 ()

### 46.1. 0.8

- [0.8] problems with XInclude [Diff](http://svn.apache.org/viewcvs.cgi?rev=38391&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38391&view=rev>) (michicms)
- [0.8] New files [Diff](http://svn.apache.org/viewcvs.cgi?rev=38389&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38389&view=rev>) (felixcms)
- [0.8] Bitflux pre- and post-processing of XML for related content and images [Diff](http://svn.apache.org/viewcvs.cgi?rev=38382&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38382&view=rev>) (felixcms)
- [0.8] Update of Bitflux Editor (bug fixes, save&exit button) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38379&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38379&view=rev>) (felixcms)
- [0.8] add projects [Diff](http://svn.apache.org/viewcvs.cgi?rev=38375&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38375&view=rev>) (michicms)
- [0.8] CMS/F Matrix nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38370&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38370&view=rev>) (michicms)
- [0.8] more sample articles added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38364&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38364&view=rev>) (michicms)
- [0.8] more sample articles added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38362&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38362&view=rev>) (michicms)
- [0.8] new articles and sample improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38357&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38357&view=rev>) (michicms)

- [0.8] more news added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38351&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38351&view=rev>) (michicms)
- [0.8] Get milliseconds [Diff](http://svn.apache.org/viewcvs.cgi?rev=38338&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38338&view=rev>) (michicms)
- [0.8] replication script [Diff](http://svn.apache.org/viewcvs.cgi?rev=38337&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38337&view=rev>) (michicms)
- [0.8] Weekly Column added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38331&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38331&view=rev>) (michicms)
- [0.8] Using default screen now (new-document.xsl) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38401&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38401&view=rev>) (felixcms)
- [0.8] Clueful Consulting added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38404&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38404&view=rev>) (michicms)
- [0.8] Usage of netstat added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38403&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38403&view=rev>) (michicms)
- [0.8] Wyona RSS added and export Home Live version [Diff](http://svn.apache.org/viewcvs.cgi?rev=38402&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38402&view=rev>) (michicms)
- [0.8] New 'page-creator screen' for DefaultCreator [Diff](http://svn.apache.org/viewcvs.cgi?rev=38400&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38400&view=rev>) (felixcms)
- [0.8] editor and email added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38399&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38399&view=rev>) (michicms)
- [0.8] XML fixed according to the Schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=38398&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38398&view=rev>) (michicms)
- [0.8] Creating of new Dossiers is possible now (using DefaultCreator) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38397&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38397&view=rev>) (felixcms)
- [0.8] Added a request parameter doctype [Diff](http://svn.apache.org/viewcvs.cgi?rev=38396&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38396&view=rev>) (felixcms)
- [0.8] Changed the file suffix from .xhtml to .xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=38395&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38395&view=rev>) (felixcms)
- [0.8] Schema enhanced and Bitflux Project fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38394&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38394&view=rev>) (michicms)
- [0.8] No link for license on overview [Diff](http://svn.apache.org/viewcvs.cgi?rev=38393&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38393&view=rev>) (michicms)
- [0.8] OSCOM CMS/F Matrix prototype finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38392&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38392&view=rev>) (michicms)
- [0.8] CMS/F Matrix prototype finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38390&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38390&view=rev>) (michicms)
- [0.8] Update of Bitflux editor (bug fixes) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38388&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38388&view=rev>) (felixcms)
- [0.8] Matrix Xopusable started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38387&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38387&view=rev>) (michicms)
- [0.8] Stylesheets improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38386&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38386&view=rev>) (michicms)
- [0.8] related-content and images editable with Bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=38385&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38385&view=rev>) (felixcms)
- [0.8] Update of Bitflux Editor (bug fixes, save&exit button) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38384&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38384&view=rev>) (felixcms)
- [0.8] related-content and images editable with Bitfluxsrc/webapp/wyona/cms/pubs/unipublic/docs/publication/doctypes/schemas/article-bitflux.xsd [Diff](http://svn.apache.org/viewcvs.cgi?rev=38383&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38383&view=rev>) (felixcms)
- [0.8] Parameter url-back was added for the save&exit button [Diff](http://svn.apache.org/viewcvs.cgi?rev=38381&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38381&view=rev>) (felixcms)
- [0.8] Made Dossier editable through Bitflux [Diff](http://svn.apache.org/viewcvs.cgi?rev=38380&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38380&view=rev>) (felixcms)
- [0.8] Update of Bitflux Editor (bug fixes) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38378&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38378&view=rev>) (felixcms)
- [0.8] Live Matrix Overview [Diff](http://svn.apache.org/viewcvs.cgi?rev=38377&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38377&view=rev>) (michicms)
- [0.8] System.exit removed, because it shuts down Tomcat [Diff](http://svn.apache.org/viewcvs.cgi?rev=38376&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38376&view=rev>) (michicms)
- [0.8] Matrix will be sorted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38374&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38374&view=rev>) (michicms)
- [0.8] Matrix added to Live Site [Diff](http://svn.apache.org/viewcvs.cgi?rev=38373&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38373&view=rev>) (michicms)
- [0.8] Making Dossier editable [Diff](http://svn.apache.org/viewcvs.cgi?rev=38372&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38372&view=rev>) (felixcms)
- [0.8] New background image [Diff](http://svn.apache.org/viewcvs.cgi?rev=38371&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38371&view=rev>) (felixcms)
- [0.8] Added optional request parameter 'insertBefore' to the image upload to overwrite the configured behaviour [Diff](http://svn.apache.org/viewcvs.cgi?rev=38369&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38369&view=rev>) (felixcms)
- [0.8] Added use of a teasertext [Diff](http://svn.apache.org/viewcvs.cgi?rev=38368&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38368&view=rev>) (felixcms)
- [0.8] Changed include from article.xsl to ../articles.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=38367&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38367&view=rev>) (felixcms)
- [0.8] Changed handling of hl2 (is being displayed now where ever it appears), added 'Bild:' to authorline, etc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38366&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38366&view=rev>) (felixcms)

- (<http://svn.apache.org/viewcvs.cgi?rev=38366&view=rev>) (felixcms)
- [0.8] Removed FIXME [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38365&view=rev>) (felixcms)
- [0.8] not yet published screen introduced [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38363&view=rev>) (michicms)
- [0.8] attribute alternate-text made optional, caution conflict between upload image and schema [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38361&view=rev>) (michicms)
- [0.8] exit 0 removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38360&view=rev>) (michicms)
- [0.8] Schema improved, related content added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38359&view=rev>) (michicms)
- [0.8] Paul and Roger added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38358&view=rev>) (michicms)
- [0.8] better not published yet dialog [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38356&view=rev>) (michicms)
- [0.8] Publisher made even worse [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38355&view=rev>) (michicms)
- [0.8] forum added for replication [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38354&view=rev>) (michicms)
- [0.8] DHTML Menus added and export to OSCOM [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38353&view=rev>) (michicms)
- [0.8] link fixed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38352&view=rev>) (michicms)
- [0.8] initializing Scheduler from conf file [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38350&view=rev>) (michicms)
- [0.8] fatal replaced by debug [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38349&view=rev>) (michicms)
- [0.8] fatal replaced by debug [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38348&view=rev>) (michicms)
- [0.8] Servlet Context Path added for reading configuration [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38347&view=rev>) (michicms)
- [0.8] MySource added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38346&view=rev>) (michicms)
- [0.8] hardcoded prefix substitutes removed [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38345&view=rev>) (michicms)
- [0.8] Scheduler improved, CronTrigger added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38344&view=rev>) (michicms)
- [0.8] Aegir CMS added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38343&view=rev>) (michicms)
- [0.8] year 2002 to Frontpage added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38342&view=rev>) (michicms)
- [0.8] export static HTML improved [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38341&view=rev>) (michicms)
- [0.8] Aegir moved to first place and Bitflux URL added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38340&view=rev>) (michicms)
- [0.8] Aegir CMS added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38339&view=rev>) (michicms)
- [0.8] export static article [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38336&view=rev>) (michicms)
- [0.8] matches separated by pipeline [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38335&view=rev>) (michicms)
- [0.8] directory pending to export added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38334&view=rev>) (michicms)
- [0.8] export of static HTML, a real ugly hack, but it works [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38333&view=rev>) (michicms)
- [0.8] Board, Overview updated [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38332&view=rev>) (michicms)
- [0.8] Updated Board and Navigation and Menus [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38330&view=rev>) (michicms)
- [0.8] integration started for export of static HTML [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38329&view=rev>) (michicms)

## 47. Version 2002-09 ()

### 47.1. 0.8

- [0.8] Adopted screens for image upload and added dossier to article [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38328&view=rev>) (felixcms)
- [0.8] added DefaultCreator [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38319&view=rev>) (jbigalke)
- [0.8] HTML Export added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38315&view=rev>) (michicms)
- [0.8] Added Dossier xml to Live [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38312&view=rev>) (felixcms)
- [0.8] Created menu for Dossiers [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38311&view=rev>) (felixcms)
- [0.8] One more article added [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38309&view=rev>) (michicms)
- [0.8] OSCOM Home is bitfluxable [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=38305&view=rev>) (michicms)

- [0.8] more articles added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38302&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38302&view=rev>) (michicms)
- [0.8] Bitflux action added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38299&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38299&view=rev>) (michicms)
- [0.8] Bitflux editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38296&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38296&view=rev>) (michicms)
- [0.8] Bitflux editor added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38295&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38295&view=rev>) (michicms)
- [0.8] New doctype Dossiers [Diff](http://svn.apache.org/viewcvs.cgi?rev=38290&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38290&view=rev>) (felixcms)
- [0.8] New sample xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=38289&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38289&view=rev>) (felixcms)
- [0.8] Sample xml for dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38285&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38285&view=rev>) (felixcms)
- [0.8] New image [Diff](http://svn.apache.org/viewcvs.cgi?rev=38281&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38281&view=rev>) (felixcms)
- [0.8] New image [Diff](http://svn.apache.org/viewcvs.cgi?rev=38280&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38280&view=rev>) (felixcms)
- [0.8] New stylesheet for Dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38277&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38277&view=rev>) (felixcms)
- [0.8] new images [Diff](http://svn.apache.org/viewcvs.cgi?rev=38268&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38268&view=rev>) (felixcms)
- [0.8] New images [Diff](http://svn.apache.org/viewcvs.cgi?rev=38267&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38267&view=rev>) (felixcms)
- [0.8] serverName and serverPort added to RequestParamAction [Diff](http://svn.apache.org/viewcvs.cgi?rev=38266&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38266&view=rev>) (michicms)
- [0.8] Better content added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38258&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38258&view=rev>) (michicms)
- [0.8] Xopus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38256&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38256&view=rev>) (michicms)
- [0.8] Scheduler Job to fetch RSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=38253&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38253&view=rev>) (michicms)
- [0.8] updated the unipublic documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38252&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38252&view=rev>) (michicms)
- [0.8] renamed to article-bitflux.css [Diff](http://svn.apache.org/viewcvs.cgi?rev=38304&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38304&view=rev>) (michicms)
- [0.8] renamed to article-bitflux.css [Diff](http://svn.apache.org/viewcvs.cgi?rev=38287&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38287&view=rev>) (michicms)
- [0.8] removed for good [Diff](http://svn.apache.org/viewcvs.cgi?rev=38249&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38249&view=rev>) (michicms)
- [0.8] Changed xml for dossier id in article and teaser image in dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38327&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38327&view=rev>) (felixcms)
- [0.8] Added teaser image upload to dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38326&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38326&view=rev>) (felixcms)
- [0.8] Added display of dossier to article and teaser image upload to dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38325&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38325&view=rev>) (felixcms)
- [0.8] Fixed 'Noch nie publiziert' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38324&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38324&view=rev>) (felixcms)
- [0.8] Mimetype is now the empty string and no longer the string "FIXME:". However it is still preferable to fix it properly. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38323&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38323&view=rev>) (egliwyona)
- [0.8] Changed red dot image [Diff](http://svn.apache.org/viewcvs.cgi?rev=38322&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38322&view=rev>) (felixcms)
- [0.8] Added elements bold, emphasize, superscript, subscript, itemizedlist, listitem, ulink, table, tbody, row, entry [Diff](http://svn.apache.org/viewcvs.cgi?rev=38321&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38321&view=rev>) (felixcms)
- [0.8] coding to evaluate doctypes, i.e. added line: creator.init(creatorNode) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38320&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38320&view=rev>) (jbigalke)
- [0.8] added method init() [Diff](http://svn.apache.org/viewcvs.cgi?rev=38318&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38318&view=rev>) (jbigalke)
- [0.8] Rexexp added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38317&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38317&view=rev>) (michicms)
- [0.8] Export HTML added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38316&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38316&view=rev>) (michicms)
- [0.8] Corrected problem with footer date in live and with display [Diff](http://svn.apache.org/viewcvs.cgi?rev=38314&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38314&view=rev>) (felixcms)
- [0.8] Added sorting to Dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38313&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38313&view=rev>) (felixcms)
- [0.8] Dossier teaser on section pages is working correctly now [Diff](http://svn.apache.org/viewcvs.cgi?rev=38310&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38310&view=rev>) (felixcms)
- [0.8] Menus for unipublic improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38308&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38308&view=rev>) (michicms)
- [0.8] Debug xml, xslt, xsd [Diff](http://svn.apache.org/viewcvs.cgi?rev=38307&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38307&view=rev>) (michicms)
- [0.8] DHTML menus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38306&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38306&view=rev>) (michicms)
- [0.8] OSCOM Home is xopusable [Diff](http://svn.apache.org/viewcvs.cgi?rev=38303&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38303&view=rev>) (michicms)
- [0.8] millis corrected [Diff](http://svn.apache.org/viewcvs.cgi?rev=38301&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38301&view=rev>) (michicms)
- [0.8] Arbitrary files can be saved now [Diff](http://svn.apache.org/viewcvs.cgi?rev=38300&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38300&view=rev>) (michicms)
- [0.8] RevisionId added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38298&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38298&view=rev>) (michicms)
- [0.8] Schema and Xopus XSLT fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38297&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38297&view=rev>) (michicms)
- [0.8] Adopted changed xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=38294&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38294&view=rev>) (felixcms)

- [0.8] Draw comma only if there is a date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38293&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38293&view=rev>) (felixcms)
- [0.8] Changed xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=38292&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38292&view=rev>) (felixcms)
- [0.8] Added doctype dossiers [Diff](http://svn.apache.org/viewcvs.cgi?rev=38291&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38291&view=rev>) (felixcms)
- [0.8] Bitflux editor added to unipublic [Diff](http://svn.apache.org/viewcvs.cgi?rev=38288&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38288&view=rev>) (michicms)
- [0.8] Corrected sample xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=38286&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38286&view=rev>) (felixcms)
- [0.8] Added dossier style class [Diff](http://svn.apache.org/viewcvs.cgi?rev=38284&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38284&view=rev>) (felixcms)
- [0.8] Extended xml for dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38283&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38283&view=rev>) (felixcms)
- [0.8] Added doctype dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38282&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38282&view=rev>) (felixcms)
- [0.8] Added articles.xsl etc. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38279&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38279&view=rev>) (felixcms)
- [0.8] Created layout for Dossier [Diff](http://svn.apache.org/viewcvs.cgi?rev=38278&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38278&view=rev>) (felixcms)
- [0.8] Changed Dossier part of navigation (more than one Dossier possible) [Diff](http://svn.apache.org/viewcvs.cgi?rev=38276&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38276&view=rev>) (felixcms)
- [0.8] Changed/Corrected HTML according to Thomas Poppenwimmer [Diff](http://svn.apache.org/viewcvs.cgi?rev=38275&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38275&view=rev>) (felixcms)
- [0.8] Changed/Corrected HTML according to Thomas Poppenwimmer [Diff](http://svn.apache.org/viewcvs.cgi?rev=38274&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38274&view=rev>) (felixcms)
- [0.8] Changed/Corrected HTML according to Thomas Poppenwimmer [Diff](http://svn.apache.org/viewcvs.cgi?rev=38273&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38273&view=rev>) (felixcms)
- [0.8] Ids corrected [Diff](http://svn.apache.org/viewcvs.cgi?rev=38272&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38272&view=rev>) (michicms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=38271&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38271&view=rev>) (felixcms)
- [0.8] changed html, simplified to one footerfor all documents [Diff](http://svn.apache.org/viewcvs.cgi?rev=38270&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38270&view=rev>) (felixcms)
- [0.8] new version [Diff](http://svn.apache.org/viewcvs.cgi?rev=38269&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38269&view=rev>) (felixcms)
- [0.8] differentiate between authoring and live for logo href [Diff](http://svn.apache.org/viewcvs.cgi?rev=38265&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38265&view=rev>) (michicms)
- [0.8] articles are sorted by filename [Diff](http://svn.apache.org/viewcvs.cgi?rev=38264&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38264&view=rev>) (michicms)
- [0.8] Default xmlns added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38263&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38263&view=rev>) (michicms)
- [0.8] RSS improved and no redirect within Authoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=38262&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38262&view=rev>) (michicms)
- [0.8] RDF renamed to RSS [Diff](http://svn.apache.org/viewcvs.cgi?rev=38261&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38261&view=rev>) (michicms)
- [0.8] day and month added to Schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=38260&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38260&view=rev>) (michicms)
- [0.8] Forum publication featured [Diff](http://svn.apache.org/viewcvs.cgi?rev=38259&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38259&view=rev>) (michicms)
- [0.8] Xopus documentation improved a bit and added to Help [Diff](http://svn.apache.org/viewcvs.cgi?rev=38257&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38257&view=rev>) (michicms)
- [0.8] Xopus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38255&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38255&view=rev>) (michicms)
- [0.8] Edit with Xopus2 updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38254&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38254&view=rev>) (michicms)
- [0.8] Added more comments to the matcher that deals with file (image) upload. ] [Diff](http://svn.apache.org/viewcvs.cgi?rev=38251&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38251&view=rev>) (egliwyona)
- [0.8] Dossier added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38250&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38250&view=rev>) (michicms)
- [0.8] Make sure the images are inserted after the xpath by configuring it in the parameters for the file-upload action. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38248&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38248&view=rev>) (egliwyona)
- [0.8] When writing the back the xml file (using an XMLWriter) after having inserted the media tag do not use the pretty-print formatter. Use a very simple and plain formatter that leaves the xml intact as it was. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38247&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38247&view=rev>) (egliwyona)
- [0.8] \* Make sure the red dot is inserted after the p. \* The xpath of the p after which the image is to be inserted was calculated wrongly. We cannot simply use position() but instead have to use count(preceding-sibling::p). [Diff](http://svn.apache.org/viewcvs.cgi?rev=38246&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38246&view=rev>) (egliwyona)
- [0.8] Banner removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38245&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38245&view=rev>) (michicms)

## 48. Version 2002-08 ()

## 48.1. 0.8

- [0.8] Scheduler added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38244&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38244&view=rev>) (michicms)
- [0.8] bylaws added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38232&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38232&view=rev>) (michicms)
- [0.8] filled in some licenses [Diff](http://svn.apache.org/viewcvs.cgi?rev=38230&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38230&view=rev>) (michicms)
- [0.8] ServletProxyGenerator renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38227&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38227&view=rev>) (michicms)
- [0.8] Overview Body added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38218&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38218&view=rev>) (michicms)
- [0.8] Not fully migrated articles added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38217&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38217&view=rev>) (michicms)
- [0.8] Extracted Publisher added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38213&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38213&view=rev>) (michicms)
- [0.8] Scheduler added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38212&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38212&view=rev>) (michicms)
- [0.8] Location and Local Info added to Authoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=38209&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38209&view=rev>) (michicms)
- [0.8] Sponsoring added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38201&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38201&view=rev>) (michicms)
- [0.8] Image for inserting images [Diff](http://svn.apache.org/viewcvs.cgi?rev=38193&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38193&view=rev>) (felixcms)
- [0.8] Upload File to Scratchpad added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38192&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38192&view=rev>) (michicms)
- [0.8] Interop and CVS added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38189&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38189&view=rev>) (michicms)
- [0.8] HelloWorld renamed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38226&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38226&view=rev>) (michicms)
- [0.8] removed, was only good for playing around with [Diff](http://svn.apache.org/viewcvs.cgi?rev=38225&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38225&view=rev>) (michicms)
- [0.8] Removed since separated for authoring and live [Diff](http://svn.apache.org/viewcvs.cgi?rev=38177&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38177&view=rev>) (felixcms)
- [0.8] If add the dublin core description as the image caption if it is non-empty. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38243&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38243&view=rev>) (egliwyona)
- [0.8] new conference site layout added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38242&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38242&view=rev>) (michicms)
- [0.8] Return null in corner cases (e.g. the upload file is null or the parameter uploadFile is not of type FilePart). [Diff](http://svn.apache.org/viewcvs.cgi?rev=38241&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38241&view=rev>) (egliwyona)
- [0.8] We no longer use the Default implementation of the file-upload action but a unipublic specific extension of it. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38240&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38240&view=rev>) (egliwyona)
- [0.8] \* Code cleanup \* New method getImagePath that constructs the image path. The default implementation simply concatenates the sitemapPath and uploadDirName. Subclasses can specify this further and add other schemes as to where they think images should be stored. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38239&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38239&view=rev>) (egliwyona)
- [0.8] The filename is no longer simply takes from the identifier + the extension of the uploaded file. If the identifier is non-empty this method is still used. Otherwise the name of the uploaded file is taken. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38238&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38238&view=rev>) (egliwyona)
- [0.8] Added some more javadoc comments. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38237&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38237&view=rev>) (egliwyona)
- [0.8] There is now a new variable insertImageBefore which specifies if the media tag is inserted before or after the xpath. This variable can be specified in the sitemap (as a parameter to the action). [Diff](http://svn.apache.org/viewcvs.cgi?rev=38236&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38236&view=rev>) (egliwyona)
- [0.8] \* Renamed the configuration parameters of the file-upload action from "parameter" to a more sensible name, e.g. "images-dir" \* Added an additional configuration parameters "insert-image-before". [Diff](http://svn.apache.org/viewcvs.cgi?rev=38235&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38235&view=rev>) (egliwyona)
- [0.8] Banner added to Homepage [Diff](http://svn.apache.org/viewcvs.cgi?rev=38234&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38234&view=rev>) (michicms)
- [0.8] \* Changed the logger for file-upload. You can now specify your own logging target in logkit.xconf for the file-upload action. \* The pipeline for upload now does a redirect back to the referer if the action was succesfull. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38233&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38233&view=rev>) (egliwyona)
- [0.8] The referer is now passed back to the sitemap for redirecting purposes. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38231&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38231&view=rev>) (egliwyona)
- [0.8] \* The "invalid byte 2 of 3-byte UTF-8 sequence" exception is fixed now. It was a problem with using a plain FileWriter instead of using an XMLWriter to write the xml back to disk. \* only the filename is inserted in the media tag as per felix request. \* the media tag is now inserted before the imageXPath. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38229&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38229&view=rev>) (egliwyona)

- [0.8] log4j removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38228&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38228&view=rev>) (michicms)
- [0.8] Encoding problem fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38224&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38224&view=rev>) (michicms)
- [0.8] back to 1.5 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38223&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38223&view=rev>) (michicms)
- [0.8] back to 1.18 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38222&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38222&view=rev>) (michicms)
- [0.8] back to 1.2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38221&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38221&view=rev>) (michicms)
- [0.8] CVS added to navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38220&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38220&view=rev>) (michicms)
- [0.8] pserver replaced by ssh [Diff](http://svn.apache.org/viewcvs.cgi?rev=38219&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38219&view=rev>) (michicms)
- [0.8] Links and a lot of other stuff fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38216&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38216&view=rev>) (michicms)
- [0.8] NullPointException bug fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38215&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38215&view=rev>) (michicms)
- [0.8] Javadoc syntax fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38214&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38214&view=rev>) (michicms)
- [0.8] Some request info added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38211&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38211&view=rev>) (michicms)
- [0.8] ZIP code modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38210&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38210&view=rev>) (michicms)
- [0.8] Ted replaced by Charles [Diff](http://svn.apache.org/viewcvs.cgi?rev=38208&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38208&view=rev>) (michicms)
- [0.8] location Julia replaced by Lawrence [Diff](http://svn.apache.org/viewcvs.cgi?rev=38207&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38207&view=rev>) (michicms)
- [0.8] iterop added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38206&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38206&view=rev>) (michicms)
- [0.8] Cookies should be forwarded now [Diff](http://svn.apache.org/viewcvs.cgi?rev=38205&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38205&view=rev>) (michicms)
- [0.8] HSQLDB Port setting [Diff](http://svn.apache.org/viewcvs.cgi?rev=38204&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38204&view=rev>) (michicms)
- [0.8] Article XSLT of Live version fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38203&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38203&view=rev>) (michicms)
- [0.8] Roger Fischer added to oc-1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38202&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38202&view=rev>) (michicms)
- [0.8] \* Implemented the requirement that the uploaded file as it is stored on the server should be named using the identifier given by the user in the request + the extension of the original uploaded file. \* General cleanup of debug statements. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38200&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38200&view=rev>) (egliwyona)
- [0.8] Added documentation templates to the methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38199&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38199&view=rev>) (egliwyona)
- [0.8] Commented out browser selection for article [Diff](http://svn.apache.org/viewcvs.cgi?rev=38198&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38198&view=rev>) (felixcms)
- [0.8] Added documentid [Diff](http://svn.apache.org/viewcvs.cgi?rev=38197&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38197&view=rev>) (felixcms)
- [0.8] General cleanup and completion. The documentid is now passed through as a request parameter. The file is uploaded with the name of the "identifier" parameter. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38196&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38196&view=rev>) (egliwyona)
- [0.8] Added red dots and correct xpath [Diff](http://svn.apache.org/viewcvs.cgi?rev=38195&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38195&view=rev>) (felixcms)
- [0.8] Added matcher for file upload [Diff](http://svn.apache.org/viewcvs.cgi?rev=38194&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38194&view=rev>) (felixcms)
- [0.8] more detailed CVS instruction [Diff](http://svn.apache.org/viewcvs.cgi?rev=38191&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38191&view=rev>) (michicms)
- [0.8] Verdana added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38190&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38190&view=rev>) (michicms)
- [0.8] Mailing Lists and Local Info updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38188&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38188&view=rev>) (michicms)
- [0.8] Working on upload image functionality [Diff](http://svn.apache.org/viewcvs.cgi?rev=38187&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38187&view=rev>) (felixcms)
- [0.8] Removed unnecessary imports. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38186&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38186&view=rev>) (egliwyona)
- [0.8] Upload Image Screen added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38185&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38185&view=rev>) (michicms)
- [0.8] hardcoded path removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38184&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38184&view=rev>) (michicms)
- [0.8] Rollback has \_michi\_ hardcoded within path, remains to be fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38183&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38183&view=rev>) (michicms)
- [0.8] Attribute millis added to schema [Diff](http://svn.apache.org/viewcvs.cgi?rev=38182&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38182&view=rev>) (michicms)
- [0.8] Anchors fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38181&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38181&view=rev>) (michicms)
- [0.8] Another Wiki [Diff](http://svn.apache.org/viewcvs.cgi?rev=38180&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38180&view=rev>) (michicms)
- [0.8] Wish List from Ovidu [Diff](http://svn.apache.org/viewcvs.cgi?rev=38179&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38179&view=rev>) (michicms)
- [0.8] some small modifications [Diff](http://svn.apache.org/viewcvs.cgi?rev=38178&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38178&view=rev>) (michicms)
- [0.8] Added attribute millis to story.date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38176&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38176&view=rev>) (felixcms)
- [0.8] Added attribute millis to story.date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38175&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38175&view=rev>) (felixcms)
- [0.8] Added/changed element story.date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38174&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38174&view=rev>) (felixcms)
- [0.8] Changed element story.date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38173&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38173&view=rev>) (felixcms)
- [0.8] Added element story.date [Diff](http://svn.apache.org/viewcvs.cgi?rev=38172&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38172&view=rev>) (felixcms)
- [0.8] Separated Authoring/Live and added 'Noch nie publiziert' [Diff](http://svn.apache.org/viewcvs.cgi?rev=38171&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38171&view=rev>) (felixcms)

- (<http://svn.apache.org/viewcvs.cgi?rev=38171&view=rev>) (felixcms)
- [0.8] Local Info added and Eric as host on second day [Diff](http://svn.apache.org/viewcvs.cgi?rev=38170&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38170&view=rev>) (michicms)
- [0.8] Navigation modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38169&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38169&view=rev>) (michicms)
- [0.8] documentation of the section's generation for the uni [Diff](http://svn.apache.org/viewcvs.cgi?rev=38168&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38168&view=rev>) (edithcms)
- [0.8] View of rollback versions with serverpages instead of an action [Diff](http://svn.apache.org/viewcvs.cgi?rev=38167&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38167&view=rev>) (edithcms)
- [0.8] Rollback and view of bak versions [Diff](http://svn.apache.org/viewcvs.cgi?rev=38166&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38166&view=rev>) (edithcms)

## 49. Version 2002-07 ()

### 49.1. 0.8

- [0.8] Articles in the section are sorted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38158&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38158&view=rev>) (edithcms)
- [0.8] email addresses changed to oscom.org [Diff](http://svn.apache.org/viewcvs.cgi?rev=38146&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38146&view=rev>) (michicms)
- [0.8] Rename the section's images for the headlines on the frontpage [Diff](http://svn.apache.org/viewcvs.cgi?rev=38145&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38145&view=rev>) (edithcms)
- [0.8] Published article are inserted once at the top of the frontpage. Publisheddate and Revisiondate [Diff](http://svn.apache.org/viewcvs.cgi?rev=38144&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38144&view=rev>) (edithcms)
- [0.8] HelloWorld for testing ServletProxy [Diff](http://svn.apache.org/viewcvs.cgi?rev=38142&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38142&view=rev>) (michicms)
- [0.8] Ready to rumble [Diff](http://svn.apache.org/viewcvs.cgi?rev=38139&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38139&view=rev>) (michicms)
- [0.8] Xopus2 integration further improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38138&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38138&view=rev>) (michicms)
- [0.8] Overwrite generic publish screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=38135&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38135&view=rev>) (edithcms)
- [0.8] fixed some stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=38131&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38131&view=rev>) (michicms)
- [0.8] New Article Creator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38114&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38114&view=rev>) (michicms)
- [0.8] Changed the layout to conform to cocoon sources. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38165&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38165&view=rev>) (egliwyona)
- [0.8] Rollback screen with xsp [Diff](http://svn.apache.org/viewcvs.cgi?rev=38164&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38164&view=rev>) (edithcms)
- [0.8] unipublic added to javadoc [Diff](http://svn.apache.org/viewcvs.cgi?rev=38163&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38163&view=rev>) (michicms)
- [0.8] Link to Wiki added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38162&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38162&view=rev>) (michicms)
- [0.8] Changed the indenting to Apache style. Added comments to all methods. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38161&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38161&view=rev>) (egliwyona)
- [0.8] xml declaration inserted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38160&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38160&view=rev>) (michicms)
- [0.8] Sorts Articles in the section [Diff](http://svn.apache.org/viewcvs.cgi?rev=38159&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38159&view=rev>) (edithcms)
- [0.8] Rollback [Diff](http://svn.apache.org/viewcvs.cgi?rev=38157&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38157&view=rev>) (michicms)
- [0.8] Published articles [Diff](http://svn.apache.org/viewcvs.cgi?rev=38156&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38156&view=rev>) (edithcms)
- [0.8] Publishdate [Diff](http://svn.apache.org/viewcvs.cgi?rev=38155&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38155&view=rev>) (edithcms)
- [0.8] Publish Artikel without an image [Diff](http://svn.apache.org/viewcvs.cgi?rev=38154&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38154&view=rev>) (edithcms)
- [0.8] ServletProxy is now usable. Exception Handling should be improved though [Diff](http://svn.apache.org/viewcvs.cgi?rev=38153&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38153&view=rev>) (michicms)
- [0.8] ServletProxyGenerator nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38152&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38152&view=rev>) (michicms)
- [0.8] ServletProxy further improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38151&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38151&view=rev>) (michicms)
- [0.8] servlet.jar documented [Diff](http://svn.apache.org/viewcvs.cgi?rev=38150&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38150&view=rev>) (michicms)
- [0.8] ServletProxy nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=38149&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38149&view=rev>) (michicms)
- [0.8] garbage removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38148&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38148&view=rev>) (michicms)
- [0.8] email address to complain on spam added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38147&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38147&view=rev>) (michicms)
- [0.8] br removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38143&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38143&view=rev>) (michicms)
- [0.8] Scratchpad and ServletProxyGenerator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38141&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38141&view=rev>) (michicms)
- [0.8] for history [Diff](http://svn.apache.org/viewcvs.cgi?rev=38140&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38140&view=rev>) (michicms)

- [0.8] Press Release [Diff](http://svn.apache.org/viewcvs.cgi?rev=38137&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38137&view=rev>) (michicms)
- [0.8] better grouping of the menus [Diff](http://svn.apache.org/viewcvs.cgi?rev=38136&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38136&view=rev>) (michicms)
- [0.8] Insert the published article in the headlines at the top [Diff](http://svn.apache.org/viewcvs.cgi?rev=38134&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38134&view=rev>) (edithcms)
- [0.8] some nitty gritty [Diff](http://svn.apache.org/viewcvs.cgi?rev=38133&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38133&view=rev>) (michicms)
- [0.8] Link to MathML changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38132&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38132&view=rev>) (michicms)
- [0.8] Xopus2 integrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38130&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38130&view=rev>) (michicms)
- [0.8] Article Publisher added and customized [Diff](http://svn.apache.org/viewcvs.cgi?rev=38129&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38129&view=rev>) (michicms)
- [0.8] JPF and MathML added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38128&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38128&view=rev>) (michicms)
- [0.8] HTTP POST to arbitrary servlet [Diff](http://svn.apache.org/viewcvs.cgi?rev=38127&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38127&view=rev>) (michicms)
- [0.8] one step further with Xopus1 integration [Diff](http://svn.apache.org/viewcvs.cgi?rev=38126&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38126&view=rev>) (michicms)
- [0.8] Ready for press release [Diff](http://svn.apache.org/viewcvs.cgi?rev=38125&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38125&view=rev>) (michicms)
- [0.8] Title added for Weblog [Diff](http://svn.apache.org/viewcvs.cgi?rev=38124&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38124&view=rev>) (michicms)
- [0.8] New Year [Diff](http://svn.apache.org/viewcvs.cgi?rev=38123&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38123&view=rev>) (edithcms)
- [0.8] Clean up the variables for the stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=38122&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38122&view=rev>) (edithcms)
- [0.8] Creation of a new Article [Diff](http://svn.apache.org/viewcvs.cgi?rev=38121&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38121&view=rev>) (edithcms)
- [0.8] parentid for the creation of the article [Diff](http://svn.apache.org/viewcvs.cgi?rev=38120&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38120&view=rev>) (edithcms)
- [0.8] Removed @created tags from the comments as they give warnings when building the javadocs with jdk 1.4. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38119&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38119&view=rev>) (egliwyona)
- [0.8] Removed the created tags from the comments as they give warnings when building the javadocs with jdk 1.4. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38118&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38118&view=rev>) (egliwyona)
- [0.8] tentative program added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38117&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38117&view=rev>) (michicms)
- [0.8] nbsp added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38116&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38116&view=rev>) (michicms)
- [0.8] Javadoc improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38115&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38115&view=rev>) (michicms)

## 50. Version 2002-06 ()

### 50.1. 0.8

- [0.8] Servlet Proxy [Diff](http://svn.apache.org/viewcvs.cgi?rev=38112&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38112&view=rev>) (michicms)
- [0.8] Checkin, checkout [Diff](http://svn.apache.org/viewcvs.cgi?rev=38106&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38106&view=rev>) (edithcms)
- [0.8] RDF added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38105&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38105&view=rev>) (michicms)
- [0.8] Integration of Xopus2 started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38102&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38102&view=rev>) (michicms)
- [0.8] added some more empty files [Diff](http://svn.apache.org/viewcvs.cgi?rev=38099&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38099&view=rev>) (michicms)
- [0.8] Q42 Layout added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38097&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38097&view=rev>) (michicms)
- [0.8] Authoring improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38094&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38094&view=rev>) (michicms)
- [0.8] Tentative Program added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38091&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38091&view=rev>) (michicms)
- [0.8] Revision Controller action added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38087&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38087&view=rev>) (michicms)
- [0.8] Bitflux Editor integration [Diff](http://svn.apache.org/viewcvs.cgi?rev=38082&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38082&view=rev>) (michicms)
- [0.8] Revision Controller added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38080&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38080&view=rev>) (michicms)
- [0.8] Section authorizable [Diff](http://svn.apache.org/viewcvs.cgi?rev=38076&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38076&view=rev>) (michicms)
- [0.8] Speakers added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38071&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38071&view=rev>) (michicms)
- [0.8] customized screen [Diff](http://svn.apache.org/viewcvs.cgi?rev=38062&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38062&view=rev>) (michicms)
- [0.8] New Article Creator for Forum [Diff](http://svn.apache.org/viewcvs.cgi?rev=38061&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38061&view=rev>) (michicms)
- [0.8] directories must exist [Diff](http://svn.apache.org/viewcvs.cgi?rev=38058&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38058&view=rev>) (michicms)
- [0.8] discussion forum publication created [Diff](http://svn.apache.org/viewcvs.cgi?rev=38056&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38056&view=rev>) (michicms)
- [0.8] Not published yet Exception created [Diff](http://svn.apache.org/viewcvs.cgi?rev=38055&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38055&view=rev>) (michicms)
- [0.8] page and body moved to page\_wyona and body\_wyona [Diff](http://svn.apache.org/viewcvs.cgi?rev=38098&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38098&view=rev>) (michicms)
- [0.8] Moved one directory higher [Diff](http://svn.apache.org/viewcvs.cgi?rev=38075&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38075&view=rev>) (michicms)
- [0.8] Removed Xopus Bar from Generic Pages [Diff](http://svn.apache.org/viewcvs.cgi?rev=38113&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38113&view=rev>) (michicms)

- [0.8] garbage collected [Diff](http://svn.apache.org/viewcvs.cgi?rev=38111&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38111&view=rev>) (michicms)
- [0.8] Publication wyona.org started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38110&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38110&view=rev>) (michicms)
- [0.8] Publish frontpage [Diff](http://svn.apache.org/viewcvs.cgi?rev=38109&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38109&view=rev>) (edithcms)
- [0.8] Checkin, checkout and publish [Diff](http://svn.apache.org/viewcvs.cgi?rev=38108&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38108&view=rev>) (edithcms)
- [0.8] Definition of subclasses action for checkin and checkout [Diff](http://svn.apache.org/viewcvs.cgi?rev=38107&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38107&view=rev>) (edithcms)
- [0.8] java docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=38104&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38104&view=rev>) (edithcms)
- [0.8] article to test Xopus2 [Diff](http://svn.apache.org/viewcvs.cgi?rev=38103&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38103&view=rev>) (michicms)
- [0.8] zip for snapshot added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38101&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38101&view=rev>) (michicms)
- [0.8] page.xsl replaced by page\_wyona.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=38100&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38100&view=rev>) (michicms)
- [0.8] Bug fixed: QueryString will also be copied [Diff](http://svn.apache.org/viewcvs.cgi?rev=38096&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38096&view=rev>) (michicms)
- [0.8] packages for javadoc added: ch.ethz, org.w3c [Diff](http://svn.apache.org/viewcvs.cgi?rev=38095&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38095&view=rev>) (michicms)
- [0.8] CMSInfo added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38093&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38093&view=rev>) (michicms)
- [0.8] Check out of an article [Diff](http://svn.apache.org/viewcvs.cgi?rev=38092&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38092&view=rev>) (edithcms)
- [0.8] Tentative program added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38090&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38090&view=rev>) (michicms)
- [0.8] Revision Controller incorporated into Unipublic [Diff](http://svn.apache.org/viewcvs.cgi?rev=38089&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38089&view=rev>) (michicms)
- [0.8] Changed the information on how to download. Used cvs.wyona.org instead of ip numbers. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38088&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38088&view=rev>) (egliwyona)
- [0.8] Pages to schedule [Diff](http://svn.apache.org/viewcvs.cgi?rev=38086&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38086&view=rev>) (michicms)
- [0.8] Change log messages [Diff](http://svn.apache.org/viewcvs.cgi?rev=38085&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38085&view=rev>) (edithcms)
- [0.8] Change the backup file name [Diff](http://svn.apache.org/viewcvs.cgi?rev=38084&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38084&view=rev>) (edithcms)
- [0.8] Menus for the article in authoring [Diff](http://svn.apache.org/viewcvs.cgi?rev=38083&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38083&view=rev>) (edithcms)
- [0.8] Started to connect Bitflux Editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=38081&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38081&view=rev>) (michicms)
- [0.8] comments around FATAL [Diff](http://svn.apache.org/viewcvs.cgi?rev=38079&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38079&view=rev>) (michicms)
- [0.8] Menus modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38078&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38078&view=rev>) (michicms)
- [0.8] Article authorizable [Diff](http://svn.apache.org/viewcvs.cgi?rev=38077&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38077&view=rev>) (michicms)
- [0.8] Email extended by subject and body [Diff](http://svn.apache.org/viewcvs.cgi?rev=38074&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38074&view=rev>) (michicms)
- [0.8] Authoring added to unipublic [Diff](http://svn.apache.org/viewcvs.cgi?rev=38073&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38073&view=rev>) (michicms)
- [0.8] michael replaced by email [Diff](http://svn.apache.org/viewcvs.cgi?rev=38072&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38072&view=rev>) (michicms)
- [0.8] Documentation with xdoc started [Diff](http://svn.apache.org/viewcvs.cgi?rev=38070&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38070&view=rev>) (michicms)
- [0.8] Publisher work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=38069&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38069&view=rev>) (michicms)
- [0.8] Replication Queue started to implement [Diff](http://svn.apache.org/viewcvs.cgi?rev=38068&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38068&view=rev>) (michicms)
- [0.8] removed Larry Lessig [Diff](http://svn.apache.org/viewcvs.cgi?rev=38067&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38067&view=rev>) (michicms)
- [0.8] Console Appender activated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38066&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38066&view=rev>) (michicms)
- [0.8] Paul added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38065&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38065&view=rev>) (michicms)
- [0.8] Bug fixed within NewArticleCreator [Diff](http://svn.apache.org/viewcvs.cgi?rev=38064&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38064&view=rev>) (michicms)
- [0.8] Some XSLTs improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=38063&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38063&view=rev>) (michicms)
- [0.8] error replaced by debug [Diff](http://svn.apache.org/viewcvs.cgi?rev=38060&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38060&view=rev>) (michicms)
- [0.8] New Article Content Creator [Diff](http://svn.apache.org/viewcvs.cgi?rev=38059&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38059&view=rev>) (michicms)
- [0.8] Discussion Forum added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38057&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38057&view=rev>) (michicms)
- [0.8] beauty stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=38054&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38054&view=rev>) (michicms)
- [0.8] usage added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38053&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38053&view=rev>) (michicms)
- [0.8] cotext\_publication fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38052&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38052&view=rev>) (michicms)
- [0.8] Discussion Forum added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38051&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38051&view=rev>) (michicms)

## 51. Version 2002-05 ()

## 51.1. 0.8

- [0.8] XInclude/XLink Processor migrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38049&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38049&view=rev>) (michicms)
- [0.8] XInclude/XLink Processor migrated [Diff](http://svn.apache.org/viewcvs.cgi?rev=38048&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38048&view=rev>) (michicms)
- [0.8] Documentantion [Diff](http://svn.apache.org/viewcvs.cgi?rev=38047&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38047&view=rev>) (margritcms)
- [0.8] Modularisation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38045&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38045&view=rev>) (margritcms)
- [0.8] Generic type is editable [Diff](http://svn.apache.org/viewcvs.cgi?rev=38042&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38042&view=rev>) (michicms)
- [0.8] Logic stylesheets for the navigation in the Section. Highlighted Buttons [Diff](http://svn.apache.org/viewcvs.cgi?rev=38031&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38031&view=rev>) (edithcms)
- [0.8] New name for the highlighted gifs of the navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38030&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38030&view=rev>) (edithcms)
- [0.8] Xopus added to OSCOM [Diff](http://svn.apache.org/viewcvs.cgi?rev=38027&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38027&view=rev>) (michicms)
- [0.8] new images [Diff](http://svn.apache.org/viewcvs.cgi?rev=38022&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38022&view=rev>) (margritcms)
- [0.8] Bilder wurden umbenonnen [Diff](http://svn.apache.org/viewcvs.cgi?rev=38018&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38018&view=rev>) (edithcms)
- [0.8] menu live area [Diff](http://svn.apache.org/viewcvs.cgi?rev=38017&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38017&view=rev>) (michicms)
- [0.8] new xsl files [Diff](http://svn.apache.org/viewcvs.cgi?rev=38010&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38010&view=rev>) (margritcms)
- [0.8] renamed for consistence [Diff](http://svn.apache.org/viewcvs.cgi?rev=38009&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38009&view=rev>) (margritcms)
- [0.8] new xml files [Diff](http://svn.apache.org/viewcvs.cgi?rev=38008&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38008&view=rev>) (margritcms)
- [0.8] renaming [Diff](http://svn.apache.org/viewcvs.cgi?rev=38000&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38000&view=rev>) (margritcms)
- [0.8] Access Controller Bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=37998&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37998&view=rev>) (michicms)
- [0.8] new files [Diff](http://svn.apache.org/viewcvs.cgi?rev=37994&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37994&view=rev>) (margritcms)
- [0.8] Glossary, Overview, San Francisco [Diff](http://svn.apache.org/viewcvs.cgi?rev=37993&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37993&view=rev>) (michicms)
- [0.8] xml and xhtml [Diff](http://svn.apache.org/viewcvs.cgi?rev=37992&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37992&view=rev>) (michicms)
- [0.8] navigation and sanfrancisco [Diff](http://svn.apache.org/viewcvs.cgi?rev=37991&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37991&view=rev>) (michicms)
- [0.8] Generic XHTML and CfP [Diff](http://svn.apache.org/viewcvs.cgi?rev=37985&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37985&view=rev>) (michicms)
- [0.8] not used [Diff](http://svn.apache.org/viewcvs.cgi?rev=38003&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38003&view=rev>) (margritcms)
- [0.8] svg2png added and removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38050&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38050&view=rev>) (michicms)
- [0.8] Documentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38046&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38046&view=rev>) (margritcms)
- [0.8] green Line after first two headlines [Diff](http://svn.apache.org/viewcvs.cgi?rev=38044&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38044&view=rev>) (margritcms)
- [0.8] cosmetic and Modularisation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38043&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38043&view=rev>) (margritcms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=38041&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38041&view=rev>) (margritcms)
- [0.8] adjusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38040&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38040&view=rev>) (margritcms)
- [0.8] Article done with xsp [Diff](http://svn.apache.org/viewcvs.cgi?rev=38039&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38039&view=rev>) (margritcms)
- [0.8] Fixed a small grammatical error. [Diff](http://svn.apache.org/viewcvs.cgi?rev=38038&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38038&view=rev>) (egliwyona)
- [0.8] Section modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38037&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38037&view=rev>) (michicms)
- [0.8] Sitemap modified [Diff](http://svn.apache.org/viewcvs.cgi?rev=38036&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38036&view=rev>) (michicms)
- [0.8] Logical transformation for the navigation of the sections [Diff](http://svn.apache.org/viewcvs.cgi?rev=38035&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38035&view=rev>) (edithcms)
- [0.8] All channels must appear in the navigation of the section [Diff](http://svn.apache.org/viewcvs.cgi?rev=38034&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38034&view=rev>) (edithcms)
- [0.8] The button can be highlighted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38033&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38033&view=rev>) (edithcms)
- [0.8] Introduction of a attirbute highlighted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38032&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38032&view=rev>) (edithcms)
- [0.8] Publish to Home of OSCOM added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38029&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38029&view=rev>) (michicms)
- [0.8] Changes because of the navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38028&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38028&view=rev>) (edithcms)
- [0.8] Modularisation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38026&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38026&view=rev>) (margritcms)
- [0.8] Front Modularisation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38025&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38025&view=rev>) (margritcms)
- [0.8] Link to design templates added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38024&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38024&view=rev>) (michicms)
- [0.8] Frontpage ajusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=38023&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38023&view=rev>) (margritcms)
- [0.8] Navigation for the overview [Diff](http://svn.apache.org/viewcvs.cgi?rev=38021&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38021&view=rev>) (edithcms)
- [0.8] generalization [Diff](http://svn.apache.org/viewcvs.cgi?rev=38020&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38020&view=rev>) (edithcms)
- [0.8] Id ge#ndert um Link auf richtige Seite setzen [Diff](http://svn.apache.org/viewcvs.cgi?rev=38019&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38019&view=rev>)

(edithcms)

- [0.8] Links to Documentation fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38016&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38016&view=rev>) (michicms)
- [0.8] XML Web GUI and Squishdot link added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38015&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38015&view=rev>) (michicms)
- [0.8] Live link fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=38014&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38014&view=rev>) (michicms)
- [0.8] Link for Newsletter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38013&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38013&view=rev>) (margritcms)
- [0.8] background color white [Diff](http://svn.apache.org/viewcvs.cgi?rev=38012&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38012&view=rev>) (margritcms)
- [0.8] files adjusted to new xml and xslt files [Diff](http://svn.apache.org/viewcvs.cgi?rev=38011&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38011&view=rev>) (margritcms)
- [0.8] select section name [Diff](http://svn.apache.org/viewcvs.cgi?rev=38007&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38007&view=rev>) (michicms)
- [0.8] dossier added to frontpage [Diff](http://svn.apache.org/viewcvs.cgi?rev=38006&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38006&view=rev>) (margritcms)
- [0.8] Rubrik Navigation [Diff](http://svn.apache.org/viewcvs.cgi?rev=38005&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38005&view=rev>) (michicms)
- [0.8] Navigation added [Diff](http://svn.apache.org/viewcvs.cgi?rev=38004&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38004&view=rev>) (michicms)
- [0.8] work in progres [Diff](http://svn.apache.org/viewcvs.cgi?rev=38002&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38002&view=rev>) (margritcms)
- [0.8] Main Navigation on Frontpage done [Diff](http://svn.apache.org/viewcvs.cgi?rev=38001&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=38001&view=rev>) (margritcms)
- [0.8] login and logout [Diff](http://svn.apache.org/viewcvs.cgi?rev=37999&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37999&view=rev>) (michicms)
- [0.8] Access Controller Bugs src/java/org/wyona/cms/cocoon/acting/PMLAuthorizerAction.java [Diff](http://svn.apache.org/viewcvs.cgi?rev=37997&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37997&view=rev>) (michicms)
- [0.8] neu removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=37996&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37996&view=rev>) (michicms)
- [0.8] modularisation [Diff](http://svn.apache.org/viewcvs.cgi?rev=37995&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37995&view=rev>) (margritcms)
- [0.8] cocoon.xconf moved into WEB-INF [Diff](http://svn.apache.org/viewcvs.cgi?rev=37990&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37990&view=rev>) (michicms)
- [0.8] temporary context\_prefix set [Diff](http://svn.apache.org/viewcvs.cgi?rev=37989&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37989&view=rev>) (michicms)
- [0.8] Xslt Modularisation [Diff](http://svn.apache.org/viewcvs.cgi?rev=37988&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37988&view=rev>) (margritcms)
- [0.8] Frontpage xml and xslt [Diff](http://svn.apache.org/viewcvs.cgi?rev=37987&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37987&view=rev>) (margritcms)
- [0.8] oscom updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=37986&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37986&view=rev>) (michicms)

## 52. Version 2002-04 ()

### 52.1. 0.8

- [0.8] menu images [Diff](http://svn.apache.org/viewcvs.cgi?rev=37983&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37983&view=rev>) (michicms)
- [0.8] menus added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37982&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37982&view=rev>) (michicms)
- [0.8] Glossary [Diff](http://svn.apache.org/viewcvs.cgi?rev=37981&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37981&view=rev>) (michicms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37977&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37977&view=rev>) (margritcms)
- [0.8] Authoring started [Diff](http://svn.apache.org/viewcvs.cgi?rev=37974&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37974&view=rev>) (michicms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37972&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37972&view=rev>) (margritcms)
- [0.8] new file [Diff](http://svn.apache.org/viewcvs.cgi?rev=37970&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37970&view=rev>) (margritcms)
- [0.8] new articles added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37969&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37969&view=rev>) (margritcms)
- [0.8] new file Architecture of xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=37967&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37967&view=rev>) (margritcms)
- [0.8] more articles and section started [Diff](http://svn.apache.org/viewcvs.cgi?rev=37964&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37964&view=rev>) (michicms)
- [0.8] moved a few things [Diff](http://svn.apache.org/viewcvs.cgi?rev=37962&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37962&view=rev>) (michicms)
- [0.8] mailing list and board page [Diff](http://svn.apache.org/viewcvs.cgi?rev=37956&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37956&view=rev>) (michicms)
- [0.8] Better XSLT structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=37955&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37955&view=rev>) (michicms)
- [0.8] More OSCOM stuff [Diff](http://svn.apache.org/viewcvs.cgi?rev=37953&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37953&view=rev>) (michicms)
- [0.8] added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37949&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37949&view=rev>) (margritcms)
- [0.8] Cocoon logicsheets [Diff](http://svn.apache.org/viewcvs.cgi?rev=37946&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37946&view=rev>) (michicms)
- [0.8] hello world logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=37945&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37945&view=rev>) (michicms)
- [0.8] clone publicatio: script is just temporary [Diff](http://svn.apache.org/viewcvs.cgi?rev=37944&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37944&view=rev>) (michicms)
- [0.8] OSCOM added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37942&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37942&view=rev>) (michicms)
- [0.8] Dokumentation [Diff](http://svn.apache.org/viewcvs.cgi?rev=37937&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37937&view=rev>) (margritcms)
- [0.8] My first logicsheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=37936&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37936&view=rev>) (michicms)
- [0.8] New files [Diff](http://svn.apache.org/viewcvs.cgi?rev=37933&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37933&view=rev>) (margritcms)
- [0.8] new files [Diff](http://svn.apache.org/viewcvs.cgi?rev=37932&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37932&view=rev>) (margritcms)

- [0.8] New Images [Diff](http://svn.apache.org/viewcvs.cgi?rev=37931&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37931&view=rev>) (margritcms)
- [0.8] OSCOM added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37929&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37929&view=rev>) (michicms)
- [0.8] Add subsitemaps [Diff](http://svn.apache.org/viewcvs.cgi?rev=37928&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37928&view=rev>) (michicms)
- [0.8] Default Cocoon sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=37927&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37927&view=rev>) (michicms)
- [0.8] JTidy command line class [Diff](http://svn.apache.org/viewcvs.cgi?rev=37923&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37923&view=rev>) (michicms)
- [0.8] New Images [Diff](http://svn.apache.org/viewcvs.cgi?rev=37922&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37922&view=rev>) (margritcms)
- [0.8] New Images [Diff](http://svn.apache.org/viewcvs.cgi?rev=37921&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37921&view=rev>) (margritcms)
- [0.8] New Images [Diff](http://svn.apache.org/viewcvs.cgi?rev=37919&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37919&view=rev>) (margritcms)
- [0.8] css added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37918&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37918&view=rev>) (michicms)
- [0.8] Unipublic added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37916&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37916&view=rev>) (michicms)
- [0.8] renamed File [Diff](http://svn.apache.org/viewcvs.cgi?rev=37976&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37976&view=rev>) (margritcms)
- [0.8] logkit removed from Wyona [Diff](http://svn.apache.org/viewcvs.cgi?rev=37947&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37947&view=rev>) (michicms)
- [0.8] File moved to documentation/. [Diff](http://svn.apache.org/viewcvs.cgi?rev=37938&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37938&view=rev>) (margritcms)
- [0.8] renamed to cocoon.xmap [Diff](http://svn.apache.org/viewcvs.cgi?rev=37926&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37926&view=rev>) (michicms)
- [0.8] context prefix dynamically [Diff](http://svn.apache.org/viewcvs.cgi?rev=37984&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37984&view=rev>) (michicms)
- [0.8] white space [Diff](http://svn.apache.org/viewcvs.cgi?rev=37980&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37980&view=rev>) (michicms)
- [0.8] menu improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=37979&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37979&view=rev>) (michicms)
- [0.8] general root.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=37978&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37978&view=rev>) (michicms)
- [0.8] Authoring OSCOM: temporary [Diff](http://svn.apache.org/viewcvs.cgi?rev=37975&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37975&view=rev>) (michicms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37973&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37973&view=rev>) (margritcms)
- [0.8] work in progres [Diff](http://svn.apache.org/viewcvs.cgi?rev=37971&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37971&view=rev>) (margritcms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37968&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37968&view=rev>) (margritcms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37966&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37966&view=rev>) (margritcms)
- [0.8] private mailing lists removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=37965&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37965&view=rev>) (michicms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37963&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37963&view=rev>) (margritcms)
- [0.8] wip [Diff](http://svn.apache.org/viewcvs.cgi?rev=37961&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37961&view=rev>) (margritcms)
- [0.8] work in progress [Diff](http://svn.apache.org/viewcvs.cgi?rev=37960&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37960&view=rev>) (margritcms)
- [0.8] Editor Overview added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37959&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37959&view=rev>) (michicms)
- [0.8] Gregor [Diff](http://svn.apache.org/viewcvs.cgi?rev=37958&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37958&view=rev>) (michicms)
- [0.8] adjusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=37957&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37957&view=rev>) (margritcms)
- [0.8] Better XSLT structure [Diff](http://svn.apache.org/viewcvs.cgi?rev=37954&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37954&view=rev>) (michicms)
- [0.8] problem with not well-formed slashdot XML [Diff](http://svn.apache.org/viewcvs.cgi?rev=37952&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37952&view=rev>) (michicms)
- [0.8] adjusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=37951&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37951&view=rev>) (margritcms)
- [0.8] adjusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=37950&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37950&view=rev>) (margritcms)
- [0.8] logisheet added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37948&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37948&view=rev>) (michicms)
- [0.8] my first logicsheetssrc/java/org/wyona/cms/cocoon/logicsheets/helloworld.xsl [Diff](http://svn.apache.org/viewcvs.cgi?rev=37943&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37943&view=rev>) (michicms)
- [0.8] live area moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=37941&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37941&view=rev>) (michicms)
- [0.8] article added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37940&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37940&view=rev>) (michicms)
- [0.8] adjusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=37939&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37939&view=rev>) (margritcms)
- [0.8] xslt written, everything in it [Diff](http://svn.apache.org/viewcvs.cgi?rev=37935&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37935&view=rev>) (margritcms)
- [0.8] sitemap adjusted [Diff](http://svn.apache.org/viewcvs.cgi?rev=37934&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37934&view=rev>) (margritcms)
- [0.8] OSCOM and cococoncenter added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37930&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37930&view=rev>) (michicms)
- [0.8] updated new cocoon version [Diff](http://svn.apache.org/viewcvs.cgi?rev=37925&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37925&view=rev>) (giacomo)
- [0.8] This commit was manufactured by cvs2svn to create tag 'cocoon2\_0\_1\_dev'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=37924&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37924&view=rev>) ()
- [0.8] Frontpage as HTML [Diff](http://svn.apache.org/viewcvs.cgi?rev=37920&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37920&view=rev>) (michicms)
- [0.8] installation instruction updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=37917&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37917&view=rev>) (michicms)
- [0.8] Unipublic added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37915&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37915&view=rev>) (michicms)
- [0.8] Ports better specified [Diff](http://svn.apache.org/viewcvs.cgi?rev=37914&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37914&view=rev>) (michicms)

## 53. Version 2002-03 ()

### 53.1. 0.8

- [0.8] Delete document from tree [Diff](http://svn.apache.org/viewcvs.cgi?rev=37910&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37910&view=rev>) (michicms)
- [0.8] Slides inserted [Diff](http://svn.apache.org/viewcvs.cgi?rev=37913&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37913&view=rev>) (michicms)
- [0.8] Conference Slides [Diff](http://svn.apache.org/viewcvs.cgi?rev=37912&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37912&view=rev>) (michicms)
- [0.8] Performance tips and ports reconfiguration [Diff](http://svn.apache.org/viewcvs.cgi?rev=37911&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37911&view=rev>) (michicms)
- [0.8] Check for well-formedness of input fields (html editor) implemented. See also: the developer documentation on the HTML Editor. [Diff](http://svn.apache.org/viewcvs.cgi?rev=37909&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37909&view=rev>) (memo)
- [0.8] Parent Child Creator Exception Handling improved [Diff](http://svn.apache.org/viewcvs.cgi?rev=37908&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37908&view=rev>) (michicms)
- [0.8] Xopus integrated into Department [Diff](http://svn.apache.org/viewcvs.cgi?rev=37907&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37907&view=rev>) (michicms)
- [0.8] Xopus integration 90% finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=37906&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37906&view=rev>) (memo)
- [0.8] xopus nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=37905&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37905&view=rev>) (michicms)
- [0.8] Xopus integration 80% finished (note: the 80-20 rule has been invalidated for the scope of this project) [Diff](http://svn.apache.org/viewcvs.cgi?rev=37904&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37904&view=rev>) (memo)
- [0.8] xopus stuff: writing tempfile to: {tomcatdir}/bin/xopustmp [Diff](http://svn.apache.org/viewcvs.cgi?rev=37903&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37903&view=rev>) (memo)
- [0.8] xopus stuff, not working! [Diff](http://svn.apache.org/viewcvs.cgi?rev=37902&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37902&view=rev>) (memo)

## 54. Version 2002-02 ()

### 54.1. 0.8

- [0.8] added javax.servlet package to lib for compiling purposes [Diff](http://svn.apache.org/viewcvs.cgi?rev=37899&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37899&view=rev>) (memo)
- [0.8] Parent Child Creation nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=37894&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37894&view=rev>) (michicms)
- [0.8] xopus integration: some tiny beginnings, some tidying up the directories, some experimenting with the sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=37885&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37885&view=rev>) (memo)
- [0.8] action skeleton for xml-checking (will continue work when xopus is done) [Diff](http://svn.apache.org/viewcvs.cgi?rev=37884&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37884&view=rev>) (memo)
- [0.8] Utility for parsing/checking xml files (uses Jaxp/Xerces) [Diff](http://svn.apache.org/viewcvs.cgi?rev=37880&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37880&view=rev>) (memo)
- [0.8] Filesystem Publisher [Diff](http://svn.apache.org/viewcvs.cgi?rev=37872&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37872&view=rev>) (michicms)
- [0.8] Parent Child Creator finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=37901&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37901&view=rev>) (michicms)
- [0.8] removed reference to private file (oops!) should compile and run now [Diff](http://svn.apache.org/viewcvs.cgi?rev=37900&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37900&view=rev>) (memo)
- [0.8] xopus interface working 75% [Diff](http://svn.apache.org/viewcvs.cgi?rev=37898&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37898&view=rev>) (memo)
- [0.8] Child Type added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37897&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37897&view=rev>) (michicms)
- [0.8] revert last change as it is not needed [Diff](http://svn.apache.org/viewcvs.cgi?rev=37896&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37896&view=rev>) (giacomo)
- [0.8] make it compile with the PostInputStream [Diff](http://svn.apache.org/viewcvs.cgi?rev=37895&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37895&view=rev>) (giacomo)
- [0.8] Concrete creator implemented [Diff](http://svn.apache.org/viewcvs.cgi?rev=37893&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37893&view=rev>) (michicms)
- [0.8] bug not really fixed but the class can be compiled [Diff](http://svn.apache.org/viewcvs.cgi?rev=37892&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37892&view=rev>) (michicms)
- [0.8] xopus: getting closer, but still not there [Diff](http://svn.apache.org/viewcvs.cgi?rev=37891&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37891&view=rev>) (memo)
- [0.8] Parent child nearly finished [Diff](http://svn.apache.org/viewcvs.cgi?rev=37890&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37890&view=rev>) (michicms)
- [0.8] a big step for memo, but only a small step for the wyona cms :-) [Diff](http://svn.apache.org/viewcvs.cgi?rev=37889&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37889&view=rev>) (memo)
- [0.8] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=37888&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37888&view=rev>) (michicms)

- [0.8] Extension .xml removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=37887&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37887&view=rev>) (michicms)
- [0.8] Hardware Requirements added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37886&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37886&view=rev>) (michicms)
- [0.8] cosmetic [Diff](http://svn.apache.org/viewcvs.cgi?rev=37883&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37883&view=rev>) (uid523)
- [0.8] still not doing anything usefull, but at least compiling! [Diff](http://svn.apache.org/viewcvs.cgi?rev=37882&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37882&view=rev>) (memo)
- [0.8] added download section, including anonymous CVS [Diff](http://svn.apache.org/viewcvs.cgi?rev=37881&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37881&view=rev>) (uid523)
- [0.8] tail and grep [Diff](http://svn.apache.org/viewcvs.cgi?rev=37879&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37879&view=rev>) (michicms)
- [0.8] Reset target added for easy deployment during development [Diff](http://svn.apache.org/viewcvs.cgi?rev=37878&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37878&view=rev>) (memo)
- [0.8] added javadoc reformatted source code [Diff](http://svn.apache.org/viewcvs.cgi?rev=37877&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37877&view=rev>) (uid523)
- [0.8] the editor now is completely implemented with actions and XSLT i.e. no file are stored with XSLT [Diff](http://svn.apache.org/viewcvs.cgi?rev=37876&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37876&view=rev>) (uid523)
- [0.8] docs linked [Diff](http://svn.apache.org/viewcvs.cgi?rev=37875&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37875&view=rev>) (michicms)
- [0.8] Copying all docs [Diff](http://svn.apache.org/viewcvs.cgi?rev=37874&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37874&view=rev>) (michicms)
- [0.8] xmlhack added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37873&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37873&view=rev>) (michicms)
- [0.8] Documentation moved [Diff](http://svn.apache.org/viewcvs.cgi?rev=37871&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37871&view=rev>) (michicms)
- [0.8] target javadocs added to target webapp [Diff](http://svn.apache.org/viewcvs.cgi?rev=37870&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37870&view=rev>) (michicms)
- [0.8] now builds upon the sourceresolver mechanism [Diff](http://svn.apache.org/viewcvs.cgi?rev=37869&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37869&view=rev>) (uid523)

## 55. Version 2002-01 ()

### 55.1. 0.8

- [0.8] Parent Child Creator [Diff](http://svn.apache.org/viewcvs.cgi?rev=37866&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37866&view=rev>) (michicms)
- [0.8] No Password Wizard [Diff](http://svn.apache.org/viewcvs.cgi?rev=37865&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37865&view=rev>) (michicms)
- [0.8] string replacement utility funtion [Diff](http://svn.apache.org/viewcvs.cgi?rev=37857&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37857&view=rev>) (tinuwyonacms)
- [0.8] intial version for the new HTML Formular editor These actions are used in the html-form-editor.xmap sitemap [Diff](http://svn.apache.org/viewcvs.cgi?rev=37853&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37853&view=rev>) (tinuwyonacms)
- [0.8] Installation Instructions for source version [Diff](http://svn.apache.org/viewcvs.cgi?rev=37845&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37845&view=rev>) (michicms)
- [0.8] Installation Instructions for binary version (war) [Diff](http://svn.apache.org/viewcvs.cgi?rev=37844&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37844&view=rev>) (michicms)
- [0.8] Editor Action Michi Sample [Diff](http://svn.apache.org/viewcvs.cgi?rev=37840&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37840&view=rev>) (michicms)
- [0.8] system error stylesheet [Diff](http://svn.apache.org/viewcvs.cgi?rev=37834&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37834&view=rev>) (giacomo)
- [0.8] initial import, part of the form-editor [Diff](http://svn.apache.org/viewcvs.cgi?rev=37822&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37822&view=rev>) (tinuwyonacms)
- [0.8] readded cocoon.xconf with synchron sitemap rebuilding [Diff](http://svn.apache.org/viewcvs.cgi?rev=37819&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37819&view=rev>) (giacomo)
- [0.8] rewritten build.xml [Diff](http://svn.apache.org/viewcvs.cgi?rev=37797&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37797&view=rev>) (giacomo)
- [0.8] This commit was manufactured by cvs2svn to create tag 'V2\_0'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=37795&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37795&view=rev>) ()
- [0.8] This commit was manufactured by cvs2svn to create branch 'WYONA'. [Diff](http://svn.apache.org/viewcvs.cgi?rev=37793&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37793&view=rev>) ()
- [0.8] Initial revision [Diff](http://svn.apache.org/viewcvs.cgi?rev=37792&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37792&view=rev>) (tinucms)
- [0.8] New repository initialized by cvs2svn. [Diff](http://svn.apache.org/viewcvs.cgi?rev=37791&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37791&view=rev>) ()
- [0.8] obsolete [Diff](http://svn.apache.org/viewcvs.cgi?rev=37852&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37852&view=rev>) (tinuwyonacms)
- [0.8] Hardcoded path removed [Diff](http://svn.apache.org/viewcvs.cgi?rev=37868&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37868&view=rev>) (michicms)
- [0.8] Error replaced by Debug [Diff](http://svn.apache.org/viewcvs.cgi?rev=37867&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37867&view=rev>) (michicms)
- [0.8] edit-on Pro [Diff](http://svn.apache.org/viewcvs.cgi?rev=37864&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37864&view=rev>) (michicms)
- [0.8] purged from garbage [Diff](http://svn.apache.org/viewcvs.cgi?rev=37863&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37863&view=rev>) (tinuwyonacms)

- [0.8] blabla [Diff](http://svn.apache.org/viewcvs.cgi?rev=37862&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37862&view=rev>) (michicms)
- [0.8] Parent Child Link added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37861&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37861&view=rev>) (michicms)
- [0.8] Removed Editor Testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37860&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37860&view=rev>) (michicms)
- [0.8] Aggregation [Diff](http://svn.apache.org/viewcvs.cgi?rev=37859&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37859&view=rev>) (michicms)
- [0.8] Remove garbage from work [Diff](http://svn.apache.org/viewcvs.cgi?rev=37858&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37858&view=rev>) (michicms)
- [0.8] added the replacement (&gt; to >) in the XML output [Diff](http://svn.apache.org/viewcvs.cgi?rev=37856&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37856&view=rev>) (tinuwyonacms)
- [0.8] IBMJava2-13 replaced by jdk1.3.1 [Diff](http://svn.apache.org/viewcvs.cgi?rev=37855&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37855&view=rev>) (michicms)
- [0.8] Tutorial updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=37854&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37854&view=rev>) (michicms)
- [0.8] fixed dist targets [Diff](http://svn.apache.org/viewcvs.cgi?rev=37851&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37851&view=rev>) (giacomo)
- [0.8] cocoon replaced by wyona-cms [Diff](http://svn.apache.org/viewcvs.cgi?rev=37850&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37850&view=rev>) (michicms)
- [0.8] some improvements concerning Auth....Actions [Diff](http://svn.apache.org/viewcvs.cgi?rev=37849&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37849&view=rev>) (giacomo)
- [0.8] added snapshot-src target [Diff](http://svn.apache.org/viewcvs.cgi?rev=37848&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37848&view=rev>) (giacomo)
- [0.8] added snapshot target [Diff](http://svn.apache.org/viewcvs.cgi?rev=37847&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37847&view=rev>) (giacomo)
- [0.8] Installation packed into INSTALL-\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=37846&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37846&view=rev>) (michicms)
- [0.8] added snapshot target [Diff](http://svn.apache.org/viewcvs.cgi?rev=37843&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37843&view=rev>) (michicms)
- [0.8] Link to Workflow Management [Diff](http://svn.apache.org/viewcvs.cgi?rev=37842&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37842&view=rev>) (michicms)
- [0.8] Tutorial updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=37841&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37841&view=rev>) (michicms)
- [0.8] Docu updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=37839&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37839&view=rev>) (michicms)
- [0.8] formeditor f#r ETH [Diff](http://svn.apache.org/viewcvs.cgi?rev=37838&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37838&view=rev>) (tinuwyonacms)
- [0.8] formular-editor fuer ETHZ-MAT [Diff](http://svn.apache.org/viewcvs.cgi?rev=37837&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37837&view=rev>) (tinuwyonacms)
- [0.8] made the tools.jar copied from the local installation [Diff](http://svn.apache.org/viewcvs.cgi?rev=37836&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37836&view=rev>) (giacomo)
- [0.8] strange effects updated [Diff](http://svn.apache.org/viewcvs.cgi?rev=37835&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37835&view=rev>) (michicms)
- [0.8] raised loglevel of store-janitor to INFO [Diff](http://svn.apache.org/viewcvs.cgi?rev=37833&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37833&view=rev>) (giacomo)
- [0.8] projecthelp [Diff](http://svn.apache.org/viewcvs.cgi?rev=37832&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37832&view=rev>) (michicms)
- [0.8] wyona-cms replaced by cocoon [Diff](http://svn.apache.org/viewcvs.cgi?rev=37831&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37831&view=rev>) (michicms)
- [0.8] DEBUG replaced by ERROR [Diff](http://svn.apache.org/viewcvs.cgi?rev=37830&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37830&view=rev>) (michicms)
- [0.8] A lot of blabla [Diff](http://svn.apache.org/viewcvs.cgi?rev=37829&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37829&view=rev>) (michicms)
- [0.8] request generator added [Diff](http://svn.apache.org/viewcvs.cgi?rev=37828&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37828&view=rev>) (michicms)
- [0.8] ant install and Notes included [Diff](http://svn.apache.org/viewcvs.cgi?rev=37827&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37827&view=rev>) (michicms)
- [0.8] - fixed hardcoded redirect in sitemaps (ethz-mat only) - sitemaps optimized [Diff](http://svn.apache.org/viewcvs.cgi?rev=37826&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37826&view=rev>) (giacomo)
- [0.8] \*\*\* empty log message \*\*\* [Diff](http://svn.apache.org/viewcvs.cgi?rev=37825&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37825&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37824&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37824&view=rev>) (tinuwyonacms)
- [0.8] testing mail notification [Diff](http://svn.apache.org/viewcvs.cgi?rev=37823&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37823&view=rev>) (tinuwyonacms)
- [0.8] changed comments [Diff](http://svn.apache.org/viewcvs.cgi?rev=37821&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37821&view=rev>) (giacomo)
- [0.8] minor build fixes [Diff](http://svn.apache.org/viewcvs.cgi?rev=37820&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37820&view=rev>) (giacomo)
- [0.8] - removed javadoc files within the webapp source directory- added a .cvsignore file for conveniences - added a build.properties.sample file to tweak installation/build process - enhanced root sitemap according to the newest Cocoon version [Diff](http://svn.apache.org/viewcvs.cgi?rev=37818&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37818&view=rev>) (giacomo)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37817&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37817&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37816&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37816&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37815&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37815&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37814&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37814&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37813&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37813&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37812&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37812&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37811&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37811&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37810&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37810&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](http://svn.apache.org/viewcvs.cgi?rev=37809&view=rev) (<http://svn.apache.org/viewcvs.cgi?rev=37809&view=rev>) (tinuwyonacms)

- [0.8] testing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37808&view=rev>) (tinuwyonacms)
- [0.8] testing [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37807&view=rev>) (tinuwyonacms)
- [0.8] integrated cocoon [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37806&view=rev>) (giacomo)
- [0.8] test commit [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37805&view=rev>) (tinuwyonacms)
- [0.8] some conveniences [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37804&view=rev>) (giacomo)
- [0.8] fixed javadocs destination path [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37803&view=rev>) (giacomo)
- [0.8] 4 replaced by 5 [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37802&view=rev>) (michicms)
- [0.8] AC-Policies can be read by localhost [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37801&view=rev>) (michicms)
- [0.8] Get and install Ant [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37800&view=rev>) (michicms)
- [0.8] asynchron replaced by synchron [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37799&view=rev>) (michicms)
- [0.8] added Ant prerequisite [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37798&view=rev>) (giacomo)
- [0.8] changed the title in order to fit normal terminals [Diff](#) (<http://svn.apache.org/viewcvs.cgi?rev=37796&view=rev>) (tinuwyonacms)