



Writer Guide

Chapter 16

Math Objects

The OpenOffice.org Equation Editor

Copyright

This document is Copyright © 2008 by its contributors as listed in the section titled **Authors**. You may distribute it and/or modify it under the terms of either the [GNU General Public License](#), version 3 or later, or the [Creative Commons Attribution License](#), version 3.0 or later.

All trademarks within this guide belong to their legitimate owners.

Authors

Agnes Belzunce
Daniel Carrera
Peter Kupfer
Ian Laurenson
Janet M. Swisher
Jean Hollis Weber
Michele Zarri

Feedback

Please direct any comments or suggestions about this document to:
authors@user-faq.openoffice.org

Publication date and software version

Published 29 August 2008. Based on OpenOffice.org 3.0.



*You can download
an editable version of this document from
<http://oooauthors.org/en/authors/userguide3/published/>*

Contents

Copyright.....	2
What is Math?.....	4
Getting started.....	4
Entering a formula.....	5
The Selection window.....	5
Right-click menu.....	7
Markup.....	8
Greek characters.....	8
Customizations.....	10
Formula editor as a floating window.....	10
How can I make a formula bigger?.....	11
Formula layout.....	13
Brackets are your friends.....	13
Equations over more than one line.....	13
Common problem areas.....	14
How do I add limits to my sum/integral?.....	14
Brackets with matrices look ugly!.....	14
How do I make a derivative?.....	15
Numbering equations.....	15
Math commands - Reference.....	17
Unary / binary operators.....	17
Relational operators.....	18
Set operations.....	19
Functions.....	20
Operators.....	21
Attributes.....	22
Miscellaneous.....	24
Brackets.....	25
Formats.....	26
Characters – Greek.....	27
Characters – Special.....	27

What is Math?

Math is OpenOffice.org (OOo)'s component for writing mathematical equations. It is most commonly used as an equation editor for text documents, but it can also be used with other types of documents or stand-alone. When used inside Writer, the equation is treated as an object inside the text document.

Note The equation editor is for writing equations in symbolic form (as in equation 1). If you want to evaluate a numeric value, see the *Calc Guide*.

$$\frac{df(x)}{dx} = \ln(x) + \tan^{-1}(x^2) \quad (1)$$

Getting started

To insert an equation, go to **Insert > Object > Formula**.

The equation editor opens at the bottom of the screen, and the floating Selection window appears. You will also see a small box (with a gray border) in your document, where the formula will be displayed, as shown in Figure 1.




Figure 1. Equation Editor, Selection window, and location of resulting equation.

The equation editor uses a markup language to represent formulas. For example, `%beta` creates the Greek character beta (β). This markup is designed to read similar to English whenever possible. For example, `a over b` produces a fraction: $\frac{a}{b}$.

Entering a formula

There are three ways to enter a formula:

- Select a symbol from the Selection window.
- Right-click on the equation editor and select the symbol from the context menu.
- Type markup in the equation editor.

The context menu and the Selection window insert the markup corresponding to a symbol. Incidentally, this provides a convenient way to learn the OOoMath markup.

Note Click on the document body to exit the formula editor.
Double-click on a formula to enter the formula editor again.

The Selection window

The simplest method for entering a formula is the Selection window, shown in Figure 1.




Figure 2. Symbols are divided into categories

The Selection window is divided into two main portions.

- The **top** shows the symbol categories. Click on these to change the list of symbols.
- The **bottom** shows the symbols available in the current category.

Tip You can hide (or unhide) the Selection window with **View > Selection**.

Example 1: 5×4

For this example we will enter a simple formula: 5×4 On the Selection window:

- 1) Select the top-left button of the categories (top) section (Figure 3).
- 2) Click on the multiplication symbol (shown in Figure 3).




Figure 3. Unary/binary operators

When you select the multiplication symbol on the Selection window, two things happen:

- The equation editor shows the markup: $\langle ? \rangle \text{ times } \langle ? \rangle$
- The body of the document shows a gray box with the figure:
 $\square \times \square$




Figure 4. The multiplication symbol

The $\langle ? \rangle$ symbols (Figure 4) are placeholders that you can replace by other text. The equation will update automatically, and the result should resemble Figure 5.



Figure 5. Result of entering 5 and 4 next to the times operator

Tip To keep the equation from updating automatically, select **View > AutoUpdate display**.
To update a formula manually, press *F9* or select **View > Update**.

Right-click menu

Another way to access mathematical symbols is to right-click on the equation editor. This produces a menu as shown in Figure 6.




Figure 6. Right-click menu

Note The entries in this menu correspond exactly to those in the Selection window.

Markup

You can type the markup directly on the equation editor. For example, you can type `5 times 4` to obtain 5×4 . If you know the markup, this can be the fastest way to enter a formula.

Tip

As a mnemonic, the formula markup resembles the way the formula reads in English.

Below is a short list of common equations and their corresponding markup.

Display	Command	Display	Command
$a=b$	<code>a = b</code>	\sqrt{a}	<code>sqrt {a}</code>
a^2	<code>a^2</code>	a_n	<code>a_n</code>
$\int f(x) dx$	<code>int f(x) dx</code>	$\sum a_n$	<code>sum a_n</code>
$a \leq b$	<code>a <= b</code>	∞	<code>infinity</code>
$a \times b$	<code>a times b</code>	$x \cdot y$	<code>x cdot y</code>

Greek characters

Greek characters ($\alpha, \beta, \gamma, \theta$, etc) are common in mathematical formulas. *These characters are not available in the selection box or the right-click menu.* Fortunately, the markup for Greek characters is simple: Type a % sign followed the name of the character, in English.

- To write a *lowercase* character, type the name of the character in lowercase.
- To write an *uppercase* character, type the name of the character in uppercase.

See the table below for some examples.

Lowercase	Uppercase
<code>%alpha</code> → α	<code>%ALPHA</code> → A
<code>%beta</code> → β	<code>%BETA</code> → B
<code>%gamma</code> → γ	<code>%GAMMA</code> → Γ
<code>%psi</code> → ψ	<code>%PSI</code> → Ψ
<code>%phi</code> → ϕ	<code>%PHI</code> → Φ
<code>%theta</code> → θ	<code>%THETA</code> → Θ

Note A complete table of Greek characters is provided on page 27.

Another way to enter Greek characters is by using the catalog window. Go to **Tools > Catalog**. The catalog window is shown in Figure 7. Under Symbol Set, select **Greek** and double-click on a Greek letter from the list.




Figure 7. Catalog - used for entering Greek characters

Example 2: $\pi \simeq 3.14159$

For this example we will suppose that:

- We want to enter the above formula (the value of pi rounded to 5 decimal places).
- We know the name of the Greek character (pi).
- But we do not know the markup associated with the \simeq symbol.

Step 1: Type % followed by the text pi. This displays the Greek character π .

Step 2: Open the Selection window (**View > Selection**).

Step 3: The \simeq symbol is a relation, so we click on the relations button $a \leq b$. If you hover the mouse over this button you see the tooltip *Relations* (Figure 8).




Figure 8. Tooltip indicates the "Relations" button.

Step 4: Delete the `<?>` text and add `3.14159` at the end of the equation. Hence we end up with the markup `%pi simeq 3.14159`. The result is shown in Figure 9.




Figure 9. Final result

Customizations

Formula editor as a floating window

As seen in Figure 2, the formula editor can cover a large part of the Writer window. To turn the formula editor into a floating window, do this:

- 1) Hover the mouse over the editor frame, as shown in Figure 10.
- 2) Hold down the *Control* key and double-click.




Figure 10. Hold down the Control key and double-click on the border of the math editor to turn it into a floating window.

Figure 11 shows the result. You can make the floating window back into an embedded frame, using the same steps. Hold down the *Control* key and double-click the window frame.




Figure 11. Equation editor as a floating window

How can I make a formula bigger?

This is one of the most common questions people ask about OOoMath. The answer is simple, but not intuitive:

- 1) Start the formula editor and go to **Format > Font size**.




Figure 12. Changing the font size for a formula

- 2) Select a larger font size under *Base size* (top-most entry), as shown in Figure 12.




Figure 13. Edit Base size (top) to make a formula bigger.

The result of this change is illustrated in Figure 13.




Figure 14. Result of changing the base font size.

Formula layout

The most difficult part of using OOOmath comes when writing complicated equations. This section provides some advice about writing complex formulas.

Brackets are your friends

OOOmath knows nothing about order of operation. You must use brackets to state the order of operations explicitly. Consider the following example:

Markup	Result
2 over x + 1	$\frac{2}{x}+1$
2 over {x + 1}	$\frac{2}{x+1}$

Equations over more than one line

Suppose you want to type an equation covering more than one line. For

example: $x=3$
 $y=1$

Your first reaction would be to simply press the *Enter* key. However, if you press the *Enter* key, though the markup goes to a new line, the resulting equation does not. You must type the newline command explicitly. This is illustrated in the table below.

Markup	Result
x = 3 y = 1	$x=3 y=1$
x = 3 newline y = 1	$x=3$ $y=1$

Common problem areas

How do I add limits to my sum/integral?

The sum and int commands can (optionally) take the parameters *from* and *to*. These are used for lower and upper limits respectively. These parameters can be used singly or together. Limits for integrals are usually treated as subscripts and superscripts.

Markup	Result
sum from k = 1 to n a_k	$\sum_{k=1}^n a_k$
int from 0 to x f(t) dt or int_0^x f(t) dt	$\int_0^x f(t) dt$ or $\int_0^x f(t) dt$
int from Re f	$\int_{\Re} f$
sum to infinity 2^{-n}	$\sum_{n=1}^{\infty} 2^{-n}$

Note For more details on integrals and sums, see page 21.

Brackets with matrices look ugly!

For background, we start with an overview of the matrix command:

Markup	Result
matrix { a # b ## c # d }	$\begin{pmatrix} a & b \\ c & d \end{pmatrix}$

Note Rows are separated by two #'s and entries within each row are separated by one #.

The first problem people have with matrices is that brackets do not scale with the matrix:

Markup	Result
(matrix { a # b ## c # d })	$\left(\begin{pmatrix} a & b \\ c & d \end{pmatrix} \right)$

OOoMath provides scalable brackets. That is, the brackets grow in size to match the size of their contents. Use the commands *left*(and *right*) to make scalable brackets.

Markup	Result
<code>left(matrix { a # b ## c # d } right)</code>	$\left(\begin{matrix} a & b \\ c & d \end{matrix} \right)$

Tip Use *left[* and *right]* to obtain square brackets.

How do I make a derivative?

Making derivatives essentially comes down to one trick: *Tell OOo it's a fraction.*

In other words, you have to use the *over* command. Combine this with either the letter *d* (for a total derivative) or the *partial* command (for a partial derivative) to achieve the effect of a derivative.

Markup	Result
<code>{df} over {dx}</code>	$\frac{df}{dx}$
<code>{partial f} over {partial y}</code>	$\frac{\partial f}{\partial y}$
<code>{partial^2 f} over {partial t^2}</code>	$\frac{\partial^2 f}{\partial t^2}$

Note Notice that we had to use squiggly brackets to make the derivative.

Numbering equations

Equation numbering is one of OOoMath's best hidden features. The steps are simple, but obscure:

- 1) Start a new line.
- 2) Type `fn` and then press *F3*.

The `fn` is replaced by a numbered formula:

$$E = mc^2 \tag{2}$$

Now you can double-click on the formula to edit it. For example, here is the Riemann Zeta function:

$$\zeta(z) = \sum_{n=1}^{\infty} \frac{1}{n^z} \quad (3)$$

You can reference an equation (“as shown in Equation (2)”) with these steps:

- 1) **Insert > Cross-reference..**
- 2) Click on the *References* tab (Figure 14).
- 3) Under *Type*, select *Text*.
- 4) Under *Selection*, pick the equation number.
- 5) Under *Format*, choose *Reference*.
- 6) Click **Insert**.

Done! If you later add more equations to the paper before the referenced equation, all the equations will automatically renumber and the cross-references will update.




Figure 15. Inserting a cross-reference to an equation number

Tip To insert the equation number without parenthesis around it, choose *Numbering* instead of *Reference* under *Format*.

Math commands - Reference

Unary / binary operators

Operation	Command	Display
+sign	+1	+1
-sign	-1	-1
+/- sign	+−1	± 1
-/+ sign	−+1	∓ 1
Boolean not	neg a	$\neg a$
Addition +	a + b	$a+b$
Multiplication dot	a cdot b	$a\cdot b$
Multiplication (X)	a times b	$a\times b$
Multiplication (*)	a * b	$a*b$
Boolean and	a and b	$a\wedge b$
Subtraction (-)	a - b	$a-b$
Division (fraction)	a over b	$\frac{a}{b}$
Division (operand)	a div b	$a\div b$
Division (slash)	a / b	a/b
Boolean or	a or b	$a\vee b$
Concatenate	a circ b	$a\circ b$

Relational operators

Operation	Command	Display
Is equal	<code>a = b</code>	$a=b$
Is not equal	<code>a <> b</code>	$a \neq b$
Approximately	<code>a approx 2</code>	$a \approx 2$
Divides	<code>a divides b</code>	$a b$
Does not divide	<code>a ndivides b</code>	$a \nmid b$
Less than	<code>a < 2</code>	$a < 2$
Greater than	<code>a > 2</code>	$a > 2$
Similar to or equal	<code>a simeq b</code>	$a \simeq b$
Parallel	<code>a parallel b</code>	$a \parallel b$
Orthogonal to	<code>a ortho b</code>	$a \perp b$
Less than or equal to	<code>a leslant b</code>	$a \leq b$
Greater than or equal to	<code>a geslant b</code>	$a \geq b$
Similar to	<code>a sim b</code>	$a \sim b$
Congruent	<code>a equiv b</code>	$a \equiv b$
Less than or equal to	<code>a <= b</code>	$a \leq b$
Greater than or equal to	<code>a >= b</code>	$a \geq b$
Proportional	<code>a prop b</code>	$a \propto b$
Toward	<code>a toward b</code>	$a \rightarrow b$
Arrow left	<code>a dlarrow b</code>	$a \Leftarrow b$
Double arrow left and right	<code>a dlrarrow b</code>	$a \Leftrightarrow b$
Arrow right	<code>a drarrow b</code>	$a \Rightarrow b$

Set operations

Operation	Command	Display
Is in	a in B	$a \in B$
Is not in	a notin B	$a \notin B$
Owns	A owns b	$A \ni b$
Empty set	emptyset	\emptyset
Intersection	A intersection B	$A \cap B$
Union	A union B	$A \cup B$
Difference	A setminus B	$A \setminus B$
Quotient	A slash B	A / B
Aleph	aleph	\aleph
Subset	A subset B	$A \subset B$
Subset or equal to	A subseteq B	$A \subseteq B$
Superset	A supset B	$A \supset B$
Superset or equal to	A supseteq B	$A \supseteq B$
Not subset	A nsubset B	$A \not\subset B$
Not subset or equal	A nsubseteq B	$A \not\subseteq B$
Not superset	A nsupset B	$A \not\supset B$
Not superset or equal	A nsupseteq B	$A \not\supseteq B$
Set of natural numbers	setN	\mathbb{N}
Set of integers	setZ	\mathbb{Z}
Set of rational numbers	setQ	\mathbb{Q}
Set of real numbers	setR	\mathbb{R}
Set of complex numbers	setC	\mathbb{C}

Functions

Operation	Command	Display
Exponential	func e ^{a}	e^a
Natural logarithm	ln(a)	$\ln(a)$
Exponential function	exp(a)	$\exp(a)$
Logarithm	log(a)	$\log(a)$
Power	a ^{b}	a^b
Sine	sin(a)	$\sin(a)$
Cosine	cos(a)	$\cos(a)$
Tangent	tan(a)	$\tan(a)$
Cotangent	cot(a)	$\cot(a)$
Square root	sqrt{a}	\sqrt{a}
Arcsine	arcsin(a)	$\arcsin(a)$
Arc cosine	arccos(a)	$\arccos(a)$
Arctangent	arctan(a)	$\arctan(a)$
Arc cotangent	arccot(a)	$\operatorname{arccot}(a)$
n th root	nroot{a}{b}	$\sqrt[n]{b}$
Hyperbolic sine	sinh(a)	$\sinh(a)$
Hyperbolic cosine	cosh(a)	$\cosh(a)$
Hyperbolic tangent	tanh(a)	$\tanh(a)$
Hyperbolic cotangent	coth(a)	$\operatorname{coth}(a)$
Absolute value	abs{a}	$ a $
Arc hyperbolic sine	arsinh(a)	$\operatorname{arsinh}(a)$
Arc hyperbolic cosine	arcosh(a)	$\operatorname{arcosh}(a)$
Arc hyperbolic tangent	artanh(a)	$\operatorname{artanh}(a)$
Arc hyperbolic cotangent	arcoth(a)	$\operatorname{arcoth}(a)$
Factorial	fact{a}	$a!$

Operators

All operators can be used with the limit functions (“from” and “to”).

Operation	Command	Display
Limit	<code>lim{a}</code>	$\lim a$
Sum	<code>sum{a}</code>	$\sum a$
Product	<code>prod{a}</code>	$\prod a$
Coproduct	<code>coprod{a}</code>	$\coprod a$
Upper and lower bounds shown with integral	<code>int from {r_0} to {r_t} a</code>	$\int_{r_0}^{r_t} a$
Integral	<code>int{a}</code>	$\int a$
Double integral	<code>iint{a}</code>	$\iint a$
Triple integral	<code>iiint{a}</code>	$\iiint a$
Lower bound shown with summation symbol	<code>sum from{3}b</code>	$\sum_3 b$
Contour integral	<code>lint a</code>	$\oint a$
Double curved integral	<code>llint a</code>	$\oiint a$
Triple curved integral	<code>lllint a</code>	$\oiiint a$
Upper bound shown with product symbol	<code>prod to{3} r</code>	$\prod^3 r$

Attributes

Operation	Command	Display
Acute accent	acute a	á
Grave accent	grave a	à
Reverse circumflex	check a	ă
Breve	breve a	ă
Circle	circle a	â
Vector arrow	vec a	\vec{a}
Tilde	tilde a	ã
Circumflex	hat a	â
Line above	bar a	\bar{a}
Dot	dot a	â
Wide vector arrow	widevec abc	\vec{abc}
Wide tilde	widetilde abc	\vec{abc}
Wide circumflex	widehat abc	\widehat{abc}
Double dot	ddot a	â
Line over	overline abc	\overline{abc}
Line under	underline abc	\underline{abc}
Line through	overstrike abc	\overline{abc}
Triple dot	dddots a	â
Transparent (useful to get a placeholder of a given size)	phantom a	
Bold font	bold a	a
Italic font ¹	ital "a"	<i>a</i>
Resize font	size 16 qv	<i>qv</i>
Following item in sans serif font ²	font sans qv	<i>qv</i>
Following item in serif font	font serif qv	<i>qv</i>
Following item in fixed font	font fixed qv	<i>qv</i>

1 Unquoted text that is not a command is considered to be a variable. Variables are, by default, italicized.

2 There are three custom fonts: sans serif (without kicks), serifs (with kicks), and fixed (non-proportional). To change the actual fonts used for custom fonts and the fonts used for variables (unquoted text), numbers and functions, use **Format > Fonts**.

Operation	Command	Display
Make color of following text cyan ³	color cyan qv	<i>qv</i>
Make color of following text yellow	color yellow qv	<i>qv</i>
Make color of following text white	color white qv	<i>qv</i>
Make color of following text green	color green qv	<i>qv</i>
Make color of following text blue	color blue qv	<i>qv</i>
Make color of following text red	color red qv	<i>qv</i>
Make color green returns to default color black	color green X qv	<i>X qv</i>
Brace items to change color of more than one item	color green {X qv}	<i>X qv</i>

³ For all coloring, the color will apply only to the text immediately following the command until the next space is encountered. In order to have the color apply to more characters, place the text you want in color in curly brackets.

Miscellaneous

Operation	Command	Display
Infinity	infinity	∞
Partial	partial	∂
Nabla	nabla	∇
There exists	exists	\exists
For all	forall	\forall
H bar	hbar	\hbar
Lambda bar	lambdabar	λ
Real part	re	\Re
Imaginary part	im	\Im
Weierstrass p	wp	\wp
Left arrow	leftarrow	\leftarrow
Right arrow	\rightarrow	\rightarrow
Up arrow	\uparrow	\uparrow
Down arrow	\downarrow	\downarrow
Dots at bottom	\dotslow	\dots
Dots at middle	\dotsaxis	\dots
Dots vertical	\dotsvert	\vdots
Dots diagonal upward	\dotsup	\ddots
Dots diagonal downward	\dotsdown	\doteq

Brackets

Operation	Command	Display
Round Brackets	(a)	(a)
Square Brackets	[b]	$[b]$
Double Square Brackets	ldbracket c rdbarcket	$\llbracket c \rrbracket$
Single line	lline a rline	$ a $
Double line	ldline a rdline	$\ a\ $
Braces	lbrace w rbrace	$\{w\}$
Angle Brackets	langle d rangle	$\langle d \rangle$
Operator Brackets	langle a mline b rangle	$\langle a b \rangle$
Group brackets (used for program control)	{a}	a
Scalable round brackets (add the word "left before a left bracket and "right" before a right bracket)	left (stack{a # b # z} right)	$\left(\begin{array}{c} a \\ b \\ z \end{array} \right)$
Square brackets scalable (as above)	left [stack{ x # y} right]	$\left[\begin{array}{c} x \\ y \end{array} \right]$
Double square brackets scalable	left ldbracket c right rdbarcket	$\llbracket c \rrbracket$
Line scalable	left lline a right rline	$ a $
Double line scalable	left ldline d right rdline	$\ d\ $
Brace scalable	left lbrace e right rbrace	$\{e\}$
Angle bracket scalable	left langle f right rangle	$\langle f \rangle$
Operator brackets scalable	left langle g mline h right rangle	$\langle g h \rangle$
Over brace scalable	{The brace is above} overbrace a	$\overbrace{\text{The brace is above}}^a$
Under brace scalable	{the brace is below} underbrace {f}	$\underbrace{\text{the brace is below}}_f$

Formats

Operation	Command	Display
Left superscript	<code>a lsup{b}</code>	${}^b a$
Center superscript	<code>a csup{b}</code>	a^b
Right superscript	<code>a^{b}</code>	a^b
Left subscript	<code>a lsub{b}</code>	${}_b a$
Center subscript	<code>a csub{b}</code>	a_b
Right subscript	<code>a_{b}</code>	a_b
Align character to left (text is aligned center by default)	<code>stack { Hello world # alignl (a) }</code>	$\begin{matrix} \text{Hello world} \\ (a) \end{matrix}$
Align character to center	<code>stack{Hello world # alignc(a)}</code>	$\begin{matrix} \text{Hello world} \\ (a) \end{matrix}$
Align character to right	<code>stack { Hello world # alignr(a)}</code>	$\begin{matrix} \text{Hello world} \\ (a) \end{matrix}$
Vertical stack of 2	<code>binom{a}{b}</code>	$\begin{matrix} a \\ b \end{matrix}$
Vertical stack, more than 2	<code>stack{a # b # z}</code>	$\begin{matrix} a \\ b \\ z \end{matrix}$
Matrix stack	<code>matrix{a # b ## c # d}</code>	$\begin{matrix} a & b \\ c & d \end{matrix}$
Common mathematical arrangement	<code>matrix{a # "="b ## {} # "="c}</code>	$\begin{matrix} a & = & b \\ & & = & c \end{matrix}$
New line	<code>asldkfjo newline sadkfj</code>	$\begin{matrix} asldkfjo \\ sadkfj \end{matrix}$
Small gap (grave)	<code>stuff `stuff</code>	$stuff \text{ ` } stuff$
Large gap (tilde)	<code>stuff~stuff</code>	$stuff \text{ ~ } stuff$

Characters – Greek

%ALPHA	A	%BETA	B	%CHI	X	%DELTA	Δ	%EPSILON	E
%ETA	H	%GAMMA	Γ	%IOTA	I	%KAPPA	K	%LAMBDA	Λ
%MU	M	%NU	N	%OMEGA	Ω	%OMICRON	O	%PHI	Φ
%PI	Π	%PSI	Ψ	%RHO	P	%SIGMA	Σ	%THETA	Θ
%UPSILON	Υ	%XI	Ξ	%ZETA	Z				
%alpha	α	%beta	β	%chi	χ	%delta	δ	%epsilon	ϵ
%eta	η	%gamma	γ	%iota	ι	%kappa	κ	%lambda	λ
%mu	μ	%nu	ν	%omega	ω	%omicron	o	%phi	ϕ
%pi	π	%rho	ρ	%sigma	σ	%tau	τ	%theta	θ
%upsilon	υ	%varepsilon	ε	%varphi	φ	%varpi	ϖ	%varrho	ϱ
%varsigma	ς	%vartheta	ϑ	%xi	ξ	%zeta	ζ		

Characters – Special

%and \wedge	%angle \sphericalangle	%element \in	%identical \equiv
%infinite ∞	%noelement \notin	%notequal \neq	%or \vee
%perthousand \permil	%strictlygreaterthan \gg	%strictlylessthan \ll	%tendto \rightarrow